

**NOTES:-**

1.BEDDING ZONE

-BEDDING SAND SHALL EXTEND OVER FULL WIDTH OF THE TRENCH AND SHALL BE COMPACTED AT OPTIMUM MOISTURE CONTENT, TO ACHIEVE A MINIMUM COMPACTION OF 95% MMDD. BY TAMPING, ROLLING AND/OR VIBRATING.SAND SHALL BE PLACED IN LAYERS NOT EXCEEDING 150mm COMPACTED THICKNESS (200mm UNCOMPACTED).

2.BACKFILL ZONES 1 & 2


-MATERIAL SHALL BE PLACED IN LAYERS NOT EXCEEDING 150mm COMPACTED THICKNESS (200mm UNCOMPACTED). LAYERS SHALL BE COMPACTED BY CONVENTIONAL MECHANICAL METHODS.

3.SERVICE TRENCHES-

-THROUGH NATURAL AND LANDSCAPE AREAS-SHALL BE REINSTATED WITH CLEAN FILL ABOVE BACKFILL ZONE 1, TO MATCH EXISTING SURFACE.

4.EXCAVATED MATERIAL

-ALL EXCAVATED MATERIAL SHALL BE REMOVED FROM SITE. EXCAVATED MATERIAL SHALL NOT BE REUSED IN TRENCH BACKFILL.



**STANDARD DETAIL**

BACKFILLING OF TRENCHES BELOW  
SUB-BASE LEVEL FOR FOOTPATHS

PLAN No.

**SD-34**

APPROVED.....C.HASKAS.....  
Manager Civil Design

DATE.....11/4/07.....

DRAWN/DESIGNED

N.SCOTT

CHECKED

A.S. TAYLOR

CAD FILE NAME

SD-34.dwg

SHEET SIZE

**A4**

REVISION

**0**