


FOOTPATH PAVING DETAIL FOR NEW DEVELOPMENTS

NOTES:-

1. EXCAVATED MATERIAL SHALL NOT BE REUSED IN THE REINSTATEMENT OF THE TRENCHS AND SHALL BE REMOVED FROM SITE.
2. THE CONTRACTOR SHALL PROVIDE ALL REGULATORY SIGNS AND WARNING DEVICES FOR THE PROTECTION OF THE PUBLIC IN ACCORDANCE WITH ROAD AND TRAFFIC ACT AND OCCUPATIONAL HEALTH AND SAFETY ACT.
3. ALL PAVEMENTS TO BE IN ACCORDANCE WITH AS3727, GUIDE TO RESIDENTIAL PAVEMENTS.
4. FOOTPATH CROSS FALL SHOULD NOT EXCEED 2.5% TO COMPLY WITH AS1428.

 CITY OF Salisbury	<h1>STANDARD DETAIL</h1> <p>PAVED FOOTPATH DETAIL FOR NEW DEVELOPMENTS</p>		PLAN No. SD-31	
			APPROVED..... C.HASKAS Manager Civil Design	
DRAWN/DESIGNED N.SCOTT	CHECKED A.S. TAYLOR	CAD FILE NAME SD-31.dwg	SHEET SIZE A4	REVISION 0