



## FOOTPATH/CYCLEWAY-PAVERS



## FOOTPATH/CYCLEWAY-CONCRETE

### NOTES:-

1. EXCAVATED MATERIAL SHALL NOT BE REUSED IN THE REINSTATEMENT OF THE TRENCHS AND SHALL BE REMOVED FROM SITE.
2. THE CONTRACTOR SHALL PROVIDE ALL REGULATORY SIGNS AND WARNING DEVICES FOR THE PROTECTION OF THE PUBLIC IN ACCORDANCE WITH ROAD AND TRAFFIC ACT AND OCCUPATIONAL HEALTH AND SAFETY ACT.
3. ALL PAVEMENTS TO BE IN ACCORDANCE WITH AS3727, GUIDE TO RESIDENTIAL PAVEMENTS..
4. FOOTPATH CROSS FALL NOT TO EXCEED 2.5% TO COMPLY WITH AS1428.



# STANDARD DETAIL

## FOOTPATH PAVEMENT REINSTATEMENT OF TRENCHES

PLAN No.

# SD-37

APPROVED.....**C.HASKAS**.....  
Manager Civil Design

DATE.....**11/4/07**.....

DRAWN/DESIGNED

**N.SCOTT**

CHECKED

**A.S. TAYLOR**

CAD FILE NAME

**SD-37.dwg**

SHEET SIZE

**A4**

REVISION

**0**