



Jacaranda  
*Jacaranda mimosifolia*

A deciduous tree, up to 12m in height, with a spreading canopy. It has fern-like foliage and profuse purple flowers that appear in spring and summer. This tree is recommended for medium width verges and is SA Water approved.  
Local example: Goodall Crescent, Salisbury; Davis Street, Salisbury



## Panto Avenue, Paralowie

Following community consultation for your street earlier last year; we would like to advise that the selected tree species for your street is

### Jacaranda mimosifolia

Please find enclosed information related to the tree species, plans for the tree removals/retentions and new tree plantings.

Tree removal works are being coordinated to occur over summer 2023.

Planting of new trees is being coordinated to occur beginning Autumn 2023.

You can access information regarding the Street Tree Program and benefits of trees by scanning here:



or visit:

 [salisbury.sa.gov.au/treeprogram](https://salisbury.sa.gov.au/treeprogram)

If you have any further questions please contact the Project Manager, Michael Oborn.

 34 Church Street, Salisbury

 8406 8222

 [city@salisbury.sa.gov.au](mailto:city@salisbury.sa.gov.au)



# Street Tree Program Consultation Results Outcome



**Trees are an important part of the landscape and urban environment across the City of Salisbury.**

They provide a range of environmental and ecological benefits for the City and the wider community.

### Timeframe

Tree removal works are being coordinated to occur over summer 2023 with planting to follow beginning Autumn 2023.

We will provide further information closer to works date.

 [www.salisbury.sa.gov.au/treeprogram](https://www.salisbury.sa.gov.au/treeprogram)

 8406 8222

 [city@salisbury.sa.gov.au](mailto:city@salisbury.sa.gov.au)

   @cityofsalisbury

# Street Tree Program Consultation Results Planting Plan



Panto Avenue, Paralowie

- Retain
- ⊗ Remove
- New Tree - Species
- Jacaranda mimosifolia

NOTES:  
Property boundaries are indicative only.  
Symbol locations are indicative only.  
Regulated or Significant trees marked for removal have not received Developmental Approval to date  
New trees will generally be located centrally between footpath and kerb or between property boundary and kerb unless otherwise indicated on plan.