



STANDARD PAVED FOOTPATH DETAIL



STANDARD CONCRETE FOOTPATH DETAIL

NOTES:-

1. EXCAVATED MATERIAL SHALL NOT BE REUSED IN THE REINSTATEMENT OF THE TRENCHES AND SHALL BE REMOVED FROM SITE.
2. THE CONTRACTOR SHALL PROVIDE ALL REGULATORY SIGNS AND WARNING DEVICES FOR THE PROTECTION OF THE PUBLIC IN ACCORDANCE WITH ROAD AND TRAFFIC ACT AND OCCUPATIONAL HEALTH AND SAFETY ACT.
3. ALL PAVEMENTS TO BE IN ACCORDANCE WITH AS3727, GUIDE TO RESIDENTIAL PAVEMENTS.
4. FOOTPATH CROSS FALL SHOULD NOT EXCEED 2.5% TO COMPLY WITH AS1428.



STANDARD DETAIL

PAVED & CONCRETE FOOTPATH DETAIL

PLAN No.

SD-32

APPROVED.....C.HASKAS.....
Manager Civil Design

DATE.....11/4/07.....

DRAWN/DESIGNED

N.SCOTT

CHECKED

A.S. TAYLOR

CAD FILE NAME

SD-32.dwg

SHEET SIZE

A4

REVISION

0