

AGENDA

FOR COUNCIL ASSESSMENT PANEL MEETING TO BE HELD ON

28 MARCH 2023 AT 6:30 PM

IN LITTLE PARA CONFERENCE ROOMS, SALISBURY COMMUNITY HUB, 34 CHURCH STREET, SALISBURY

MEMBERS

Mr T Mosel (Presiding Member)

Mr R Bateup Ms C Gill Mr B Brug Mr M Atkinson

REQUIRED STAFF

Assessment Manager, Mr C Zafiropoulos

General Manager, City Development, Ms M English

Team Leader Planning, Mr C Carrey

APOLOGIES

LEAVE OF ABSENCE

ADOPTED MINUTES FROM PREVIOUS MEETING

Presentation of the Minutes of the Council Assessment Panel Meeting held on 28 February 2023.

DECLARATIONS OF CONFLICTS OF INTEREST

REPORTS

Develop	ment Applications	
8.1.1	22040408	19
	15-21 Brown Terrace and 23 Brown Terrace, Salisbury SA 5108	
	Health Hub comprising community and indoor recreation facilities and consulting rooms with associated car parking and landscaping and the removal of five regulated trees	
8.1.2	23005553	291
	23-29 Amsterdam Crescent, Salisbury Downs SA 5108	
	Land Division (Boundary Realignment)	
ОТНЕБ	R BUSINESS	
8.2.1	Status of Current Appeal Matters and Deferred Items	527
8.2.2	Policy Issues Arising from Consideration of Development Applications	
8.2.3	Future Meetings & Agenda Items	

CLOSE

Please note:

Council is committed to openness and transparency in its decision making processes. However, some documents contained within attachments to the Development Assessment Panel agenda items are subject to copyright laws. Due to copyright restrictions the files are only available for viewing. Printing is not possible. If these documents are reproduced in any way, including saving and printing, it is an infringement of copyright.

By downloading this information, you acknowledge and agree that you will be bound by provisions of the Copyright Act 1968 (Cth) and will not reproduce these documents without the express written permission of the copyright owner.



MINUTES OF COUNCIL ASSESSMENT PANEL MEETING HELD IN LITTLE PARA CONFERENCE ROOMS, SALISBURY COMMUNITY HUB, 34 CHURCH STREET, SALISBURY ON

28 FEBRUARY 2023

MEMBERS PRESENT

Mr T Mosel (Presiding Member) Mr R Bateup Mr B Brug Mr M Atkinson

STAFF

Assessment Manager, Mr C Zafiropoulos General Manager, City Development, Ms M English Team Leader Planning, Mr C Carrey Development Officer Planning, Mr S Ondeyo Team Leader Business Services, Ms H Crossley

The meeting commenced at 6:34pm.

The Presiding Member welcomed the members, staff and the gallery to the meeting.

APOLOGIES

Apologies were received from Ms C Gill.

LEAVE OF ABSENCE

Nil

ADOPTED MINUTES FROM PREVIOUS MEETING

The Minutes of the Council Assessment Panel Meeting held on 20 December 2022, be taken as read and confirmed.

DECLARATIONS OF CONFLICTS OF INTEREST

Mr B Brug declared a conflict of interest, being an Elected Member on Council in relation to Item 8.1.2 - development application 22030607 at 71-75 Woomera Avenue, EDINBURGH SA 5111 for Northern Adelaide Waste Management Authority (NAWMA), having previously voted in relation to NAWMA items presented to Council. He advised that he would leave the meeting when the Item 8.1.2 is being considered by the Panel.

REPORTS

Development Applications

8.1.1 22037064

Change of Use of portion of Site to Storage Facility ('Store') comprising Storage of Caravans with Associated Carparking, Fencing over 2.1m in height and Landscaping at 1-9 Lolands Rd, Salisbury Plain SA 5109 for Mr Justin Foti

REPRESENTORS

There were no representors present.

APPLICANT

The applicant was present but was not requested to respond to questions from the Panel.

Mr R Bateup moved and the Council Assessment Panel resolved that:

- A. The proposed development is not considered to be seriously at variance with the Planning and Design Code.
- B. Section 107 of the *Planning, Development and Infrastructure Act* 2016, Planning Consent is **GRANTED** to application number 22037064 for Change of Use of portion of Site to Storage Facility ('Store') comprising Storage of Caravans with Associated Carparking, Fencing over 2.1m in height and Landscaping in accordance with the plans and details submitted with the application and subject to the following Reserved Matters and Conditions:

Reserved Matters:

The following matter/s shall be submitted for further assessment and approval by the Assessment Manager, as delegate of the Council Assessment Panel, as Reserved Matters under Section 102(5) of the *Planning, Development and Infrastructure Act 2016*:

1. Stormwater management arrangements, including accompanying design calculations, which consider the 10% AEP minor storm and 1% AEP major

storm events.

- (a) Stormwater discharge to the downstream system is not to exceed the pre-development discharge rate for the equivalent minor and major storm events; and
- (b) Stormwater systems shall be designed and constructed to cater for minor storm flows (10% AEP). The design of the stormwater system shall ensure that no stormwater is discharged onto any adjoining land. Surface stormwater is to be managed in a manner that ensures no ponding of water against buildings and structures, no creation of any insanitary conditions and no runoff into neighbouring property for the 1% AEP major storm event
- (c) Surface drainage systems are to be designed and constructed in accordance with AS3500.3 Section 5. Surface drainage systems are to be designed to ensure overflows, in storm events with an ARI of 100 years, do not present a hazard or nuisance to people or property or discharge over any adjoining land. Roof drainage systems are to be designed in accordance with AS3500.3 Section 3. Stormwater discharge from the site to the downstream stormwater system is not to exceed the equivalent of the pre-developed minor storm event (10% AEP)
- (d) Stormwater Quality Treatment modelling is to be provided to demonstrate that Council's water quality targets can be achieved. Water discharged from a development site is to be of a physical, chemical and biological condition equivalent to of better than its pre-development state. It's recommended that the following water quality targets requirements apply. These are to be verified through provision of a Stormwater Quality Treatment model to support the proposal:
 - i. 80% retention of the typical urban annual load for Total Suspended Solids
 - ii. 60% retention of the typical urban annual load for Total Phosphorus
 - iii. 45% retention of the typical urban annual load for Total Nitrogen
 - iv. 100% retention of the typical urban annual load for Gross Pollutants (litter)
 - v. No visible oil flows up to the 3month ARI peak flow
- 2. Final landscaping plan, prepared by a qualified and experienced landscape architect or horticulturalist, which shall include all of the following:
 - a. Final locations for all landscaped areas, including designated areas for trees, shrubs and groundcovers; and
 - b. Designated species to be used, noting should comprise species contained in the City of Salisbury Landscape Plan; and
 - c. Shade trees within the car parking areas; and
 - d. Pot sizes, confirming the tree planting shall comprise advanced growth species at time of planting; and
 - e. Maintenance methods including irrigation, barriers and protection from vehicles and pedestrians.

Planning Conditions

1. The proposal shall be developed in accordance with the details submitted with the application and the following Council stamped approved plans and documents, except where varied by the conditions herein:

Drawing No.	Plan Type	Date	Prepared By
ME2768 – Sheet 01 of 06	Site Plan	20/2/2023	Maxwell Project
Services			
ME2768 – Sheet 03 of 06	Street View	20/2/2023	Maxwell Project
Services			

The approved documents referred to above may be subject to minor variation, pursuant to Regulation 65 of the Planning, Development and Infrastructure (General) Regulations 2017.

Except where otherwise stated, the development shall be completed prior to occupation/commencement of use.

All documents referred to under Reserved Matters 1 and 2 inclusive constitute approved documents and form part of this Consent.

- 2. The invert, crossover and driveway shall be constructed, prior to commencement of use, in accordance with Council's Vehicle Crossover Standard Detail, Drawing SD-12, SD-13 and SD-14.
- 3. The car parking layout including car park spaces, aisle widths and manoeuvring area shall be designed and constructed to comply with AS 2890.1-2009 Off-Street Car Parking, Part 1, Austroads "Guide to Traffic Engineering Practice Part 11 Parking", AS 2890.2 Facilities for Commercial Vehicles and AS 2890.6 2009 Parking Facilities Part 6: Off-street parking for people with disabilities.
- 4. All driveways, car parking and manoeuvring areas shall be constructed with brick paving, concrete or bitumen to a standard appropriate for the intended traffic volumes and vehicle types. Individual car parking bays shall be clearly line marked. Driveways and car parking areas shall be established prior to commencement of use and shall be maintained at all times thereafter to the reasonable satisfaction of Council.
- 5. The designated landscaping areas shall be planted with shade trees, shrubs and ground covers in accordance with the Landscape Plan approved under Reserved Matter 2. All landscaping shall be completed, prior to commencement of use and shall be maintained at all times thereafter to the reasonable satisfaction of Council (including the replacement of diseased or dying plants and the removal of weeds and pest plants).
- 6. The approved use operating times shall be limited to 5.00am to 10.00pm.
- 7. Noise measured at the nearest residential property boundary shall comply with the Environment Protection (Noise) Policy 2007 at all times.

- 8. Except where otherwise approved, no materials, goods or containers shall be stored in the designated car parking area or driveways at any time.
- 9. Except where otherwise approved, outside lighting shall be restricted to that necessary for security purposes only and shall be directed and shaded to prevent light overspill and/or nuisance to adjacent occupiers or distraction to drivers on adjacent public roads. All lighting shall be in accordance with Australian Standard 4282 1997 'Control of the obtrusive effects of outdoor lighting'.

Advice Notes

1. Rights of Appeal

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

2. Building Rules Consent and Approval Still Required

Building Consent and Development Approval must be obtained within 24 months from the date of this Notification, unless this period has been extended by the Council. Work cannot commence until a Development Approval is obtained.

3. Commencement

The development shall be lawfully commenced by substantial work on the site of the development within 2 years from the date of Development Approval. If substantial work on the site has occurred within 2 years, the development shall be substantially or fully completed within 3 years from the date of Development Approval.

4. Advice regarding Council land

This Development Approval does not constitute land owners approval. The following applies to any works on Council land:

- a. Any person making alteration to Council land including erecting or installing a structure (pipes, wires, cables, fixtures, fittings), storing building materials, erecting temporary fencing, altering the kerb, gutter, footpath or crossover etc. in, on, under or over Council land, is subject to a permit from Council pursuant to Section 221 of the *Local Government Act 1999*.
- b. Service infrastructure should be located as far as practicable away from street trees, in order to protect the root zone and to prevent future damage to the infrastructure from roof expansion.

- c. Residents and businesses are encouraged to develop and maintain the verge area between their property boundary and the kerb. However, some types of development such as irrigation, tree planting and landscaping may be restricted in some areas and therefore permission should be first sought from Council before commencing any works;
- d. It is the developers/owners responsibility to ensure that damage does not occur to verge infrastructure during construction. Council regularly inspects the condition of verge infrastructure during construction and where damage is observed, Council may recover the costs from the owner for reinstatement of any damage to the footpath, kerb or gutter and may also impose a substantial penalty for any wilful damage.

5. Siting of Building Work

It is your responsibility to ensure that any building work is correctly sited with respect to the property boundaries of the site and it is strongly recommended that a boundary survey be undertaken before any work commences to ensure the building work is accommodated within the designated footprint and achieves the designated boundary setbacks.

6. Plans Available Onsite

The Council approved plans should be available on site at all times while performing the building work.

7. Fences Act

You will need to obtain your permission from your neighbour should you wish to access their property to carry out construction work adjacent the boundary or if you wish to erect common boundary fencing or boundary retaining walls, pursuant to the *Fences Act 1975*.

To find out more, please visit:

https://lsc.sa.gov.au/resources/fencesandthelawbooklet.pdf

8. Construction Noise

The applicant is reminded that demolition and construction is required to be carried out so that it complies with the mandatory construction noise provisions of Part 6, Division 1 of the *Environment Protection (Noise) Policy 2007* and the provisions of the *Local Nuisance and Litter Control Act 2016*. Under the *Local Nuisance and Litter Control Act 2016*, construction noise is declared to constitute a local nuisance as follows:

The noise has travelled from the location of the construction activity to neighbouring premises –

- *On any Sunday or public holiday;*
- After 7pm or before 7am on any other day.

9. EPA and Local Nuisance Matters

The applicant is reminded of its general environmental duty, as required by Section 25 of the *Environment Protection Act 1993*, to take all reasonable and practicable measures to ensure that the activities on the whole site, including during construction, do not pollute the environment in a way which causes or may cause environmental harm.

In addition, the applicant is responsible for ensuring the development (including demolition, civil works and construction activities) do not cause a 'local nuisance' under the *Local Nuisance and Litter Control Act 2016*

Accordingly, your site planning activities should consider:

- providing a stabilised entry/exit point to the site for all construction and trade vehicles, including contained wash down area for vehicles and equipment
- appropriately located stockpiles and storage materials
- a suitable and designated area for brick cutting and concrete works
- a contained area for paint and plastering waste and wash waters
- appropriate location of noisy equipment so as to avoid unreasonable impacts to neighbours
- dust control measures such as use of a water cart and/or covering stockpiles

Note: EPA information sheets, guidelines documents, codes of practice, technical bulletins etc. can be accessed on the following

8.2.3 Review of Assessment Manager Decision - DA22031953, Unit 1-2, 30 Shepherdson Road, Parafield Gardens

Mr T Game, Botten Levinson Lawyers, on behalf of the applicant, responded to questions of the Panel.

ORDER TO EXCLUDE THE PUBLIC

Mr M Atkinson moved, Mr R Bateup seconded, and the Council Assessment Panel resolved to:

Exclude the public and Mr C Zafiropoulos, Assessment Manager, from the CAP proceedings for consideration of item 8.2.3 on the Agenda of the CAP meeting 28 February 2023 on the basis of regulation 13(2)(b) of the *Planning*, *Development and Infrastructure (General) Regulations 2017*.

Mr B Brug moved, and the Council Assessment Panel resolved to affirm the Assessment Manager's decision on development application no. 22031953, for 'Construction of Two (2) Single Storey Group Dwellings In Association With Four (4) Existing Single Storey Group Dwellings, Shared Driveway, Visitor Car Parking And Landscaping' at Unit 1-2, 30 Shepherdson Road, Parafield Gardens, SA 5107.

8.1.2 22030607

Industrial Building for recycled paper processing in association with existing material recovery facility and Removal of One (1) Significant Tree and One (1) Regulated Tree at 71-75 Woomera Avenue, EDINBURGH SA 5111 for Northern Adelaide Waste Management Authority (NAWMA)

REPRESENTORS

Nil

APPLICANT

Mr D Dunn (NAWMA), Mr D Bills and Mr G Maiorano (URPS) spoke on behalf of the applicant.

Mr M Atkinson moved, and the Council Assessment Panel resolved that:

- A. The proposed development is not considered to be seriously at variance with the Planning and Design Code.
- B. Section 107 of the *Planning, Development and Infrastructure Act 2016*, Planning Consent is **GRANTED** to application number 22030607 for Industrial Building for recycled paper processing in association with existing material recovery facility and Removal of One (1) Significant Tree and One (1) Regulated Tree in accordance with the plans and details submitted with the application and subject to the following Reserved Matters and conditions:

Reserved Matters:

The following matter/s shall be submitted for further assessment and approval by the Team Leader Planning, as delegate of the Council Assessment Panel, as Reserved Matters pursuant to Section 102(5) of the *Planning, Development and Infrastructure Act 2016*:

Stormwater Management Plan

- 1. Final stormwater management plan and accompanying stormwater design calculations, prepared by a qualified and experienced stormwater engineer, which shall address all of the following:
 - a. The site stormwater drainage system shall be designed to control the quantity and quality of stormwater discharged from the site to minimise flooding, to prevent adverse impacts on downstream drainage systems and to protect the water quality of receiving waters. In particular, the following components shall be included in the stormwater drainage design:
 - i) Finished floor level shall be at least 150mm above the Q100 flood level adjacent the building;
 - ii) Storm runoff from the building roof areas should be separated from the runoff from ground or paved surfaces and may be discharged directly to Council's downstream underground drainage system without treatment to improve water quality;
 - Grassed or vegetated swale drains and sedimentation/detention basins shall be used to convey storm runoff from paved surfaces including car parking areas to Council's downstream drainage system to reduce the extensive use of hard concrete kerb edges and underground piped drainage systems. The use of permeable paving for light vehicle car parking areas is suggested as a means of increasing the site stormwater detention / retention and infiltration rates and reducing the peak discharge rates and volume of runoff that discharge to Council's downstream drainage system;

- iv) The minor stormwater drainage system of grassed swale drains, culverts, pits and pipes shall be designed with capacity to convey the runoff resulting from a 1 in 10 year ARI storm event;
- v) Grassed swale systems and basins shall be designed to provide primary treatment of stormwater runoff by filtering and removal of silt, sediment, oil and grease before discharge to downstream drainage systems and may also incorporate bio-retention treatment systems;
- vi) Gross pollutant traps including trash racks and trash nets shall be included in the stormwater drainage system to capture stormwater pollutants such as rubbish and floatable litter.
- vii) Gross pollutant traps, water quality treatment devices and drainage systems shall include high flow bypass and overflow provisions to accommodate extreme storm events resulting from the 1 in 100 year Ari major storm event.
- viii) The following water quality requirements shall be met:
 - i) 80% retention of the typical urban annual load for Total Suspended Solids (TSS);
 - ii) 60% retention of the typical urban annual load for Total Phosphorus (TP);
 - iii) 60% retention of the typical urban annual load for Total Nitrogen (TN)(45% reduction target is applicable if discharge < 60L/sec);
 - iv) No visible oil flows up to the 3 month ARI peak flow;
 - v) MUSIC modelling is required to verify that water quality targets are achieved;
 - vi) Gross pollutant traps, water quality treatment devices and drainage systems shall include high flow bypass and overflow provisions to accommodate extreme storm events resulting from the 1 in 100 year ARI major storm event.

Planning Consent Conditions

1. The development shall be carried out in accordance with the details submitted with the application and the following stamped approved plans and documents, except where otherwise varied by the conditions herein:

Drawing No.	Plan Type	Date	Prepared By
BG_10, Bg_20,	Site Plan, Floor Plan and	31/10/22	BG Building
BG_30, BG_31	Elevations		Group
C1.00 to C3.01	Civil Drawings	18/11/22	Triaxial
			Consulting
N/A	Tree Risk Assessment	26/05/22	Adelaide ARB
	Report		Consultants
N/A	Traffic Letter	15/11/22	CIRQA
N/A	Environmental Noise	23/08/2022	Echo Acoustic
	Assessment		Consulting

- 2. The car parking layout including car park spaces, aisle widths and manoeuvring area shall be designed and constructed to comply with AS 2890.1-2009 Off-Street Car Parking, Part 1, Austroads "Guide to Traffic Engineering Practice Part 11 Parking", AS 2890.2 Facilities for Commercial Vehicles and AS 2890.6 2009 Parking Facilities Part 6: Off-street parking for people with disabilities.
- 3. The access point to Tugger Way shall be limited to exit movements only for semi-trailers.
- 4. All loading and unloading of vehicles and manoeuvring of vehicles in connection with the approved land use shall be carried out entirely within the site at all times.
- 5. Except where otherwise approved, no materials, goods or containers shall be stored in the designated car parking area or driveways at any time.
- 6. All waste and rubbish from the activity shall be contained and stored pending removal in covered containers which shall be kept in an area screened from public view.
- 7. Except where otherwise approved, outside lighting shall be restricted to that necessary for security purposes only and shall be directed and shaded to prevent light overspill and/or nuisance to adjacent occupiers or distraction to drivers on adjacent public roads. All lighting shall be in accordance with Australian Standard 4282 1997 'Control of the obtrusive effects of outdoor lighting'.
- 8. A Tree Protection Plan shall be prepared by a qualified Arborist in accordance with the recommendations in the Tree Assessment Report prepared by Adelaide ARB Consultants prior to the granting of full Development Approval.
- 8. Replacement trees must be planted within 12 months of completion of the development at the following rates:
 - i. if the development relates to a regulated tree—2 trees to replace a regulated tree; or
 - ii. if the development relates to a significant tree—3 trees to replace a significant tree.

Replacement trees cannot be within a species specified under regulation 3F(4)(b) of the Planning, Development and Infrastructure (General) Regulations 2017, and cannot be planted within 10 metres of an existing dwelling or inground swimming pool;

EPA Conditions

- 9. The detailed design of the stormwater management system including swales and bioretention must incorporate the outcomes outlined in the Water Cycle Management Plan Report, prepared by Triaxial Consulting, dated 25 November 2022 and accompanying Stormwater Management Drawings, 18 November 2022.
- 10. Only the Pellenc Mistral+ 2000 sorting machines (or other sorting machine with an equivalent or lower sound power level) must be installed at the site.
- 11. Prior to commencing operation, the internal side of the sheet metal roof and walls of the new building must be fitted with a minimum 50mm thick thermal insulation with a minimum density of 10kg/m3 and a sarking protective cover.

Advice Notes

Rights of Appeal

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

Building Rules Consent and Approval Still Required

Building Consent and Development Approval must be obtained within 24 months from the date of this Notification, unless this period has been extended by the Council. Work cannot commence until a Development Approval is obtained.

Commencement

The development shall be lawfully commenced by substantial work on the site of the development within 2 years from the date of Development Approval. If substantial work on the site has occurred within 2 years, the development shall be substantially or fully completed within 3 years from the date of Development Approval.

Advice regarding Council land

This Development Approval does not constitute land owners approval. The following applies to any works on Council land:

- Any person making alteration to Council land including erecting or installing a structure (pipes, wires, cables, fixtures, fittings), storing building materials, erecting temporary fencing, altering the kerb, gutter, footpath or crossover etc. in, on, under or over Council land, is subject to a permit from Council pursuant to Section 221 of the Local Government Act 1999.
- Service infrastructure should be located as far as practicable away from street trees, in order to protect the root zone and to prevent future damage to the infrastructure from roof expansion.
- Residents and businesses are encouraged to develop and maintain the verge area between their property boundary and the kerb. However, some types of development such as irrigation, tree planting and landscaping may be restricted in some areas and therefore permission should be first sought from Council before commencing any works;
- It is the developers/owners responsibility to ensure that damage does not occur to verge infrastructure during construction. Council regularly inspects the condition of verge infrastructure during construction and where damage is observed, Council may recover the costs from the owner for reinstatement of any damage to the footpath, kerb or gutter and may also impose a substantial penalty for any wilful damage.

Siting of Building Work

It is your responsibility to ensure that any building work is correctly sited with respect to the property boundaries of the site and it is strongly recommended that a boundary survey be undertaken before any work commences to ensure the building work is accommodated within the designated footprint and achieves the designated boundary setbacks.

Plans Available Onsite

The Council approved plans should be available on site at all times while performing the building work.

Fences Act

You will need to obtain your permission from your neighbour should you wish to access their property to carry out construction work adjacent the boundary or if you wish to erect common boundary fencing or boundary retaining walls, pursuant to the Fences Act 1975. To find out more, please visit: https://lsc.sa.gov.au/resources/fencesandthelawbooklet.pdf

Construction Noise

The applicant is reminded that demolition and construction is required to be carried out so that it complies with the mandatory construction noise provisions of Part 6, Division 1 of the Environment Protection (Noise) Policy 2007 and the provisions of the Local Nuisance and Litter Control Act 2016. Under the Local Nuisance and Litter Control Act 2016, construction noise is declared to constitute a local nuisance as follows:

The noise has travelled from the location of the construction activity to neighbouring premises –

On any Sunday or public holiday; After 7pm or before 7am on any other day.

EPA and Local Nuisance Matters

The applicant is reminded of its general environmental duty, as required by Section 25 of the Environment Protection Act 1993, to take all reasonable and practicable measures to ensure that the activities on the whole site, including during construction, do not pollute the environment in a way which causes or may cause environmental harm.

In addition, the applicant is responsible for ensuring the development (including demolition, civil works and construction activities) do not cause a 'local nuisance' under the Local Nuisance and Litter Control Act 2016

Accordingly, your site planning activities should consider:

- providing a stabilised entry/exit point to the site for all construction and trade vehicles, including contained wash down area for vehicles and equipment
- appropriately located stockpiles and storage materials
- a suitable and designated area for brick cutting and concrete works
- a contained area for paint and plastering waste and wash waters
- appropriate location of noisy equipment so as to avoid unreasonable impacts to neighbours
- dust control measures such as use of a water cart and/or covering stockpiles

Note: EPA information sheets, guidelines documents, codes of practice, technical bulletins etc. can be accessed on the following web site: http://www.epa.sa.gov.au.

OTHER BUSINESS

8.2.1 Assessment Manager Quarterly Report - October to December 2022

Mr R Bateup moved, that the Council Assessment Panel resolved that the information was received and noted.

8.2.2 Status of Current Appeal Matters and Deferred Items

Mr M Atkinson moved, that the Council Assessment Panel resolved that the information was received.

8.2.4 Policy Issues Arising from Consideration of Development Applications

Nil

8.2.5 Future Meetings & Agenda Items

Next meeting scheduled for Tuesday 28 March 2023

ADOPTION OF MINUTES

Mr M Atkinson moved, and the Council Assessment Panel resolved that the Minutes of the Council Assessment Panel Meeting be taken and read as confirmed.

The meeting closed at 7.36pm.

PRESIDING MEMBER: Mr T Mosel

DATE: 28 February 2023

(refer to email approving minutes registered in the City of Salisbury's Record Management System - Document

Number 7676864)

ITEM 8.1.1

COUNCIL ASSESSMENT PANEL

DATE 28 March 2023

APPLICATION NO. 22040408

APPLICANT Rossdale Homes

PROPOSAL Health Hub comprising community and indoor recreation facilities

and consulting rooms with associated car parking and landscaping

and the removal of five regulated trees

LOCATION 15-21 Brown Terrace and 23 Brown Terrace, Salisbury SA 5108

CERTIFICATE OF Allotment 303 in Deposited Plan 55257, Certificate of Title

Volume 6253 Folio 354

Allotment 100 in Deposited Plan 119965, Certificate of Title

Volume 6218 Folio 507

TITLE

AUTHOR Brendan Fewster, Planning Consultant, City Development

1. DEVELOPMENT APPLICATION DETAILS

Zone/Policy Area	Urban Activity Centre Zone	
	No sub-zone applies	
Application Type	Performance Assessed	
Public Notification	Representations received: Nil	
	Representations to be heard: Nil	
Referrals - Statutory	Nil	
Referrals – Internal	Civil & Stormwater Engineer	
	Parks & Open Space	
Planning & Design Code	2022.23	
Version (at lodgement)		
Assessing Officer	Brendan Fewster, Planning Consultant	
Recommendation	Grant Planning Consent subject to Reserved Matters and	
	Conditions	
Meeting Date	28 March 2023	

2. REPORT CONTENTS

This Report provides an assessment of the proposed development against the relevant provisions of the Planning and Design Code. This assessment has been based on a review of the following plans and documents which are appended to this report:

Attachment 1: Proposal Plans and Supporting Documentation

Attachment 2: Copy of Sign Displayed on the Land Attachment 3: Extract of Planning and Design Code

3. EXECUTIVE SUMMARY

The proposal is for a new health hub development comprising community and indoor recreation facilities and consulting rooms located at 15-21 and 23 Brown Terrace, Salisbury. The development site is situated within the Urban Activity Centre Zone.

The application was subject to public notification with no representations received.

The application was referred to Council's Civil and Stormwater Engineer who support the proposal in principle. A Reserved Matter has been included to alter the civil design so that stormwater is discharged to the downstream stormwater system. Similarly, Council's Parks and Open Space Department has requested additional information to substantiate potential mitigation measures such as pruning and ongoing maintenance methods for those trees to be retained.

This report provides a detailed assessment of the application against the relevant provisions of the Planning and Design Code (the Code). The assessment has found that the proposed development:

- Is consistent with the land uses sought by the Urban Activity Centre Zone and is appropriate within the context of the locality;
- Delivers a satisfactory design outcome, with a simple built form that includes legible front entrances with projecting canopies, street-facing fenestration and contemporary materials, colour finishes and detailing that is enhanced by a mix of soft landscaping;
- Provides appropriate vehicular access and a sufficient number of car parking spaces to accommodate the proposed activities;
- Will not result in any negative impacts on adjacent development and is appropriately separated from adjacent residential areas to the north and east to minimise potential interface issues:
- Will require the removal of five (5) Regulated trees that are either structurally poor specimens or do not make an important contribution to the character or amenity of the local area:
- Has been amended in order to retain an existing Significant tree that is worthy of retention; and
- Subject to the provision of additional design details as required by a Reserved Matter, has appropriately addressed the management of stormwater.

For the above reasons, it is recommended that the Council Assessment Panel grant Planning Consent for the proposed development subject to a Reserved Matter and Conditions.

4. BACKGROUND

The City of Salisbury is the current landowner of the subject land.

Given that the City of Salisbury has an interest in the proposed development as the landowner, Council wrote to the Minister for Planning requesting that the Minister appoint the State Commission Assessment Panel as the Relevant Authority to remove any potential for a perceived conflict of interest in the assessment of the application. The Minister's Delegate declined this request stating that the City of Salisbury Council Assessment Panel, as an independent body, was best placed to assess the proposed development.

In circumstances where no representors seek to be heard by the Panel in support of their representation the application would be usually be delegated to the Assessment Manager for the City of Salisbury. In this case, no representations were received however Regulation 30(1)(c) of the *Planning, Development and Infrastructure (Accredited Professionals)*Regulations 2019 provides that an accredited professional must not perform any function of an accredited professional in relation to a development if they are employed by any person or body associated with any aspect of the development.

Further to this, and consistent with the Council's procedure in relation to development undertaken by the Council, an independent planning consultant has been engaged to assess the application and prepare an assessment report for consideration by the Panel.

The site of the proposed development is also the subject of a land division application (361/186/2021/LD) that has been approved and is pending final clearances and new titles. The Council has entered a contract to sell portion of the land that is to be created under this land division. The approved land division is contained in Attachment 1.

5. SUBJECT SITE

The subject land comprises two contiguous allotments located at 15-21 and 23 Brown Terrace, Salisbury. The land is formally described as:

- Allotment 303 in Deposited Plan 55257, Certificate of Title Volume 6253 Folio 354; and
- Allotment 100 in Deposited Plan 119965, Certificate of Title Volume 6218 Folio 507.

There are no easements, encumbrances or other registered interests on the land titles.

The development site comprises an area of approximately 8,000 square metres with a frontage to Orange Avenue of around 70 metres. These eastern-most boundary of the site is 40 metres from Brown Terrace. The land is naturally flat with only minor alterations to surface levels.

The site was formerly occupied by the St Jays Recreation Centre, which was demolished several years ago and replaced by grassed open space. There are currently no buildings on the site. An existing vehicle access on Orange Avenue that has been temporarily closed with a timber fence will be redesigned as part of the proposal.

There are numerous mature trees across the site, including eight Regulated trees and one Significant tree. There are also several Regulated trees surrounding the site. Site photos are provided below.

Photo 1.
Looking south east towards subject site from Orange Avenue



Photo 2.
Looking south west towards subject site from Orange Avenue



Photo 3. Subject site as viewed from Brown Terrace looking towards Croquet Club



Photo 4.
Subject site as viewed from Salisbury Oval to the south west



Photo 5. Subject site as viewed from Brown Terrace



6. LOCALITY

The northern and eastern parts of the locality are mostly residential and characterised by single storey detached dwellings at low densities. Non-residential uses in this part of the locality include the Salisbury Primary School and a community facility (Meals on Wheels) located at the corner of Orange Avenue and Brown Terrace.

Land along Brown Terrace is public open space and includes play equipment, a tennis court, toilet facilities and walking paths.

Land to the south and to the west along Orange Avenue comprises the Salisbury Oval precinct. This area includes various community sports and recreation facilities such as a sports oval and clubrooms, bowling greens and a memorial garden. A train line borders the western side of the precinct and there are two large bitumen car parks and a smaller internal car park that are accessed from Orange Avenue.

Overall, the locality is of moderate amenity.

A locality plan, contextual plan and panorama view are provided below.

Locality Plan - Aerial



Legend (Source: NearMap)	
	Site boundary
	Development Site boundary
	Locality boundary



Legend (Source: SAPPA)	
	Site boundary

Panorama View

Zone (CF)



Legend (Source: Nearmap)	
	Development Site boundary

7. DESCRIPTION OF THE PROPOSED DEVELOPMENT

The proposal is seeking the development of a 'Health Hub comprising community and indoor recreation facilities and consulting rooms with associated car parking and landscaping and the removal of five regulated trees'.

The development will comprise two separate tenancies with a gross floor area approximately 2,150 square metres. The tenancies will be occupied by Novita - a community-based disability service, and Northcare – a private sports rehabilitation provider.

More specifically, the proposal includes:

- Construction of a single storey building with two separate tenancies comprising 20 consulting rooms, five therapy rooms, two group rooms, gym rooms, a swimming pool and associated areas that include, offices, meeting rooms, reception and waiting areas and other amenities;
- A simple modern building that features front entrances with a projecting portico, streetfacing fenestration, a perimeter canopy, a flat roof behind parapet walls and a material palette of pre-cast concrete, matrix cladding and Colorbond roofing finished in a mix of colours;
- A maximum building height of 4.95 metres and a main roof height of 4.5 metres;
- At-grade car parking for 77 vehicles with simultaneous two-way access onto Orange Avenue:
- Landscaping adjacent to the road frontage and within the proposed car park;
- Operating hours between 7.00am and 6.00pm Monday to Saturday;
- Two (2) signs for business identification displayed on the building fascia (one for each tenancy); and
- Removal of five (5) Regulated trees and retention of a Significant tree.

A copy of the proposal plans and supporting documentation are contained in Attachment 1.

8. CLASSIFICATION

The site is located within the Urban Activity Centre Zone, as depicted in the SA Property and Planning Atlas (SAPPA).

The proposed development is not listed as an Accepted or Deemed to Satisfy form of development in Tables 1 or 2 respectively of the Zone, nor is the development listed as a Restricted form of development in Table 4 of the Zone.

On this basis, the application shall be assessed as "Performance Assessed" development against the relevant provisions of the Planning and Design Code.

9. **PUBLIC NOTIFICATION**

Table 5 of the Urban Activity Centre Zone identifies land use classes of performance assessed development that are excluded from notification. Except where development is assigned to a class in Table 5, public notification is applicable.

Public notification commenced on 20 December 2022 and closed on 17 January 2023. No representations were received during the notification period.

10. **REFERRALS – STATUTORY**

No statutory referrals were required.

REFERRALS – INTERNAL 11.

The application was referred to Council's Development Engineer (Civil & Stormwater) and to the Parks & Open Space Department.

The following is a summary of the internal referral comments:		
Department	Summarised Comment	
Civil & Stormwater Engineer	The application was referred to Council's Development Engineer to review the stormwater management, vehicle access and traffic impacts: • Stormwater generated by this site should be discharged unrestricted to the downstream receiving stormwater system. The roof stormwater should be directed to an underground stormwater system which discharges unrestricted to the existing underground stormwater system within Brown Terrace. Stormwater generated by pavement areas ideally overland flows un-detained to Brown Terrace via safe overland flow routes. • No concerns with the development from a traffic perspective. • Pram ramps should be provided at the widened access/egress location in line with the existing	
Parks & Open Space	The application was referred to Council's Parks & Open Space Department to assess the impacts of the development on existing trees. In principle Council is satisfied with the report in terms of support of trees to be removed and retained. Some areas for further consideration have been identified, in particular with respect to tree protection measures that may be necessary e.g. crown management, and consideration of other factors that the report is silent on e.g.; • Locations of services in and out of the site; • Location of drainage infrastructure throughout the site; • irrigation systems and/or installation methodology; It is also recommended that the guttering system on the building be reviewed to minimise the frequency of cleaning as there will be litter drop onto the roof from the adjacent trees.	

12. ASSESSMENT

Pursuant to Section 107(2)(c) of the *Planning, Development and Infrastructure Act 2016*, it is recommended the Panel determine the proposed development is not seriously at variance with the Planning & Design Code. The following reasons are given in support of this recommendation:

- a) The proposed development is consistent with the land uses sought in the Urban Activity Centre Zone; and
- b) The proposed development will not have an unreasonable impact on the amenity of the locality.

Assessment

A detailed assessment of the application has taken place against the relevant provisions of the Planning and Design Code and is described below under a series of headings.

A Policy Enquiry containing the relevant provisions of the Planning and Design Code is contained in Attachment 3.

Overlays

A summary of the proposed development's compliance with the relevant Overlays affecting the subject land is provided in the table below:

Overlay	Assessment
Airport Noise Exposure	Satisfied – the proposal does not involve
	activities sensitive to aircraft noise and
	therefore acoustic measures are not required.
Airport Building Heights (Regulated)	Satisfied – the proposed development does
	not exceed 15 metres in height
Building Near Airfields	Satisfied – the proposed development does
	not pose a hazard to the operational and
	safety requirements of commercial and
	military airfields.
Defence Aviation Area	Satisfied – the proposed development does
	not propose any building work or structures
	over 90 metres in height
Hazards (Flooding - General)	Satisfied – the proposed development
	minimises the impacts of general flood risk
	through appropriate siting and design of
	development. The proposal has been
	assessed by Council's Development Engineer and is supported in principle.
Regulated and Significant Tree	Satisfied – the applicant has demonstrated
Regulated and Significant Tree	that the Regulated trees to be removed are
	either structurally poor specimens or do not
	make an important contribution to the
	character or amenity of the local area.

The proposal has been amended to ensure an
existing Significant tree is retained and
protected.

Local Variation

It is noted that the subject land is subject to Technical and Numerical Variations (Local Variations) that relates to maximum building height and 'Concept Plan 81 – Edinburgh Defence Airfield Lighting Constraints'.

The proposed single level building with a height of 4.95 metres to the top of the front parapets and 4.5 metres to the main roof is well within the maximum building height of 16.5 metres and four levels.

A condition of consent is recommended to ensure that external lighting achieves the relevant Australian Standard, thus satisfying Concept Plan 81.

Land Use

The Urban Activity Centre Zone seeks:

A cohesive and legible environment supporting a broad spectrum of regional level business, shopping, entertainment and recreational facilities that can cater for large crowds, smaller social gatherings and events over extended hours (DO 1)

Performance Outcome (PO) 1.1 and the associated Deemed to Satisfy / Designated Performance Feature (DTS/DPF) provides greater clarity in relation to the land uses sought in the Zone:

PO 1.1

Shops, offices, entertainment, health, education and recreation related uses and other businesses that provide a comprehensive range of goods and services to the region.

DTS/DPF 1.1

Development comprises one or more of the following:

- (a) Advertisement
- (b) Car park facility
- (c) Cinema
- (d) Consulting room
- (e) Community transport facilities
- (f) Community facility
- (g) Consulting room
- (h) Dwelling
- (i) Educational establishment
- (j) Emergency services facility
- (k) Hospital
- (l) Hotel
- (m) Indoor recreation facility
- (n) Library
- (o) Licensed Premises
- (p) Light industry
- (q) Office
- (r) Place of worship

 (s) Pre-school (t) Public transport facilities (u) Retail fuel outlet (v) Retirement facility (w) Shop (x) Store (y) Student accommodation
 (y) Student accommodation (z) Supported accommodation (aa) Telecommunications facility (bb) Tourist accommodation (cc) Warehouse

The proposal is for a 'Health Hub comprising community and indoor recreation facilities and consulting rooms with associated car parking and landscaping and the removal of five regulated trees The proposed health hub is a "consulting room" and "indoor recreation facility", as defined by *Part 7 – Land Use Definitions* of the Planning and Design Code.

As highlighted above, the DO and PO 1.1 of the zone contemplate various health and recreation uses that serve the wider area. Consulting rooms and indoor recreation facilities are identified in DPF 1.1 as appropriate land uses.

The proposal is conveniently located near the Salisbury Centre and major urban transport routes and is of size and nature that will contribute positively to the function and livability of local residents and a region-wide area.

The proposal is therefore orderly and appropriate from a land use perspective.

Building Design, Scale and Appearance

The following key provisions of the Urban Activity Centre Zone are considered relevant to an assessment of the design outcome of the proposed development:

PO 2.1	No corresponding DTS/DPF
Development throughout the zone that	
integrates with existing development	
through building scale, connections and	
complementary land uses.	
PO 2.3	No corresponding DTS/DPF
Buildings are sited and designed to create	
pedestrian, vehicular, open space and visual	
linkages between the various built-form	
elements within the zone and adjoining main	
roads and thoroughfares.	
PO 2.6	DTS/DPF 2.6
Buildings and facilities are sited and	Not less than 50% of the ground floor
designed to provide an active frontage to the	primary frontage of buildings are visually
public realm, contributing to streetscapes	permeable, transparent or clear glazed.
and spaces that encourage social	
interaction.	

PO 3.1

Building height is consistent with the form expressed in any

relevant Maximum Building Height (Levels) Technical and Numeric

Variation and Maximum Building Height (Metres) Technical and Numeric Variation, and is otherwise generally medium rise development, with the highest intensity of built form at the centre of the zone, and lower scale at the peripheral zone interface.

DTS/DPF 3.1

Building height is:

(a) not greater than:

Maximum Building Height (Meta

Maximum building height is 16.5m

Maximum Building Height (Levels)


Maximum building height is 4 levels

PO 3.2

Buildings mitigate visual impacts of building massing on residential development within a neighbourhood-type zone.

DTS/DPF 3.2

Buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3 metres above natural ground level at the boundary of an allotment used for residential purposes within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a southern boundary or where this boundary is the primary street boundary):



The proposed building is of a simple modern design that features front entrances with a projecting portico, street-facing fenestration, a perimeter canopy, a flat roof behind parapet walls and a material palette of pre-cast concrete, matrix cladding and Colorbond roofing finished in a mix of colours.

The applicant has made improvements to the front building façade as the original design was lacking visual interest and the overall appearance of the building did not meet the intent of DO 2 of the zone by enhancing the quality of the public realm. These improvements include additional fenestration, more proportioned and visually prominent entrances, feature parapet walling to break up the horizontal plane and contrasting materials. The built form outcome is satisfactory as it includes a *visually permeable street frontage* and a low roof profile that is complementary to the roof height and form of surrounding buildings.

The building will have a maximum height of 4.95 metres, which is well below the maximum building height of 16.5 metres and four levels sought by DPF 3.1 of the zone. The single storey scale and low roof height will "mitigate visual impacts of building massing on

residential development" within the nearest neighbourhood zone that is on the southernwestern side of Brown Terrace. PO 3.2 is also satisfied.

There are no quantitative setback requirements for the Urban Activity Centre Zone. The front of the proposed building is setback a minimum of 35 metres from the Orange Avenue frontage, which provides sufficient area for car parking and landscaping and separation to existing residences on the opposite side of the road.

PO 2.3, 2.5 and 2.6 of the zone also encourage buildings to be sited and designed to promote pedestrian connectivity with adjacent land and nearby services. The proposal includes three pedestrian pathways between the south-eastern boundary and the adjacent reserve, noting that there is no fence to be provided along this boundary. A pedestrian pathway and gate is to be provided to the croquet club to the rear of the property and a pathway will also connect into the land to the north-west that will be developed in the future. These pathways will enhance pedestrian access and passive surveillance.

The overall design and appearance of the development is considered to complement the surrounding built form character and reasonably satisfies the relevant built form and character provisions of the Urban Activity Centre Zone and the general policies (Design in Urban Areas).

Interface Between Land Uses

The Urban Activity Centre Zone seeks development that includes:

Facilities within the centre sited and designed with a view to promoting after-hours use to reinforce the centre as the focus of social activity. (PO 1.2)

Development throughout the zone that integrates with existing development through building scale, connections and complementary land uses. (PO 2.1)

Further guidance is provided by the following 'Interface between Land Use' General Development Policies:

- **DO 1** Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.
- **PO 2.1** Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:
 - (a) the nature of the development
 - (b) measures to mitigate off-site impacts
 - (c) the extent to which the development is desired in the zone
 - (d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.
- **PO 4.1** Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).

DTS/DPF 4.1 Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.

- **PO 4.2** Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including:
 - (a) locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers
 - (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers
 - (c) housing plant and equipment within an enclosed structure or acoustic enclosure
 - (d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.

The subject land interfaces with residential properties on the opposite side of Orange Avenue and on the south-eastern side of Brown Terrace. It is noted that no representations were received from adjoining or adjacent property owners during the public notification process.

DO1 and PO 1.2 (Interface between Land Uses) seek to ensure that new development is designed and operated in a manner that adequately protects the amenity of the locality. While it is anticipated that the proposal would generate some traffic, the overall amount of noise and disturbance is not expected to be significant given the non-invasive nature of the proposed land use. Consulting rooms and indoor recreation for therapy and rehabilitation do not involve noise generating activities nor produce any odour or other external impacts.

From an operational perspective, the development will generally operate between the hours of 7.00am and 6.00pm Monday to Saturday, with the Novita tenancy opening one hour later at 8.00am. These standard operating hours are appropriate in minimising amenity impacts, bearing in mind that PO 1.2 of the zone encourages after-hours use to promote social activity. A condition of consent has been included to restrict deliveries and waste collection to between the hours of 6.30am and 9.00pm Monday to Friday and between 8.00am and 6.00pm Saturday and Sunday.

The proposed operating hours and the low-impact nature of the use would ensure the proposal can meet the goal noise levels of *Environment Protection (Noise) Policy 2007* at all times.

The proposed building is setback 35 metres from the Orange Avenue frontage with landscaping to be provided along the road boundary, and the bin store will be located at the rear of the building. These design elements will further mitigate external impacts.

For the above reasons, the proposal would not adversely impact upon the amenity of nearby sensitive uses by way of noise, light spill, glare or traffic, as such impacts can be appropriately managed.

Landscaping and Trees

The Regulated and Significant Tree Overlay includes the following provisions in relation to the provision of landscaping and trees:

- **DO 1** Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.
- **PO 1.1** Regulated trees are retained where they:
 - a. make an important visual contribution to local character and amenity
 - b. are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species
 - c. provide an important habitat for native fauna.
- **PO 1.2** Significant trees are retained where they:
 - a. make an important contribution to the character or amenity of the local area
 - b. are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species
 - c. represent an important habitat for native fauna
 - d. are part of a wildlife corridor of a remnant area of native vegetation
 - *e.* are important to the maintenance of biodiversity in the local environment and / or
 - f. form a notable visual element to the landscape of the local area.

The following 'Design in Urban Areas' General Development Policies are also relevant to the proposal:

- **PO 3.1** Soft landscaping and tree planting are incorporated to:
 - a. minimise heat absorption and reflection
 - b. maximise shade and shelter
 - c. maximise stormwater infiltration
 - d. enhance the appearance of land and streetscapes.

There are numerous matures trees across the site, including eight Regulated trees and one Significant tree. There are also several Regulated trees on land surrounding the site.

Five (5) Regulated trees that are either structurally poor specimens or do not make an important contribution to the character or amenity of the local area are proposed to be removed. These trees are identified as Tree 4, 5, 8, 15 and 23 in the Arboricultural Report prepared by Tertiary Tree Consulting.

Tree 7 is a Significant tree was previously proposed to be removed. As this tree was deemed to be worthy of retention, the proposal has since been amended so the tree can be retained.

Council's Parks and Open Space Department has reviewed the Arboricultural report and inspected the trees on the site. While Council is generally satisfied with the report in terms of support for those trees to be removed and retained, review has identified some areas for further consideration, in particular with respect to tree protection measures that may be

necessary and consideration of impacts such as but not necessarily limited to underground services.

A Reserved Matter has therefore been recommended to enable the applicant to provide more accurate and in-depth information to substantiate potential mitigation measures such as pruning and ongoing maintenance methods for those trees to be retained.

A landscape proposal has been provided that includes a mix of trees, shrubs and ground covers to provide shade and visually soften the car park and built form. The proposed landscaping will provide a soft setting for the proposed building as well as some visual screening between the car park and the adjacent residential properties to the north. PO 3.1 (Design in Urban Areas) is satisfied.

Transport, Access and Parking

The following Transport, Access and Parking provisions of the Code are considered relevant to the assessment of the proposal:

- **PO 1.1** Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.
- **PO 1.2** Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.
- **PO 1.3** Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.
- **PO 1.4** Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.
 - DTS/DPF 1.4 All vehicle manoeuvring occurs onsite.
- **PO 3.1** Safe and convenient access minimises impact or interruption on the operation of public roads.
- **PO 3.3** Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.
- **PO 3.4** Access points are sited and designed to minimise any adverse impacts on neighbouring properties.
- **PO 3.8** Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.
- **PO 3.9** Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads

- **PO 5.1** Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as:
 - (a) availability of on-street car parking
 - (b) shared use of other parking areas
 - (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared
 - (d) the adaptive reuse of a State or Local Heritage Place.
- **PO 6.2** Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.
- **PO 6.6** Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.

The proposal includes one entry/exit access onto Orange Avenue that will require the upgrade of an existing crossover. Council's Development Engineer is satisfied that the proposed access arrangements will facilitate safe and convenient vehicle movements. PO 2.1, 3.1, 3.3 and 3.4 (Transport, Access and Parking) are therefore satisfied.

Similarly, Council's Development Engineer is satisfied with the design of the proposed atgrade car park where the main car park is situated adjacent to Orange Avenue, with a smaller parking area at the rear. The car park will accommodate 77 spaces, including three disability spaces near the building entrances. As the site is within a "Designated Area" and meets the locational criteria, the car parking requirements of *Table 2 - General Off-Street Car Parking Requirements in Designated Areas* are applicable. Table 2 prescribes a minimum of 3 spaces per 100 square metres of gross leasable floor area and a maximum of 6 spaces per 100 square metres of gross leasable floor area for all non-residential development. Given that the development has a gross floor area approximately 2150 square metres, there is a requirement for at least 65 car parking spaces with parking to be theoretically capped at 129 spaces. The proposed car parking provision therefore satisfies DPF 5.1 (Traffic, Access and Parking) and Council's Traffic Engineer also considers the car park design to be acceptable.

The applicant has provided a Traffic and Parking Statement prepared by MFY Consultants. The report establishes that:

- On-site parking is provided in accordance with relevant Australian Standards, with safe and convenient access for drivers;
- All vehicles will safely enter and exit the site in a forward direction;
- The proposal will include 77 parking spaces which will satisfy the parking requirement if assessed against the requirements of Table 2;
- It is anticipated that the peak parking demand will be accommodated on the subject site and if infrequent on-street parking was to occur, such parking could readily be accommodated on Brown Terrace adjacent the subject site;
- The requirement for three bicycle parking spaces can be readily accommodated onsite;

- The proposal would generate a traffic in the order of 225 trips in the am peak hour and 190 trips in the pm peak hour, which will have minimal impact on the adjacent road network, including the Brown Terrace/Park Terrace intersection; and
- The proposal will not impact the nature or function of the adjacent roads.

It has been demonstrated that the proposal sufficiently meets the anticipated car parking demand generated during peak periods and would not lead to conditions detrimental to the free flow and safety of pedestrian and vehicular traffic on the surrounding road network. The above provisions of the General Section (Transport, Access and Parking) have been satisfied.

Waste Management

The following 'Design in Urban Areas' General Development Policies are relevant to the proposal:

- **PO 11.1** Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.
- PO 11.2 Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.
- **PO 11.4** Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.

The proposal includes a bin store located at the rear of the building that will be enclosed with a 2.1 metre high timber slat screen. The bin storage area will not be visible from public areas as required by PO 11.2.

The applicant has provided a Waste Management Plan (WMP) prepared by Colby Phillips Advisory. The WMP confirms that a general waste skip bin will be collected by a private contractor every fortnight with collection to occur adjacent to the bin store. Council's Traffic Engineer is satisfied that an 8.8 metre MRV vehicle can safely access the site.

A single Council recycling bin and organics bin be used for the small quantities of materials expected to be generated on the site. These bins (recycling and organics) will be presented to Orange Avenue by tenancy staff on the nominated (fortnightly) day of collection.

A condition of consent has been included to ensure that the private waste collection and deliveries take place between 6.30am and 9.00pm Monday to Friday and 8.00am and 6.00pm Saturday and Sunday to minimise external impacts. There will be minimal inconvenience to traffic flows during bin collection as each collection usually takes no longer than three minutes and will occur only once a fortnight.

The proposal is considered to satisfy the above performance outcomes.

Stormwater Management

The following provisions of the Hazards (Flooding – General) Overlay are considered relevant to an assessment of the proposal:

- DO 1 Impacts on people, property, infrastructure and the environment from general flood risk are minimised through the appropriate siting and design of development.
- PO 2.1 Development is sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.
 - DTS/DPF 2.1 Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished ground and floor level not less than:

In instances where no finished floor level value is specified, a building incorporates a finished floor level at least 300mm above the height of a 1% AEP flood event.

A civil design has been prepared by Struktura Engineers with all roof and surface water proposed to be collected and diverted to retention tanks with a capacity of 24,000L and a 22,500L detention tank with overflow directed to Brown Terrace.

Although Council's Civil Engineer does not consider on-site stormwater management to be problematic, it is preferred that stormwater be discharged unrestricted to the downstream receiving stormwater system. Therefore, a Reserved Matter is recommended to enable the civil design to be amended prior to the granting of Development Approval.

The following Reserved Matter is included within the recommendation below:

• A revised civil design whereby roof stormwater is discharged unrestricted to the downstream receiving stormwater system within Brown Terrace. Stormwater generated by pavement areas is to be discharged through overland flows un-detained to Brown Terrace via safe overland flow routes.

Advertising

The Urban Activity Centre Zone is seeking:

PO 5.1 Advertisements are sited and designed to achieve an overall consistency and appearance along individual street frontages.

Further guidance is provided by the following 'Advertisements' General Development Policies:

PO 1.1 Advertisements are compatible and integrated with the design of the building and/or land they are located on.

- **PO 1.5** Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.
- **PO 2.2** Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.
- **PO 2.3** Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.
- PO 3.1 Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.

The proposal includes one sign for each tenancy (two signs) for business identification displayed on the building fascia. The proposed advertising display is complementary to the proposed business in terms of its size, scale and appearance and is designed such that it would not detract from streetscape or amenity of neighbouring properties or cause distraction to drivers on the adjacent road network.

The proposal satisfies the above advertising provisions.

13. CONCLUSION

This report has provided a detailed assessment of the application against the relevant provisions of the Planning and Design Code. The assessment found that the proposed development:

- Is consistent with the land uses sought by the Urban Activity Centre Zone and is appropriate within the context of the locality;
- Delivers an appropriate design outcome, with a simple built form that includes legible front entrances with projecting canopies, street-facing fenestration and contemporary materials, colour finishes and detailing that is enhanced by a mix of soft landscaping;
- Provides appropriate vehicular access and a sufficient number of car parking spaces to accommodate the proposed activities;
- Will not result in any negative impacts on adjacent development and is appropriately separated from residential areas to minimise potential interface issues; and
- Has appropriately addressed the management of stormwater.

Accordingly, it is recommended that Planning Consent be granted, subject to Reserved Matters and Conditions.

14. STAFF RECOMMENDATION

That the Council Assessment Panel resolve that:

A. The proposed development is not considered to be seriously at variance with the Planning and Design Code.

B. Pursuant to Section 102 of the *Planning, Development and Infrastructure Act 2016*, Planning Consent is **GRANTED** to Development Application 22040408 for Health Hub comprising community and indoor recreation facilities and consulting rooms with associated car parking and landscaping and the removal of five regulated trees at 15-21 and 23 Brown Terrace, Salisbury, in accordance with the plans and details submitted with the application and subject to the following Reserved Matters and Conditions.

Reserved Matters:

The following matters shall be submitted for further assessment and approval by the Team Leader Planning, as delegate of the Council Assessment Panel, as Reserved Matters under Section 102(5) of the Planning, Development and Infrastructure Act 2016:

- 1. A revised civil design whereby roof stormwater is discharged unrestricted to the downstream receiving stormwater system within Brown Terrace. Stormwater generated by pavement areas is to be discharged through overland flows un-detained to Brown Terrace via safe overland flow routes.
- 2. A revised Arboricultural Report prepared by a suitably qualified arborist that addresses the following:
 - The accuracy of encroachments into the TPZ of existing trees;
 - The accurate identification of tree species;
 - Consideration of the location of services, drainage infrastructure and the provision of irrigation;
 - Details of crown management, including pruning that is required allow construction of the building and carpark.

Development Plan Consent Conditions

1. The proposal shall be developed in accordance with the details submitted with the application and the following Council stamped approved plans and documents, except where varied by the conditions herein:

Drawing No.	Plan Type	Date	Prepared By
	Response to	16 February 2023	Thomson
	Request for		Planning
	Information		
MLM/23-0009	Traffic Assessment	7 February 2023	MFY
	Planning Report	29 November 2022	Thomson
			Planning
Sheet 1 of 6	Site Plan	14 February 2023	Goostry
			Smith
			Design
Sheet 2 of 6	Floor Plan	14 February 2023	Goostry
			Smith
			Design

Sheet 3 of 6	Elevations	14 February 2023	Goostry Smith Design
Sheet 4 of 6	Perspective Views	14 February 2023	Goostry
Sheet 4 of 0	1 crspective views	14 1 Columny 2023	Smith
			Design
Sheet 5 of 6	Roof Plan	14 February 2023	Goostry
	1100111	1.10010011 2020	Smith
			Design
Sheet 6 of 6	Landscaping Plan	14 February 2023	Goostry
			Smith
			Design
	Arboricultural	3 March 2023	Tertiary
	Impact Assessment		Tree
	and Tree Protection		Consulting
	Plan Revision B		
	Waste	17 November 2022	Colby
	Management Plan		Phillips
	Revision B		
2022-001	Storm Water	November 2022	Struktura
	Management Plan		

- * The approved documents referred to above may be subject to minor variation, pursuant to Regulation 65 of the Planning, Development and Infrastructure (General) Regulations 2017.
- * Except where otherwise stated, the development shall be completed prior to occupation/commencement of use.
- * All documents referred to under Reserved Matters 1 and 2 inclusive constitute approved documents and form part of this Consent.
- 2. The external surfaces of the building shall:
 - be of new non-reflective materials; and
 - be finished in natural tones; and
 - be maintained in good condition at all times.
- All driveways, parking and manoeuvring areas will be formed, surfaced with concrete, bitumen or paving, and be properly drained prior to occupation and shall be maintained in reasonable condition at all times to the satisfaction of Council.
- 4. All car parking areas shall be marked in a distinctive fashion to delineate the parking spaces, prior to the occupation of the development.

- 5. The proposed car parking layout and access areas and vehicle head clearances shall conform to Australian Standard AS 2890.1:2004- Off-street Car parking and Australian Standard 2890.6:2009 Off-Street Parking for People with Disabilities.
- 6. Driveway, car parking spaces, manoeuvring areas and landscaping areas shall not be used for storage or display of materials or goods.
- 7. All landscaping shall be planted in accordance with the Landscape Plan prepared by Goostry Smith Design dated 14 February 2023 prior to the occupation of the development. Any person(s) who have the benefit of this approval will cultivate, tend and nurture the landscaping and shall replace any plants which may become diseased or die.
- 8. The operating hours of the development approved herein shall be between 7.00am and 6.00pm Monday to Saturday.
- 9. All loading and unloading of vehicles and manoeuvring of vehicles in connection with the approved land use shall be carried out entirely within the site at all times
- 10. All waste and rubbish from the activity shall be contained and stored pending removal in covered containers which shall be kept in an area screened from public view.
- 11. Deliveries and waste collection shall take place between the hours of 6.30am and 9.00pm Monday to Friday and between 8.00am and 6.00pm Saturday and Sunday.
- 12. External lighting shall be restricted to that necessary for security purposes only and be designed, directed and shielded in accordance with AS 4282-1997 Control of the obtrusive effects of outdoor lighting so as to cause no adverse light overspill nuisance to nearby properties.
- 13. Replacement trees must be planted within 12 months of completion of the development at the following rates:

The replacement trees cannot be within a species specified under regulation 3F(4)(b) of the Planning, Development and Infrastructure (General) Regulations 2017 and cannot be planted within 10 metres of an existing dwelling or in-ground swimming pool.

- If the development relates to a regulated tree 2 trees to replace a regulated tree; or
- If the development relates to a significant tree 3 trees to replace a significant tree.

- 14. The existing tree(s) on site indicated as being retained, as shown on the Approved Site Plan, prepared by Goostry Smith Design dated 14 February 2023, shall be retained and protected at all times in accordance with the arborist report prepared by Tertiary Tree Consulting and dated 3 March 2023, to the reasonable satisfaction of Council.
- 15. The advertisements and advertising structures shall be maintained in good repair at all times.
- 16. Except where otherwise approved, outside lighting shall be restricted to that necessary for security purposes only and shall be directed and shaded to prevent light overspill and/or nuisance to adjacent occupiers or distraction to drivers on adjacent public roads. All lighting shall be in accordance with Australian Standard 4282 1997 'Control of the obtrusive effects of outdoor lighting'.
- 17. Noise measured at the nearest residential property boundary shall comply with the Environment Protection (Noise) Policy 2007 at all times.

Advice Notes

Rights of Appeal

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

Building Rules Consent and Approval Still Required

Building Consent and Development Approval must be obtained within 24 months from the date of this Notification, unless this period has been extended by the Council. Work cannot commence until a Development Approval is obtained.

Commencement

The development shall be lawfully commenced by substantial work on the site of the development within 2 years from the date of Development Approval. If substantial work on the site has occurred within 2 years, the development shall be substantially or fully completed within 3 years from the date of Development Approval.

Advice regarding Council land

This Development Approval does not constitute land owner's approval. The following applies to any works on Council land:

1. Any person making alteration to Council land including erecting or installing a structure (pipes, wires, cables, fixtures, fittings), storing building materials, erecting temporary fencing, altering the kerb, gutter, footpath or crossover etc. in, on, under or over Council land, is subject to a permit from Council pursuant to Section 221 of the *Local Government Act 1999*.

Page 44 Council Assessment Panel Agenda - 28 March 2023

- 2. Service infrastructure should be located as far as practicable away from street trees, in order to protect the root zone and to prevent future damage to the infrastructure from roof expansion.
- 3. Residents and businesses are encouraged to develop and maintain the verge area between their property boundary and the kerb. However, some types of development such as irrigation, tree planting and landscaping may be restricted in some areas and therefore permission should be first sought from Council before commencing any works:
- 4. It is the developer's/owner's responsibility to ensure that damage does not occur to verge infrastructure during construction. Council regularly inspects the condition of verge infrastructure during construction and where damage is observed, Council may recover the costs from the owner for reinstatement of any damage to the footpath, kerb or gutter and may also impose a substantial penalty for any wilful damage.

Siting of Building Work

It is your responsibility to ensure that any building work is correctly sited with respect to the property boundaries of the site and it is strongly recommended that a boundary survey be undertaken before any work commences to ensure the building work is accommodated within the designated footprint and achieves the designated boundary setbacks.

Plans Available Onsite

The Council approved plans should be available on site at all times while performing the building work.

Fences Act

You will need to obtain your permission from your neighbour should you wish to access their property to carry out construction work adjacent the boundary or if you wish to erect common boundary fencing or boundary retaining walls, pursuant to the *Fences Act 1975*. To find out more, please visit: https://lsc.sa.gov.au/resources/fencesandthelawbooklet.pdf

Building Work Affecting Other Land

Pursuant to Section 139 of the *Planning, Development and Infrastructure Act 2016*, a person undertaking activity that affects stability of land or premises must serve notice in the prescribed form to the owner of the affected site. For the purposes of Section 139, work of the following nature is prescribed as building work which is to be treated for the purposes of that section as building work that affects the stability of other land or premises, namely:

- An excavation which intersects a notational plane extending downwards at a slope of 1 vertical to 21 horizontal from a point 600mm below natural ground level at a boundary with an adjoining site;
- An excavation which intersects any notional plane extending downwards at a slope of 1 vertical to 2 horizontal from a point at natural ground level at any boundary between 2 sites (not being a boundary with the site of the excavation), where the boundary is within a distance equal to twice the depth of the excavation;
- Any fill which is within 600mm of an adjoining site, other than where the fill is not greater than 200mm in depth (or height) and is for landscaping, gardening or other similar purposes.

To find out more, please visit: https://lawhandbook.sa.gov.au/ch28s02s06s03.php

Construction Noise

The applicant is reminded that demolition and construction is required to be carried out so that it complies with the mandatory construction noise provisions of Part 6, Division 1 of the *Environment Protection (Noise) Policy 2007* and the provisions of the *Local Nuisance and Litter Control Act 2016*. Under the *Local Nuisance and Litter Control Act 2016*, construction noise is declared to constitute a local nuisance as follows:

The noise has travelled from the location of the construction activity to neighbouring premises –

- On any Sunday or public holiday;
- After 7pm or before 7am on any other day.

EPA and Local Nuisance Matters

The applicant is reminded of its general environmental duty, as required by Section 25 of the *Environment Protection Act 1993*, to take all reasonable and practicable measures to ensure that the activities on the whole site, including during construction, do not pollute the environment in a way which causes or may cause environmental harm.

In addition, the applicant is responsible for ensuring the development (including demolition, civil works and construction activities) do not cause a 'local nuisance' under the *Local Nuisance and Litter Control Act 2016*

Accordingly, your site planning activities should consider:

- providing a stabilised entry/exit point to the site for all construction and trade vehicles, including contained wash down area for vehicles and equipment
- appropriately located stockpiles and storage materials
- a suitable and designated area for brick cutting and concrete works
- a contained area for paint and plastering waste and wash waters
- appropriate location of noisy equipment so as to avoid unreasonable impacts to neighbours
- dust control measures such as use of a water cart and/or covering stockpiles

Note: EPA information sheets, guidelines documents, codes of practice, technical bulletins etc. can be accessed on the following web site: http://www.epa.sa.gov.au.

Amendments

Except where otherwise varied by this Consent, the conditions imposed are in addition to conditions that apply to the site from previous approvals that remain active.

ATTACHMENTS

This document should be read in conjunction with the following attachments:

- 1. Proposal Plans and Supporting Documentation
- 2. Copy of Sign Displayed on the Land
- 3. Extract of Planning and Design Code

Appendix 1

Proposal Plans and Supporting Documentation



16 February 2023

Katherine Thrussell Senior Development Officer Planning City of Salisbury 34 Church Street, Salisbury, South Australia, 5108

Dear Katherine

RESPONSE TO REQUEST FOR INFORMATION – DEVELOPMENT APPLICATION 22042571

Thank you for your email dated 22 December 2022 seeking further information and providing assessment comments with respect to Development Application 22040408 for the construction of a health hub at 15-21 Brown Terrace Salisbury. I have addressed each request/comment below in the order they appear in your letter.

Design and Appearance

You raised concern that the proposed building design did not adequately respond to Desired Outcome 2 of the Urban Activity Centre Zone and asked for improvements to the street façade in order for the building to contribute positively to streetscape character of the locality.

In response to your feedback, a number of amendments have been made to the street façade, in an attempt to add visual interest and break up the expansive horizontal proportions of the building. This has been able to be achieved in the following ways:

- Better spacing between the entrances to the two tenancies, in combination with mor prominent entries, emphasising the
 two separate occupancies within the building;
- Staggered parapet heights across the façade;
- · Feature panels of tilt-up concrete with cast horizontal grooves, painted in a contrasting darker colour
- Vertical grooves in lighter colour sections of walling, aligning with window mullions.
- · Increased amount of fenestration to improve street activation

The below images show the improvement from the façade as lodged (top) and the façade as amended (bottom).





Connectivity/Linkage with Adjacent Oval

The plans have been updated to better illustrate the proposed pedestrian linkages between the site of the health hub and the surrounding land. These linkages are represented as dashed blue lines on Sheet 1 (site plan). In particular, the following pedestrian linkages are proposed:

- three (3) pedestrian pathways between the south-eastern boundary and the adjacent reserve (noting there is no fence proposed along this boundary, so visually there is complete connectivity);
- a pedestrian pathway and gate to the croquet club to the rear of the property; and
- a pedestrian pathway to the future development site to the north-west.

Mark Thomson: ph 0408840570: mark@thomsonplanning.com.au: 7 Winnall Street, Clapham SA 5062



Tree Removal

Your concerns with the removal of the Significant Eucalyptus camaldulensis (River Red Gum) tree located in the front north-eastern corner of the site have been taken on board. The tree is now proposed to be retained in an extensive garden bed measuring approximately 18m x 18m (324m²). To achieve this, the driveway entry/egress point has been moved to the location of the existing driveway and the car park has been entirely reconfigured.

The retention of this tree will not only satisfy the policies of the Regulated and Significant Tree Overlay, it will also assist greatly with the visual integration of the proposed building with its natural surroundings, and provide morning shade to the car parking area.

Crime Prevention

A review of all potential entrapment locations throughout the proposal has been undertaken. The only potential location which was identified, was the service yard to the west of the building, where a series of rainwater tanks are proposed. To address this, a locked gate has been proposed, restricting access to this area.

Traffic and Parking

As requested, a review of parking, manoeuvring and traffic impacts has been undertaken by Ms Melissa Mellen of MFY.

Ms Mellen has concluded that the health hub will provide on-site parking in accordance with relevant Australian Standards, with safe and convenient access for drivers. In relation to car parking provision, Melissa has advised that the peak parking demand will be accommodated on the subject site.

Ms Mellen has advised that the proposal would generate in the order of 225 vehicle trips in the am peak hour and 190 trips in the pm peak hour, which will have minimal impact on the adjacent road network, including the Brown Terrace/Park Terrace intersection. The proposal will not impact the nature or function of the adjacent roads

Ms Mellen recommended that the rear car parking area be redesigned to optimise the parking capacity. This recommendation has been incorporated into the amended set of plans.

Landscaping Plan

There may have been some confusion in terms of the information provided with the original application. Sheet 6 of the set of plans was a landscaping plan, setting out in detail the location and species of all proposed plants throughout the site. This remains the case with the amended set of plans.

Of particular note, landscaping within the front car parking area comprises a total of fifteen (15) dwarf form Eucalyptus Leucocylon (SA Blue Gum) which generally grow to 6 metres tall and 3 to 4 metres wide. In combination with the retention of existing trees within the street verge and the Significant River Red Gum at the front of the site, the car park and development generally will be extensively screened from the street.

I trust this response adequately addresses each of the matters outlined in your letter. If you have any questions or outstanding concerns, please do not hesitate to contact me.

Yours sincerely,

Mark Thomson

Director, Thomson Planning

Mark Thomson : ph 0408840570 : mark@thomsonplanning.com.au : 7 Winnall Street, Clapham SA 5062

MLM/23-0009

7 February 2023

Mr Mark Thomson Thomson Planning

by email: mark@thomsonplanning.com.au



Traffic · Parking · Transport

Unit 6, 224 Glen Osmond Road FULLARTON SA 5063

T: +61 8 8338 8888 F: +61 8 8338 8880 E: mfya@mfy.com.au

W: mfy.com.au

MFY Pty Ltd ABN 79 102 630 759

Dear Mark,

PROPOSED COMMUNITY HEALTH HUB, 15-21 BROWN TERRACE, SALISBURY REQUEST FOR INFORMATION

We are in receipt of a request for additional information from the City of Salisbury relating to the proposed development of a Community Health Hub at 15-21 Brown Terrace, Salisbury. As requested, we have reviewed the Council request as it relates to traffic and parking requirements and provide the following additional information to assist Council with the assessment of the proposal. The assessment has been based on Goostrey Smith Design's Site Plan dated 25 January 2023.

1 SUBJECT SITE

The subject site is located adjacent the intersection of Brown Terrace and Orange Avenue. With the exception of an existing car park, the site is currently vacant. St Jay's indoor recreational facility was previously located on the subject site.

Brown Terrace and Orange Avenue are local roads within the care and control of the City of Salisbury. They are subject to the default urban speed limit of 50 km/h. Salisbury Primary School is located adjacent Brown Avenue. A koala crossing is located immediately north of the subject site which effects a 25km/h speed zone when active.

Brown Terrace connects to the broader arterial road network via a signalised intersection with Park Terrace and Mary Street. Park Terrace is within the care and control of the Commissioner of Highways. It has an annual average daily traffic (AADT) volume in the order of 13,800 vehicles per day (vpd). A posted speed limit of 60 km/h applies to this road.

F:\23-0009 Mark Thomson 13 February 2023

23-0009 13 February 2023 Page 2 of 8



2 PROPOSAL

It is proposed to develop the site as a community health precinct. The development will have a gross floor area of 2,148 m², and will include:

- 20 consulting rooms;
- five therapy rooms;
- · two group rooms; and
- · ancillary areas including offices, meeting rooms and other amenities

Figure 1 illustrates a recommended modification to the design to the car park layout to facilitate delivery of 77 spaces.



Figure 1: Recommended minor modification to car park layout

2.1 ACCESS

Access for the development is proposed to be provided via a crossover on Orange Avenue. The crossover will be designed to comply with the Australian/New Zealand Standard, *Parking facilities Part 1: Off-Street car parking (AS/NZS 2890.1:2004)*. The access has been designed to cater for all turning movements to and from the site and will permit simultaneous movements as shown in Figure 2.

23-0009 13 February 2023 Page 3 of 8






Figure 2: Simultaneous movements at the proposed access

The facility will also be serviced by a mini-bus. An indented space is proposed for the bus and the vehicle will be able to enter and exit the site in a forward direction, as illustrated in Figure 3.



Figure 3: Access to the site for the proposed mini-bus

23-0009 13 February 2023 Page 4 of 8



2.2 CAR PARK

The proposed car park will be designed to comply with AS/NZS 2890.1:2004, in that:

- · parking spaces will be 2.6 m wide;
- parking spaces will be 5.4 m long or 4.8 m long with a 600 mm overhang; and
- the aisle will be in excess of 5.8 m wide.

Three spaces will be designated for use by people with disabilities. These spaces will be 2.6 m wide with an adjacent 2.4 m wide shared space and will be provided in accordance with the Australian/New Zealand Standard, *Parking facilities Part 6: Off-street parking for people with disabilities (AS/NZS 2890.6:2009)*.

2.3 REFUSE COLLECTION

Refuse collection for the development will occur within the car park. Figure 3 identifies the swept path of an 8.8 m Medium Rigid Vehicle (MRV) and demonstrates that the vehicle will be able to turn within the site so that it can enter and exit in a forward direction.



Figure 4: Refuse vehicle swept path within the car park

2.4 PEDESTRIANS

Pedestrian access to the site will be via existing footpaths on Orange Avenue and Brown Terrace adjacent the site. A footpath will be provided within the car park allowing for safe access to the proposed facility.

23-0009 13 February 2023 Page 5 of 8



3 PARKING ASSESSMENT

3.1 CAR PARKING

The Planning Report prepared by Thomson Planning identified the site as being located within a 'Designated Area' as defined by the PlanSA Planning and Design Code (PDC), due to its proximity to the Salisbury Interchange. This assessment identified that there would be a requirement for 65 spaces for the proposal.

Notwithstanding the above, we have reviewed the potential parking requirements should Table 1 of the PDC be applied to the assessment. Table 1 identifies a rate of one space per consulting room which would result in a requirement for 80 spaces to service the subject site.

The proposal does include a number of additional rooms within the facility which are ancillary to the consulting rooms. In order to check if these additional rooms would result in a increased parking demand, we have completed a technical assessment of the forecast parking demand based on assessments completed at existing medical consulting rooms based on the following:

- medical practitioners consult at numerous facilities, including private consulting rooms, rehabilitation clinics and hospitals. This results in a number of consulting rooms not being occupied at any one time. Data collected at an existing facility at Sportsmed identified a peak of 70% occupancy at any one time;
- the gym and pool will be used for rehabilitation. This could range between individual rehabilitation to group sessions. It is anticipated that there could be up to ten persons in each facility;
- the therapy rooms would be used for individual sessions;
- the two group rooms, if used individually, could be used by approximately five persons at any one time;
- there would be a vehicle occupancy of 1.5 persons per vehicle; and
- all other facilities would be ancillary.

Based on the above there could be a requirement for 79 parking spaces for the proposal if use of all additional facilities were to coincide.

The proposal will include 77 parking spaces which will satisfy the parking requirement if assessed against the requirements of Table 2 in the PDC and be slightly lower than the potential demand if assessed using Table 1 of the PDC or if the technical assessment was to be adopted.

In reality, peak occupancy of the additional facilities at the proposed health hub will not coincide (for example occupancy of the gym and the pool by ten patients will not likely occur at the same time). Further, the proposal includes facilities for a mini-bus and the use of this transport will reduce the peak parking demand for the site.

23-0009 13 February 2023 Page 6 of 8



Accordingly, I am of the view that the peak parking demand will generally be accommodated within the car park. Should there be an infrequent occasion when additional parking was required, there would be adequate spaces available along the Brown Terrace frontage of the site to cater for the additional demand. Such on-street parking will have negligible impact on the street.

3.2 BICYCLE PARKING

The PDC identifies a bicycle parking requirement of:

- · One space per 20 employees; plus
- One space per 20 consulting rooms for customers.

Adoption of these rates would require three bicycle parking spaces which can be readily accommodated for on-site.

4 TRAFFIC ASSESSMENT

The RMS Guide to Traffic Generating Developments identifies a mean traffic generation rate of 10.4 trips per 100 m² in the morning peak hour and 8.8 trips per 100 m² in the evening peak hour for extended hours medical centres. Based on this rate, the proposal would generate a traffic generation in the order of 225 trips in the am peak hour and 190 trips in the pm peak hour.

The majority of these trips will be associated with patients as staff will predominantly arrive and depart outside of the peak hours. As such, the distribution of the traffic would be expected to be 50% entry and 50% exit.

Traffic will be distributed on Orange Avenue and Brown Terrace, and it is anticipated that 70% of the total traffic generated would occur via the Brown Terrace/Park Terrace/Mary Street intersection.

Manual turning counts at the intersection provided by the Department for Infrastructure and Transport (DIT) identify a distribution of 70% to/from the west and 30% to/from the east on Park Terrace, which has been adopted for the forecast turning movements generated by the development.

Figure 5 identifies the forecast turning movements at the intersection.

23-0009 13 February 2023 Page 7 of 8






Figure 5: Forecast development turning movements at the Brown Terrace/Park Terrace/Mary Street intersection am (pm)

SIDRA intersection modelling software was utilised to analyse the performance of the intersection. Detailed outputs of the SIDRA analysis are provided in Appendix A. Table 1 identifies the performance of the intersection with and without the development volumes.

Table 1: Brown Terrace/Park Terrace/Mary Street Existing vs Development am (pm)

	Movement	Degree of Saturation		Average Delay (s)		95 th percentile queue (m)	
Approach		Existing	With Dev	Existing	With Dev	Existing	With Dev
Park	Left turn	0.83 (0.81)	0.88 (0.89)	32.4 (32.4)	40.2 (43.7)	234 (177)	293 (223)
Terrace (E)	Through	0.83 (0.81)	0.88 (0.89)	26.8 (26.8)	34.7 (38.2)	234 (177)	293 (223)
Park	Left turn	0.55 (0.65)	0.59 (0.65)	22.6 (19.7)	23.8 (18.8)	92 (115)	101 (113)
Terrace	Through	0.55 (0.65)	0.59 (0.65)	17.1 (14.2)	18.3 (13.3)	92 (115)	101 (113)
(W)	Right turn	0.55 (0.45)	0.87 (0.64)	24.6 (22.1)	39.9 (24.5)	22 (19)	47 (28)
Brown	Left turn	0.52 (0.64)	0.67 (0.82)	24.7 (26.3)	31.7 (35.9)	23 (30)	48 (56)
Terrace	Right turn	0.52 (0.64)	0.67 (0.82)	24.7 (26.2)	31.7 (35.9)	23 (30)	48 (56)
Mary Street	Left turn	0.07 (0.13)	0.07 (0.13)	46.2 (42.5)	49.5 (42.5)	4 (7)	4 (7)

The above table identifies that the results identify that there will be negligible impact on the operation of traffic using Park Terrace as a result of the proposed development. Further, the assessment confirms that there is adequate capacity at the intersection to cater for the additional volumes, with the forecast degree of saturation being lower than 0.9 and the Level of Service not

23-0009 13 February 2023 Page 8 of 8



exceeding D on any movement. Importantly, the increase in right turn queues on Park Terrace will be sufficiently catered for within the available lane storage.

It is also relevant to note that the previous use of the site would have generated additional traffic volumes. While the peak associated with the recreation facility may not have coincided with the commuter peak, it is important to recognise that a portion of the forecast volumes analysed in this assessment would have already been experienced at the intersection when the previous development was operating.

5 SUMMARY

The proposed community health hub will provide on-site parking in accordance with relevant Australian Standards, with safe and convenient access for drivers. All vehicles will enter and exit in a forward direction.

It is anticipated that the peak parking demand will be accommodated on the subject site. Even in the event that infrequent on-street parking was to occur, such parking could readily be accommodated on Brown Terrace adjacent the subject site.

Traffic generated by the development will have minimal impact on the adjacent road network, including the Brown Terrace/Park Terrace intersection. The proposal will not impact the nature or function of the adjacent roads.


Yours sincerely,

MFY PTY LTD

MELISSA MELLEN


Director






Printed: 13/02/2023 1:21 PM

Printed: 13/02/2023 1:21 PM



Printed: 13/02/2023 1:21 PM



Printed: 13/02/2023 1:21 PM File: 23-0009 Park Tce-Brown Tce-Mary St SIDRA Results Dev PM





PLANNING REPORT

15-23 Brown Terrace, Salisbury

Community Health Hub

29 November 2022



Contents

1.	Intr	oduction	2
2.	Вас	kground	3
3.	Pro	posed Development	4
4.	Sub	ject Land and Locality	5
	4.1. S	ubject Land	5
	4.2. S	ubject Site	5
	4.3. L	ocality	7
5.	Pla	nning & Design Code	3
	5.1. Z	oning and Overlays	3
	5.2. P	ublic Notification	3
	5.3. R	eferrals	3
	5.4. A	ssessment	9
	5.4.1.	Land Use and Intensity	9
	5.4.2.	Height	
	5.4.3.	Siting	
	5.4.4.	Built Form and Character	2
	5.4.5.	Interface Between Land Uses1	3
	5.4.6.	Car Parking1	3
	5.4.7.	Regulated Trees	4
	5.4.8.	Landscaping	7
	5.4.9.	Waste Management	7
6.	Con	llusion	3
ΑĮ	opendix 1	Proposal Plans	
ΑĮ	opendix 2	Plan of Division	
Αį	opendix 3	Arborist Report	
Αį	opendix 4	Waste Management Report	





1. Introduction

8.1.1

This report has been prepared to supplement a development application to be lodged by Rossdale Homes, for a Community Health Hub facility at 15-23 Brown Terrace, Salisbury.

More specifically, the proposed development comprises the following land uses, integrated within one building, over two tenancies:

- Community Facility
- · Indoor Recreation Facility
- Consulting Rooms

The land to be occupied is currently a portion of Salisbury Oval and is to be divested by the Council as part of its Salisbury Oval Precinct masterplan. A separate development application for the division of the land to reflect the boundaries of the site of the proposed development has been lodged by the City of Salisbury.

The proposed development is a form of development which is required to be "Performance Assessed" against the Planning & Design Code (the Code) and is required to be subject to public notification.

I have inspected the land, reviewed the Code and formed a carefully consider opinion on the extent to which the development application is consistent with the Code, as set out in this report.





2. Background

Following community feedback from consultation in 2015 and 2016, the City of Salisbury developed the Salisbury Oval Master Plan to guide development of the area for sport, passive recreation and residential development, including new outdoor parks and walking trails, improved access to the Salisbury City Centre and a place where residents and visitors will want to spend time.

The Council's intention through the masterplan, is to create "a high quality integrated precinct that provides a complementary mix of amenities including a premier sporting facility, open spaces, community services and residential areas which are accessible and have strong links to the Salisbury City Centre and surrounding areas."

The subject land, comprising a portion of the purple area 5 in Figure 1, was identified in the masterplan as an opportunity for "development of housing or other opportunities".

Through a tender process, Rossdale Homes in collaboration with interested partners have been provided the opportunity to develop a portion of area 5, subject to obtaining relevant approvals.



Page 65 Council Assessment Panel Agenda - 28 March 2023



3. Proposed Development

The proposed development comprises the construction of a health hub building with a gross leasable floor area (GLFA) of 2177m², comprising two separate tenancies; one to be occupied by Novita and the other to be occupied by Northcare (Partnered Health).

Novita is a community-based disability service organisation, supporting children, young people and adults living with disability through therapy hubs across South Australia and New South Wales. They provide support for their clients using various specialists including physiotherapists, occupational therapists, speech pathologists, exercise physiologists, psychologists, social workers, development educators, rehabilitation engineers, orthotists, disability support workers.

The tenancy proposed to be occupied by Novita has a floor area of 947m² and comprises two group rooms, five (5) therapy rooms, a clinic room, a gym and gym studio and office area for Novita staff, including meeting rooms. An outdoor sensory space is also proposed adjacent to the group rooms.

Novita intend to operate between 8:00am and 6:00pm Monday to Saturday.

Northcare specialise in sports injuries and rehabilitation through:

- Physiotherapy assessment and management
- Exercise physiology and rehabilitation services
- Remedial massage therapy
- Physio exercise classes

More specifically, Northcare provide physiotherapy, rehabilitation, massage therapy, hydrotherapy, physio exercise classes, dietitian services, dry needling and exercise physiologist services.

The tenancy proposed to be occupied by Northcare has a floor area of 1201m² and comprises a hydrotherapy pool facility, rehabilitation gym, and a physiotherapy clinic with seventeen (17) consult rooms.

Northcare intend to operate between 7:00am and 6:00pm Monday to Saturday.

The proposed health hub building is to be set back 32.4m from Orange Avenue at the closest point (Porch 2), with car parking and landscaping to be established between the building and the street. This main car parking area has provision for fifty nine (59) car parking spaces and a mini-bus drop off area. A second car parking area for another twenty (20) cars is proposed behind the building. Vehicular access to both car parking areas is proposed via a new crossover to be constructed at the south-eastern end of the frontage. Two non-regulated trees are to be removed to facilitate the new crossover.

The proposed building is to be constructed of precast concrete tilt-up external walls painted in Dulux 'Pewter Frame'. Canopies above windows are to be clad with Hardies 'Matrix'



8.1.1



cladding painted Dulux 'White Exchange Half'. Feature portico elements are tilt-up concrete, painted in the corporate colours for Northcare and Novita, as indicatively shown in the elevation drawings.

The application includes the removal of six regulated trees, in accordance with advice received from a consulting arborist, Tertiary Tree Consulting. Another eleven (11) regulated trees located on and adjacent to the subject site are to be retained and protected through construction





4. Subject Land and Locality

4.1. Subject Land

The subject land comprises portions allotments:

- 15-21 Brown Terrace (CT 6253/354); and
- 23 Brown Terrace (CT 6218/507).

Figures 2 and 3 below show the two allotments hatched in orange and the location of the site of the proposed development, highlighted in blue. A separate development application for the division of land to create a new allotment reflecting the site of the proposed development has been lodged by the Council. A copy of the plan of division is provided in Appendix 2.





4.2. Subject Site

The site of the proposed development, shown in blue in Figures 2 and 3 above, has an area of $7,988m^2$, a frontage to Orange Avenue of 70.61m and a depth of up to 134m. At its closest point, the site is located 40m from Brown Terrace. The site is essentially flat in topography.






The Site was formerly occupied by St Jays Recreation Centre, which was used for various indoor sports, health and fitness, dance and martial arts activities. The recreation centre was demolished five (5) years ago and replaced by grassed open space. A vehicular entrance which provided access from Orange Avenue to the former recreation centre remains, however a timber fence prevents access to the site. A car parking area accessed from Brown Terrace, which provided additional parking for St Jays, is outside of the subject site and is unaffected by the proposal. Trees of various size and species are spread across the subject site, including nine (9) regulated trees.

4.3. Locality

The locality of the subject land is considered to extend along Orange Avenue approximately 240 metres to the north-west to Memorial Avenue, along the entire length of Brown Terrace and the entire length of Compuda Street. It is considered to include the entire Salisbury Oval area, as views of the building would be possible across oval. The train line forms the western boundary of the locality and the Salisbury bus and train interchange is located just outside the locality on the northern side of Park Terrace. The extent of the locality is illustrated in Figure 2.

The locality contains a mix of recreational activities and open space occupying Salisbury Oval, educational facilities, dwellings and various community-based land uses.

The northern side of Orange Avenue comprises mostly single storey detached dwellings at low density, but also includes Meals on Wheels and a community club (RAOB) hall. North of Orange Avenue, Brown Terrace has Salisbury Primary School on the eastern side and a new residential flat building for supported accommodation on the western side. South of Orange Avenue, Brown Terrace is characterised by single storey detached dwellings at low density adjacent to Salisbury Oval. These dwellings are located in the General Neighbourhood Zone, whereas the remainder of the locality is located in the Suburban Activity Centre Zone.







/

Page 69 Council Assessment Panel Agenda - 28 March 2023



5. Planning & Design Code

5.1. Zoning and Overlays

The subject land is located in the Urban Activity Centre Zone (the Zone). The two Desired Outcomes (DO1 and DO2) for the Zone are:

"A cohesive and legible environment supporting a broad spectrum of regional level business, shopping, entertainment and recreational facilities that can cater for large crowds, smaller social gatherings and events over extended hours"

and

"Primary business, shopping and entertaining areas are integrated with public transport facilities, pedestrian and cycling networks, and community transport infrastructure, and designed to enhance the quality of the public realm."

There are no sub-zones applicable to the subject land.

There following Overlays are applicable to an application for land division on the subject land:

- Aircraft Noise Exposure (ANEF 20)
- . Airport Building Heights (Regulated) (All structures over 15 metres)
- Affordable Housing
- Building Near Airfields
- . Defence Aviation Area (All structures over 90 metres)
- Noise and Air Emissions
- Prescribed Wells Area
- Regulated and Significant Tree
- Traffic Generating Development

5.2. Public Notification

The proposed land use is not listed in Table 5 of the Zone as being exempt from public notification. There is a 'catch-all' clause in Table 5 for all forms of development being exempt from public notification, provided that the site of the development is not adjacent land to a site (or Land) used for residential purposes in a neighbourhood-type zone.

Having regard to the definition in the Code for adjacent land (ie. 60 metres), the site of the proposed development is adjacent to dwellings in the General Neighbourhood Zone on the eastern side of Brown Terrace. Specifically, the site of the proposed development is 55 metres from the front boundaries of residential properties along Brown Street between Herbert Street and Compuda Street.

Accordingly, the development application will be subject to public notification.

5.3. Referrals

The proposed development does not result in any statutory referrals.





5.4. Assessment

5.4.1. Land Use and Intensity

Performance Outcome 1.1 of the Zone states:

"Shops, offices, entertainment, health, education and recreation related uses and other businesses that provide a comprehensive range of goods and services to the region."

The associated DPF (DPF 1.1) lists consulting room, community facility and indoor recreation facility as desired land uses within the Zone. The proposed Health Hub comprises all three of those uses. For the avoidance of doubt, Table 1 below contains the definitions in the Code for the three land uses within the proposed Health Hub:

Table 1. Land Use Definitions

Land Use Term	Definition	Includes	Excludes
Consulting Room	Means a building or part of a building (not being a hospital) used in the practice of a profession by a medical, veterinary or dental practitioner, or a practitioner in any curative science, in the provision of medical services, mental, moral or family guidance, but does not involve any overnight accommodation other than for animals that are recovering from surgery, medical care or in for observation as part of a veterinary practice.		
Community facility	Means premises used for the provision of social, artistic, educational or community support services to the public but does not include a pre-school, educational establishment, place of worship or indoor recreation facility.	Library; Community hall.	Educational establishment; Place of worship; Pre-school; Indoor recreation facility
Indoor recreation facility	Means a building designed or adapted primarily for recreation or fitness pursuits.	Bowling alley; Squash courts; Fitness centre; Gymnasium; Pilates studio; Yoga studio; Dance studio;	·





Indoor
swimming
centre;
Indoor
trampoline
centre;
Indoor rock
climbing centre;
Indoor
children's play
centre;
Indoor skating
rink.

5.4.2. Height

Designated Performance Feature 3.1 of the Urban Activity Centre seeks building heights of not more than 4 levels (16.5m) and there is no minimum building height specified. The proposed single level, 4.5 metre high building is therefore consistent with the height policy.

The proposed single level building height is compatible with the height of buildings within the locality, most of which are also single storey. The low profile of the building enables the canopies of trees to be retained on site and adjacent sites to maintain their prominence and contribution to the character of the locality.

Performance Outcome 3.2 states:

"Buildings mitigate visual impacts of building massing on residential development within a neighbourhood-type zone."

The associated Designated Performance Feature (DPF 3.2) seeks buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3 metres above natural ground level at the boundary of an allotment used for residential purposes within a neighbourhood-type zone. The proposed building is well within such building envelope. As such the visual impact of the proposed building on occupants of dwellings along Brown Terrace is consistent with that contemplated by the Code.

5.4.3. Siting

There are no specific setback criteria relevant to development within the Suburban Activity Centre Zone. However, Performance Outcome 6.1 which addresses the location of car parking has direct siting implications. In particular, PO 6.1 states:

"Vehicle parking areas are sited and designed to minimise visual dominance when viewed from the public realm."





The associated Designated Performance Feature (DPF 6.1) seeks vehicle parking areas are sited above or below street level, in decked or basement parking.

The proposal is not consistent with this policy, with the main car parking area proposed at grade, adjacent to Orange Avenue. That said, the subject land is located at the periphery of the Suburban Activity Centre Zone, within a sport and recreation precinct, creating a very different streetscape character than is the case in the centre of the zone, such as John Street, where a consistent 'street wall' is more important to create a cosmopolitan main street character. Figure 5 shows the extent of the Suburban Activity Zone.

Figure 5. Extent of the Suburban Activity Centre Zone



With residential properties located on the opposite side of Orange Avenue, it is advantageous to have the proposed building set back from the street, with parking in between. Although those residential properties are also located in the Suburban Activity Centre Zone (and can therefore reasonably expect a greater level of impact from non-residential uses than can residential properties in a neighbourhood-type zone), there is benefit in separating any potential noise associated with activities within the building from the adjacent dwellings.

Another consideration is that many of the users of the proposed development have impeded mobility and as such, car parking at the same grade as the facility greatly assists with access.





5.4.4. Built Form and Character

Performance Outcome 2.1 of the Suburban Activity Centre Zone states:

"Development throughout the zone that integrates with existing development through building scale, connections and complementary land uses."

The proposed development is considered to integrate well with existing development in the locality. The scale, being a large footprint, low profile building, is compatible with other non-residential buildings in the locality, including those on the site of Salisbury Primary School and within the Salisbury Oval precinct. Similarly, the land use is compatible with other non-residential uses in the locality, many of which have a focus on sport, recreation and community support.

Performance Outcome 2.3 states:

"Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares."


The proposed development provides for considerable pedestrian, open space and visual permeability, with much of the site proposed to be unfenced. In particular, the entire front boundary, eastern side boundary and car park portion of the western boundary are to be unfenced. This enables significant permeability through the site for pedestrians to move between open space areas to the east and west. The rear boundary of the car park at the rear is also proposed to be unfenced, allowing for permeability from Orange Avenue through to open space to the south of the site. If a need was identified at any time in the future for these boundaries to be fenced, any such fencing would be visually permeable and agreement reached first with the adjoining owner (ie. Council).

Performance Outcome 2.6 states:

"Buildings and facilities are sited and designed to provide an active frontage to the public realm, contributing to streetscapes and spaces that encourage social interaction."

The associated Designated Performance Feature (DPF 2.6) states that not less than 50% of the ground floor primary frontage of buildings are visually permeable, transparent or clear glazed. The proposed building is consistent with this, as demonstrated in Figure 6 below.

Figure 6. Extent of visual permeability of facade







5.4.5. Interface Between Land Uses

Performance Outcome 1.3 of the Zone states:

"Residential development does not prejudice the operation of existing non-residential development and the long term provision of services and facilities for wider community benefit."

This clearly indicates that the impacts that could potentially be experienced by residents within the locality, such as noise from activity within the site and an increase in traffic, can be reasonably expected. In any event, the proposed building is well separated from residential uses and replaces a building of similar scale which accommodated a use of similar intensity.

Performance Outcome 2.1 of the Interface Between Land Uses section of the General Development Policies states:

"Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:

- a) the nature of the development
- b) measures to mitigate off-site impacts
- c) the extent to which the development is desired in the zone
- d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land."

The associated Designated Performance Feature (DPF 2.1) sets out operating hours for consulting rooms of 7:00am to 9:00pm weekdays and 8:00am to 5:00pm on Saturdays. However, the Urban Activity Centre Zone contains policy (Performance Outcome 1.2) which states:

"Facilities within the centre sited and designed with a view to promoting after-hours use to reinforce the centre as the focus of social activity."

Therefore, having regard to part (c) of Performance Outcome 2.1 (ie. the extent to which the development is desired in the zone), the Code supports increased operating hours beyond the generic hours set out in the designated performance feature. The proposed uses within the Health Hub are clearly desired in the Zone and moreover, the Zone clearly provides for flexibility in operating hours by virtue of Performance Outcome 1.2. In this context, the proposed hours of operation are considered appropriate.

5.4.6. Car Parking

Designated Performance Feature 5.1 of the Transport, Access and Parking section of the General Development Policies, states development provides a number of car parking spaces on-site at a rate no less than the amount calculated using Transport, Access and Parking Table 1 or Table 2 (Designated Areas), whichever is relevant.

Table 2 is relevant to development within the Urban Activity Centre Zone, subject to any part of the development site satisfying one or more of the following:

 a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service





- b) is within 400 metres of a bus interchange
- c) is within 400 metres of an O-Bahn interchange
- d) is within 400 metres of a passenger rail station
- e) is within 400 metres of a passenger tram station
- f) is within 400 metres of the Adelaide Parklands.

The closest corner of the subject site is a distance of 395 metres from the Salisbury Interchange, which contains both a bus interchange and a passenger rail station. As such the car parking rates in Table 2 are applicable to the proposed development.

Table 2 prescribes a minimum car parking rate of 3 spaces per 100m² of gross leasable floor area for all non-residential uses. The proposed building has a gross leasable floor area of 2177m², resulting in a minimum car parking requirement of 65 spaces. The proposed development includes 79 car parking spaces. In addition, a mini-bus drop-off parking area is proposed. Accordingly, the amount of car parking proposed accords with DPF 5.1.

All car parking spaces, aisle widths and manoeuvring has been designed in accordance with AS/NZS 2890.1:2004 Parking Facilities Part 1: Off-street car parking, as well as AS/NZS 2890.6:2009 Parking facilities - Off-street parking for people with disabilities.

5.4.7. Regulated Trees

The application includes the removal of six (6) Regulated Trees (one of which is a Significant Tree) and the retention and protection of another eleven (11) Regulated Trees located on and adjacent to the subject site. Table 2 below provides a summary of the advice received from Tertiary Tree Consulting in relation to the six regulated trees to be removed.

Table 2. Summary of Advice on Regulated Tree Removals

Tree Identifier	Species	status	Advice
Tree 4	Eucalyptus cladocalyx (Sugar Gum)	Regulated (>2000 mm <3000 mm)	 the tree is a structurally defective specimen and does not make an "important" visual contribution to local character and amenity the tree is not indigenous to the local area, nor is it listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible
Tree 5	Eucalyptus cladocalyx (Sugar Gum)	Regulated (>2000 mm <3000 mm)	 the tree is a structurally defective specimen and does not make an "important" visual contribution to local character and amenity the tree is not indigenous to the local area, nor is it listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna





			 the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible
Tree 7	Eucalyptus camaldulensis (River Red Gum)	Significant >3000mm	 the tree is visually prominent and makes an important contribution to the character or amenity of the local area. the tree is not indigenous to the local area, "and" listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna the tree is not part of a wildlife corridor of a remnant area of native vegetation the tree is important to the maintenance of biodiversity in the local environment the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring
Tree 8	Eucalyptus leucoxylon (South Australian Blue Gum)	Regulated (>2000 mm <3000 mm)	 the tree displays poor health and does not make an "important" visual contribution to local character and amenity the tree is indigenous to the local area, but it is not listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible
Tree 15	Eucalyptus leucoxylon (South Australian Blue Gum)	Regulated (>2000 mm <3000 mm)	 the tree displays average health and does not make an "important" visual contribution to local character and amenity the tree is indigenous to the local area, but it is not listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible
Tree 23	Eucalyptus leucoxylon	Regulated (>2000 mm <3000 mm)	 the tree displays average health and does not make an "important" visual contribution to local character and amenity





(South Australian Blue Gum)	the tree is indigenous to the local area, but it is not listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species the tree does not provide an important habitat for native fauna the removal accommodates the reasonable development of land in accordance with the relevant zone or subzone where such
	relevant zone or subzone where such development might not otherwise be possible

Five of the six trees (ie. all except for Tree 7) are Regulated Trees, whereby Performance Outcome 1.4 of the Regulated and Significant Tree Overlay states that removal may occur where:

"it accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible"

As set out in the preceding sections of this report, the proposed development of the land is in accordance with the Urban Activity Centre Zone. The trees which are proposed to be removed are located within the footprint of the proposed building and car parking area and as such, the development would not be possible with the retention of the trees.

Further justification for the removal of these five Regulated Trees is provided via Performance Outcome 1.1, which lists qualities of Regulated Trees which warrant their retention. Pursuant to the advice received from Tertiary Tree Consulting, none of these five Regulated Trees possess the listed qualities.

Tree 7, a River Red Gum located near the Orange Avenue frontage, is a Significant Tree and does possess qualities which make it worthy of retention, including making an important contribution to the character or amenity of the local area and being important to the maintenance of biodiversity in the local environment.

In the case of Significant Trees, Performance Outcome 1.4(b) supports removal if all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring. In this respect, Tree 7 has a calculated Tree Protection Zone (TPZ) of 12.36m radius. This equates to an area of 480m^2 . With a 10% encroachment as allowed for in AS4970-2009, an area surrounding the tree of 432m^2 would be undevelopable as car park or any other building work. No reasonable design solutions exist which would enable that to occur. The only technically feasible solution would be to place car parking below the building, however that would not be economically feasible for this site and is therefore not a reasonable development option.

Tertiary Tree Consulting have determined that another eleven (11) Regulated Trees located on and adjacent to the subject site (five of which are Significant Trees) are able to be retained and protected to ensure their ongoing health. A range of protection measures have been recommended, including establishment of tree protection zones through construction and supervision by a project arborist.





5.4.8. Landscaping

In addition to the retention of eleven (11) Regulated Trees on and adjacent to the subject site, landscaping is proposed adjacent to Orange Avenue, within landscaping islands in the main car park and along the length of the eastern boundary, alongside the driveway. All landscaping beds are at least 1200mm wide and are proposed to contain a range of trees and understory plantings. All garden beds are to be mulched and irrigated to ensure the ongoing health of the plants.

5.4.9. Waste Management

The waste management needs of the proposed Health Hub have been evaluated by Colby Phillps and a report prepared. The report concludes the following in response to relevant policies of the Planning & Design Code:

- Waste volumes and bin quantities are provided in accordance with the SA Better Practice Guide recommendations
- The waste storage areas are enclosed and hence will be screened from public view. Bin
 enclosure is more than 3m from any habitable windows
- Waste would be collected with rear lift trucks using forward entry to the site and forward.
 Council side-lift trucks do not need to enter the site. Standard kerbside collection on Orange Avenue
- Bin enclosures are more than 3m from any habitable windows.
- Provision made on site for waste to be collected with rear lift trucks. The trucks would enter and exit the site in a forward direction
- Collection systems are provided for source-separated landfill, recycling, and food waste.
 Bin wash is to be provided in the waste storage area
- The waste storage area is enclosed and hence will be screened from public view.
- The waste storage area is open to ensure complete ventilation. The enclosure is located more than 3m from the nearest opening window
- Health Hub tenants may be provided with a Council kerbside bin for small amounts of food waste and mixed recycling





6. Conlusion

8.1.1

The proposed Health Hub development comprises land uses which are clearly envisaged in the Urban Activity Centre Zone and appropriately located amongst surrounding compatible and complementary land uses.

The proposed building is well set back from the street, with a well landscaped car park providing car parking in excess of the minimum amount prescribed by the Code for non-residential development. The low profile of the building and retention of surrounding Regulated Trees means it will reasonably maintain the character of the Salisbury Oval precinct.

The distance of the building from both Orange Avenue and Brown Terrace assists in mitigating any impacts associated with the operation of the facility, but in any event the Code contains policies which seek to ensure residential uses do not prejudice such operations.

Six (6) Regulated Trees are proposed to be removed, including a Significant Tree. The proposed removals are supported by Tertiary Tree Consulting and are considered reasonable in the context of the overall development. A good level of landscaping including new trees is proposed to assist in offsetting their removal.

On balance, I consider that the proposed development sufficiently accords with the Planning & Design Code to be granted planning consent.

Mark Thomson Director

THOMSON PLANNING





APPENDIX 1. Proposal Plans





ELCOR PLAN SCHIE 1 100 FLOOR AREAS NORTHCARE TEMACY NOVITA TEMACY NOVITA DUTDOR SENSORY AREA FORCH 1 FORCH 2 SN ENCLOSURE TOTAL

1201 547.3 77.017 18.05 18.03 13.95 2275.327







SITE ENTRANCE PERSPECTIVE VIEW



INTERNAL SITE PERSPECTIVE VIEW



INTERNAL SITE PERSPECTIVE VIEW



AERIAL PERSPECTIVE VIEW

	OF 6 ANNING	PROPOSED RESIDENCE FOR ROSSDALE HOMES	AMENDMENT DATES (8.12.23 Bio. 23.01.23 Bio.
Job No. 21	245PA	AT	09.00,23 tea.
DATE: 07.11.32	SCA(E)	ORANGE AVENUE	14 00 03 840
DERAY: BMc	JOETINE:	SALISBURY	
MASTER SIPDATE			

.000	
€	SENCREPAL AT MICK CONTROL JOHN 4670 TO ENDINESS APPORT
AREA	IS M?

SPECIAL NOTES
WISDON LISEN
ALL ACHIEGORIUS ULIPPO
MAIN ALLO ACHIEGORIUS ULIPPO
MAIN HOLD ARMINIS
ALLO ACHIEGORIUS
ALLO ACHIEG


- Industrial Installed in-cells welcome all their industrial Collection in Industrial Collection




Page 86 Council Assessment Panel Agenda - 28 March 2023



APPENDIX 2. Plan of Division







APPENDIX 3. Arborist Report



TERTIARY TREE CONSULTING PTY LTD

Forming Relationships - Delivering Solutions ABN 48 629 289 078 PO Box 1234, Glenelg South, SA 5045 dylan@ttconsulting.net.au www.ttconsulting.net.au Phone 0400-259-505

DYLAN TEMPEST - ARBORICULTURAL CONSULTANT

AQF Level 8 Graduate Certificate of Arboriculture 1st class honours The University of Melbourne (Grad Cert ARB)

AQF Level 5 Diploma of Arboriculture (Dip Arb)
AQF Level 3 Certificate 3 or Arboriculture (Cert III Arb)

QTRA Advanced Quantified Tree Risk Assessment 5637 QTRA Quantified Tree Risk Assessor 5637

ISA TRAQ International Society of Arboriculture Tree Risk Assessment Qualification VALID Tree Risk - Benefits Assessor

Gold Australian Arborist Industry License No: AL2360

Continued Study: MSc Master of Arboriculture and Urban Forestry, The University of Central Lancashire

JESSIE TEMPEST - ARBORICULTURAL CONSULTANT

AQF Level 5 Diploma of Arboriculture (Dip Arb) QTRA Quantified Tree Risk Assessor 6987

5 Million Professional Indemnity Insurance 20 Million Public Liability Insurance

Date:

3 March 2023

Arboricultural Impact Assessment and Tree Protection Plan Revision B

Client:

Rossdale Homes 300 Glen Osmond Rd Fullarton SA 5064 Giles French 8433 2000 g.french@rossdalehomes.com.au

Site Address:

15 – 21 Brown Terrace Salisbury SA 5108









COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 1 OF 40

1. TABLE OF CONTENTS:

1.	Table of Contents:	2	
2.	Introduction:	4	
3.	Methodology:		
4.	Discussion:	5	
4.2	AS4970-2009 TPZ Encroachment Considerations:	10	
5. Tı	ree Protection Plan:	13	
1	. Site Meeting:	13	
2	. Tree Watering:	13	
3	. TPZ Fencing:	13	
4	. Machinery Access:	13	
5	. Neighbouring Sites:	13	
6	. Demolition:	13	
8	. Service Installation:	1 4	
9	. Paving:	1 4	
1	0. Grade Changes:	1 5	
1	1. Lawn:	1 5	
1	2. Garden Bed Preparation and Planting:	1 5	
1	3. Further Tree Protections:	1 5	
5. R	ecommendations:	16	
Disc	laimer:	17	
Refe	erences:	18	
Арр	Appendices:		
A	ppendix 1, SULE Rating:	19	
	ppendix 2, Assessment of Trees:		
Α	ppendix 3, Images of Tree(s):	24	
	Figure 1: Tree 2		
	Figure 2: Tree 3		
	Figure 4: Trees 13 and 14.		
	Figure 5: Tree 16.		
	Figure 6: Tree 17		
	Figure 7: Tree 18		
	Figure 8: Tree 19	31	

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 2 OF 40

Figure 9: Tree 20.	32
Figure 10: Tree 21	
Figure 11: Tree 22	34
Figure 12: Aerial site image with trees indicatively plotted.	
Appendix 4, Legend for S.T.A.R.S Matrix Assessment:	
Appendix 5, Tree Protection Plan	39
Figure 13: Tree Protection Plan.	39
	40

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 3 OF 40

2. INTRODUCTION:

- 2.1 On 10 May 2022 Giles French on behalf of Rossdale Homes engaged Tertiary Tree Consulting to complete an Arboricultural Impact Assessment and Tree Protection Plan for the site 15 21 Brown Terrace, Salisbury SA 5108. The client stated the trees have been nominated to be inspected in relation to a proposed development. This report will assess the nominated trees that may be impacted upon by the proposed development works or the associated activities.
- 2.2 The site inspection of the nominated trees occurred on 28 January 2022 and 11 May 2022. This tree report will detail the condition of the nominated trees, specify the tree protection zone (TPZ) and structural root zone (SRZ) as a radius from the centre of the tree trunks at ground level and recommend tolerable incursions into these areas so the design process can consider these parameters. Recommendations for removal or retention will be based on the proposed works and compatibility of the trees with the works as well as the tree hazard potentials or SULE Rating.
- 2.3 To achieve the objectives of the report, the trees will be assessed noting the species, size and general condition. The trees will be assessed using the internationally recognised VTA assessment method for above ground parts only. Tree characteristics and eventual size will be taken into consideration as will the position of the trees in relation to structures and hardscapes. Recommendations will be outlined in section 5 of the report. A detailed list of the tree survey will be provided in Appendix 2 of the report. An existing numerical system has been used to identify the trees for this report and future reference on this job site.

3. METHODOLOGY:

- 3.1 The trees were assessed using the standard Visual Tree Assessment technique (VTA). The trees were assessed from the ground for this report.
- 3.2 A Yamayo Million Diameter Tape was used to obtain the Diameter at breast height (DBH) as recommended at 1.4 metres unless otherwise stated due to variations in the tree form. This aforementioned measuring device was used to measure the circumference at one metre above ground level and the root buttress diameter (RBD).
- 3.3 The height of the trees were estimated, and the spread of the tree canopies were paced out.
- 3.4 An iPhone 11 camera and SAPPA were used to take all photographs in this report.
- 3.5 The SULE rating system has been used as a guide to assist in determining the Safe Useful Life Expectancy of the trees surveyed. Refer to Appendix 1.
- 3.6 The landscape / retention rating of the trees was assessed using the Legend for S.T.A.R.S Footprint Green Matrix Assessment System. Refer to Appendix 4.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 4 OF 40

Page 95

4. DISCUSSION:

- 4.1 The Project Arborist must be engaged to advise and supervise the required tree protection actions to be undertaken during all of the development stages. The Project Arborist has the responsibility of both monitoring and certifying the Tree Protection Plan. There must be no deviation/alteration to the Tree Protection Plan without written consent from the Project Arborist under the written consent of the governing authority as required by AS4970-2009.
- 4.1.1 Unauthorised alteration of recommendations in this report actions absolute nullity of this report.
- 4.1.2 Only the Project Arborist can write and submit the staged supervising and reporting as required within the section 4 Tree Protection Plan and section 5 Recommendations within this report as required by AS4970-2009.
- 4.2 A TPZ and SRZ are not a total exclusion zone. However, it must be demonstrated that tree sensitive techniques with low or no tree impact are used within a TPZ and SRZ. Through a properly monitored construction process as required by AS4970-2009, tree sensitive development systems inclusive of Project Arborist supervision, will allow for a tree sensitive design. When implementing properly monitored tree sensitive designs, the AS4970-2009 TPZ and SRZ impact on trees is heavily reduced and or completely eliminated.
- 4.3 An engineering bore log must be used to assess the site soil.
- 4.3.1 Removal of soil within a TPZ can remove roots causing tree damage. If fill is proposed within any TPZ, it must be of a coarser grade than the existing site soil. Due to gaseous exchange restrictions created by fill between the site grade and atmosphere leading to tree root asphyxiation, and excavations removing roots causing tree damage, any proposed grade change within a TPZ be it excavation or fill including depths and material must be approved in writing by the Project Arborist and the local authority (refer the tree protection plan).
- 4.4 Based on the information provided by the client, the works will involve the demolition of the existing bitumen, construction of a health hub building, driveway, carparking and associated landscaping. To achieve the works, the nominated trees to be retained are proposed to be protected for the duration of the works in accordance with AS4970-2009 Protection of Trees on Development Sites and science-based arboricultural literature. This will occur using tree sensitive development activities and protections where required to allow the works to proceed while protecting the trees. Options for managing the nominated retained trees in this report will be provided as required by AS4970-2009 and will form part of the conditions of consent.
- 4.5 AS4970-2009 section 1.4.5 defines the SRZ as

"Structural root zone (SRZ)

The area around the base of a tree required for the tree's stability in the ground. The woody root growth and soil cohesion in this area are necessary to hold the tree upright. The SRZ is nominally circular with the trunk at its centre and is expressed by its radius in metres.

This zone considers a tree's structural stability only, not the root zone required for a tree's vigour and long-term viability, which will usually be a much larger area".

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 5 OF 40

4.5.1 AS4970-2009 section 1.4.7 defines the TPZ as

"A specified area above and below ground and at a given distance from the trunk set aside for the protection of a tree's roots and crown to provide for the viability and stability of a tree to be retained where it is potentially subject to damage by development."

4.5.2 AS4970-2009 section 3.3.2 defines a minor encroachment as

"3.3.2 Minor encroachment If the proposed encroachment is less than 10% of the area of the TPZ and is outside the SRZ (see Clause 3.3.5), detailed root investigations should not be required. The area lost to this encroachment should be compensated for elsewhere and contiguous with the TPZ. Variations must be made by the project arborist considering relevant factors listed in Clause 3.3.4. The figures in Appendix D demonstrate some examples of possible encroachment into the TPZ up to 10% of the area."

4.5.3 AS4970-2009 section 3.3.3 defines a major encroachment as

"If the proposed encroachment is greater than 10% of the TPZ or inside the SRZ (see Clause 3.3.5), the project arborist must demonstrate that the tree(s) would remain viable. The area lost to this encroachment should be compensated for elsewhere and contiguous with the TPZ. This may require root investigation by non-destructive methods and consideration of relevant factors listed in Clause 3.3.4."

- 4.6 **Tree 2** nominated to be assessed is located on the south-eastern edge of the existing carpark. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure Act 2016* and the *Planning Development and Infrastructure (General) Regulations 2017*.
 - 1. The tree displays good health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of >40 years.
 - 4. The tree is a high retention value tree.
 - A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) The TPZ and SRZ impact for the proposed lawn is low and acceptable. This is because it must be installed with a tree sensitive design as per the tree protection plan herein this report.
 - b) This tree is recommended to be retained and protected.
 - 4.7 **Tree 3** nominated to be assessed is located on the south-eastern edge of the existing carpark. The tree is a significant tree that is protected at this site under the *Planning Development and Infrastructure Act 2016* and the *Planning Development and Infrastructure (General) Regulations 2017*.
 - 1. The tree displays good health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of >40 years.
 - The tree is a high retention value tree.
 - A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) The TPZ impact for the proposed pedestrian path is low and acceptable and is not within the SRZ. This is because it must be constructed with a tree sensitive design as per the tree protection plan herein this report.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

- b) The TPZ and SRZ impact for the proposed lawn is low and acceptable. This is because it must be installed with a tree sensitive design as per the tree protection plan herein this report.
- c) The TPZ impact for the proposed health hub building is 11.3% and is not within the SRZ. This TPZ impact is merely 1.3% over the 10% recommendation. It has been demonstrated that the tree will remain viable by considering relevant factors listed in clause 3.3.4 of AS4970-2009 Protection of trees on development sites (refer section 4.2 of this report).
- d) This tree is recommended to be retained and protected.
- 4.8 **Tree 7** nominated to be assessed is located on the Orange Avenue boundary. The tree is a significant tree that is protected at this site under the *Planning Development* and *Infrastructure Act* 2016 and the *Planning Development* and *Infrastructure* (General) Regulations 2017.
- 1. The tree displays average health.
- 2. The tree displays good structure.
- 3. The tree has a safe useful life expectancy of 15-40 years.
- 4. The tree is a medium retention value tree.
- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) The TPZ impact for the proposed car park is 6.9% and is not within the SRZ.
 - b) The TPZ and SRZ impact for the proposed garden bed is low and acceptable. This is because it must be installed using a tree sensitive design as per the tree protection plan herein this report.
 - c) This tree is recommended to be retained and protected.
- 4.9 Tree 13 nominated to be assessed is located within the council reserve near the eastern boundary of the site. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure Act* 2016, the *Planning Development and Infrastructure (General) Regulations* 2017 and the Local Government Act 1999.
 - 1. The tree displays average health.
- 2. The tree displays average structure.
- The tree has a safe useful life expectancy of 15-40 years.
- 4. The tree is a medium retention value tree.
- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments
 and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.10 **Tree 14** nominated to be assessed is located within the council reserve near the eastern boundary of the site. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure Act* 2016, the *Planning Development and Infrastructure* (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays average health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of 15-40 years.
 - 4. The tree is a medium retention value tree.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.11 **Tree 16** nominated to be assessed is located within the council reserve near the south-eastern boundary of the site. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure* Act 2016, the *Planning Development and Infrastructure* (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays good health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of 15-40 years.
 - 4. The tree is a low retention value tree.
- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments
 and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.12 **Tree 17** nominated to be assessed is located within the council reserve near the south-eastern boundary of the site. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure* (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays good health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of 15-40 years.
 - 4. The tree is a low retention value tree.
- 5. A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) The TPZ encroachment for the bitumen carpark is 8.1% and is not within the SRZ. However, the TPZ impact is 0.0%. This is because there is an overlap in the proposed carpark footprint with the existing to be demolished bitumen giving an impact concession.
 - b) This tree is recommended to be retained and protected.
- 4.13 **Tree 18** nominated to be assessed is located within the council reserve near the south-eastern boundary of the site. The tree is a significant tree that is protected at this site under the Planning Development and Infrastructure Act 2016, the Planning Development and Infrastructure (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays good health.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 8 OF 40

Page 99

- 2. The tree displays average structure.
- 3. The tree has a safe useful life expectancy of 15-40 years.
- 4. The tree is a low retention value tree.
- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments
 and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.14 **Tree 19** nominated to be assessed is located within the council reserve near the south-eastern boundary of the site. The tree is a regulated tree that is protected at this site under the *Planning Development and Infrastructure* Act 2016, the *Planning Development and Infrastructure* (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays good health.
 - 2. The tree displays average structure.
- 3. The tree has a safe useful life expectancy of 15-40 years.
- 4. The tree is a low retention value tree.
- A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments
 and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.15 **Tree 20** nominated to be assessed is located within the council reserve near the south-eastern boundary of the site. The tree is a significant tree that is protected at this site under the *Planning Development and Infrastructure* Act 2016, the *Planning Development and Infrastructure* (General) Regulations 2017 and the Local Government Act 1999.
 - 1. The tree displays good health.
- 2. The tree displays average structure.
- 3. The tree has a safe useful life expectancy of 15-40 years.
- 4. The tree is a low retention value tree.
- 5. A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.16 **Tree 21** nominated to be assessed is located near the southern boundary of the site. The tree is a significant tree that is protected at this site under the *Planning Development and Infrastructure Act 2016* and the *Planning Development and Infrastructure* (General) Regulations 2017.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

- 1. The tree displays good health.
- 2. The tree displays good structure.
- 3. The tree has a safe useful life expectancy of >40 years.
- 4. The tree is a high retention value tree.
- 5. A 10% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) There is no impact imposed on this tree for the proposed development, however; the tree protection plan must be followed for the duration of site works to ensure the tree does not become impacted during development of the site.
 - b) This tree is recommended to be retained and protected.
- 4.17 Tree 22 nominated to be assessed is located near the southwestern boundary of the site. The tree is a significant tree that is protected at this site under the Planning Development and Infrastructure Act 2016 and the Planning Development and Infrastructure (General) Regulations 2017.
 - 1. The tree displays average health.
 - 2. The tree displays average structure.
 - 3. The tree has a safe useful life expectancy of >40 years.
- 4. The tree is a high retention value tree.
- 5. A 10.0% TPZ impact is recommended with no SRZ impact. AS4970-2009 differentiates between encroachments and impacts stating that tree sensitive design solutions reduce the impact of encroachments.
 - a) The TPZ encroachment for the bitumen carpark is 6.2% and is not within the SRZ. However, the TPZ impact is 0.0%. This is because there is an overlap in the proposed carpark footprint with the existing to be demolished bitumen giving an impact concession.
 - b) The TPZ impact for the proposed pedestrian path is low and acceptable and is not within the SRZ. This is because it must be constructed with a tree sensitive design as per the tree protection plan herein this report.
 - c) The TPZ and SRZ impact for the proposed lawn is low and acceptable. This is because it must be installed with a tree sensitive design as per the tree protection plan herein this report.
 - d) The TPZ impact for the proposed health hub building is 10.6% and is not within the SRZ. This TPZ impact is merely 0.6% over the 10% recommendation. It has been demonstrated that the tree will remain viable by considering relevant factors listed in clause 3.3.4 of AS4970-2009 Protection of trees on development sites (refer section 4.2 of this report).
 - e) This tree is recommended to be retained and protected.

4.2 AS4970-2009 TPZ ENCROACHMENT CONSIDERATIONS:

4.2.1 As stated in AS4970-2009 Protection of trees on development sites, section 3.3.3 defines a major encroachment as "If the proposed encroachment is greater than 10% of the TPZ or inside the SRZ (see Clause 3.3.5), the project arborist must demonstrate that the tree(s) would remain viable. The area lost to this encroachment should be compensated for elsewhere and contiguous with the TPZ. This may require root investigation by nondestructive methods and consideration of relevant factors listed in Clause 3.3.4. The project arborist has demonstrated that the trees will remain viable by considering relevant factors listed in clause 3.3.4 below:

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

Page 101

"(a) Location and distribution of the roots to be determined through non-destructive investigation methods (pneumatic, hydraulic, hand digging or ground penetrating radar). Photographs should be taken and a root zone map prepared.

NOTE: Regardless of the method, roots must not be cut, bruised or frayed during the process. It is imperative that exposed roots are kept moist and the excavation back filled as soon as possible.

Due to the concessions offered by existing bitumen, the TPZ impact for tree 3, tree 7 and tree 22 being marginally greater than the 10% recommendation, the tree sensitive design factors for all remaining works within the TPZ's and SRZ's, the total impacts for the nominated trees are low and acceptable and therefore, no non-destructive root mapping is required.

(b) The potential loss of root mass resulting from the encroachment: number and size of roots.

The TPZ encroachments will follow tree sensitive works methods where required (refer the tree protection plan herein this report). The potential loss of root mass is negligible as the TPZ impacts for the proposed works are low and acceptable. Further, the acceptable amounts of roots lost will quickly be replaced as trees replace fine feeder roots every week to six months depending on thickness (Hirons and Thomas 2018), while new fine feeder roots proliferate within short periods of time from pruned roots (Gilman 2012).

(c) Tree species and tolerance to root disturbance.

The nominated trees to be retained within this report are a species tolerant and moderately tolerant to root disturbance. Further, the acceptable amount of roots lost will quickly be replaced as trees replace fine feeder roots every week to six months depending on thickness (Hirons and Thomas 2018), while new fine feeder roots proliferate within short periods of time from pruned roots (Gilman 2012).

(d) Age, vigour and size of the tree.

The proposed TPZ impacts will be tolerated by the nominated trees. The age, vigour, and size of the trees are not a barrier to the proposed works whatsoever. This is because all proposed TPZ impacts are low and acceptable.

(e) Lean and stability of the tree.

NOTE: Roots on the tension side are likely to be most important for supporting the tree and are likely to extend for a greater distance.

The trees are not leaning and are stable in the ground. The proposed low and acceptable TPZ impacts will not destabilise the trees.

(f) Soil characteristics and volume, topography and drainage.

The trees are growing well in the soil type and available soil volumes and the trees have evolved and acclimated well in the site soil. The proposed development will not deleteriously affect the trees because of the tree sensitive design methods used and the low and acceptable impacts.

(g) The presence of existing or past structures or obstacles affecting root growth.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 11 OF 40

Page 102 City of Salisbury

The existing bitumen within the TPZ's are not affecting their health, vitality and root growth whatsoever and the removal of the bitumen will occur using tree sensitive techniques.

(h) Design factors."

Other than the acceptable TPZ impact for the health hub building, car park and concession offered from the existing bitumen, tree sensitive design factors are recommended for all remaining works within the TPZ's and SRZs of tree 3, tree 7 and tree 22. Refer the tree protection plan below for the required tree protections and tree sensitive design methods throughout the proposed development.

Refer appendix 1, 2, 3, 4, 5 and 6 for further information.

Refer the tree protection plan below for this tree's required tree protections and tree sensitive design methods throughout the proposed development.

5. TREE PROTECTION PLAN:

- Site Meeting: A site meeting must occur between The Project Arborist and the builder addressing the tree protection plan before site works commence (AS4970-2009).
- Tree Watering: The TPZ of all trees to be retained are to be irrigated and kept moist for 4 weeks before site works commence and is to continue throughout the length of the project (AS4970-2009).
- 3. TPZ Fencing: A two-metre-tall temporary chain mesh tree protection fence must be installed in the location as drawn in appendix 5 complying with AS 4687-2007 Temporary Fencing and Hoardings and AS 4970-2009. This will protect the TPZ/SRZ and vascular tissue while allowing the works to proceed. Signage identifying the TPZ must be attached to the TPZ fencing complying with AS 4970-2009 and AS 1319-1994 Safety Signs for the Occupational Environment. The tree protection fencing must be installed prior to the commencement of any site works including demolition. This fence must not otherwise be moved without consulting the Project Arborist The Project Arborist must certify in writing the tree protection measures are correctly installed with certification documents submitted to the local council. This fence can be moved in consultation with the Project Arborist at the point of landscaping (AS 4970-2009).
- 4. Machinery Access: No machinery access is permitted within any tree protection zone fenced off area without written approval from the Project Arborist (Further tree protections may be required if access is required). The Project Arborist must certify in writing, the tree protection measures are correctly installed.
- Neighbouring Sites: The TPZ and SRZ extends into neighbouring sites. No machinery is to enter the neighbouring sites. This will ensure TPZ protection within the neighbouring sites.
- 6. Demolition: For the demolition of the existing bitumen within the Tree Protection Zones, the machinery must not enter or work within the tree protection zones of any trees so as to not make contact with and compact the site soil in these areas (refer appendix 5). To achieve this, when demolishing the bitumen within the tree protection zone of trees 2, 3 and 22, the machinery must work from the northeast to southwest direction. For the demolition of the existing bitumen within the Tree Protection Zone of tree 17, the machinery must work from the southeast to northwest direction. This will protect the TPZ's while allowing works to proceed. This must occur under the direct supervision of the Project Arborist with certification documents submitted to the local council (Roberts et al., 2018; AS4970-2009).
- 7. Fences: For the existing boundary fence or any proposed fence within the TPZ of trees 2 and 3, the existing fence and any footing must be demolished by hand. The proposed fence within the TPZ must use existing post holes or have its post excavations dug by hand or by hydrovac and must have its rails above the existing grade. If a tree root >40mm diameter is encountered during this process, a new offset hole will be required to be excavated. This must occur under the supervision of the Project Arborist (Roberts et al., 2018; AS4970-2009). Some fine feeder roots will be lost during hydrovac works. Trees replace

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 13 OF 40

Page 104 Council Assessment Panel Agenda - 28 March 2023

fine feeder roots every week to six months depending on thickness (Hirons and Thomas 2018), therefore, will have no lasting impact on the TPZ as the tree will quickly replace/regenerate these roots.

- 8. Service Installation: Other than the accepted TPZ impact areas (refer red hatching in appendix 5), installation should be outside of the TPZs. If services must be within the TPZs, service trenches must be excavated with a hydrovac to ensure tree roots >40mm diameter are not damaged. The tree roots are to be kept moist and the trench must be backfilled in a timeframe specified by the Project Arborist and will be determined by the weather at the time of works and the roots found during this process. This must occur under the direct supervision of the Project Arborist with certification submitted to local council. (Roberts et al., 2018; AS4970-2009). Some fine feeder roots will be lost during hydrovac works. Trees replace fine feeder roots every week to six months depending on thickness (Hirons and Thomas 2018), therefore, will have no impact on the TPZ as the tree will quickly replace/regenerate these roots.
- 9. Paving: Within the TPZs of trees 2 and 22, the construction of the paving surface and sub-base must be water permeable, therefore, allowing for gaseous exchange. The existing grade must not be disturbed and must not be compacted whatsoever. The paving sub-base must be of a courser grade than the existing site soil and must not be compacted. The level is to be found via the permeable sub-base. These measurers will allow for gaseous exchange between the soil and atmosphere. This will be achieved via the subbase construction method utalised for the Fig Plaza design undertaken during the Adelaide Oval redevelopment. This design has a zero percent (0%) impact to both TPZ's and SRZ's when properly constructed. The permeable subbase can be as deep as 150-500 mm maintaining gaseous exchange between the soil and atmosphere interface. The structural subbase distributes loads across large areas stopping compaction. The following link is of this permeable system being presented at TreeNet in 2017 with a permeable paver over the top. (https://treenet.org/resources/adelaide-oval-fig-tree-plaza-thinking-outside-the-square/ 2017)

Example of Treenet Zero Impact TPZ / SRZ Permeable Paving and Subbase Construction:

- A. Clear any debris and vegetation by hand and with tools such as rakes.
- B. Lightly tamp the soil surface with a hand roller only.
- C. Where required for edging, install a 10 mm thick rolled mild steel paving edge restraint with pegs welded to it. These pegs are to be driven into the ground 300-500mm deep.
- D. Geo-fabric BINIM A24 or approved is to be laid onto the existing soil.
- E. Geo-grid TX 160 or similar is to be laid on top of the Geo-fabric BINIM A24 to help take and spread the load across the surface area.
- F. Install the sub-base construction (depth to be specified by an engineer) of 20 mm single sized crushed rock gap graded no fines and lightly pant down with a hand roller only. No compaction of this sub-base.
- G. Geo-fabric BINIM A24 or approved is to be laid on top of the 20 mm single sized crushed rock gap graded no fines sub-base.
- H. Install a 30 mm deep layer of bedding sand to be constricted from 5 mm single sized crushed rock on top of the Geo-fabric BINIM A24 or approved layer.
- Install 80 mm thick interlocking adbriMasonry ECOTRIHEX permeable pavers with no cuts of less than half to be used against the header.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

7.02 17 07 1

- J. Lightly tamp with a hand roller only and infill with material to manufacturers specification with no fines. Continue light hand rolling.
- K. Depths are able to be in the order of 150-500mm with this system.
- L. Through a properly monitored construction process as required by AS4970-2009, this permeable system will allow for a tree sensitive design. Using this tree sensitive design, the AS4970-2009 TPZ and SRZ "impact" on trees by this system will be zero percent 0%.
- M. Seek engineering advice before proceeding with this permeable system.

(https://treenet.org/resources/adelaide-oval-fig-tree-plaza-thinking-outside-the-square/ 2017). This must occur under periodic inspection by The Project Arborist and the local authority (TreeNet 2017).

- 10. Grade Changes: Grade changes for the health hub building within the TPZ of trees 3 and 22, and the carpark within the TPZ of tree 7 are an acceptable impact (refer red hatching in appendix 5). The remaining soil within the TPZ's and SRZ's must not be cut any lower than the existing grade. Refer to sections below: Lawn and garden bed preparation and planting.
- 11. Lawn: Cultivation of the area for the lawn within the TPZ of and SRZ of trees 2, 3 and 22 should be kept to a minimum and undertaken with hand tools. Loam bases for lawns are of a courser grade than the existing site soil which is satisfactory as it is coarser than the existing grade. This loam base must not exceed a depth of 200 mm. No further fill is allowed within the TPZ (AS4970-2009).
- 12. **Garden Bed Preparation and Planting:** For the garden bed within the TPZ and SRZ of tree 7, there must be no cutting of the existing grade. Cultivation of soil must not exceed a depth of 50 mm and must be undertaken with hand tools. If new soil is to be added it must be of a courser grade than the existing site soil and not exceed a depth of 100 mm. When digging holes for planting, tree roots >40 mm diameter must not be damaged. If a root >40 mm diameter is where a hole is being dug, a new offset hole must dug to avoid the root(s) with a diameter >40 mm diameter. If mulch is to be on top of the garden beds it must not exceed a depth of 50 mm and must comply with AS4454.
- 13. Further Tree Protections: Unless specifically specified within section 4 herein this report, the following activities 1-14 inclusive are not permissible within any Tree Protection Zone and form part of the tree protection plan for the nominated trees to be retained.
 - 1. Machine excavation including trenching.
 - 2. Excavation for silt fencing
 - 3. cultivation
 - 4. Storage of materials.
 - 5. Preparation of chemicals including cement products.
 - 6. Parking of vehicles or plant.
 - 7. Refueling.
 - 8. Dumping of waste.
 - 9. Washing and cleaning of equipment.
 - 10. Placement/storage of fill.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

Page 106 City of Salisbury

- 11. Lighting of fires.
- 12. Soil level alterations
- 13. Temporary or permanent installation of utilities and signs.
- Physical damage to the tree including attaching anything to the tree. (AS4970-2009).

5. RECOMMENDATIONS:

- 5.1 After reviewing the site and the information provided by the client, the author of this report recommends the works that are proposed at this site proceed with the following actions.
- 5.2 Trees 2, 3, 7, 13, 14, 16, 17, 18, 19, 20, 21 and 22 are to be retained and protected.
- 5.3 Granted development approval is required before proceeding with the recommendations herein this report.
- 5.4 All tree protection measures must be in place as described in section 4 of this report prior to the commencement of any works. The installation of the tree protection measures in section 4 of this report will assist in reducing the impact to the tree(s) nominated for retention. The Project Arborist must certify the tree protection measures are correctly installed prior to commencement of any site works. The Project Arborist must submit these documents to council.
- 5.5 All works within the TPZ of the trees nominated in this report must be supervised and recorded by the Project Arborist as described in section 4 of this report. The Project Arborist must submit these documents to council. It is the client's responsibility to arrange site inspections and coordinate works with the Project Arborist.
- 5.6 Monthly inspections and reporting is required to ensure the nominated tree(s) is/are adequately protected. At the end of the works period the tree(s) will be inspected by the Project Arborist to determine if the tree(s) has/have been maintained adequately. Upon this the compliance certificate can be issued by the Project Arborist as required by AS4970-2009. The Project Arborist must submit these documents to council. If the tree(s) has/have been damaged or breaches of the Australian Standards have occurred, council will be contacted for further advice.
- 5.7 At practical completion the removal of all tree protection measures is required. The tree(s) herein this report will be inspected by the Project Arborist to determine if the tree(s) has/have been maintained in accordance with this report. From this inspection the certification of tree protection can be issued by the Project Arborist as required by AS4970-2009. The Project Arborist must submit this document to council.
- 5.8 Following the tree protection plan and supervision recommendations for the retained tree(s) within this report will protect the nominated retained tree(s) during the proposed development, therefore, the proposed development will not constitute tree damaging activity and should proceed. All site-specific tree protection instructions listed in section 4 and 5 must be strictly adhered to.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 16 OF 40

Please do not hesitate to call if you have any questions regarding the contents of this report.

Kind regards

Jessie Tempest Dip Arb, QTRA

Tertiary Tree Consulting Ph: 0400 259 505 dylan@ttconsulting.net.au www.ttconsulting.net.au

DISCLAIMER:

This report only covers identifiable defects present at the time of inspection. The author accepts no responsibility or can be held liable for any structural defect or unforeseen event/situation that may occur after the time of inspection.

The author cannot guarantee trees contained within this report will be structurally sound under all circumstances, and cannot guarantee that the recommendations made will categorically result in the tree being made safe.

Unless specifically mentioned this report will only be concerned with above ground inspections, that will be undertaken visually from ground level. Trees are living organisms and as such cannot be classified as safe under any circumstances. The recommendations are made on the basis of what can be reasonably identified at the time of inspection therefore the author accepts no liability for any recommendations made.

Care has been taken to obtain all information from reliable sources. All data has been verified insofar as possible; however, the author can neither guarantee nor be responsible for the accuracy of information provided by others.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 17 OF 40

REFERENCES:

Footprint Green Pty Ltd 2001, Footprint Green Tree Significance & Retention Value Matrix, Avalon, NSW Australia, www.footprintgreen.com.au

Dunster, J., Smiley, E., Matheny, N. and Lilly, S. (n.d.). *Tree risk assessment manual*. 2nd ed. Champaign, Illinois: International society of arboriculture.

Gilman, E. (2012). An illustrated guide to pruning. 3rd ed. Clifton Park, NY: Delmar.

Hirons, A. and Thomas, P., n.d. 2018. *Applied tree biology*. The Atrium, Southern Gate, Chichester, West Sussex: John Wiley and Sons Ltd.

Lilly, S. (2010). Arborists' certification study guide. [Urbana, Ill.]: International Society of Arboriculture.

Lonsdale, D., 2013. Principles of tree hazard assessment and management. 7th ed. [London]: [TSO].

Roberts, J., Jackson, N. and Smith, D., 2018. *Tree roots in the built environment.* 3rd ed. Stonehouse UK: Arboricultural Association.

South Australian Planning Development and Infrastructure (General) Regulations 2017.

South Australian Planning Development and Infrastructure Act 2016.

South Australia Local Government Act 1999

Standards Australia 2009, Protection of trees on development sites, Standards Australia, Sydney.

Standards Australia 2007, Pruning of amenity trees, Standards Australia, Sydney.

Treenet 2017, TREENET TPZ and SRZ Zero Impact Permeable Paving and Subbase, Treenet, viewed 18 November 2022,

https://treenet.org/resources/adelaide-oval-fig-tree-plaza-thinking-outside-the-square/

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED PAGE 18 OF 40

Page 109 Council Assessment Panel Agenda - 28 March 2023

APPENDICES:

Appendix 1, SULE Rating:

Barrell Safe Useful Life Expectancy (SULE)

- 1: Long SULE: Trees that appeared to be retainable at the time of assessment for more than 40 years with an acceptable level of risk.
- (a) Structurally sound trees located in positions that can accommodate future growth.
- (b) Trees that could be made suitable for retention in the long term by remedial tree care.
- (c) Trees of special significance for historical, commemorative or rarity reasons that would warrant extraordinary efforts to secure their long-term retention.
- 2: Medium SULE: Trees that appeared to be retainable at the time of assessment for 15-40 years with an acceptable level of risk.
- (a) Trees that may only live between 15 and 40 more years.
- (b) Trees that could live for more than 40 years but may be removed for safety or nuisance reasons.
- (c) Trees that could live for more than 40 years but may be removed to prevent interference with more suitable individuals or to provide space for new planting.
- (d) Trees that could be made suitable for retention in the medium term by remedial tree care.
- 3: Short SULE: Trees that appeared to be retainable at the time of assessment for 5-15 years with an acceptable level of risk.
- (a) Trees that may only live between 5 and 15 more years.
- (b) Trees that could live for more than 15 years but may be removed for safety or nuisance reasons.
- (c) Trees that could live for more than 15 years but may be removed to prevent interference with more suitable individuals or to provide space for new planting.
- (d) Trees that require substantial remedial tree care and are only suitable for retention in the short term.
- 4: Remove: Trees that should be removed within the next 5 years.
- (a) Dead, dying, suppressed or declining trees because of disease or inhospitable conditions.
- (b) Dangerous trees because of instability or recent loss of adjacent trees.
- (c) Dangerous trees because of structural defects including cavities, decay, included bark, wounds or poor form.
- (d) Damaged trees that are clearly not safe to retain.
- (e) Trees that could live for more than 5 years but may be removed to prevent interference with more suitable individuals or to provide space for new planting.
- (f) Trees that are damaging or may cause damage to existing structures within 5 years.
- (g) Trees that will become dangerous after removal of other trees for the reasons given in (a) to (f).
- (h) Trees in categories (a) to (g) that have a high wildlife habitat value and, with appropriate treatment, could be retained subject to regular review.
- 5: Small, young, or regularly pruned: Trees that can be reliably moved or replaced.
- (a) Small trees less than 5m in height.
- (b) Young trees less than 15 years old but over 5m in height.
- (c) Formal hedges and trees intended for regular pruning to artificially control growth.

COPYRIGHT © 2023 TERTIARY TREE CONSULTING PTY LTD - ABN 48 629 289 078 - ALL RIGHTS RESERVED

Appendix 2, Assessment of Trees:

Tree No.	Species	C @ 1M AGL (mm) ##	Legal Status Planning Development and Infrastructure Act 2016. ###	Height (m)	DBH* & RBD** (mm)	Canopy Spread (m)	TPZ *** SRZ (m)	Health #	Structure #	SULE Rating ****	Landscape Rating +	Observations and Comments
2	Eucalyptus cladocalyx Sugar Gum	>2000 <3000	Regulated	15	710 770	10	8.52 2.97	G	А	1	Н	Retain and protect.
3	Eucalyptus cladocalyx Sugar Gum	>3000	Significant	20	107 114	15	12.84 3.50	G	A	1	Н	Retain and protect.
7	Eucalyptus camaldulensis River Red Gum	>3000	Significant	15	1030 1150	20	12.36 3.51	Α	G	2	М	Retain and protect.
13	Eucalyptus leucoxylon SA Blue Gum	>2000 <3000	Regulated	15	630 770	10	7.56 2.97	A	A	2	M	Retain and protect. This tree is protected under the Local Government Act 1999.
14	Eucalyptus leucoxylon SA Blue Gum	>2000 <3000	Regulated	20	800 930	15	9.60 3.21	Α	Α	2	М	Retain and protect.

												This tree is protected under the Local Government Act 1999.
16	Pinus halepensis Aleppo Pine	>2000 <3000	Regulated	12	630 680	10	7.56 2.81	G	Α	2	L	Retain and protect. This tree is protected under the Local Government Act 1999.
17	Pinus halepensis Aleppo Pine	>2000 <3000	Regulated	15	790 910	15	9.48 3.18	G	Α	2	L	Retain and protect. This tree is protected under the Local Government Act 1999.
18	Pinus halepensis Aleppo Pine	>3000	Significant	15	650 1060	15	7.80 3.39	G	Α	2	L	Retain and protect. This tree is protected under the Local Government Act 1999.
19	Pinus halepensis Aleppo Pine	>3000	Significant	15	740 820	15	8.88 3.04	G	Α	2	L	Retain and protect.

												This tree is protected under the Local Government Act 1999.
20	Pinus halepensis Aleppo Pine	>3000	Significant	15	800 930	15	9.60 3.21	G	A	2	L	Retain and protect. This tree is protected under the Local Government Act 1999.
21	Eucalyptus camaldulensis River Red Gum	>3000	Significant	20	1520 1840	20	15.0 4.28	G	G	1	Н	Retain and protect.
22	Eucalyptus camaldulensis River Red Gum	>3000	Significant	20	1200 1400	20	14.40 3.81	Α	Α	1	Н	Retain and protect.

Explanatory Notes for Table

- *Dbh = Diameter of trunk at breast height.
- ** RBD = Root Buttress Diameter used to measure the Structural Root Zone (SRZ).
- ***TPZ is the recommended TPZ 12x the DBH at 1.4m, SRZ is the trees structural root zone. Refer to AS4970 for details.
- **** SULE Explanation can be found in Appendix 1.
- + IACA Landscape value and S.T.A.R.S Rating system. Refer to Appendix 4.
- # Health values represented above are D = Dead, P = poor, BA = Below Average, A = Average, G = Good.
- # Structure values represented above are P = poor, BA = Below Average, A = Average, G = Good.
- ## Circumference at 1 metre above ground level.

8.1.1

 ### Legal status under the South Australian Planning Development and Infrastructure Act 2016 and the South Australian Planning Development and Infrastructure (General) Regulations 2017

Appendix 3, Images of Tree(s):



Figure 1: Tree 2.

Page 115 Council Assessment Panel Agenda - 28 March 2023



Figure 2: Tree 3.



Figure 3: Tree 7.




Figure 4: Trees 13 and 14.



Figure 5: Tree 16.



Figure 6: Tree 17.



Figure 7: Tree 18.



Figure 8: Tree 19



Figure 9: Tree 20.




Figure 10: Tree 21



Figure 11: Tree 22.



Figure 12: Aerial site image with trees indicatively plotted.

Appendix 4, Legend for S.T.A.R.S Matrix Assessment:

IACA Significance of a Tree, Assessment Rating System (STARS) © (IACA 2010) ©

In the development of this document IACA acknowledges the contribution and original concept of the Footprint Green Tree Significance & Retention Value Matrix, developed by Footprint Green Pty Ltd in June 2001.

The landscape significance of a tree is an essential criterion to establish the importance that a particular tree may have on a site. However, rating the significance of a tree becomes subjective and difficult to ascertain in a consistent and repetitive fashion due to assessor bias. It is therefore necessary to have a rating system utilising structured qualitative criteria to assist in determining the retention value for a tree. To assist this process all definitions for terms used in the Tree Significance - Assessment Criteria and Tree Retention Value - Priority Matrix, are taken from the IACA Dictionary for Managing Trees in Urban Environments 2009.

This rating system will assist in the planning processes for proposed works, above and below ground where trees are to be retained on or adjacent a development site. The system uses a scale of High, Medium and Low significance in the landscape. Once the landscape significance of an individual tree has been defined, the retention value can be determined.

Significance 1. High 2. Medium 3. Low Significance in Significance in Significance Environmental Hazardous / Landscape Landscape in Landscape Pest / Noxious Irreversible Weed Species Decline Estimated life expectancy 1. Long >40 years 2. Medium 15-40 Years 3. Short < 1-15 Years Dead

Table 1.0 Tree Retention Value - Priority Matrix

Page 127 City of Salisbury

Priority for Retention (High) - These trees are considered important for retention and should be retained and protected. Design modification or re-location of building/s should be considered to accommodate the setbacks as prescribed by the Australian Standard AS4970 Protection of trees on development sites. Tree sensitive construction measures must be implemented e.g. pier and beam etc if works are to proceed within the Tree Protection Zone. Consider for Retention (Medium) - These trees may be retained and protected. These are considered less critical; however, their retention should remain priority with removal considered only if adversely affecting the proposed building/works and all other alternatives have been considered and exhausted. Consider for Removal (Low) - These trees are not considered important for retention, nor require special works or design modification to be implemented for their retention. Priority for Removal - These trees are considered hazardous, or in irreversible decline, or weeds and should be removed irrespective of development.

Tree Significance - Assessment Criteria:

1. High Significance in landscape:

- The tree is in good condition and good vigour; - The tree has a form typical for the species; - The tree is a remnant or is a planted locally indigenous specimen and/or is rare or uncommon in the local area or of botanical interest or of substantial age; - The tree is listed as a Heritage Item, Threatened Species or part of an Endangered ecological community or listed on Councils significant Tree Register; - The tree is visually prominent and visible from a considerable distance when viewed from most directions within the landscape due to its size and scale and makes a positive contribution to the local amenity; - The tree supports social and cultural sentiments or spiritual associations, reflected by the broader population or community group or has commemorative values; - The tree's growth is unrestricted by above and below ground influences, supporting its ability to reach dimensions typical for the taxa in situ - tree is appropriate to the site conditions.

2. Medium Significance in landscape

- The tree is in fair-good condition and good or low vigour; - The tree has form typical or atypical of the species; - The tree is a planted locally indigenous or a common species with its taxa commonly planted in the local area - The tree is visible from surrounding properties, although not visually prominent as partially obstructed by other vegetation or buildings when viewed from the street, - The tree provides a fair contribution to the visual character and amenity of the local area, - The tree's growth is moderately restricted by above or below ground influences, reducing its ability to reach dimensions typical for the taxa in situ.

3. Low Significance in landscape

- The tree is in fair-poor condition and good or low vigour; - The tree has form atypical of the species; - The tree is not visible or is partly visible from surrounding properties as obstructed by other vegetation or buildings, - The tree provides a minor contribution or has a negative impact on the visual character and amenity of the local area, - The tree is a young specimen which may or may not have reached dimension

Page 128 City of Salisbury

to be protected by local Tree Preservation orders or similar protection mechanisms and can easily be replaced with a suitable specimen, - The tree's growth is severely restricted by above or below ground influences, unlikely to reach dimensions typical for the taxa in situ - tree is inappropriate to the site conditions, - The tree is listed as exempt under the provisions of the local Council Tree Preservation Order or similar protection mechanisms, - The tree has a wound or defect that has potential to become structurally unsound.

<u>Environmental Pest / Noxious Weed Species</u> - The tree is an Environmental Pest Species due to its invasiveness or poisonous/ allergenic properties, - The tree is a declared noxious weed by legislation.

<u>Hazardous/Irreversible Decline</u> - The tree is structurally unsound and/or unstable and is considered potentially dangerous, - The tree is dead, or is in irreversible decline, or has the potential to fail or collapse in full or part in the immediate to short term.

The tree is to have a minimum of three (3) criteria in a category to be classified in that group.

Note: The assessment criteria are for individual trees only, however, can be applied to a monocultural stand in its entirety e.g. hedge.

Page 129 City of Salisbury

Appendix 5, Tree Protection Plan.




Figure 13: Tree Protection Plan.

Appendix 6, Non-Compliance of Tree Protections and Legal Consequences:

NOTE: Failure to comply with any part of the tree protections within this report will result in the party taking responsibility for all associated legislated consequences. Under the *Planning Development and Infrastructure* Act 2016 and the *Planning Development and Infrastructure* (General) Regulations 2017, Tree Damaging Activity penalties are up to 120K per offence plus criminal convictions.

Page 131 City of Salisbury



APPENDIX 4. Waste Management Report



Orange Avenue, Salisbury Health Hub Waste Management Plan

Date: 17 November 2022

Prepared for:

Rossdale Homes



Colby Phillips Advisory Pty Ltd

Level 1, 60 Hindmarsh Square Adelaide, SA 5000

+61 438 800 264

Rev.	Date	Description	Doc No./Name	Originator	Approved
Α	09Jun2022	DRAFT	WMP	JPH	
В	17Nov2021	DRAFT – Health Hub only	WMP	JPH	

Distribution List

Mark Thomson Thomson Planning
Giles French Rossdale Homes

DISCLAIMER: This document has been prepared by Colby Phillips Advisory Pty Ltd for a specific purpose and client (as named in this document) and is intended to be used solely for that purpose by that client.

The information contained within this document is based upon sources, experimentation and methodology which at the time of preparing this document were believed to be reasonably reliable and the accuracy of this information after this date may not necessarily be valid. This information is not to be relied upon or extrapolated beyond its intended purpose by the client or a third party unless it is confirmed in writing by Colby Phillips Advisory that it is permissible and appropriate to do so.

Unless expressly provided in this document, no part of this document may be reproduced or copied in any form or by any means without the prior written consent of Colby Phillips Advisory or the client.

The information in this document may be confidential and legally privileged. If you are not the intended recipient of this document (or parts thereof), or do not have permission from Colby Phillips Advisory or the client for access to it, please immediately notify Colby Phillips Advisory or the client and destroy the document (or parts thereof).

This document, parts thereof or the information contained therein must not be used in a misleading, deceptive, defamatory or inaccurate manner or in any way that may otherwise be prejudicial to Colby Phillips Advisory, including without limitation, to imply that Colby Phillips Advisory has endorsed a product or service.

Page 1 of 15



C	Conte	ents	
1	Intro	oduction	. 3
2	Dev	elopment Description	. 3
3	Stal	keholder engagement	4
4	Des	sign Assumptions	. 6
	4.1	Waste & Recycling Service Provision	6
	4.2	Waste & Recycling Volumes	. 6
5	Was	ste Management System	. 7
	5.1	User Storage	. 7
	5.2	Local Disposal and Waste Storage	. 7
	5.3	Presentation Transfer	. 8
	5.4	Collection	. 9
	5.5	Hard waste	. 9
	5.6	Maintenance Services	. 9
	5.7	External Disposal	. 9
	5.8	Bin cleaning (& On-site Bin Wash Area)	. 9
	5.9	Transfer pathways	10
	5.10	Collection & Traffic	10
	5.11	Management & Communication	11
	5.12	Other Waste System Design or Management Issues	12
6	Plai	nning & Design Code Objectives	14
7	Def	orange a	1 =



1 INTRODUCTION

This document presents a waste management plan (WMP) for the Mixed Used proposed development at Orange Avenue, Salisbury (the "Development"). The Development is a "health hub" comprising two tenancies. The Project applicant is Rossdale Homes.

The WMP explains how the Development can manage waste effectively to achieve regulatory requirements and desired design and operating objectives, including those recommended by the South Australian Better Practice Guide (State Guidelines) (Zero Waste SA, 2014) and the South Australia Planning and Design Code (Plan SA, 2021). The WMP should be read in conjunction with other planning approval documentation for the Development.

2 DEVELOPMENT DESCRIPTION

The Development located at Orange Avenue, in the City of Salisbury (Council) – see Figure 3-1 which shows an overview of the site, and designation of internal areas relating to the waste management system.

The Health Hub development is proposed to include two separate tenancies in one singlestorey building.

- Tenancy 1:
 - o approx. 920m2
 - o Offices and meeting rooms
 - o Gym
 - o Group activity rooms
- Tenancy 2:
 - o Approx. 1,200m²
 - o Gym
 - Therapy pool
 - o Consulting rooms
- Carparking and open space

Table 2-1 provides a summary of the intended users of the site, and the recommended Waste Resource Generation Rate (WRGR) classification based on the State Guideline (Zero Waste SA, 2014), which are used to estimate waste and recycling volumes to assess waste storage required for the site.

Table 2-1: Summary of land uses for the Development, their WRGR Description(s) and relevant Development Metric(s). Shop tenancy is the preliminary assumed use.

Land Use	Description	Land Use Type/WRGR Classification	De	v. Metric(s)
	Gym 1	Proprietary*	180 ⁺	m ² GLA
	Therapy and offices 1	Proprietary	740	m ² GLA
Commercial - Health Hub	Therapy and offices 2	Proprietary	600	m ² GLA
1100	Gym 2	Proprietary	170	m ² GLA
	Therapy Pool	Proprietary	430	m ² GLA

^{*} The South Australian Guidelines for waste do not have classifications applicable to this development. Waste Resource Generation Rates (WRGRs) have been based on the consultant's experience with similar businesses.

Page 3 of 15

⁺ Floor areas are approximate



3 STAKEHOLDER ENGAGEMENT

City of Salisbury ("Council") was consulted (Katherine Thrussell, 26 May 2022) by Colby Phillips Advisory.

Council's waste collection contractor (NAWMA, represented by Danial Dunn – Chief Operations Officer) was consulted (email 26 May 2022, phone 30 May 2022). NAWMA confirmed availability of Side-Lift collection service for Recycling and Organics (240L wheelie bins) for the business. A single set of bins could be provided for each rateable premise.






Figure 3-1 Site overview including key features of waste management system

Page 5 of 15



4 DESIGN ASSUMPTIONS

4.1 Waste & Recycling Service Provision

Table 4-1 outlines the recommended waste services by land use per Table 2-1. The different waste service classifications listed in Table 4-1 are explained below.

- Routine Services These require on-site waste storage and routine and regular collections, and would include services for general waste, dry (comingled) recyclables and food waste.
- At-call services These involve non-frequent collections, such as Hard waste and are
 organised and provided on an as-needed basis.
- Maintenance services Some waste items (e.g. lighting in common areas) would be removed and disposed of (off-site) by the contractor providing the related maintenance service (and hence on-site waste storage is not usually needed or provided).
- External Services These are where waste items (e.g. printer cartridges, batteries, lighting)
 that can be dropped off by tenants at external locations (e.g. Officeworks, waste depot) (and
 thus, separate on-site waste storage is not usually needed or provided).

Table 4-1 Expected or recommended waste & recycling services for the Development

Service Type	Health Hub		
	General Waste		
Bautina	Mixed Recycling		
Routine (regularly scheduled)	Cardboard / Paper		
	Food Organics		
	Confidential Paper		
On-call (as needed)	Hard/E-waste		
Maintenance	Garden Waste (Common Areas)		
(waste removed by contractor)	Lighting (where applicable)		
5 4 1 4			
External (by tenant off-site)	Printer Cartridges		
tenant on-site)	Batteries		

4.2 Waste & Recycling Volumes

Table 4-2 estimates expected waste and recycling volumes for the Development (in Litres/week).

Page 6 of 15



Table 4-2 Estimated waste & recycling volumes (Litres/week) for Development.

Waste/Recycling Service	Gym 1	Therapy and Offices 1	Therapy and Offices 2	Gym 2	Therapy Pool
General Waste	54	370	300	51	108
Dry Comingled Recycling	7	37	30	7	17
Cardboard / Paper	20	222	180	19	47
Food/Garden Organics	0	56	45	0	0
Confidential Paper	14	74	60	13	32
TOTAL	95	759	615	89	204

Table 4-3 outlines the required bin numbers and schedule for routine services (based on estimated waste volumes in Table 4-2 on page 7) and includes for each land use and service:

- Number and type of bins;
- · Collection frequency (expected or proposed); and
- Service provider.

Table 4-3 Waste storage and bin schedule for Routine Services, including collection frequency and collection service provider.

Waste Storage Area(s)	Waste Generatio		Collection Frequency	Provider	Bins/Items Collected (per Event)			
7 11 5 2 (5)		(L/wk)	(Events/wk)		No.	Size (L)	Туре	
	General Waste	883	1	Private	1	1100	Skip	
	Recycling	98	0.5	Council / NAWMA	1	240	MGB	
Health Hub	Cardboard	488	0.5	Private	1	1100	Skip	
riodiarrido	Organics	101	0.5	Council / NAWMA	1	240	MGB	
	Confidential Paper	193	0.5	Private	2	240	MGB	

5 WASTE MANAGEMENT SYSTEM

5.1 User Storage

The tenancies would have bins located in each area for disposal of their landfill waste, recycling, cardboard, and food waste.

The types and size of bins would be decided during tenancy fit-out.

5.2 Local Disposal and Waste Storage

Waste would be carried by building staff $\!\!\!/$ cleaners from each tenancy to the bin enclosure, as shown in Figure 5-1.

Page 7 of 15



The bin enclosure has space for bins that can store waste for more than one week of generation for the proposed tenancy purposes.

It is proposed that a single Council recycling bin and single Council organics bin be included for small quantities of materials expected to be generated on site. General Waste and Cardboard recycling would be supported with private collection.




Figure 5-1: Health Hub waste system detail. Red bin: 1100L General Waste, blue bin: 1100L Cardboard, yellow bin: 240L Council recycling, green bin: 240L Council organics

5.3 Presentation Transfer

The two proposed Council bins (recycling and organics) would be presented to Orange Avenue by tenancy staff on the nominated (fortnightly) day of collection.

The skip bins for General Waste and Cardboard Recycling would not need to be presented as these could be supported with a pull-in/pull-out service by the private contractor.

Page 8 of 15



5.4 Collection

Collection of the two proposed Council bins (recycling and organics) would be by Council's (NAWMA) side-lifting truck. The bins would be collected as part of NAWMA's existing standard collection service.

The General Waste and Cardboard skip bins would be collected by private waste collection contractor. The truck would enter site in a forward direction from Orange Avenue, turn around in the northern carpark, and stop adjacent to the bin enclosure. The driver would collect the bin from the enclosure, empty it into the truck and return the bin to the enclosure. The truck would then exit the site to Orange Avenue in a forward direction. Each collection would normally take 2 to 3 minutes.

5.5 Hard waste

Hard waste could be collected by a private contractor directly from within the building. This service would be arranged as required by the building manager.

5.6 Maintenance Services

Waste would be generated by some maintenance services or activities in the development (e.g. lighting, repair work, etc.). These maintenance-generated waste materials would be handled and disposed of by the contractor undertaking these services. Dedicated on-site storage for these waste materials is therefore not needed.

5.7 External Disposal

Tenancy staff would be able to dispose of smaller waste items, such as printer cartridges, batteries and lighting, to publicly available external drop off points (e.g. supermarkets, Office works, telco retail stores, etc.), which accept these materials.

The Building User Manual(s) for tenants at the Development should include advice on external drop-off points for these waste items, which may include reference to Council advice available at their web site.

5.8 Bin cleaning (& On-site Bin Wash Area)

A dedicated on-site bin cleaning area would be provided and multi-purposed with the Health Hub bin enclosure (see Figure 5-1.

- This bin wash area would require grading to a sewer drain with basket screen to remove gross solids, with water proof / washable surface treatment on floor and adjacent walls, standard cold-water supply faucet and commercial-grade electrical power supply (if pressure washer system is to be used), plus screens for use during bin wash events.
- Bin washing activity would be managed by the Site Manager.
- · Bin washing would be timed to occur immediately after bins are emptied.

Alternatively, bin cleaning at the Development could be outsourced to an external contractor (e.g. http://binforce.com.au/).

 These external contractors generally have self-contained bin washing systems on back of ute or truck that enable them to clean bins on site – e.g. Figure 5-2 below.

Page 9 of 15



 Some service providers will remove bins from site, replacing them with an empty spare, clean the bins, then return them to site.



Figure 5-2 On-site bin wash system for rear-lift trucks on back of ute. Source: http://binforce.com.au/

5.9 Transfer pathways

There are several transfer pathways for the waste systems at the Development, which were described in earlier in Section 5. The following is provided as a guide for sizing and designing these transfer pathways.

- Transfer pathways
 - User disposal –Free of steps, no grades greater than 1:15, and cater for mobility impaired users.
 - Local disposal points to central storage enough width to accommodate relevant bins, trolley, or waste loads being transferred, free of steps, no grades greater than 1:12
 - Collection less than 35m with no steps or grades greater than 1:10
- Corridor widths
 - o 240L MGBs or smaller bins / loads min. 1,000 mm (1,200mm preferred)
 - 660L skip bins min. 1,200mm (1,400mm preferred)
 - 1,100L skip bins and/or other waste loads min. 1,500mm (1,600mm preferred)
- Doors
 - Local disposal access 800mm
 - o Transfer pathways- Appropriate to the size of bin to be transported, e.g.
 - 240L MGB (or smaller) min. 800mm
 - 660L skip min. 1,200mm
 - 1,100L skip min 1,400mm
- Floors Hard surfaces where bins and skips are to be carted.

Based on current plans, these requirements for transfer pathways in the Development appear to be generally satisfied. All relevant transfer pathways should be reviewed and confirmed at detailed design stage to ensure they are appropriate, including with Council for their residential collection services.

5.10 Collection & Traffic

The waste collection for the Development introduced above is reiterated below.

- •
- General Waste (weekly) and Cardboard (fortnightly) would be collected by private contractor using a rear-lift truck..
- Mixed Recycling and Food Waste would be collected by Council's (NAWMA) standard fortnightly kerbside collection service, on Orange Avenue.

Page 10 of 15

Page 143 Council Assessment Panel Agenda - 28 March 2023



- The private rear-lift trucks would enter the site from Orange Avenue in a forward direction and exit the site to Orange Avenue in a forward direction.
- The driveway surface must be suitable to carry the weight of a fully laden waste truck.
 Special attention to surface durability is also needed where the trucks will turn, to ensure the surface is not damaged.
- Private contractors may require a signed indemnity / damage waiver for trucks to access the site.
- The collections should be scheduled to:
 - o Fit in with collection contractor requirements.
 - Fit in with other site vehicle movements, avoiding busy times such as early morning and evening.
 - Minimise impacts on traffic accessing the buildings.
 - It may be possible to arrange overnight collection, to avoid any impact on tenancy clients and staff.

5.11 Management & Communication

5.11.1 Responsibilities

Table 5-1 summarises the responsibilities of different parties / stakeholders for proposed waste management and operational activities at the Development.

The site manager would be responsible for managing the waste system, but tenants would play an important role in managing their local disposal activities and accessing the Council hard waste service, and Council (at its discretion) may support the site manager with tenant engagement and education to help drive good waste management outcomes.

Table 5-1 Management & operational responsibilities for the waste systems at the Development

Activity	Responsible party
Local Disposal, Hard Waste & External Disposal	Tenants
Waste Storage Areas, Hygiene, Odour Management & Cleaning	Tenants, Building Manager
Collection services – Waste & Recycling	Commercial / Private Contractor(s)
	Council Contractor (NAWMA) for mixed recycling and organics
Management	Building Manager
Education, Training & Engagement (tenants)	Building Manager, possibly with Council support

Page 11 of 15



5.11.2 Implementation & Communication

To successfully implement this WMP, the following should be put in place.

- Community/Strata title arrangements for commercial property owners Obligations for the commercial tenants and/or property owners to properly access, operate and use the waste systems would be written into any tenancy agreement and the Community/Strata plan lodged with the Lands Titles Office.
- Site Management System / Manual Advice and instructions on waste management and
 using the waste systems should be provided for tenants, including contact information for
 further information, questions and issues.
- Tenant Induction Should include guidance on how to correctly use waste /recycling bins
 as well as the site approach to waste and recycling.
- Emergency Response or Site Management Plan(s) Should include response measures (or contingencies) for:
 - Waste collection services suspended or not available;
 - Incorrect use by tenants of the waste systems;
 - o Illegal dumping on-site; and
 - Poor waste management outcomes (including cleanliness, odour and/or low diversion).

5.12 Other Waste System Design or Management Issues

The following would be considered and/or implemented for waste systems at the Development. More details for some of these items can be resolved at detailed design stage with the waste contractor and/or Council.

- Bins These would comply with Australian Standard for Mobile Waste Containers (AS 4213).
 Mixed Recycling and Organics bins for commercial tenants would be supplied by Council where agreed. Other bins would be supplied by commercial contractors.
- 2) Signage -
 - Appropriate signage in Waste Storage Area should be used to ensure correct disposal of waste and recycling.
 - This signage should conform to the signage requirements of Council and/or the State Guideline (Zero Waste SA, 2014).
 - Consider signs with pictorial diagrams and/or multiple languages.
- 3) Vermin, hygiene & odour management (inc. ventilation)
 - Inspection & Cleaning
 - An inspection and cleaning regime would be developed and implemented by the site manager for waste systems at the Development, including ensuring that surfaces and floors around disposal areas, transfer pathways and waste storage area are kept clean and hygienic and free of loose waste and recycling materials.
 - Where putrescible general waste or food waste is being stored, Waste Storage areas should be graded to a sewer drain.
 - Odour Control
 - All Waste Storage Areas
 - Open air enclosures, located greater than 3m from any habitable room.
 - It should be a requirement for food waste bins in Waste Storage areas that lids are closed after use.
- 4) Access & security -

Page 12 of 15



- CCTV is recommended to monitor waste disposal practices in all Waste Storage Areas.
- ~ continues next page ~

Page 13 of 15



6 PLANNING & DESIGN CODE OBJECTIVES

The applicable policies relating to Waste are provided in the following table. The third column states how these policies have been addressed in the proposed design.

Design		
PO 20.1 Provision is made for the adequate and convenient storage of waste bins in a location screened from public view	DTS/DP 20.1 None are applicable	Response: Waste volumes and bin quantities are provided in accordance with the SA Better Practice Guide recommendations and calculations are provided in Table 4-3.
PO 26.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) Located away, or screened, from public view, and (b) Conveniently located in proximity to dwellings and the waste collection point	DTS/DPF 26.3 None are applicable	Response: N/A No residential component.
PO 26.4 Waste and recyclable material storage areas are located away from dwellings	DTS/DPF 26.4 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	Response: The waste storage areas are enclosed and hence will be screened from public view. Bin enclosure is more than 3m from any habitable windows
PO 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	DTS/DPF 26.5 None are applicable	Response: Waste would be collected with rear lift trucks using forward entry to the site and forward. Council side-lift trucks do not need to enter the site. Standard kerbside collection on Orange Avenue.
PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view	DTS/DPF 30.4 None are applicable	Response: NA. No residential component
PO 30.5 Waste and recyclable material storage areas are located away from dwellings	DTS/DPF 30.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	Response: Bin enclosures are more than 3m from any habitable windows.
PO 30.6 Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time	DTS/DPF 30.6 None are applicable	Response: Provision made on site for waste to be collected with rear lift trucks. The trucks would enter and exit the site in a forward direction.

Page 14 of 15



Design in Urban Areas		
PO 11.1 Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	DTS/DPF 11.1 None are applicable	Response: Collection systems are provided for source-separated landfill, recycling, and food waste. Bin wash is to be provided in the waste storage area.
PO 11.2 Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space, and dwellings	DTS/DPF 11.2 None are applicable	Response: The waste storage area is enclosed and hence will be screened from public view.
PO 11.3 Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	DTS/DPF 11.3 None are applicable	Response: The waste storage area is open to ensure complete ventilation. The enclosure is located more than 3m from the nearest opening window.
PO 11.4 Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	DTS/DPF 11.4 None are applicable	Response: The trucks would enter and exit the site in a forward direction.
PO 11.5 For mixed use developments, non- residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate	DTS/DPF 11.5 None are applicable	Response: Health Hub tenants may be provided with a Council kerbside bin for small amounts of food waste and mixed recycling.

7 REFERENCES

Plan SA. (2021). South Australia Planning and Design Code.

Zero Waste SA. (2014). South Australian Better Practice Guide – Waste Management in Residential or Mixed Use Developments.

Page 15 of 15

STORM WATER MANAGEMENT PLAN

PROPOSED HEALTH HUB ORANGE AVE SALISBURY SA

for

ROSSDALE HOMES

struktura

NOVEMBER 2022

Project No. 2022-001

ISSUE 1

2022-001 - Health Hub Orange Ave Salisbury

Report prepared by:

Dario Glavas BEng Civil MIEAust

Engineers Australia Membership No. 2025201

struktura

PO Box 3531 NORWOOD SA 5067 Ph 0419 500 292 eng@struktura.com.au

DOCUMENT CONTROL

ISSUE NO.	DATE	REVISION DETAILS	CHECKED
1	30.11.22	FOR APPROVAL	DG

Nov'22

© Document copyright of Struktura

The following report is prepared and submitted to the client on the basis that it remains commercial-in-confidence. The contents of this report are and shall remain the intellectual property of Struktura unless otherwise agreed and are not to be provided or disclosed to third parties without prior written consent of Struktura. No use of the contents included in this report is permitted unless there is an agreement between the client and Struktura. Struktura accepts no liability of any kind for any unauthorised use of the contents of this report.

Document distribution

Struktura provides this document in electronic and printed formats. Struktura considers the printed version to be binding. Electronic copies are provided for the client's convenience and thus it is the client's responsibility to ensure the integrity of the document file is maintained. Where an electronic-only version is provided to the client a signed hard-copy of this document is kept on file by Struktura for record if further copies are required in future.

DOCUMENT ID: 2022-001 SMP 001

2022-001 - Health Hub Orange Ave Salisbury

Nov'22

CONTENTS

	Page
Site Drainage Calculations	1
Site Drainage Plan	2
MUSIC Modelling (Diagram)	3

Storm Water Management Plan - Description

The proposed development site consists of a commercial building with sheet roof, bitumen/concrete car parks & driveways and green space. The fall across the front of the property (Orange Ave boundary) is only 0.2% towards the north westerly direction. The proposed site has a general fall of approximately 800mm over 140m (0.57%) towards the rear of the property (south-westerly direction) where existing drainage infrastructure is present. The general fall beyond the proposed Health Hub site continues in a generally south-westerly direction as per this particular site.

The proposed floor level for the main building is 32.65m, which equates to approximately 470mm above the highest top-of-kerb height along Orange Ave. This exceeds the minimum 300mm above kerb height as stipulated by the council engineer. As a comparison, the floor level of the previous building was 32.11m.

The 32.65m floor level allows for an approximate 1% fall for the front car park drainage, where the surface water will be collected in several bio-retention basins. The basins also act as a cut-off to prevent water draining into the Orange Ave surface drainage system. Another bio-retention basin is present for collection of surface water for the rear car park. Each of the bio-retention basins will be connected via under-ground pipes, ultimately connecting to the existing underground pipe on the property, which drains into the Brown Terrace drainage network to the south.

The roof water to be collected via a sealed system to both Retention and Detention tanks. Approximately 50% of the roof area will be collected in 7 x 3,500L Retention tanks connected in series – 24,500L.

The other 50% of the roof area will be collected into a single 22,500L Detention tank.

The combined Retention/Detention volume is 47,000L with the utilisation of proprietary polytanks supported on prepared concrete or rubble bases. The over-flow from these tanks will also connect to the existing underground pipe.

This particular proposal is deemed as an economical drainage solution for the proposed development. It utilises existing infrastructure (which drained the previous buildings and car parks) and takes into account existing site levels without the requirement of major earthworks. The proposal also has minimum impact on the capacity of the council's storm water network within the local area.

2022-001 - Health Hub Orange Ave Salisbury

Nov'22

Site Drainage

Calculations,

Plan & MUSIC Model

8.1.1

CLIENT. LOSSIGNE HOMES

PROJECT TITLE. HENTO HUB - DENICE AVE

REVISION NO. /

PROJECT NO. 2022-001

DATE. NOU'ZZ

SHEET. /

REVISION NO. /

CALCULATOR. DS

STrukturd


CHECKED.


Drange Ave, Salisbury Dr	ainage	Calculat	ions										
ite Area =			8018	m2									
xisting Impervious Area =			4582	m2									
kisting % Impervious =			57%										
roposed Pervious Area =			1990	m2									
oposed Bioretention Area =			343										
ital Pervious Area = oposed Roof Area to Detention Tank			2333 2507										
emaining Area =			5511										
emaining % Impervious =			58%										
USIC Modelling etention Tank Properties													
olume =			22.5	m3									
nk Height =			2.5										
olume Below DN225 Overflow Pipe = rea =			20.5 10.75										
Catchment		Area (m2) 2507			Per	vious Are	ea (m2)			% Ir	mperv 100%		
cPropRoof cGIP1		930				72					92%		
cGIP2		364				56					85%		
cGIP3 cGIP4		250 614				45 68					82% 89%		
cGIP5		567				50					91%		
cGIP6		1005				213					79%		
low Comparison													
		Canditions	El /1 /-\										
AEP	Existing		Flow (L/s)	Pi	roposed D		nent Flo	ow (L/s)				
AEP 10% 1%	Existing	106 231	Flow (L/s)	Pi	roposed D	93 208	nent Flo	ow (L/s)				
10%	Existing	106	Flow (L/s)	Pi	roposed D	93	nent Flo	ow (L/s)				
10%	Existing	106	riow (L/s)	Pi	roposed D	93	nent Flo	ow (L/s)				
10%	Existing	106	riow (L/s)	Pi	roposed D	93	nent Fic	ow (L/s)				
10%	Existing	106	Flow (L/s)	Pi	roposed D	93	nent Fic	ow (L/s)				
10%	Existing	106	Flow (L/s)	Pi	roposed D	93	nent Flo	(L/s	3				
10%	Existing	106	HOW (L/s)	Pi	roposed D	93	nent Flo	(L/s)				
10%	Existing	106	HOW (L/s)	Pi	roposed D	93	nent Flo	ow (L/s					
10%	Existing	106	HOW (L/s)	Pi	roposed D	93	nent Flo	(L/s					
10%		106 231		Pi		93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							
10%		106 231				93 208							

CLIENT. ROSSDAY HOMES SHEET. 2

PROJECT TITLE. HENGH HUB-DANY AVE REVISION NO. /
PROJECT NO. 2022-00/ CALCULATOR. PG. STRUKTURG

DATE: NOV'22 CHECKED.






Nov'22


Limitations

8.1.1

Struktura has prepared this document in accordance with care and thoroughness of the Consulting Profession for Rossdale Homes use and other third parties who have been authorised in writing by Struktura to refer to this document. No other expressed or implied warranty is made as to the professional advice included in this document. This document should be read in full. Struktura accepts no responsibility for use of any part of this document in any other context or for any other purpose or by third parties.

Struktura has made no independent verification of the information contained within this report and assumes no responsibility for any inaccuracies or omissions by the client in providing the scope of work to Struktura.





Appendix 2

Copy of Sign Displayed on the Land

rianning, Development & infrastructure Act 2010 - Notice under section 10/(3)(a)(ii)

Proposed Development

15-21 BROWN TCE SALISBURY SA 5108 23 BROWN TCE SALISBURY SA 5108














APPLICANT

Rossdale Homes

APPLICATION NUMBER

22040408

NATURE OF DEVELOPMENT

Health Hub comprising community and indoor recreation facilities and consulting rooms with associated car parking and landscaping and the removal of six regulated trees.

VIEW THE PLANS AND HAVE YOUR SAY ON THE APPLICATION

www.plan.sa.gov.au/en/public_notices

MAKE A REPRESENTATION

Up until 11:59pm on the 17-01-2023



FOR MORE INFORMATION

CONTACT PHONE EMAIL

City of Salisbury 08 8406 8222 representations@salisbury.sa.gov.au

It is an offence to damage, destroy, obscure or remove this notice. Penalties apply.

Appendix 3

Extract of Planning and Design Code

15-21 BROWN TCE SALISBURY SA 5108

Address:

Click to view a detailed interactive SAILIS

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

Local Variation (TNV)

Maximum Building Height (Metres) (Maximum building height is 16.5m)

Concept Plan (Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints)

Maximum Building Height (Levels) (Maximum building height is 4 levels)

Overlay

Aircraft Noise Exposure (ANEF 20)

Airport Building Heights (Regulated) (All structures over 15 metres)

Affordable Housing

Building Near Airfields

Defence Aviation Area (All structures over 90 metres)

Noise and Air Emissions

Prescribed Wells Area

Regulated and Significant Tree

Traffic Generating Development

Zone

Urban Activity Centre

Development Pathways

- Urban Activity Centre
 - 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Consulting room
- · Internal building work
- Office
- · Partial demolition of a building or structure
- Shade sail
- Shop
- Solar photovoltaic panels (roof mounted)
- · Water tank (underground)

Page 1 of 128 Printed on 8/12/2022

2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Advertisement
- · Consulting room
- · Land division
- Office
- · Replacement building
- Shop
- · Temporary accommodation in an area affected by bushfire
- 3. Code Assessed Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Advertisement
- · Consulting room
- Demolition
- Dwelling
- Fence
- · Land division
- Office
- Retaining wall
- Shop
- Store
- · Telecommunications facility
- · Tree-damaging activity
- 4. Impact Assessed Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Property Policy Information for above selection

Part 2 - Zones and Sub Zones

Urban Activity Centre Zone

Assessment Provisions (AP)

	Desired Outcome
DO 1	A cohesive and legible environment supporting a broad spectrum of regional level business, shopping, entertainment and recreational facilities that can cater for large crowds, smaller social gatherings and events over extended hours.
DO 2	Primary business, shopping and entertaining areas are integrated with public transport facilities, pedestrian and cycling networks, and community transport infrastructure, and designed to enhance the quality of the public realm.

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome Deemed-to-Satisfy Criteria /

Page 2 of 128 Printed on 8/12/2022

Page 163 City of Salisbury

Policy24 - Enquiry

olicy24 - Eriquii y	
	Designated Performance Feature
Land Use a	and Intensity
PO 1.1	DTS/DPF 1.1
Shops, offices, entertainment, health, education and recreation related uses and other businesses that provide a comprehensive	Development comprises one or more of the following:
range of goods and services to the region.	(a) Advertisement
	(b) Car park facility
	(c) Cinema
	(d) Consulting room
	(e) Community transport facilities
	(f) Community facility
	(g) Consulting room
	(h) Dwelling
	(i) Educational establishment
	(i) Emergency services facility
	(k) Hospital
	(I) Hotel
	(m) Indoor recreation facility
	(n) Library
	(o) Licensed Premises
	(p) Light industry
	(q) Office
	(r) Place of worship
	(s) Pre-school
	(t) Public transport facilities
	(u) Retail fuel outlet
	(v) Retirement facility
	(w) Shop
	(x) Store
	(y) Student accommodation
	(z) Supported accommodation
	(aa) Telecommunications facility
	(ab) Tourist accommodation
	(ac) Warehouse
PO 1.2	DTS/DPF 1.2
Facilities within the centre sited and designed with a view to	None are applicable.
promoting after-hours use to reinforce the centre as the focus of social activity.	того аго шриговио.
PO 1.3	DTS/DPF 1.3
Residential development does not prejudice the operation of existing	None are applicable.
non-residential development does not prejudice the operation of existing non-residential development and the long term provision of services and facilities for wider community benefit.	τνοπο αιτο αμφιισασίο.
and radiates for wider continuinty benefit.	
PO 1.4	DTS/DPF 1.4
Dwellings developed in conjunction with non-residential uses to	Dwellings are located at upper levels of buildings with non-

Page 3 of 128 Printed on 8/12/2022

Page 164 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
support business, entertainment and recreational activities and contribute to making streets and pedestrian thoroughfares pleasant and lively places.	residential uses located at ground level.
PO 1.5	DTS/DPF 1.5
Where residential development is appropriate having regarding to other performance outcomes of the zone, residential development achieves medium-to-high densities.	None are applicable.
PO 1.6	DTS/DPF 1.6
Development sited and designed to achieve or maintain a vibrant	Any of the following:
and interesting streetscape within retail areas.	(a) shop, other than a bulky goods outlet with a gross leasable
	floor area more than 500m ²
	(b) cinema
	(c) hotel (d) licensed premises.
	(4) illustrated prefitiacis.
PO 1.7	DTS/DPF 1.7
Changes in the use of land encourage the efficient reuse of commercial premises to maintain and enhance vibrancy within	A change of use to a shop, office, consulting room or any combination of these uses where all the following are achieved:
activity centres.	the area to be occupied by the proposed development is in an existing building and is currently used as a shop, office, consulting room or any combination of these uses (b) if the proposed shapes of use is far a shop that primarily.
	(b) if the proposed change of use is for a shop that primarily involves the handling and sale of foodstuffs, areas used for the storage and collection of refuse are sited at least 10 metres from any neighbourhood-type zone, or the site of a dwelling (other than a dwelling directly associated with the proposed shop)
	(c) if the proposed change of use is for a shop that primarily involves heating and cooking of foodstuffs in a commercial kitchen and is within 30 metres of any neighbourhood-type zone boundary or a dwelling (other than a dwelling directly associated with the proposed shop), an exhaust duct and stack (chimney) exists or is capable of being installed for discharging exhaust emissions
	 (d) if the change in use involves a gross leasable floor area greater than 250m2 and has direct frontage to an arterial road, it achieves either (i) or (ii):
	(i) the primary vehicle access (being the access where the majority of vehicles access / egress the site of the proposed development) is from a road that is not an arterial road
	(ii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared
	(e) off-street vehicular parking exists in accordance with the rate(s) specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas to the nearest whole number, whether exclusive to the premises or shared as part of an integrated complex containing two or more tenancies with shared facilities for off-street vehicle parking.

Page 4 of 128 Printed on 8/12/2022

Page 165 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

i oncy24 - Enquiry	
Built Form a	I nd Character
PO 2.1	DTS/DPF 2.1
Development throughout the zone that integrates with existing development through building scale, connections and complementary land uses.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development integrated with existing or planned public or community transport interchanges and networks to support pedestrian access to activity centre facilities and services.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares.	None are applicable.
PO 2.4	DTS/DPF 2.4
Vehicular access points and car parks are coordinated and consolidated to enable the shared use of parking spaces.	None are applicable.
PO 2.5	DTS/DPF 2.5
Development promotes the use of pedestrian and cyclist connections to centre facilities and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Buildings and facilities are sited and designed to provide an active frontage to the public realm, contributing to streetscapes and spaces that encourage social interaction.	Not less than 50% of the ground floor primary frontage of buildings are visually permeable, transparent or clear glazed.
Building heigh	t and setbacks
PO 3.1	DTS/DPF 3.1
Building height is consistent with the form expressed in any relevant	Building height is:
Maximum Building Height (Levels) Technical and Numeric Variation and Maximum Building Height (Metres) Technical and Numeric Variation, and is otherwise generally medium rise	(a) not greater than:
development, with the highest intensity of built form at the centre of	Maximum Building Height (Metres)
the zone, and lower scale at the peripheral zone interface.	Maximum building height is 16.5m
	Maximum Building Height (Levels)
	Maximum building height is 4 levels and
	(b) not less than:
	In relation to DTS/DPF 3.1, in instances where:
	(c) more than one value is returned in the same field then:
	(i) for the purpose of DTS/DPF 3.1(a), refer to the Maximum Building Height (Metres) Technical and Numeric Variation layer or Maximum Building Height (Levels) Technical and Numeric Variation layer in the SA planning database to determine


Page 5 of 128 Printed on 8/12/2022

Page 166 Council Assessment Panel Agenda - 28 March 2023

the applicable value relevant to the site of the proposed development for the purpose of DTS/DPF 3.1(b) refer to the Minimum Building Height (Levels) Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development only one value is returned for DTS/DPF 3.1(a) (i.e. there is one blank field), then the relevant height in metres or building levels applies with no criteria for the other no value is returned (ie there is a blank field), then: for the purpose of DTS/DPF 3.1(a), then none are applicable and the relevant development cannot be classified as deemed-to-satisfy for the purpose of DTS/DPF 3.1(b), then there is no minimum building height and DTS/DPF 3.1(b) is met. DTS/DPF 3.2 PO 3.2 Buildings mitigate visual impacts of building massing on residential Buildings constructed within a building envelope provided by a 45 development within a neighbourhood-type zone. degree plane measured from a height of 3 metres above natural ground level at the boundary of an allotment used for residential purposes within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a southern boundary or where this boundary is the primary street boundary): PO 3.3 DTS/DPF 3.3 Buildings mitigate overshadowing of residential development within a Buildings on sites with a southern boundary adjoining an allotment neighbourhood-type zone. used for residential purposes within a neighbourhood-type zone are constructed within a building envelope provided by a 30 degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:

Page 6 of 128 Printed on 8/12/2022

Policy24 - Enquiry



Page 7 of 128 Printed on 8/12/2022

Page 168 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
	 (a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. (b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 7.1 is met.

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

Class of l (Column	Development A)	Exceptions (Column B)
i	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	None specified.
i	Any kind of development where the site of the development is not adjacent land to a site (or land) used for residential purposes in a neighbourhood-type zone.	Except any of the following: 1. the demolition of a State or Local Heritage Place 2. the demolition of a building (except an ancillary building) in a Historic Area Overlay.
	Any development involving any of the following (or of any combination of any of the following): (a) advertisement (b) air handling unit, air conditioning system or exhaust fan (c) consulting room (d) dwelling (e) office (f) pre-school (g) residential flat building (h) shade sail (i) solar photovoltaic panels (roof mounted) (j) student accommodation (k) supported accommodation (l) water tank.	Except development that exceeds the maximum building height specified in Urban Activity Centre Zone DTS/DPF 3.1 or does not satisfy any of the following: 1. Urban Activity Centre Zone DTS/DPF 3.2 2. Urban Activity Centre Zone DTS/DPF 3.3.

Page 8 of 128 Printed on 8/12/2022

Page 169 City of Salisbury

4.	Any development involving any of the following (or of any combination of any of the following): (a) hotel (b) licensed premises (c) shop.	Except development that exceeds the maximum building height specified in Urban Activity Centre Zone DTS/DPF 3.1 or does not satisfy any of the following: 1. Urban Activity Centre Zone DTS/DPF 1.6 2. Urban Activity Centre Zone DTS/DPF 3.2 3. Urban Activity Centre Zone DTS/DPF 3.3.
5.	Any development involving any of the following (or of any combination of any of the following): (a) internal building works (b) land division (c) replacement building (d) temporary accommodation in an area affected by bushfire (e) tree damaging activity.	None specified.
6.	Demolition.	Except any of the following: 1. the demolition of a State or Local Heritage Place 2. the demolition of a building (except an ancillary building) in a Historic Area Overlay.
None s	nent of Notices - Exemptions for Performance Assessed (specified.	
None s	specified.	

Part 3 - Overlays

Affordable Housing Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	DO 1 Affordable housing is integrated with residential and mixed use development.	
DO 2	Affordable housing caters for a variety of household structures.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome Deemed-to-Satisfy Criteria /	Porformanco Outcomo Doomod-to-Satis
--	-------------------------------------

Page 9 of 128 Printed on 8/12/2022

Page 170 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

	Designated Performance Feature
Land I	ivision
PO 1.1	DTS/DPF 1.1
Development comprising 20 or more dwellings / allotments incorporates affordable housing.	Development results in 0-19 additional allotments / dwellings.
PO 1.2	DTS/DPF 1.2
Development comprising 20 or more dwellings or residential allotments provides housing suited to a range of incomes including households with low to moderate incomes.	Development comprising 20 or more dwellings / or residential allotments includes a minimum of 15% affordable housing except where:
	(a) it can be demonstrated that any shortfall in affordable housing has been provided in a previous stage of development or
	(b) it can be demonstrated that any shortfall in affordable housing will be accommodated in a subsequent stage or stages of development.
PO 1.3	DTS/DPF 1.3
Affordable housing is distributed throughout the development to avoid an overconcentration.	None are applicable.
Built Form a	nd Character
PO 2.1	DTS/DPF 2.1
Affordable housing is designed to complement the design and character of residential development within the locality.	None are applicable.
Affordable Hou	using Incentives
PO 3.1	DTS/DPF 3.1
To support the provision of affordable housing, minimum allotment sizes may be reduced below the minimum allotment size specified in a zone while providing allotments of a suitable size and dimension to accommodate dwellings with a high standard of occupant amenity.	The minimum site area specified for a dwelling can be reduced by up to 20%, or the maximum density per hectare increased by up to 20%, where it is to be used to accommodate affordable housing except where the development is located within the Character Area Overlay or Historic Area Overlay.
PO 3.2	DTS/DPF 3.2
To support the provision of affordable housing, building heights may be increased above the maximum specified in a zone.	Where a building incorporates dwellings above ground level and includes at least 15% affordable housing, the maximum building height specified in any relevant zone policy can be increased by 1 building level in the:
	 (a) Business Neighbourhood Zone (b) City Living Zone (c) Established Neighbourhood Zone (d) General Neighbourhood Zone (e) Hills Neighbourhood Zone (f) Housing Diversity Neighbourhood Zone (g) Neighbourhood Zone (h) Master Planned Neighbourhood Zone (i) Master Planned Renewal Zone

Page 10 of 128 Printed on 8/12/2022

Page 171 Council Assessment Panel Agenda - 28 March 2023

	(j) Master Planned Township Zone
	(k) Rural Neighbourhood Zone
	(I) Suburban Business Zone
	(m) Suburban Neighbourhood Zone
	(n) Township Neighbourhood Zone
	(o) Township Zone
	(p) Urban Renewal Neighbourhood Zone
	(q) Waterfront Neighbourhood Zone
	and up to 30% in any other zone, except where:
	(a) the development is located within the Character Area Overlay or Historic Area Overlay
	or
	(b) other height incentives already apply to the development.
Movement an	d Car Parking
PO 4.1	DTS/DPF 4.1
Sufficient car parking is provided to meet the needs of occupants of	Dwellings constituting affordable housing are provided with car parking in accordance with the following:
affordable housing.	 (a) 0.3 carparks per dwelling within a building which incorporates dwellings located above ground level within either:
	 (i) 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service⁽²⁾
	(ii) is within 400 metres of a bus interchange ⁽¹⁾
	(iii) is within 400 metres of an O-Bahn interchange ⁽¹⁾
	(iv) is within 400 metres of a passenger rail station ⁽¹⁾
	(v) is within 400 metres of a passenger tram station ⁽¹⁾
	(vi) is within 400 metres of the Adelaide Parklands.
	or (b) 1 carpark per dwelling for any other dwelling.
	, , , , , , , , , , , , , , , , , , ,

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

[NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Class of Development / Activity		· ·	Statutory Reference
Development for the purposes of the provision of affordable housing (applying the criteria determined under	Minister responsible for administering the South Australian Housing Trust Act	To provide direction on the	Development of a class to

Page 11 of 128 Printed on 8/12/2022

Page 172 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

regulation 4 of the South Australian Housing Trust	1995.	conditions	which
Regulations 2010).		required to	Schedule 9
		secure the	clause 3 item
		provision of	20 of the
		dwellings or	Planning,
		allotments for	Development
		affordable	and
		housing.	Infrastructure
			(General)
			Regulations
			2017 applies.

Aircraft Noise Exposure Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	Development sensitive to aircraft noise is designed and located to manage noise intrusion to reduce land use conflict and protect human health.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	and Intensity
PO 1.1	DTS/DPF 1.1
Buildings that accommodate activities sensitive to aircraft noise are designed and located to minimise aircraft noise intrusion and provide appropriate interior acoustic amenity.	Buildings accommodating sensitive receivers are not located within an area having an ANEF value of 30 or more.
Built Form	
PO 2.1 Additions to buildings involving the addition or extension of habitable rooms are designed and located to minimise aircraft noise intrusion and provide appropriate interior acoustic amenity.	DTS/DPF 2.1 Dwelling additions involving the addition or extension of habitable rooms: (a) do not result in an increase in the total floor area of the existing dwelling by greater than 50 percent (b) do not occur in areas having an ANEF value of 30 or more.
Land I	Division
PO 3.1 Land division does not increase the number of allotments used for	DTS/DPF 3.1 Land division:

Page 12 of 128 Printed on 8/12/2022

Page 173 Council Assessment Panel Agenda - 28 March 2023

sensitive receivers in areas adversely affected by aircraft noise to mitigate community exposure to potential adverse environmental and amenity impacts generated by aircraft movements.	(a) within an area having an ANEF value of less than 30 or (b) within an area having an ANEF value or 30 or more and: (i) does not result in any additional allotments or (ii) none of the allotments will accommodate a sensitive receiver.
--	---

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Airport Building Heights (Regulated) Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operation of a certified or registered aerodrome.	DTS/DPF 1.1 Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered	DTS/DPF 1.2 Development does not include exhaust stacks.

Page 13 of 128 Printed on 8/12/2022

Page 174 City of Salisbury

aerodrome.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development: (a) building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay (b) building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and	
	helicopter landing sites through management of non-residential lighting, turbulence and activities that may attract or result	
	the congregation of wildlife.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	DTS/DPF 1.1 Development: (a) primarily or wholly for residential purposes (b) for non-residential purposes that does not incorporate outdoor floodlighting.
PO 1.2	DTS/DPF 1.2

Page 14 of 128 Printed on 8/12/2022

Page 175 Council Assessment Panel Agenda - 28 March 2023

All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft:	
(a) food packing/processing plant	
(b) horticulture	
(c) intensive animal husbandry	
(d) showground	
(e) waste management facility	
(f) waste transfer station	
(g) wetland	
(h) wildlife sanctuary.	
DTS/DPF 1.3	
The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

	Desired Outcome
DO 1	Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1	DTS/DPF 1.1
Building height does not pose a hazard to the operations of	Building height does not exceed the relevant height specified by the

Page 15 of 128 Printed on 8/12/2022

Page 176 City of Salisbury

Defence Aviation Areas.	Defence Aviation Area Overlay.
PO 1.2	DTS/DPF 1.2
Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Noise and Air Emissions Overlay

Assessment Provisions (AP)

Desired Outcome	
DO 1	Community health and amenity is protected from adverse impacts of noise and air emissions.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Performance Outcome **Designated Performance Feature** Siting and Design DTS/DPF 1.1 Sensitive receivers adjoining high noise and/or air pollution sources Sensitive receivers satisfy all of the following: are designed and sited to shield sensitive receivers from the emission source using measures such as: do not adjoin a: placing buildings containing non-sensitive receivers (such Designated Road: Type A as retail and commercial) between the emission source Designated Road Corridor: Type B (ii) and sensitive receivers (iii) Designated Road: Type R within individual buildings, placing rooms more sensitive to (iv) air quality and noise impacts (such as living rooms and Train Corridor bedrooms) further away from the emission source Tram Corridor providing appropriate separation or erecting noise attenuation barriers, provided the requirements for safety. adjoining development incorporating music includes noise urban design and access can be met attenuation measures to achieve a noise level in any the use of building design elements such as podiums and bedroom exposed to music noise (L10) less than: jutting, deep or enclosed balconies (including with solid 8 dB above the level of background noise (L90,15 balustrades). min) in any octave band of the sound spectrum;

Page 16 of 128 Printed on 8/12/2022

Page 177 City of Salisbury

Policy	v24 -	End	uirv
F OIIC	VZ4 -		Juli y

	and (ii) 5 dB(A) above the level of background noise (LA90,15 min) for the overall (sum of all octave bands) A-weighted levels.	
PO 1.2	DTS/DPF 1.2	
Development incorporating a sensitive receiver adjoining high air pollution sources use building design elements such as varying building heights, widths, articulation, setbacks and shapes to increase wind turbulence and the dispersion of air pollutants.	Sensitive receivers do not adjoin any of the following: (a) Designated Road: Type A (b) Designated Road: Type B (c) Designated Road: Type R (d) Train Corridor (e) Tram Corridor.	
PO 1.3	DTS/DPF 1.3	
Development incorporating a sensitive receiver adjoining high noise and/or air pollution sources locates private open space (including ground level courtyards and balconies), common open space and outdoor play areas within educational establishments and preschools away from the emission source.		

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	Sustainable water use in prescribed wells areas.	

Page 17 of 128 Printed on 8/12/2022

Page 178 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

	Designated Performance Feature
PO 1.1 All development, but in particular involving any of the following:	DTS/DPF 1.1 Development satisfies either of the following:
(a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	 (a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry. Commercial forestry that requires a forest water licence under Part 8 Division 6 of the Landscape South Australia Act 2019.	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome		
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.	

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Page 18 of 128 Printed on 8/12/2022

Page 179 Council Assessment Panel Agenda - 28 March 2023

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retention	on and Health
PO 1.1		DTS/DPF 1.1
Regulate	ed trees are retained where they:	None are applicable.
(a)	make an important visual contribution to local character and amenity	
(b)	are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or	
(c)	provide an important habitat for native fauna.	
PO 1.2		DTS/DPF 1.2
Significa	ant trees are retained where they:	None are applicable.
(a)	make an important contribution to the character or amenity of the local area	
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
(c)	represent an important habitat for native fauna	
(d)	are part of a wildlife corridor of a remnant area of native vegetation	
(e)	are important to the maintenance of biodiversity in the local environment	
(f)	and / or form a notable visual element to the landscape of the local area.	
PO 1.3		DTS/DPF 1.3
	amaging activity not in connection with other development (a) and (b):	None are applicable.
(a)	tree damaging activity is only undertaken to:	
	(i) remove a diseased tree where its life expectancy is short	
	 mitigate an unacceptable risk to public or private safety due to limb drop or the like 	
	(iii) rectify or prevent extensive damage to a building of value as comprising any of the following:	
	a Local Heritage Place	
	B. a State Heritage Place	
	C. a substantial building of value	
	and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity	
	 (iv) reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist accommodation or other habitable building from bushfire 	

Page 19 of 128 Printed on 8/12/2022

Page 180 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry			
	(v)	treat disease or otherwise in the general interests of the health of the tree and / or	
	(vi)	maintain the aesthetic appearance and structural integrity of the tree	
(b)	avoided	on to a significant tree, tree-damaging activity is I unless all reasonable remedial treatments and es have been determined to be ineffective.	
PO 1.4			DTS/DPF 1.4
1	damaging all the fo	activity in connection with other development ollowing:	None are applicable.
(a)	accorda	nmodates the reasonable development of land in ance with the relevant zone or subzone where such ment might not otherwise be possible	
(b)	develop	ase of a significant tree, all reasonable oment options and design solutions have been ered to prevent substantial tree-damaging activitying.	
	Ground work affecting trees		
PO 2.1			DTS/DPF 2.1
Regulated and significant trees, including their root systems, are		significant trees, including their root systems, are	None are applicable.
not und	uly comp	promised by excavation and / or filling of land, or the	
sealing of surfaces within the vicinity of the tree to support their			
retentio	n and he	alth.	
		Land I	livision
PO 3.1			DTS/DPF 3.1
Land division results in an allotment configuration that enables its		sults in an allotment configuration that enables its	Land division where:
subsequent development and the retention of regulated and		elopment and the retention of regulated and	
significa	ant trees	as far as is reasonably practicable.	 there are no regulated or significant trees located within or adjacent to the plan of division or
			(b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Traffic Generating Development Overlay

Page 20 of 128 Printed on 8/12/2022

Assessment Provisions (AP)

Desired Outcome		
DO 1	Safe and efficient operation of Urban Transport Routes and Major Urban Transport Routes for all road users.	
DO 2	Provision of safe and efficient access to and from urban transport routes and major urban transport routes.	

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Traffic Generati	ng Development
PO 1.1	DTS/DPF 1.1
Development designed to minimise its potential impact on the safety, efficiency and functional performance of the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.
PO 1.2	DTS/DPF 1.2
Access points sited and designed to accommodate the type and volume of traffic likely to be generated by development.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or
	(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.
PO 1.3 Sufficient accessible on-site queuing provided to meet the needs of the development so that queues do not impact on the State Maintained Road network.	DTS/DPF 1.3 Access is obtained directly from a State Maintained Road where it involves any of the following types of development:

Page 21 of 128 Printed on 8/12/2022

Page 182 City of Salisbury

Policy24 - Enquiry	
	(a) land division creating 50 or more additional allotments
	(b) commercial development with a gross floor area of 10,000m2 or more
	(c) retail development with a gross floor area of 2,000m2 or more
	 (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more
	(e) industry with a gross floor area of 20,000m2 or more
	 educational facilities with a capacity of 250 students or more.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except where all of the relevant deemed-to-satisfy criteria are met, any of the following classes of development that are proposed within 250m of a State Maintained Road: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m² or more (c) retail development with a gross floor area of 2,000m² or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m² or more (e) industry with a gross floor area of 20,000m² or more (f) educational facilities with a capacity of 250 students or more.	Commissioner of Highways.	To provide expert technical assessment and direction to the Relevant Authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 7 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome		
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.	

Page 22 of 128 Printed on 8/12/2022

Page 183 City of Salisbury

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Performance Outcome **Designated Performance Feature** Appearance PO 1.1 DTS/DPF 1.1 Advertisements are compatible and integrated with the design of the Advertisements attached to a building satisfy all of the following: building and/or land they are located on. are not located in a Neighbourhood-type zone where they are flush with a wall: if located at canopy level, are in the form of a fascia sign if located above canopy level: do not have any part rising above parapet height are not attached to the roof of the building where they are not flush with a wall: if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure if attached to a two-storey building: has no part located above the finished floor level of the second storey of the does not protrude beyond the outer limits of any verandah structure below does not have a sign face that exceeds 1m2 per side. if located below canopy level, are flush with a wall (e) if located at canopy level, are in the form of a fascia sign if located above a canopy: (i) are flush with a wall do not have any part rising above parapet height are not attached to the roof of the building. if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached. DTS/DPF 1.2 Advertising hoardings do not disfigure the appearance of the land Where development comprises an advertising hoarding, the upon which they are situated or the character of the locality. supporting structure is:

Page 23 of 128 Printed on 8/12/2022

Page 184 City of Salisbury

Policy2	4 - En	auirv
---------	--------	-------

Policy24 - Enquiry	
	concealed by the associated advertisement and decorative detailing or or on to visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.
PO 1.3	DTS/DPF 1.3
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1.4	DTS/DPF 1.4
Where possible, advertisements on public land are integrated with existing structures and infrastructure.	Advertisements on public land that meet at least one of the following:
	(a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.
PO 1.5	DTS/DPF 1.5
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.
Proliferation of	f Advertisements
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
PO 2.2	DTS/DPF 2.2
Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3	DTS/DPF 2.3
Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	Advertisements satisfy all of the following:
	are attached to a building other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached
	(c) do not result in more than one sign per occupancy that is not flush with a wall.
Advertisi	ng Content
PO 3.1	DTS/DPF 3.1
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.
Amenit	y Impacts
PO 4.1 Light spill from advertisement illumination does not unreasonably	DTS/DPF 4.1 Advertisements do not incorporate any illumination.
compromise the amenity of sensitive receivers.	

Page 24 of 128 Printed on 8/12/2022

Page 185 Council Assessment Panel Agenda - 28 March 2023

	Sa	fety
PO 5.1		DTS/DPF 5.1
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.		Advertisements have a minimum clearance of 2.5m between the to of the footpath and base of the underside of the sign.
PO 5.2		DTS/DPF 5.2
	isements and/or advertising hoardings do not distract or a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
PO 5.3		DTS/DPF 5.3
Adverti	isements and/or advertising hoardings do not create a hazard	Advertisements satisfy all of the following:
to drive		
(a) (b) (c)	being liable to interpretation by drivers as an official traffic sign or signal obscuring or impairing drivers' view of official traffic signs or signals obscuring or impairing drivers' view of features of a road	(a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut- Off Area' in the following diagram Corner Cut- Off Area Allotment Boundary
(-)	that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	4.5M Road Reserve
PO 5.4		DTS/DPF 5.4
by dist	isements and/or advertising hoardings do not create a hazard racting drivers from the primary driving task at a location the demands on driver concentration are high.	Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.
PO 5.5		DTS/DPF 5.5
Adverti	isements and/or advertising hoardings provide sufficient	Where the advertisement or advertising hoarding is:
	nce from the road carriageway to allow for safe and	(2)
convenient movement by all road users.		 (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb
		(b) on an unkerbed road with a speed zone of 60km/h or less the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal
		(c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal:
		(a) 110 km/h road - 14m
		(b) 100 km/h road - 13m
		(c) 90 km/h road - 10m
		(d) 70 or 80 km/h road - 8.5m.
PO 5.6		DTS/DPF 5.6
	ising near signalised intersections does not cause	Advertising:
unreasonable distraction to road users through illumination, flashing		(a) is not illuminated
liabta	or moving or changing displays or messages.	(b) does not incorporate a maying or changing display or
lights, o	or morning or origing displayed in model god.	(b) does not incorporate a moving or changing display or message

Page 25 of 128 Printed on 8/12/2022

Page 186 City of Salisbury

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome		
DO 1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting an	nd Design
PO 1.1	DTS/DPF 1.1
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.
Horse	Keeping
PO 2.1	DTS/DPF 2.1
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
PO 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
PO 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.

Page 26 of 128 Printed on 8/12/2022

Page 187 Council Assessment Panel Agenda - 28 March 2023

Policy	v24 -	End	uirv
F OIIC	VZ4 -		Juli y

i olicy24 - Litiquii y	
regular cleaning.	
PO 2.4 To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	DTS/DPF 2.4 Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
PO 2.5 Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	DTS/DPF 2.5 Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
PO 3.1 Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	DTS/DPF 3.1 The floors of kennels satisfy all of the following: (a) are constructed of impervious concrete (b) are designed to be self-draining when washed down.
PO 3.2 Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as: (a) adopting appropriate separation distances (b) orientating openings away from sensitive receivers.	DTS/DPF 3.2 Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
PO 3.3 Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	DTS/DPF 3.3 Kennels are sited in association with a permanent dwelling on the land.
Wa	stes
PO 4.1 Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	DTS/DPF 4.1 None are applicable.
PO 4.2 Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	DTS/DPF 4.2 Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

	Desired Outcome		
DO 1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.		

Page 27 of 128 Printed on 8/12/2022

Page 188 City of Salisbury

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land-based	Aquaculture
PO 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following: (a) 200m or more from a sensitive receiver in other ownership
	(b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.
PO 1.2	DTS/DPF 1.2
Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	None are applicable.
PO 1.3	DTS/DPF 1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	None are applicable.
PO 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	None are applicable.
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
PO 1.6	DTS/DPF 1.6
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	None are applicable.
PO 1.7	DTS/DPF 1.7
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.
Marine Based Aquaculture	
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.

Page 28 of 128 Printed on 8/12/2022

Page 189 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy24	-	Enquiry
----------	---	---------

Policy24	- Enquiry	
(a)	creeks and estuaries	
(b)	wetlands	
(c)	significant seagrass and mangrove communities	
(d)	marine habitats and ecosystems.	
PO 2.2		DTS/DPF 2.2
Marine	aquaculture is sited in areas with adequate water current to	None are applicable.
disperse	e sediments and dissolve particulate wastes to prevent the	
build-up	o of waste that may cause environmental harm.	
PO 2.3		DTS/DPF 2.3
Marina	aguaculture is designed to not involve discharge of human	None are applicable
l	aquaculture is designed to not involve discharge of human on the site, on any adjacent land or into nearby waters.	None are applicable.
PO 2.4		DTS/DPF 2.4
Marine	aquaculture (other than inter-tidal aquaculture) is located an	Marine aquaculture development is located 100m or more seaward
appropr	riate distance seaward of the high water mark.	of the high water mark.
PO 2.5		DTS/DPF 2.5
Marine	aquaculture is sited and designed to not obstruct or interfere	None are applicable.
with:		
(a)	areas of high public use	
(b)	areas, including beaches, used for recreational activities	
(5)	such as swimming, fishing, skiing, sailing and other water sports	
(c)	areas of outstanding visual or environmental value	
(d)	areas of high tourism value	
(e)	areas of important regional or state economic activity, including commercial ports, wharfs and jetties	
(f)	the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6		DTS/DPF 2.6
Marine	aquaculture is sited and designed to minimise interference	None are applicable.
	struction to the natural processes of the coastal and marine	
environ	ment.	
PO 2.7		DTS/DPF 2.7
Marine	aquaculture is designed to be as unobtrusive as practicable	None are applicable.
	rporating measures such as:	топо аго аррповио.
,		
(a)	using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water	
(b)	positioning structures to protrude the minimum distance practicable above the surface of the water	
(c)	avoiding the use of shelters and structures above cages	
	and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety	
(d)	reasons	
(4)	positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
DO C C		DTA PDF A A
PO 2.8		DTS/DPF 2.8

Page 29 of 128 Printed on 8/12/2022

Page 190 Council Assessment Panel Agenda - 28 March 2023

Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.	None are applicable.
PO 2.9	DTS/DPF 2.9
Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.	None are applicable.
PO 2.10	DTS/DPF 2.10
Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> .	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act</i> 1972.
PO 2.11	DTS/DPF 2.11
Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by:	None are applicable.
being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape	
(b) making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable	
(c) incorporating appropriate waste treatment and disposal.	
Navigation	and Safety
PO 3.1	DTS/DPF 3.1
Marine aquaculture sites are suitably marked to maintain navigational safety.	None are applicable.
PO 3.2	DTS/DPF 3.2
Marine aquaculture is sited to provide adequate separation between farms for safe navigation.	None are applicable.
Environmenta	I I Management
PO 4.1	DTS/DPF 4.1
Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.	None are applicable.
PO 4.2	DTS/DPF 4.2
Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.	None are applicable.
PO 4.3	DTS/DPF 4.3
Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.	None are applicable.
PO 4.4	DTS/DPF 4.4
Aquaculture operations incorporate measures for the removal and	None are applicable.

Page 30 of 128 Printed on 8/12/2022

Page 191 Council Assessment Panel Agenda - 28 March 2023

disposal of litter, disused material, shells, debris, detritus, dead
animals and animal waste to prevent pollution of waters, wetlands, or
the nearby coastline.

Beverage Production in Rural Areas

Assessment Provisions (AP)

	Desired Outcome		
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Odour a	nd Noise
PO 1.1	DTS/DPF 1.1
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.
PO 1.2	DTS/DPF 1.2
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.
PO 1.4	DTS/DPF 1.4
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.
PO 1.5	DTS/DPF 1.5
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.
Water	Quality
PO 2.1	DTS/DPF 2.1
Beverage production wastewater management systems (including	Wastewater management systems are set back 50m or more from

Page 31 of 128 Printed on 8/12/2022

Page 192 City of Salisbury

Policy24 - Enquiry			
wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	the banks of watercourses and bores.		
PO 2.2	DTS/DPF 2.2		
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.		
PO 2.3	DTS/DPF 2.3		
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.		
PO 2.4	DTS/DPF 2.4		
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.		
Wastewate	er Irrigation		
PO 3.1	DTS/DPF 3.1		
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.		
PO 3.2	DTS/DPF 3.2		
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.		
PO 3.3	DTS/DPF 3.3		
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as:	None are applicable.		
(a) waterlogged areas			
(b) land within 50m of a creek, swamp or domestic or stock water bore			
(c) land subject to flooding			
(d) steeply sloping land (e) rocky or highly permeable soil overlaying an unconfined aquifer.			

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome		
DO 1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are	

Page 32 of 128 Printed on 8/12/2022

Page 193 City of Salisbury

designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome Deemed-to-Satisfy Criteria / **Designated Performance Feature** Siting and Design PO 1.1 DTS/DPF 1.1 Bulk handling and storage facilities are sited and designed to Facilities for the handling, storage and dispatch of commodities in minimise risks of adverse air quality and noise impacts on sensitive bulk (excluding processing) meet the following minimum separation distances from sensitive receivers: receivers. bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more. Buffers and Landscaping PO 2.1 DTS/DPF 2.1 Bulk handling and storage facilities incorporate a buffer area for the None are applicable establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares. PO 2.2 DTS/DPF 2.2 Bulk handling and storage facilities incorporate landscaping to None are applicable. assist with screening and dust filtration. Access and Parking DTS/DPF 3.1 Roadways and vehicle parking areas associated with bulk handling Roadways and vehicle parking areas are sealed with an all-weather and storage facilities are designed and surfaced to control dust surface emissions and prevent drag out of material from the site Slipways, Wharves and Pontoons

Page 33 of 128 Printed on 8/12/2022

Page 194 City of Salisbury

PO 4.1	DTS/DPF 4.1
Slipways, wharves and pontoons used for the handling of bulk	None are applicable.
materials (such as fuel, oil, catch, bait and the like) incorporate	
catchment devices to avoid the release of materials into adjacent	
waters.	

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome			
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.		

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
PO 1.1 Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	DTS/DPF 1.1 One of the following is satisfied: (a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the <i>Electricity Act 1996</i> (b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development.		

Design

Assessment Provisions (AP)

Desired Outcome				
DO 1 Development is:				
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area		
	(b)	durable - fit for purpose, adaptable and long lasting		
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors		
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local		

Page 34 of 128 Printed on 8/12/2022

Page 195 City of Salisbury

amenity and to minimise energy consumption.

Performance Outcome Deemed-to-Satisfy Criteria / **Designated Performance Feature** All development External Appearance DTS/DPF 1.1 PO 1.1 Buildings reinforce corners through changes in setback, None are applicable. articulation, materials, colour and massing (including height, width, bulk, roof form and slope). PO 1.2 DTS/DPF 1.2 Where zero or minor setbacks are desirable, development provides None are applicable. shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm. PO 1.3 DTS/DPF 1.3 Building elevations facing the primary street (other than ancillary None are applicable. buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape. PO 1.4 DTS/DPF 1.4 Plant, exhaust and intake vents and other technical equipment is Development does not incorporate any structures that protrude integrated into the building design to minimise visibility from the beyond the roofline. public realm and negative impacts on residential amenity by: positioning plant and equipment in unobtrusive locations viewed from public roads and spaces (b) screening rooftop plant and equipment from view when located on the roof of non-residential development. (c) locating the plant and equipment as far as practicable from adjacent sensitive land uses. PO 1.5 DTS/DPF 1.5 The negative visual impact of outdoor storage, waste management, None are applicable. loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone. Safety DTS/DPF 2.1 PO 2.1 Development maximises opportunities for passive surveillance of the None are applicable. public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable. DTS/DPF 2.2 Development is designed to differentiate public, communal and None are applicable.

Page 35 of 128 Printed on 8/12/2022

Page 196 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry			
private areas.			
PO 2.3	DTS/DPF 2.3		
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.		
PO 2.4	DTS/DPF 2.4		
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.		
PO 2.5	DTS/DPF 2.5		
Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.		
Lands	caping		
PO 3.1	DTS/DPF 3.1		
Soft landscaping and tree planting is incorporated to:	None are applicable.		
 (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. 			
PO 3.2	DTS/DPF 3.2		
Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	None are applicable.		
Environmenta	l Performance		
PO 4.1	DTS/DPF 4.1		
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.		
PO 4.2	DTS/DPF 4.2		
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.		
PO 4.3	DTS/DPF 4.3		
Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.		
Water Sens	itive Design		
PO 5.1	DTS/DPF 5.1		
Development is sited and designed to maintain natural hydrological	None are applicable.		

Page 36 of 128 Printed on 8/12/2022

Page 197 Council Assessment Panel Agenda - 28 March 2023

systems without negatively impacting:				
the quantity and quality of surface water and groundwater the depth and directional flow of surface water and groundwater the quality and function of natural springs.				
On-site Waste	reatment Systems			
PO 6.1	DTS/DPF 6.1			
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.			
Carparkin	g Appearance			
PO 7.1	DTS/DPF 7.1			
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.			
PO 7.2	DTS/DPF 7.2			
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.			
PO 7.3	DTS/DPF 7.3			
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.			
PO 7.4	DTS/DPF 7.4			
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	None are applicable.			
PO 7.5	DTS/DPF 7.5			
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	None are applicable.			
PO 7.6	DTS/DPF 7.6			
Vehicle parking areas and associated driveways are landscaped to	None are applicable.			

Page 37 of 128 Printed on 8/12/2022

Page 198 Council Assessment Panel Agenda - 28 March 2023

Provide shade and positively contribute to amonity	I			
provide shade and positively contribute to amenity.				
PO 7.7	DTS/DPF 7.7			
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.			
Earthworks ar	nd sloping land			
PO 8.1	DTS/DPF 8.1			
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to	Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m			
natural topography.	(b) filling exceeding a vertical height of 1m			
	(a) Illing exceeding a ventical neight of Thi			
	(c) a total combined excavation and filling vertical height of 2m or more.			
PO 8.2	DTS/DPF 8.2			
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):			
	do not have a gradient exceeding 25% (1-in-4) at any point along the driveway are constructed with an all-weather trafficable surface.			
PO 8.3	DTS/DPF 8.3			
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.			
(a) do not contribute to the instability of embankments and cuttings				
(b) provide level transition areas for the safe movement of people and goods to and from the development				
(c) are designed to integrate with the natural topography of the land.				
PO 8.4	DTS/DPF 8.4			
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.			
PO 8.5	DTS/DPF 8.5			
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.			
Fences	and Walls			
PO 9.1	DTS/DPF 9.1			
Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.			
	 			

Page 38 of 128 Printed on 8/12/2022

Page 199 Council Assessment Panel Agenda - 28 March 2023 8.1.1

Policy24	- Enquiry

PO 9.2 DTS/DPF 9.2 Landscaping incorporated on the low side of retaining walls is A vegetated landscaped strip 1m wide or more is provided against visible from public roads and public open space to minimise visual the low side of a retaining wall. impacts. Overlooking / Visual Privacy (in building 3 storeys or less) PO 10.1 DTS/DPF 10.1 Development mitigates direct overlooking from upper level windows Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: to habitable rooms and private open spaces of adjoining residential uses. are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. PO 10.2 DTS/DPF 10.2 One of the following is satisfied: Development mitigates direct overlooking from balconies, terraces and decks to habitable rooms and private open space of adjoining the longest side of the balcony or terrace will face a public residential uses. road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land (ii) 1.7m above finished floor level in all other cases All Residential development Front elevations and passive surveillance PO 11.1 **DTS/DPF 11.1** Dwellings incorporate windows along primary street frontages to Each dwelling with a frontage to a public street: encourage passive surveillance and make a positive contribution to includes at least one window facing the primary street from the streetscape. a habitable room that has a minimum internal room dimension of 2.4m has an aggregate window area of at least 2m2 facing the primary street. PO 11.2 DTS/DPF 11.2 Dwellings incorporate entry doors within street frontages to address Dwellings with a frontage to a public street have an entry door the street and provide a legible entry point for visitors. visible from the primary street boundary. Outlook and amenity

Printed on 8/12/2022 Page 39 of 128

DTS/DPF 12.1

Page 200 Council Assessment Panel Agenda - 28 March 2023

PO 12.1

Policy24 - Enquiry				
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.			
PO 12.2	DTS/DPF 12.2			
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.			
Ancillary (Development			
PO 13.1	DTS/DPF 13.1			
Residential ancillary buildings and structures are sited and	Ancillary buildings:			
designed to not detract from the streetscape or appearance of	(a) are ancillary to a dwelling erected on the same site			
buildings on the site or neighbouring properties.	(b) have a floor area not exceeding 60m2			
	(c) are not constructed, added to or altered so that any part situated:			
	in front of any part of the building line of the dwelling to which it is ancillary or			
	(ii) within 900mm of a boundary of the allotment wit a secondary street (if the land has boundaries of two or more roads)			
	(d) in the case of a garage or carport, the garage or carpor (i) is set back at least 5.5m from the boundary of the primary street			
	(ii) when facing a primary street or secondary street has a total door / opening not exceeding: A. for dwellings of single building level - 7s			
	in width or 50% of the site frontage, whichever is the lesser			
	for dwellings comprising two or more building levels at the building line frontion the same public street - 7m in width			
	(e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:			
	a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and			
	(ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent			
	(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% the length of that boundary			
	(g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure			
	(h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)			
	(i) have a roof height where no part of the roof is more than			

Page 40 of 128 Printed on 8/12/2022

Page 201 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry						
	(j)		ve the natural ground level sheet metal, is pre-colour treate	ed or painted in a		
	non-reflective colour (k) retains a total area of soft landscaping in accordance w (i) or (ii), whichever is less:		accordance with			
		(i)	a total area as determined by th	e following table:		
			Dwelling site area (or in the case of residential flat	Minimum percentage of		
			building or group	site		
			dwelling(s), average site area) (m ²)			
			<150	10%		
			150-200	15%		
			201-450	20%		
			>450	25%		
		(ii)	the amount of existing soft lands the development occurring.	scaping prior to		
PO 13.2	DTS/DPF 13.2					
Ancillary buildings and structures do not impede on-site functional						
requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	(a)	Areas Table 1 - Private Open Space				
	(b)	Access a Parking	site car parking than specified in and Parking Table 1 - General C Requirements or Table 2 - Off-S ments in Designated Areas.	ff-Street Car		
PO 13.3	DTS/DPF	13.3				
Fixed plant and equipment in the form of pumps and/or filtration	The pump and/or filtration system is ancillary to a dwelling en			dwelling erected		
systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive	on the s	same site	and is:			
receivers.	(a)	least 5m adjoining	d in a solid acoustic structure that Infrom the nearest habitable room g allotment			
	(b)		at least 12m from the nearest ha	oitable room		
		located (on an adjoining allotment.			
	DTS/DPF 14.1 Garages and carports facing a street:					
PO 14.1 Garaging is designed to not detract from the streetscape or						
appearance of a dwelling.	(a)		ated so that no part of the garage	e or carport is in		
	(b)	front of a	any part of the building line of the back at least 5.5m from the boun	dwelling		
	(c)	primary have a c	street garage door / opening not exceed	ding 7m in width		
	(d)	have a g	garage door /opening width not e	xceeding 50% of		
			frontage unless the dwelling has levels at the building line fronting			
Page 41 of 128			Р	rinted on 8/12/2022		

Page 202 Council Assessment Panel Agenda - 28 March 2023

PO 15.1	assing					
PO 15.1	DTS/DP					
		DTS/DPF 15.1				
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable					
Dwellin	g additions					
PO 16.1	DTS / DI	PF 16.1				
Dwelling additions are sited and designed to not detract from the streetscape or amenity of adjoining properties and do not impede	l	g addition				
on-site functional requirements.	(a)			cted, added to or altered so that any part is to a public street		
	(b)		result in:			
		(i)		ation exceeding a vertical height of 1m		
		(ii) (iii)	_	exceeding a vertical height of 1m combined excavation and filling vertical		
			-	of 2m or more		
		(iv)		rivate Open Space than specified in Desigr 1 - Private Open Space		
		(v)	Access Car Pa	n-site parking than specified in Transport is and Parking Table 1 - General Off-Street arking Requirements or Table 2 - Off-Street arking Requirements in Designated Areas		
		(vi)		level windows facing side or rear aries unless:		
			A.	they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or		
			В.	have sill heights greater than or equal to 1.5m above finished floor level or		
			C.	incorporate screening to a height of 1.5m above finished floor level		
		(vii)	buildin screen	es of balconies or terraces on upper g levels are permanently obscured by ing with a maximum 25% arency/openings fixed to a minimum height		
			Α.	1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land		
			В.	1.7m above finished floor level in all other cases.		
Private 0	open Spac	е				
PO 17.1	DTS/DP	F 17.1				
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.					
Water Ser	sitive Desi	ign				

Page 42 of 128 Printed on 8/12/2022

Page 203 Council Assessment Panel Agenda - 28 March 2023

PO 19.3

Driveways are located and designed to facilitate safe access and

egress while maximising land available for street tree planting,

landscaped street frontages, domestic waste collection and on-

Policy24 - Enquiry PO 18.1 DTS/DPF 18.1 Residential development creating a common driveway / access Residential development creating a common driveway / access that includes stormwater management systems that minimise the services 5 or more dwellings achieves the following stormwater discharge of sediment, suspended solids, organic matter, nutrients, runoff outcomes: bacteria, litter and other contaminants to the stormwater system, 80 per cent reduction in average annual total suspended watercourses or other water bodies. (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen. PO 18.2 DTS/DPF 18.2 Residential development creating a common driveway / access Development creating a common driveway / access that services 5 includes a stormwater management system designed to mitigate or more dwellings: peak flows and manage the rate and duration of stormwater maintains the pre-development peak flow rate from the site discharges from the site to ensure that the development does not based upon a 0.35 runoff coefficient for the 18.1% AEP increase the peak flows in downstream systems. 30-minute storm and the stormwater runoff time to peak is captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings. Car parking, access and manoeuvrability DTS/DPF 19.1 PO 19.1 Enclosed parking spaces are of a size and dimensions to be Residential car parking spaces enclosed by fencing, walls or other functional, accessible and convenient. structures have the following internal dimensions (separate from any waste storage area): single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m minimum garage door width of 2.4m per space. PO 19.2 DTS/DPF 19.2 Uncovered parking spaces are of a size and dimensions to be Uncovered car parking spaces have: functional, accessible and convenient (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m

Page 43 of 128 Printed on 8/12/2022

DTS/DPF 19.3

Driveways and access points on sites with a frontage to a public

measured at the property boundary and are the only access point

road of 10m or less have a width between 3.0 and 3.2 metres

Page 204 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry				
street parking.	provided on the site.			
PO 19.4	DTS/DPF 19.4			
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed: (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads (ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.			
PO 19.5	DTS/DPF 19.5			
Driveways are designed to enable safe and convenient vehicle	Driveways are designed and sited so that:			
movements from the public road to on-site parking spaces.	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average			
	 (b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary (c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site 			
PO 19.6	DTS/DPF 19.6			
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements:			
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)			
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly			
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.			
Waste	storage			
PO 20.1	DTS/DPF 20.1			
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.			
Design of Transp	portable Dwellings			
PO 21.1	DTS/DPF 21.1			
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	Buildings satisfy (a) or (b):			
g	(a) are not transportable			

Page 44 of 128 Printed on 8/12/2022

Page 205 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
	or (b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Group dwelling, residential flat buildings and battle-axe development	

		veen the building and ground level finish consistent with the building.
Group dwelling, residential flat buildings and battle-axe development		
Am	enity	
PO 22.1	DTS/DPF 22.1	
Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	Dwellings have a minimum interrette following table:	al floor area in accordance with
	Number of bedrooms	Minimum internal floor area
	Studio	35m ²
	1 bedroom	50m ²
	2 bedroom	65m ²
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 22.2	DTS/DPF 22.2	
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
PO 22.3	DTS/DPF 22.3	
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.	
PO 22.4	DTS/DPF 22.4	
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not arrangement.	in the form of a battle-axe
Communal	Open Space	
PO 23.1	DTS/DPF 23.1	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
PO 23.2	DTS/DPF 23.2	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorpora metres.	ates a minimum dimension of 5
PO 23.3	DTS/DPF 23.3	
Communal open space is designed and sited to:	None are applicable.	

Page 45 of 128 Printed on 8/12/2022

Page 206 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
 (a) be conveniently accessed by the dwellings which it services 	
(b) have regard to acoustic, safety, security and wind effects.	
PO 23.4	DTS/DPF 23.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 23.5	DTS/DPF 23.5
Communal open space is designed and sited to:	None are applicable.
 in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 	
Carparking, access	and manoeuvrability
PO 24.1	DTS/DPF 24.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on- street parking is retained adjacent the subject site in accordance with the following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number)
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 24.2	DTS/DPF 24.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 24.3	DTS/DPF 24.3
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 24.4	DTS/DPF 24.4
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.
PO 24.5	DTS/DPF 24.5

Page 46 of 128 Printed on 8/12/2022

Page 207
City of Salisbury

Policy24 - Enquiry	
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 24.6	DTS/DPF 24.6
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft Lan	dscaping
PO 25.1	DTS/DPF 25.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 25.2	DTS/DPF 25.2
Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	Waste Storage
PO 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
located away, or screened, from public view, and conveniently located in proximity to dwellings and the waste collection point.	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 26.6	DTS/DPF 26.6

Page 47 of 128 Printed on 8/12/2022

Page 208 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

Supported accommodation	on and retirement facilities
Siting and C	onfiguration
PO 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Movement a	and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
 (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. 	
Communal (Open Space
PO 29.1	DTS/DPF 29.1
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
PO 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 29.3	DTS/DPF 29.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4	DTS/DPF 29.4
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services	
(b) have regard to acoustic, safety, security and wind effects.	
PO 29.5	DTS/DPF 29.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
	DTS/DPF 29.6
PO 29.6	210011200
PO 29.6 Communal open space is designed and sited to:	None are applicable.

Page 48 of 128 Printed on 8/12/2022

Page 209 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

by habitable rooms to facilitate passive surveillance.	
	Wests Observe
	Waste Storage
PO 30.1	DTS/DPF 30.1
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	None are applicable.
PO 30.2	DTS/DPF 30.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 30.3	DTS/DPF 28.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 30.4	DTS/DPF 30.4
Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.	None are applicable.
PO 30.5	DTS/DPF 30.5
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 30.6	DTS/DPF 30.6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
PO 30.7	DTS/DPF 30.7
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
All non-resident	ial development
Water Sens	itive Design
PO 31.1	DTS/DPF 31.1
Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.
PO 31.2	DTS/DPF 31.2
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.
Wash-down and Waste	Loading and Unloading
PO 32.1	DTS/DPF 32.1
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or	None are applicable.

Page 49 of 128 Printed on 8/12/2022

Page 210 Council Assessment Panel Agenda - 28 March 2023

equipment are: designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater of sufficient size to prevent 'splash-out' or 'over-spray' of (c) wastewater from the wash-down area designed to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme a holding tank and its subsequent removal off-site on a regular basis.

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): 4m² with a minimum dimension 1.8m One bedroom: 8m² with a minimum dimension 2.1m Two bedroom dwelling: 11m² with a minimum dimension 2.4m Three + bedroom dwelling: 15m² with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Design in Urban Areas

Assessment Provisions (AP)

	Desired Outcome
DO 1	Development is:

Page 50 of 128 Printed on 8/12/2022

Page 211 City of Salisbury

- (a) contextual by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality
- (b) durable fit for purpose, adaptable and long lasting
- (c) inclusive by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
- (d) sustainable by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	plopment
	ppearance
PO 1.1 Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	DTS/DPF 1.1 None are applicable.
PO 1.2 Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	DTS/DPF 1.2 None are applicable.
PO 1.3 Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	DTS/DPF 1.3 None are applicable.
PO 1.4 Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces (b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	DTS/DPF 1.4 Development does not incorporate any structures that protrude beyond the roofline.
PO 1.5 The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.	DTS/DPF 1.5 None are applicable.
Sa	fety

Page 51 of 128 Printed on 8/12/2022

Page 212 City of Salisbury

Policy24 - Enquiry	
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
Lands	caping
PO 3.1	DTS/DPF 3.1
Soft landscaping and tree planting are incorporated to:	None are applicable.
minimise heat absorption and reflection maximise shade and shelter maximise stormwater infiltration enhance the appearance of land and streetscapes.	
Environmenta	Il Performance
PO 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.
PO 4.3	DTS/DPF 4.3
Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping,	None are applicable.
green walls, green roofs and photovoltaic cells.	
	sitive Design

Page 52 of 128 Printed on 8/12/2022

Page 213 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.
 (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. 	
On-site Waste	Treatment Systems
PO 6.1	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
Car parkin	ng appearance
PO 7.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	DTS/DPF 7.1 None are applicable.
PO 7.2 Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.
PO 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
PO 7.4	DTS/DPF 7.4
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 o more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of: (a) 1m along all public road frontages and allotment boundaries

Page 53 of 128 Printed on 8/12/2022

Page 214 City of Salisbury

Policy24 - Enquiry	
	(b) 1m between double rows of car parking spaces.
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks a	nd sloping land
PO 8.1	DTS/DPF 8.1
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2 Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	DTS/DPF 8.2 Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b): (a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway (b) are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
do not contribute to the instability of embankments and cuttings provide level transition areas for the safe movement of people and goods to and from the development are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.
Fences	and walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity	None are applicable.

Page 54 of 128 Printed on 8/12/2022

Page 215 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
and adjoining land's access to sunlight or the amenity of public places.	
PO 9.2 Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	DTS/DPF 9.2 A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Pri	ivacy (low rise buildings)
PO 10.1	DTS/DPF 10.1
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones.	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm
	(b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
PO 10.2	DTS/DPF 10.2
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
Site Facilities / Waste Storage (exclu	ding low rise residential development)
PO 11.1 Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	DTS/DPF 11.1 None are applicable.
PO 11.2	DTS/DPF 11.2
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.
PO 11.3	DTS/DPF 11.3
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.
PO 11.4	DTS/DPF 11.4
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.

Page 55 of 128 Printed on 8/12/2022

Page 216 City of Salisbury

For mixed use developments, non-residential waste and recycling

Policy24 - Enquiry

PO 11.5

storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	Troite are applicable.			
All Development - Medium and High Rise				
External A	Appearance			
PO 12.1	DTS/DPF 12.1			
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.			
PO 12.2	DTS/DPF 12.2			
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.			
PO 12.3	DTS/DPF 12.3			
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.			
PO 12.4	DTS/DPF 12.4			
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.			
PO 12.5	DTS/DPF 12.5			
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:			
	(a) masonry (b) natural stone (c) pre-finished materials that minimise staining, discolouring or deterioration.			
PO 12.6	DTS/DPF 12.6			
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	Building street frontages incorporate:			
	(a) active uses such as shops or offices (b) prominent entry areas for multi-storey buildings (where it is a common entry)			
	(c) habitable rooms of dwellings			
	 areas of communal public realm with public art or the like, where consistent with the zone and/or subzone provisions. 			
PO 12.7	DTS/DPF 12.7			
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to multi-storey buildings are:			
	(a) oriented towards the street (b) clearly visible and easily identifiable from the street and vehicle parking areas			
	(c) designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses			
	(d) designed to provide shelter, a sense of personal address and transitional space around the entry			
	Printed on 9/12/2021			

DTS/DPF 11.5

None are applicable.

Page 56 of 128 Printed on 8/12/2022

Page 217 Council Assessment Panel Agenda - 28 March 2023

Policy2	4 - En	auirv
---------	--------	-------

oncy24 - Enquiry	(e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors (f) designed to avoid the creation of potential areas of entrapment.			
PO 12.8 Building services, plant and mechanical equipment are screened from the public realm.	DTS/DPF 12.8 None are applicable.			
nom the public realm.				
Lands PO 13.1	DTS/DPF 13.1			
Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	Buildings provide a 4m by 4m deep soil space in front of the building that accommodates a medium to large tree, except where no building setback from front property boundaries is desired.			
PO 13.2	DTS/DPF 13.2	DTS/DPF 13.2		
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporates trees at not less than the following rates, except in a location or zone where full site coverage is desired.			
	Site area	Minimum deep soil area	Minimum dimension	Tree / deep soil zones
	<300 m ²	10 m ²	1.5m	1 small tree / 10 m ²
	300-1500 m ²	7% site area	3m	1 medium tree / 30 m ²
	>1500 m ²	7% site area	6m	1 large or medium tree / 60 m ²
	Tree size and	d site area definitions 4-6m mature height and 2-4m canopy spread 6-12m mature height and 4-8m canopy spread		
	Small tree			nopy spread
	Medium tree			nopy spread
	Large tree	12m mature heiç	ght and >8m cano	py spread
	Site area	The total area fo area per dwelling	r development site	e, not average
PO 13.3	DTS/DPF 13.3			
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applicable.			
PO 13.4	DTS/DPF 13.4			

Page 57 of 128 Printed on 8/12/2022

Page 218 Council Assessment Panel Agenda - 28 March 2023

PO 15.2

PO 16.1

Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.

Building elements of 3 or more building levels in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated.

more b	uilding levels in height.				
Environmental					
PO 14.1		DTS/DPF 14.1			
	pment minimises detrimental micro-climatic impacts on nt land and buildings.	None are applicable.			
PO 14.2		DTS/DPF 14.2			
feature water h	pment incorporates sustainable design techniques and s such as window orientation, eaves and shading structures, narvesting and use, green walls and roof designs that enable vision of rain water tanks (where they are not provided ere on site), green roofs and photovoltaic cells.	None are applicable.			
PO 14.3		DTS/DPF 14.3			
(as mea	pment of 5 or more building levels, or 21m or more in height asured from natural ground level and excluding roof-mounted nical plant and equipment) is designed to minimise the s of wind through measures such as: a podium at the base of a tall tower and aligned with the street to deflect wind away from the street substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas the placement of buildings and use of setbacks to deflect	None are applicable.			
(d)	the wind at ground level avoiding tall shear elevations that create windy conditions at street level.				
	Car P	Parking			
PO 15.1		DTS/DPF 15.1			
	evel vehicle parking structures are designed to contribute to street frontages and complement neighbouring buildings.	Multi-level vehicle parking structures within buildings:			

Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-

Multi-level vehicle parking structures within buildings complement

the surrounding built form in terms of height, massing and scale.

type zones through measures such as:

Page 58 of 128 Printed on 8/12/2022

Overlooking/Visual Privacy

DTS/DPF 15.2

DTS/DPF 16.1

None are applicable.

None are applicable.

Page 219 Council Assessment Panel Agenda - 28 March 2023

Policy24	- Enquiry		
(a) (b)	appropriate site layout and building orientation off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt		
(d)	views or that provide a spatial separation between balconies or windows of habitable rooms screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity.		
	All residentia	ial development	
	Front elevations and	nd passive surveillance	
PO 17.1		DTS/DPF 17.1	
Dwellin	gs incorporate windows facing primary street frontages to	Each dwelling with a frontage to a public street:	
	age passive surveillance and make a positive contribution to etscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m	
		(b) has an aggregate window area of at least 2m ² facing the primary street.	
PO 17.2		DTS/DPF 17.2	
	gs incorporate entry doors within street frontages to address eet and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.	
	Outlook a	and Amenity	
PO 18.1		DTS/DPF 18.1	
	ooms have an external outlook to provide a high standard of y for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.	
PO 18.2		DTS/DPF 18.2	
recreati	ms are separated or shielded from active communal ion areas, common access areas and vehicle parking areas cess ways to mitigate noise and artificial light intrusion.	None are applicable.	
	Ancillary D	- Development	
from the	ntial ancillary buildings are sited and designed to not detract e streetscape or appearance of primary residential buildings site or neighbouring properties.	(a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on	
		(d) in the case of a garage or carport, the garage or carport:	

Page 59 of 128 Printed on 8/12/2022

Page 220 Council Assessment Panel Agenda - 28 March 2023 is set back at least 5.5m from the boundary of the

Policy24 - Enquiry					
i oneye i enquiry					
		(ii)	primary street when facing a primary street or has a total door / opening not ex		
			for dwellings of single be in width or 50% of the swhichever is the lesser	•	
			for dwellings comprisin building levels at the bu the same public street	uilding line fronting	
	(e)	primary	ed on a boundary (not being a bo street or secondary street), do n f 11.5m unless: a longer wall or structure exists site and is situated on the same	ot exceed a	
			boundary		
			and		
		(ii)	the proposed wall or structure w the same length of boundary as adjacent wall or structure to the extent	the existing	
	(f)	bounda walls or	ed on a boundary of the allotmen ry with a primary street or second structures on the boundary will n th of that boundary	dary street), all	
	(g)	same bounda	Ill not be located within 3m of any other wall along the ame boundary unless on an adjacent site on that bundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure		
	(h)	have a	wall height or post height not exce ground level (and not including a	eeding 3m above	
	(i)	have a roof height where no part of the roof is more than 5m above the natural ground level			
	(j)	non-refl	n sheet metal, is pre-colour treate ective colour		
	(k)	(i) or (ii)	a total area of soft landscaping in , whichever is less:		
		(i)	a total area as determined by the	e following table:	
			Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	Minimum percentage of site	
			<150	10%	
			100	10%	
			150-200	15%	
			201-450	20%	
			>450	25%	
		(ii)	the amount of existing soft lands the development occurring.	scaping prior to	

Page 60 of 128 Printed on 8/12/2022

Page 221 Council Assessment Panel Agenda - 28 March 2023

PO 19.2

Ancillary buildings and structures do not impede on-site functional Ancillary buildings and structures do not result in: requirements such as private open space provision, car parking less private open space than specified in Design in Urban requirements or result in over-development of the site. Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. PO 19.3 DTS/DPF 19.3 Fixed plant and equipment in the form of pumps and/or filtration The pump and/or filtration system is ancillary to a dwelling erected systems for a swimming pool or spa positioned and/or housed to on the same site and is: not cause unreasonable noise nuisance to adjacent sensitive enclosed in a solid acoustic structure that is located at receivers. least 5m from the nearest habitable room located on an adjoining allotment or located at least 12m from the nearest habitable room located on an adjoining allotment. Residential Development - Low Rise External appearance PO 20.1 DTS/DPF 20.1 Garaging is designed to not detract from the streetscape or Garages and carports facing a street: appearance of a dwelling. are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling are set back at least 5.5m from the boundary of the primary street have a garage door / opening width not exceeding 7m have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. PO 20.2 DTS/DPF 20.2 Each dwelling includes at least 3 of the following design features Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance within the building elevation facing a primary street, and at least 2 of common driveway areas. of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: a minimum of 30% of the building wall is set back an additional 300mm from the building line a porch or portico projects at least 1m from the building (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall eaves of a minimum 400mm width extend along the width of the front elevation a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single

DTS/DPF 19.2

Page 61 of 128 Printed on 8/12/2022

Page 222 Council Assessment Panel Agenda - 28 March 2023

	material or finish.		
PO 20.3	DTS/DPF 20.3		
The visual mass of larger buildings is reduced when viewed from	None are applicable		
adjoining allotments or public streets.			
Private O	pen Space		
PO 21.1	DTS/DPF 21.1		
Dwellings are provided with suitable sized areas of usable private	Private open space is provided in accordance with Design in Urba		
open space to meet the needs of occupants.	Areas Table 1 - Private Open Space.		
PO 21.2	DTS/DPF 21.2		
Private open space is positioned to provide convenient access from	Private open space is directly accessible from a habitable room.		
internal living areas.			
Lands	scaping		
PO 22.1	DTS/DPF 22.1		
Soft landscaping is incorporated into development to:	Residential development incorporates soft landscaping with a		
(a) minimise heat absorption and reflection	minimum dimension of 700mm provided in accordance with (a) and		
(b) contribute shade and shelter	(b):		
(c) provide for stormwater infiltration and biodiversity	(a) a total area as determined by the following table:		
(d) enhance the appearance of land and streetscapes.			
	Dwelling site area (or in the case Minimum of residential flat building or group percentage of		
	dwelling(s), average site area) (m ²) site		
	<150 10%		
	150-200 15%		
	150-200		
	>200-450		
	>4F0 2F9/		
	>450 25%		
	(b) at least 30% of any land between the primary street boundary and the primary building line.		
Car parking, access	and manoeuvrability		
PO 23.1	DTS/DPF 23.1		
Enclosed car parking spaces are of dimensions to be functional,	Residential car parking spaces enclosed by fencing, walls or othe		
accessible and convenient.	structures have the following internal dimensions (separate from any waste storage area):		
	any maste storage area).		
	(a) single width car parking spaces:		

Page 62 of 128 Printed on 8/12/2022

a minimum length of 5.4m per space

Policy24 - Enquiry	
	(ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 23.2 Uncovered car parking space are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m
	(c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 23.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, domestic waste collection, landscaped street frontages and on-street parking.	DTS/DPF 23.3 Driveways and access points satisfy (a) or (b): (a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site (b) sites with a frontage to a public road greater than 10m: (i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site; (ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m.
PO 23.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	DTS/DPF 23.4 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 23.5	DTS/DPF 23.5

Page 63 of 128 Printed on 8/12/2022

Driveways are designed and sited so that:

the gradient from the place of access on the boundary of

Page 224 Council Assessment Panel Agenda - 28 March 2023

Driveways are designed to enable safe and convenient vehicle

movements from the public road to on-site parking spaces.

Policy24 - Enquiry	
	the allotment to the finished floor level at the front of the garage or carport is not steeper than 1-in-4 on average (b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary. (c) if located so as to provide access from an alley, lane or right of way - the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site
PO 23.6	DTS/DPF 23.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site
	(rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can
	enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
Waste	storage
PO 24.1	DTS/DPF 24.1
Provision is made for the convenient storage of waste bins in a location screened from public view.	Where dwellings abut both side boundaries a waste bin storage area is provided behind the building line of each dwelling that:
	has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space); and has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
Design of Trans _i	oortable Buildings
PO 25.1	DTS/DPF 25.1
The sub-floor space beneath transportable buildings is enclosed to	Buildings satisfy (a) or (b):
give the appearance of a permanent structure.	(a) are not transportable
	 (b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and	High Rise (including serviced apartments)
Outlook and	Visual Privacy
PO 26.1	DTS/DPF 26.1
Ground level dwellings have a satisfactory short range visual outlook	Buildings:
to public, communal or private open space.	provide a habitable room at ground or first level with a window facing toward the street
	(b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.
•	•

Page 64 of 128 Printed on 8/12/2022

Page 225 Council Assessment Panel Agenda - 28 March 2023

Polic	y24 -	Eng	uiry
-------	-------	-----	------

	I	
PO 26.2 The visual privacy of ground level dwellings within multi-level buildings is protected.	DTS/DPF 26.2 The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.	
Private Op	pen Space	
PO 27.1	DTS/DPF 27.1	
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space.	
Residential amenity i	n multi-level buildings	
PO 28.1	DTS/DPF 28.1	
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary.	
PO 28.2	DTS/DPF 28.2	
Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:	Balconies utilise one or a combination of the following design elements:	
 respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas. 	(a) sun screens (b) pergolas (c) louvres (d) green facades (e) openable walls.	
PO 28.3	DTS/DPF 28.3	
Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.	
PO 28.4	DTS/DPF 28.4	
Dwellings are provided with sufficient space for storage to meet likely occupant needs.	Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling:	
	(a) studio: not less than 6m ³	
	(b) 1 bedroom dwelling / apartment: not less than 8m ³	
	(c) 2 bedroom dwelling / apartment: not less than 10m ³	
	(d) 3+ bedroom dwelling / apartment: not less than 12m ³ .	
PO 28.5	DTS/DPF 28.5	
Dwellings that use light wells for access to daylight, outlook and	Light wells:	
ventilation for habitable rooms, are designed to ensure a reasonable living amenity is provided.	(a) are not used as the primary source of outlook for living rooms	
	(b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms (c) above 18m in height have a minimum horizontal dimensio of 6m, or 9m if overlooked by bedrooms.	
PO 28.6	DTS/DPF 28.6	

Page 65 of 128 Printed on 8/12/2022

Page 226 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry Attached or abutting dwellings are designed to minimise the	None are applicable.		
transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.			
PO 28.7	DTS/DPF 28.7		
Dwellings are designed so that internal structural columns	None are applicable.		
correspond with the position of internal walls to ensure that the			
space within the dwelling/apartment is useable.			
Dualing	onfiguration		
	onfiguration		
PO 29.1	DTS/DPF 29.1		
Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	Buildings containing in excess of of each of the following:	10 dwellings provide at least one	
	(a) studio (where there is no	separate bedroom)	
	(b) 1 bedroom dwelling / apa 50m ²	artment with a floor area of at least	
	(c) 2 bedroom dwelling / apa 65m ²	artment with a floor area of at least	
		partment with a floor area of at	
	least 80m ² , and any dwel additional 15m ² for every	lling over 3 bedrooms provides an additional bedroom.	
PO 29.2	DTS/DPF 29.2		
Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	None are applicable.		
Commo	on Areas		
PO 30.1	DTS/DPF 30.1		
The size of lifts, lobbies and corridors is sufficient to accommodate	Common corridor or circulation as	reas:	
movement of bicycles, strollers, mobility aids and visitor waiting			
areas.	(a) have a minimum ceiling h		
	(b) provide access to no mor (c) incorporate a wider section	re than 8 dwellings on at apartment entries where the	
	corridors exceed 12m in	,	
Group Dwellings, Residential Flat B	Luildings and Battle axe Development		
Am	enity		
PO 31.1	DTS/DPF 31.1		
Dwellings are of a suitable size to provide a high standard of amenity for occupants.	Dwellings have a minimum internal floor area in accordance with the following table:		
	Number of bedrooms	Minimum internal floor area	
	Studio	35m ²	
	1 bedroom	50m ²	
	2 bedroom	65m ²	
Page 66 of 128		Printed on 8/12/2022	

Page 66 of 128 Printed on 8/12/2022

Page 227 Council Assessment Panel Agenda - 28 March 2023

Polic	y24 -	End	uiry
-------	-------	-----	------

Policy24	- Enquiry				
		3+ bed	irooms		80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 31.2		DTS/DPF	31.2		
	entation and siting of buildings minimises impacts on the y, outlook and privacy of occupants and neighbours.	None a	re applicable.		
PO 31.3		DTS/DPF	31.3		
open s	pment maximises the number of dwellings that face public pace and public streets and limits dwellings oriented towards ng properties.	None a	re applicable.		
PO 31.4		DTS/DPF	31.4		
	axe development is appropriately sited and designed to d to the existing neighbourhood context.	Dwelling arrange		are not in	the form of a battle-axe
	Communal	Open Spa	ce		
PO 32.1		DTS/DPF	32.1		
open s	open space provision may be substituted for communal pace which is designed and sited to meet the recreation and y needs of residents.	None ar	re applicable.		
PO 32.2		DTS/DPF	32.2		
	unal open space is of sufficient size and dimensions to cater up recreation.	Commu metres.	ınal open space ind	corporat	es a minimum dimension of 5
PO 32.3		DTS/DPF	32.3		
Commu	unal open space is designed and sited to:	None a	re applicable.		
(a)	be conveniently accessed by the dwellings which it services				
(b)	have regard to acoustic, safety, security and wind effects.				
PO 32.4		DTS/DPF	32.4		
	unal open space contains landscaping and facilities that are nal, attractive and encourage recreational use.	None a	re applicable.		
PO 32.5		DTS/DPF	32.5		
Commi	unal open space is designed and sited to:	None a	re applicable.		
(a)	in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings				
(b)	in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.				
	Car parking, access	and mand	peuvrability		
PO 33.1		DTS/DPF	33.1		
	ays and access points are designed and distributed to e the provision of on-street visitor parking.	street p		adjacent	ole directly adjacent the site, on- the subject site in accordance
		(a)	minimum 0.33 on (rounded up to the		car parks per proposed dwelling st whole number)

Page 67 of 128 Printed on 8/12/2022

Dal	icv24	_	End	nuin/

Policy24 - Enquiry	
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 33.2	DTS/DPF 33.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 33.3	DTS/DPF 33.3
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 33.4	DTS/DPF 33.4
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 33.5	DTS/DPF 33.5
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft lan	dscaping
PO 34.1	DTS/DPF 34.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 34.2 Battle-axe or common driveways incorporate landscaping and	DTS/DPF 34.2 Battle-axe or common driveways satisfy (a) and (b):
permeability to improve appearance and assist in stormwater management.	are constructed of a minimum of 50% permeable or porous material where the driveway is located directly adjacent the side or
	rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities	Waste Storage

Page 68 of 128 Printed on 8/12/2022

Page 229 Council Assessment Panel Agenda - 28 March 2023

Provision is made for suitable mailbox facilities close to the major	None are applicable.
pedestrian entry to the site or conveniently located considering the	
nature of accommodation and mobility of occupants.	
DO OF O	DTS/DPF 35.2
PO 35.2	D15/DPF 35.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 35.3	DTS/DPF 35.3
Provision is made for suitable household waste and recyclable	None are applicable.
material storage facilities which are:	
(a) located away, or screened, from public view, and	
 (b) conveniently located in proximity to dwellings and the waste collection point. 	
Collection point.	
PO 35.4	DTS/DPF 35.4
Waste and recyclable material storage areas are located away from	Dedicated waste and recyclable material storage areas are located
dwellings.	at least 3m from any habitable room window.
	·
PO 35.5	DTS/DPF 35.5
Where waste bins cannot be conveniently collected from the street,	None are applicable.
provision is made for on-site waste collection, designed to	
accommodate the safe and convenient access, egress and	
movement of waste collection vehicles.	
PO 35.6	DTS/DPF 35.6
Sandage including age and water meters are conveniently located	None are applicable
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
and selection from public view.	
Water sensitiv	e urban design
PO 36.1	
	DTS/DPF 36.1
Residential development creating a common driveway / access	DTS/DPF 36.1 None are applicable.
Residential development creating a common driveway / access includes stormwater management systems that minimise the	
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients,	
Residential development creating a common driveway / access includes stormwater management systems that minimise the	
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system,	
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system,	
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate	None are applicable. DTS/DPF 36.2
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater	None are applicable. DTS/DPF 36.2
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not	None are applicable. DTS/DPF 36.2
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater	None are applicable. DTS/DPF 36.2
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable. DTS/DPF 36.2
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable. DTS/DPF 36.2 None are applicable. on and retirement facilities
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodati	None are applicable. DTS/DPF 36.2 None are applicable. on and retirement facilities sation and Design
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodati Siting, Configur	DTS/DPF 36.2 None are applicable. on and retirement facilities ation and Design DTS/DPF 37.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodati Siting, Configur PO 37.1 Supported accommodation and housing for aged persons and	None are applicable. DTS/DPF 36.2 None are applicable. on and retirement facilities sation and Design
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodation Siting, Configur PO 37.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of	DTS/DPF 36.2 None are applicable. on and retirement facilities ation and Design DTS/DPF 37.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodati Siting, Configur PO 37.1 Supported accommodation and housing for aged persons and	DTS/DPF 36.2 None are applicable. on and retirement facilities ation and Design DTS/DPF 37.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodation Siting, Configur PO 37.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of	DTS/DPF 36.2 None are applicable. on and retirement facilities ation and Design DTS/DPF 37.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. PO 36.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. Supported Accommodation Siting, Configur PO 37.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	DTS/DPF 36.2 None are applicable. on and retirement facilities ation and Design DTS/DPF 37.1 None are applicable.

Page 69 of 128 Printed on 8/12/2022

Page 230 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

people living with disabilities or limited mobility and / or to facilitate ageing in place.		
Movement and Access		
PO 38.1	DTS/DPF 38.1	
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.	
ground-level access or lifted access to all units level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places car parks with gradients no steeper than 1-in-40, and of		
sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.		
Communal	Open Space	
PO 39.1	DTS/DPF 39.1	
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.	
PO 39.2	DTS/DPF 39.2	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
PO 39.3	DTS/DPF 39.3	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.	
PO 39.4	DTS/DPF 39.4	
Communal open space is designed and sited to:	None are applicable.	
(a) be conveniently accessed by the dwellings which it services		
(b) have regard to acoustic, safety, security and wind effects.		
PO 39.5	DTS/DPF 39.5	
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.	
PO 39.6	DTS/DPF 39.6	
Communal open space is designed and sited to:	None are applicable.	
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings		
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.		
Site Facilities	Waste Storage	
PO 40.1	DTS/DPF 40.1	
Development is designed to provide storage areas for personal	None are applicable.	

Page 70 of 128 Printed on 8/12/2022

Page 231 City of Salisbury

Policy24 - Enquiry	
items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.	
PO 40.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	DTS/DPF 40.2 None are applicable.
PO 40.3 Provision is made for suitable external clothes drying facilities. PO 40.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view. PO 40.5 Waste and recyclable material storage areas are located away from dwellings. PO 40.6 Provision is made for on-site waste collection where 10 or more	DTS/DPF 40.3 None are applicable. DTS/DPF 40.4 None are applicable. DTS/DPF 40.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DTS/DPF 40.6
bins are to be collected at any one time. PO 40.7 Services, including gas and water meters, are conveniently located and screened from public view.	DTS/DPF 40.7 None are applicable.
PO 41.1	DTS/DPF 41.1
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction.	Student accommodation provides: (a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including: (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m³ for every 2 dwellings or students (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students.
PO 41.2	DTS/DPF 41.2

Page 71 of 128 Printed on 8/12/2022

Page 232 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry		
the building to acc	odation is designed to provide easy adaptation of commodate an alternative use of the building in the per required for student housing.	None are applicable.
	All non-resident	ial development
	Water Sens	itive Design
PO 42.1		DTS/DPF 42.1
solids, organic ma	ly to result in risk of export of sediment, suspended atter, nutrients, oil and grease include stormwater tems designed to minimise pollutants entering	None are applicable.
PO 42.2		DTS/DPF 42.2
	d from a development site is of a physical, logical condition equivalent to or better than its ate.	None are applicable.
PO 42.3		DTS/DPF 42.3
peak flows and m discharges from t	udes stormwater management systems to mitigate lanage the rate and duration of stormwater he site to ensure that development does not ws in downstream systems.	None are applicable.
	Wash-down and Waste	Loading and Unloading
PO 43.1		DTS/DPF 43.1
waste refuse bins wash-down areas equipment are: (a) designed stormwa entry of 6 (b) paved w collection (c) of suffici wastewa (d) are designed (i)	s including loading and unloading, storage of in commercial and industrial development or is used for the cleaning of vehicles, plant or it to contain all wastewater likely to pollute the within a bunded and roofed area to exclude the external surface stormwater run-off with an impervious material to facilitate wastewater in the entities to prevent 'splash-out' or 'over-spray' of the from the wash-down area gned to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.
	I	avalorment
		evelopment and Access
PO 44.1	mnastructure	
-	n a primary street comprising a laneway, alley, or similar minor thoroughfare only occurs where:	DTS/DPF 44.1 Development with a primary street frontage that is not an alley, land right of way or similar public thoroughfare.

Page 72 of 128 Printed on 8/12/2022

existing utility infrastructure and services are capable of

Table 1 - Private Open Space

Dwelling Type	Dwelling / Site	Minimum Rate
	Configuration	
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate	Dwellings at ground level:	15m ² / minimum dimension 3m
above ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m² / minimum dimension 1.8m
	One bedroom dwelling	8m² / minimum dimension 2.1m
	Two bedroom dwelling	11m ² / minimum dimension 2.4m
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Forestry

Assessment Provisions (AP)

Page 73 of 128 Printed on 8/12/2022

Page 234 City of Salisbury

	Desired Outcome
DO 1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Si	ting	
PO 1.1	DTS/DPF 1.1	
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).	
PO 1.3	DTS/DPF 1.3	
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
PO 1.4	DTS/DPF 1.4	
Commercial forestry plantations are separated from reserves gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> to minimise fire risk and potential for weed infestation.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from a reserve gazetted under the National Parks and Wildlife Act 1972 and/or Wilderness Protection Act 1992.	
Water F	Protection	
PO 2.1	DTS/DPF 2.1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources.	Commercial forestry plantations: do not involve cultivation (excluding spot cultivation) in drainage lines are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an	
	aquifer) (c) are set back 10m or more from the banks of any first or	

Page 74 of 128 Printed on 8/12/2022

Page 235 Council Assessment Panel Agenda - 28 March 2023

Policy2	4 - En	auirv
---------	--------	-------

Policy24 - Enquiry	
	second order watercourse or sinkhole (with no direct connection to an aquifer).
Fire Ma	nagement
PO 3.1 Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.	DTS/DPF 3.1 Commercial forestry plantations provide: (a) 7m or more wide external boundary firebreaks for plantations of 40ha or less (b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha (c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.
PO 3.2 Commercial forestry plantations incorporate appropriate fire management access tracks.	DTS/DPF 3.2 Commercial forestry plantation fire management access tracks: (a) are incorporated within all firebreaks (b) are 7m or more wide with a vertical clearance of 4m or more (c) are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for firefighting vehicles (d) partition the plantation into units of 40ha or less in area.
Power-line	Clearances
PO 4.1 Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	DTS/DPF 4.1 Commercial forestry plantations incorporating trees with an expected mature height of greater than 6m meet the clearance requirements listed in the following table: Voltage of transmission line Tower or Pole Minimum horizontal clearance distance between plantings and
	transmission lines 500 kV Tower 38m 275 kV Tower 25m
	132 kV Tower 30m
	132 kV Pole 20m
	66 kV Pole 20m
	Less than 66 kV Pole 20m

Housing Renewal

Page 75 of 128 Printed on 8/12/2022

Assessment Provisions (AP)

Desired Outcome		
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

	nd Intensity	
Land Use a	,	
PO 1.1	DTS/DPF 1.1	
Residential development provides a range of housing choices.	Development comprises one or more of the following: (a) detached dwellings (b) semi-detached dwellings (c) row dwellings (d) group dwellings (e) residential flat buildings.	
PO 1.2	DTS/DPF 1.2	
Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	None are applicable.	
Building	y Height	
PO 2.1	DTS/DPF 2.1	
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).	
PO 2.2	DTS/DPF 2.2	
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.	
Primary Str	eet Setback	
PO 3.1	DTS/DPF 3.1	
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.	
Secondary S	treet Setback	

Page 76 of 128 Printed on 8/12/2022

Page 237 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy	v24 -	End	uirv
F OIIC	VZ4 -		Juli y

Dwelling elevations facing public streets and common driveways	Each dwelling includes at least 3 of the following design features		
PO 8.1	DTS/DPF 8.1		
Buildings et	levation design		
(d) space for landscaping and vegetation.			
access to natural light and ventilation for neighbours private open space			
suburban character	(b) 5m or more for any subsequent building level.		
(a) separation between dwellings in a way that contributes to a	(a) 3m or more for the first building level		
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:		
PO 7.1	DTS/DPF 7.1		
Rear Bour	ndary Setback		
	(c) at least 1.9m plus 1/3 of the wall height above 3m for wa facing a southern side boundary.		
1-7 access to natural light and ventiliation for neighbours.	(b) other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m		
suburban character (b) access to natural light and ventilation for neighbours.	(a) at least 900mm where the wall height is up to 3m		
(a) separation between dwellings in a way that contributes to a			
Buildings are set back from side boundaries to provide:	Other than walls located on a side boundary, buildings are set be from side boundaries:		
PO 6.1	DTS/DPF 6.1		
Side Pour	adary Setback		
character.	outside the development site, except for a carport or garage.		
Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape	Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments		
PO 5.2	DTS/DPF 5.2		
	(iv) encroach within 3 metres of any other existing proposed boundary walls on the subject land.		
	of the length of the boundary		
	(iii) when combined with other walls on the boundarof the subject development site, a maximum 45°		
	(ii) exceed 11.5m in length		
	 exceed 3.2m in height from the lower of the natural or finished ground level 		
	(b) do not:		
	land for the same length and height		
	(a) adjoin or abut a boundary wall of a building on adjoining		
paste and accord to rateful light and reminators.	are sited on only one side boundary and satisfy (a) or (b):		
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary was		
PO 5.1	DTS/DPF 5.1		
	lary Walls		
contribute to a suburban streetscape character.	,		
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.		
	DTS/DPF 4.1		
PO 4.1	DTC/DDE 4.4		

Page 238 Council Assessment Panel Agenda - 28 March 2023

make a positive contribution to the streetscape and common	within the building elevation facing a primary street, and at least 2	
make a positive contribution to the streetscape and common driveway areas.	within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing	
	any other public road (other than a laneway) or a common	
	driveway:	
	(a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line	
	(b) a porch or portico projects at least 1m from the building elevation	
	(c) a balcony projects from the building elevation	
	(d) a verandah projects at least 1m from the building elevation	
	(e) eaves of a minimum 400mm width extend along the width of the front elevation	
	(f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm.	
	(g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.	
PO 8.2	DTS/DPF 8.2	
Dwellings incorporate windows along primary street frontages to	Each dwelling with a frontage to a public street:	
encourage passive surveillance and make a positive contribution to the streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m	
	 (b) has an aggregate window area of at least 2m² facing the primary street 	
PO 8.3	DTS/DPF 8.3	
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable.	
PO 8.4	DTS/DPF 8.4	
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable.	
PO 8.5	DTS/DPF 8.5	
Entrances to multi-storey buildings are:	None are applicable.	
(a) oriented towards the street		
(b) visible and easily identifiable from the street		
(c) designed to include a common mail box structure.		
Outlook a	I nd amenity	
PO 9.1	DTS/DPF 9.1	
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook towards the street frontage or private open space.	
PO 9.2	DTS/DPF 9.2	
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.	

Page 78 of 128 Printed on 8/12/2022

Page 239 Council Assessment Panel Agenda - 28 March 2023

Private Open Space			
PO 10.1	DTS/DPF 10.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with the following table:		nnce with the following
	Dwelling Type	Dwelling / Site	Minimum Rate
	Dwelling (at ground level)		Total area: 24m² located behind the building line Minimum adjacent to a
			living room: 16m ² with a minimum dimension 3m
	Dwelling (above ground level)	Studio	4m² / minimum dimension 1.8m
		One bedroom dwelling	8m² / minimum dimension 2.1m
		Two bedroom dwelling	11m ² / minimum dimension 2.4m
		Three + bedroom dwelling	15 m ² / minimum dimension 2.6m
PO 10.2	DTS/DPF 10.2		
Private open space positioned to provide convenient access from internal living areas.	At least 50% of the required area of private open space is accessible from a habitable room.		e open space is
PO 10.3	DTS/DPF 10.3		
Private open space is positioned and designed to:	None are applicable.		
(a) provide useable outdoor space that suits the needs of occupants;			
take advantage of desirable orientation and vistas; and adequately define public and private space.			
Visual	privacy		
PO 11.1	DTS/DPF 11.1		
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.		s facing side or rear bo allotment/site satisfy or	oundaries shared with ne of the following:
	finished flo	nently obscured to a he or level and are fixed or re than 200mm	eight of 1.5m above or not capable of being
	(b) have sill he finished floor	ights greater than or e or level	qual to 1.5m above

Page 79 of 128 Printed on 8/12/2022

Policy24	- Enquiry		
		(c) incorporate screening with a maximum of 25 permanently fixed no more than 500mm from surface and sited adjacent to any part of the than 1.5m above the finished floor.	n the window
PO 11.2		DTS/DPF 11.2	
Develop	oment mitigates direct overlooking from upper level balconies races to habitable rooms and private open space of g residential uses.	(a) the longest side of the balcony or terrace wi road, public road reserve or public reserve to 15m wide in all places faced by the balcony or (b) all sides of balconies or terraces on upper beare permanently obscured by screening with 25% transparency/openings fixed to a minin (i) 1.5m above finished floor level where is located at least 15 metres from the	hat is at least or terrace uilding levels a a maximum num height of: re the balcony are nearest
		habitable window of a dwelling on a or (ii) 1.7m above finished floor level in al	•
	Lands	caping	
PO 12.1		DTS/DPF 12.1	
(a) (b) (c) (d)	dscaping is incorporated into development to: minimise heat absorption and reflection maximise shade and shelter maximise stormwater infiltration and biodiversity enhance the appearance of land and streetscapes.	Residential development incorporates pervious areas landscaping with a minimum dimension of 700mm pro accordance with (a) and (b): (a) a total area as determined by the following to Dwelling site area (or in the case of residential flat	ovided in
		building or group dwelling(s), average site area) (m2)	percentage of site
		<150	10%
		<200	15%
		200-450 >450	20% 25%
		(b) at least 30% of land between the road bound building line.	
	Water Sens	itive Design	
PO 13.1		DTS/DPF 13.1	
Resider to:	ntial development is designed to capture and use stormwater	None are applicable.	
(a)	maximise efficient use of water resources		
(b)	manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded		
(c)	manage runoff quality to maintain, as close as practical, pre-development conditions.		
	Car P	arking	
PO 14.1		DTS/DPF 14.1	

Page 80 of 128 Printed on 8/12/2022

Page 241 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry			
On-site car parking is provided to meet the anticipated demand of residents, with less on-site parking in areas in close proximity to public transport.	On-site car parking is provided at the following rates per dwelling: (a) 2 or fewer bedrooms - 1 car parking space (b) 3 or more bedrooms - 2 car parking spaces.		
PO 14.2	DTS/DPF 14.2		
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential parking spaces enclosed by fencing, walls or other obstructions with the following internal dimensions (separate from any waste storage area):		
	(a) single parking spaces: (i) a minimum length of 5.4m (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.5m (iii) minimum garage door width of 2.4m per space.		
PO 14.3	DTS/DPF 14.3		
Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space an any fence, wall or other obstruction of 1.5m.		
PO 14.4	DTS/DPF 14.4		
Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.		
PO 14.5	DTS/DPF 14.5		
Residential flat buildings provide dedicated areas for bicycle parking.	Residential flat buildings provide one bicycle parking space per dwelling.		
Oversha	adowing		
PO 15.1	DTS/DPF 15.1		
Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	None are applicable.		
Wa	aste		
PO 16.1	DTS/DPF 16.1		
Provision is made for the convenient storage of waste bins in a location screened from public view.	A waste bin storage area is provided behind the primary building line that:		
	has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and has a continuous unobstructed path of travel (excluding		

Page 81 of 128 Printed on 8/12/2022

Page 242 Council Assessment Panel Agenda - 28 March 2023

	moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
PO 16.2	DTS/DPF 16.2
Residential flat buildings provide a dedicated area for the on-site storage of waste which is:	None are applicable.
 easily and safely accessible for residents and for collection vehicles 	
(b) screened from adjoining land and public roads	
(c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.	
Vehicle	Access
PO 17.1	DTS/DPF 17.1
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	None are applicable.
PO 17.2	DTS/DPF 17.2
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance
	(iii) 6m or more from the tangent point of an intersection of 2 or more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not more than 1-in-4 on average
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to whice it provides access (measured from the front of that space and the road boundary.
	(c) if located so as to provide access from an alley, lane or right of way - the alley, lane or right or way is at least 6.2n wide along the boundary of the allotment / site.
PO 17.4	DTS/DPF 17.4

Page 82 of 128 Printed on 8/12/2022

Page 243 Council Assessment Panel Agenda - 28 March 2023

Where on-street parking is available abutting the site's street
frontage, on-street parking is retained in accordance with the following requirements: 1. minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) 2. Minimum car park length of 5.4m where a vehicle can enter or exit a space directly 3. minimum car park length of 6m for an intermediate space located between two other parking spaces.
DTS/DPF 17.5 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
DTS/DPF 17.6 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn man
DTS/DPF 17.7 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
torage
DTS/DPF 18.1
Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:
(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
rthworks
DTS/DPF 19.1 The development does not involve: (a) excavation exceeding a vertical height of 1m or

Page 83 of 128 Printed on 8/12/2022

Page 244 Council Assessment Panel Agenda - 28 March 2023 Policy24 - Enquiry Service connections and infrastructure DTS/DPF 20.1 Dwellings are provided with appropriate service connections and The site and building: infrastructure have the ability to be connected to a permanent potable water supply have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011 (c) have the ability to be connected to electricity supply (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996. Site contamination PO 21.1 DTS/DPF 21.1 Land that is suitable for sensitive land uses to provide a safe Development satisfies (a), (b), (c) or (d): environment. does not involve a change in the use of land (b) involves a change in the use of land that does not constitute a change to a more sensitive use involves a change in the use of land to a more sensitive use on land at which site contamination does not exist (as demonstrated in a site contamination declaration form) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that site contamination does not exist (or no longer exists) at the land the land is suitable for the proposed use or range of uses (without the need for any further remediation) where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

Infrastructure and Renewable Energy Facilities

Page 84 of 128 Printed on 8/12/2022

Assessment Provisions (AP)

DO 1 Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
General			
PO 1.1	DTS/DPF 1.1		
Development is located and designed to minimise hazard or nuisance to adjacent development and land uses.	None are applicable.		
	Visual Amenity		
PO 2.1	DTS/DPF 2.1		
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by: (a) utilising features of the natural landscape to obscure views where practicable (b) siting development below ridgelines where practicable (c) avoiding visually sensitive and significant landscapes (d) using materials and finishes with low-reflectivity and colours that complement the surroundings (e) using existing vegetation to screen buildings (f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	None are applicable.		
PO 2.2 Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	DTS/DPF 2.2 None are applicable.		
PO 2.3	DTS/DPF 2.3		

Page 85 of 128 Printed on 8/12/2022

Page 246 Ci Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
	Rehabilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
	Hazard Management
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	None are applicable.
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are separated as far as practicable from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to reduce risks to public safety from fire or equipment malfunction.	None are applicable.
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy facilities by providing appropriate access tracks, safety equipment and water tanks and establishing cleared areas around substations, battery storage and operations compounds.	None are applicable.
Electricity Infras	tructure and Battery Storage Facilities
PO 5.1	DTS/DPF 5.1
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.
(a) siting utilities and services:	
 grouping utility buildings and structures with non- residential development, where practicable. 	
PO 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new development in urban areas and townships installed underground, excluding lines having a capacity exceeding	None are applicable.

Page 86 of 128 Printed on 8/12/2022

Page 247 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

or equal to 33kV.				
PO 5.3	DTS/DPF 5.3			
Battery storage facilities are co-located with substation infrastructure where practicable to minimise the development footprint and reduce environmental impacts.	None are applicable.			
Te	lecommunication Facilities			
PO 6.1	DTS/DPF 6.1			
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity.	None are applicable.			
PO 6.2	DTS/DPF 6.2			
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk	None are applicable.			
and mitigate impacts on visual amenity.				
PO 6.3	DTS/DPF 6.3			
Telecommunications facilities, particularly	None are applicable.			
towers/monopoles, are located and sized to mitigate visual				
impacts by the following methods:				
(a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose				
or all of the following:				
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services				
(c) using materials and finishes that complement the environment				
screening using landscaping and vegetation, particularly for equipment shelters and huts.				
Renewable Energy Facilities				
PO 7.1	DTS/DPF 7.1			
Renewable energy facilities are located as close as	None are applicable.			
practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts				
as a result of extending transmission infrastructure.				
Renewable Energy Facilities (Wind Farm)				
PO 8.1	DTS/DPF 8.1			
Visual impact of wind turbine generators on the amenity of	Wind turbine generators are:			
residential and tourist development is reduced through				
appropriate separation.	(a) set back at least 2000m from the base of a turbine to any of the			

Page 87 of 128 Printed on 8/12/2022

Page 248
City of Salisbury

Policy2	4 - En	auirv
---------	--------	-------

Policy24 - Enquiry	
PO 8.2 The visual impact of wind turbine generators on natural landscapes is managed by: (a) designing wind turbine generators to be uniform	following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation DTS/DPF 8.2 None are applicable.
in colour, size and shape (b) coordinating blade rotation and direction (c) mounting wind turbine generators on tubular towers as opposed to lattice towers.	
PO 8.3 Wind turbine generators and ancillary development minimise potential for bird and bat strike.	DTS/DPF 8.3 None are applicable.
PO 8.4 Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	DTS/DPF 8.4 No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.
PO 8.5 Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	DTS/DPF 8.5 None are applicable.
Renewable	e Energy Facilities (Solar Power)
PO 9.1 Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	DTS/DPF 9.1 None are applicable.
PO 9.2 Ground mounted solar power facilities allow for movement of wildlife by:	DTS/DPF 9.2 None are applicable.
incorporating wildlife corridors and habitat refuges avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.	
PO 9.3	DTS/DPF 9.3

Page 88 of 128 Printed on 8/12/2022

Page 249 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:			,	
	Generation Capacity	Approximate size of array	Setback from adjoining land boundary	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
	Notes: 1. Does not app facility is located				ounted solar power
PO 9.4 Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.	DTS/DPF 9.4 None are applicable.				
Hydropowe	er / Pumped Hydropo	ower Facilities			
PO 10.1 Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	DTS/DPF 10.1 None are applicable.				
PO 10.2 Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	DTS/DPF 10.2 None are applications are applications.	able.			
PO 10.3	DTS/DPF 10.3				

Page 89 of 128 Printed on 8/12/2022

Page 250 City of Salisbury

Policy24 - Enquiry		
Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.	None are applicable.	
	Water Supply	
PO 11.1	DTS/DPF 11.1	
Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use.	Development is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the on-going requirements of the development.	
PO 11.2	DTS/DPF 11.2	
Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling.	
	Wastewater Services	
PO 12.1	DTS/DPF 12.1	
Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate on-site service is provided to meet the ongoing requirements of the intended use in accordance with the following: (a) it is wholly located and contained within the allotment of the development it will service (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm.	Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011.	
PO 12.2	DTS/DPF 12.2	
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.	
	Temporary Facilities	
PO 13.1 In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a	DTS/DPF 13.1 A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.	

Page 90 of 128 Printed on 8/12/2022

Page 251 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter.	
PO 13.2	DTS/DPF 13.2
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.	None are applicable.

Intensive Animal Husbandry and Dairies

Assessment Provisions (AP)

Desired Outcome		
DO 1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting an	nd Design
PO 1.1	DTS/DPF 1.1
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.
PO 1.3	DTS/DPF 1.3
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.
PO 1.4	DTS/DPF 1.4
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the

Page 91 of 128 Printed on 8/12/2022

Page 252 City of Salisbury

nearest sensitive receiver in other ownership. DTS/DPF 1.5
DTS/DPF 1.5
Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.
aste
DTS/DPF 2.1
None are applicable.
ter Protection
DTS/DPF 3.1
Intensive animal husbandry operations are set back: (a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher stream) (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.
DTS/DPF 3.2
None are applicable.

Interface between Land Uses

Assessment Provisions (AP)

	Desired Outcome
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Page 92 of 128 Printed on 8/12/2022

	Performance Outcome	Designat	o-Satisfy Criteria / ed Performance Feature
	General Land U	se Compatibility	
PO 1.1		DTS/DPF 1.1	
occupa	ive receivers are designed and sited to protect residents and ants from adverse impacts generated by lawfully existing land or lawfully approved land uses) and land uses desired in the	None are applicable.	
PO 1.2		DTS/DPF 1.2	
lawfully	opment adjacent to a site containing a sensitive receiver (or y approved sensitive receiver) or zone primarily intended to modate sensitive receivers is designed to minimise adverse s.	None are applicable.	
	Hours of	Operation	
PO 2.1		DTS/DPF 2.1	
	sidential development does not unreasonably impact the y of sensitive receivers (or lawfully approved sensitive	Development operating wi	thin the following hours:
	ers) or an adjacent zone primarily for sensitive receivers h its hours of operation having regard to:	Class of Development	Hours of operation
(a)	the nature of the development	Consulting room	7am to 9pm, Monday to Friday
(b)	measures to mitigate off-site impacts		8am to 5pm, Saturday
(c) (d)	the extent to which the development is desired in the zone measures that might be taken in an adjacent zone primarily		oan to opin, Saturday
(-)	for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	Office	7am to 9pm, Monday to Friday 8am to 5pm, Saturday
		Shop, other than any one or combination of	7am to 9pm, Monday to Friday
		the following:	8am to 5pm, Saturday and Sunday
		(a) rostaurant	
		(a) restaurant (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone	
	Oversh	adowing	
PO 3.1		DTS/DPF 3.1	
Overshadowing of habitable room windows of adjacent residential land uses in:		land uses in a neighbourh	abitable rooms of adjacent residential ood-type zone receive at least 3 hours of
direct v	neighbourhood-type zone is minimised to maintain access to winter sunlight	airect sunlight between 9.0	00am and 3.00pm on 21 June.
b. ot	her zones is managed to enable access to direct winter	l	

Page 93 of 128 Printed on 8/12/2022

Page 254 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Engu	irv
-----------------	-----

sunlight. PO 3.2 Overshadowing of the primary area of private open space or	DTS/DPF 3.2
	DTS/DPF 3.2
Overshadowing of the primary area of private open space or	
communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.
PO 3.3	DTS/DPF 3.3
Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	None are applicable.
PO 3.4	DTS/DPF 3.4
Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	
Activities Generati	ng Noise or Vibration
PO 4.1	DTS/DPF 4.1
Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.
PO 4.2	DTS/DPF 4.2
Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including:	None are applicable.
 locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers 	
 (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones 	
primarily intended to accommodate sensitive receivers (c) housing plant and equipment within an enclosed structure	I

Page 94 of 128 Printed on 8/12/2022

Page 255 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry		
or acoustic enclosure (d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF 4.3 The pump and/or filtration system ancillary to a dwelling erected on the same site is: (a) enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment.	
External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.	DTS/DPF 4.4 Adjacent land is used for residential purposes.	
Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF 4.5 None are applicable.	
PO 4.6 Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers.	DTS/DPF 4.6 Development incorporating music includes noise attenuation measures that will achieve the following noise levels: Assessment location Music noise level	
	Externally at the nearest existing or envisaged noise sensitive location Less than 8dB above the level of background noise (L _{90,15min}) in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)	
Air Q	uality	
PO 5.1 Development with the potential to emit harmful or nuisance- generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	DTS/DPF 5.1 None are applicable.	
Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by: (a) incorporating appropriate treatment technology before	DTS/DPF 5.2 None are applicable.	

Page 95 of 128 Printed on 8/12/2022

Page 256 Council Assessment Panel Agenda - 28 March 2023

1 Olicy24 - Eriquiry	
exhaust emissions are released (b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into	
account the location of sensitive receivers.	
Lig	ht Spill
PO 6.1	DTS/DPF 6.1
External lighting is positioned and designed to not cause	None are applicable.
unreasonable light spill impact on adjacent sensitive receivers (or	
lawfully approved sensitive receivers).	
PO 6.2	DTS/DPF 6.2
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Refle	activity / Glare
PO 7.1	DTS/DPF 7.1
Development is designed and comprised of materials and finishes	None are applicable.
that do not unreasonably cause a distraction to adjacent road users	
and pedestrian areas or unreasonably cause heat loading and	
micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	
Electrical	Interference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably	The building or structure:
diminish or result in the loss of existing communication services due to electrical interference.	(a) is no greater than 10m in height, measured from existing
to electrical interference.	ground level
	or
	 (b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative
	service is available via a different fixed transmitter or
	cable.
Interface with	Rural Activities
PO 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts	None are applicable.
from lawfully existing horticultural and farming activities (or lawfully	
approved horticultural and farming activities), including spray drift	
and noise and do not prejudice the continued operation of these activities.	
PO 9.2	DTS/DPF 9.2
Sensitive receivers are located and designed to mitigate potential	None are applicable.
impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	
and at hist projudice the continued operation of these activities.	
PO 9.3	DTS/DPF 9.3
Sensitive receivers are located and designed to mitigate potential	Sensitive receivers are located at least 200m from the boundary of
impacts from lawfully existing land-based aquaculture activities and	a site used for land-based aquaculture and associated components
do not prejudice the continued operation of these activities.	in other ownership.
PO 9.4	DTS/DPF 9.4

Page 96 of 128 Printed on 8/12/2022

Page 257
City of Salisbury

Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and	
wastewater lagoons and liquid/solid waste storage and disposal	liquid/solid waste storage and disposal facilities in other ownership.	
facilities and do not prejudice the continued operation of these		
activities.		
PO 9.5	DTS/DPF 9.5	
Sensitive receivers are located and designed to mitigate the	Sensitive receivers are located away from the boundary of a site	
potential impacts from lawfully existing facilities used for the	used for the handling, transportation and/or storage of bulk	
handling, transportation and storage of bulk commodities	commodities in other ownership in accordance with the following:	
(recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	(a) 300m or more, where it involves the handling of agricultural	
	crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility	
	(b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea- port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day	
	(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres	
	(d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes	
	(e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.	
PO 9.6	DTS/DPF 9.6	
Setbacks and vegetation plantings along allotment boundaries	None are applicable.	
should be incorporated to mitigate the potential impacts of spray		
drift and other impacts associated with agricultural and horticultural activities.		
PO 9.7	DTS/DPF 9.7	
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.	
Interface with Mines and Qua	rries (Rural and Remote Areas)	
PO 10.1	DTS/DPF 10.1	
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act</i> 1971.	

Land Division

Assessment Provisions (AP)

Page 97 of 128 Printed on 8/12/2022

Page 258 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

Desired Outcome			
DO 1	Land division:		
	(a) (b) (c)	creates allotments with the appropriate dimensions and shape for their intended use allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure	
		integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features	
	(d)	facilitates solar access through allotment orientation	
	(e)	creates a compact urban form that supports active travel, walkability and the use of public transport	
	(f)	avoids areas of high natural hazard risk.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All land	division
	onfiguration
PO 1.1	DTS/DPF 1.1
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b):
	(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the <i>Development Act 1993</i> or <i>Planning, Development and Infrastructure Act 2016</i> where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.
PO 1.2	DTS/DPF 1.2
Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	None are applicable.
Design a	nd Layout
PO 2.1	DTS/DPF 2.1
Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	None are applicable.
PO 2.2	DTS/DPF 2.2
Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	None are applicable.
PO 2.3	DTS/DPF 2.3
Land division maximises the number of allotments that face public open space and public streets.	None are applicable.
PO 2.4	DTS/DPF 2.4
Land division is integrated with site features, adjacent land uses, the	None are applicable.

Page 98 of 128 Printed on 8/12/2022

Page 259 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
existing transport network and available infrastructure.	
PO 2.5	DTS/DPF 2.5
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
PO 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
PO 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads ar	nd Access
PO 3.1	DTS/DPF 3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
PO 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Land division does not impede access to publicly owned open space and/or recreation facilities.	None are applicable.
PO 3.4	DTS/DPF 3.4
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7	DTS/DPF 3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8

Page 99 of 128 Printed on 8/12/2022

Page 260 Council Assessment Panel Agenda - 28 March 2023

Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	
PO 3.9 DTS/DPF 3.9	
Roads, open space and thoroughfares provide safe and convenient None are applicable.	
linkages to the surrounding open space and transport network.	
PO 3.10 DTS/DPF 3.10	
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	
PO 3.11 DTS/DPF 3.11	
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	
Infrastructure	
PO 4.1 DTS/DPF 4.1	
Land division incorporates public utility services within road reserves or dedicated easements. None are applicable.	
PO 4.2 DTS/DPF 4.2	
Waste water, sewage and other effluent is capable of being Each allotment can be connected to:	
disposed of from each allotment without risk to public health or the	
environment. (a) a waste water treatment plant that has the hydrogen and pollutant load treatment and disposal cap	
maximum predicted wastewater volume gener	,
subsequent development of the proposed allo	tment
(b) a form of on-site waste water treatment and d meets relevant public health and environment	
PO 4.3 DTS/DPF 4.3	
Septic tank effluent drainage fields and other waste water disposal Development is not built on, or encroaches within, an	area that is or
areas are maintained to ensure the effective operation of waste will be, required for a sewerage system or waste contract the series and spiritures and spiritures and spiritures and spiritures and spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures and spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures and spiritures are spiritures are spiritures and spiritures are spir	rol system.
systems and minimise risks to human health and the environment.	
PO 4.4 DTS/DPF 4.4	
Constructed wetland systems, including associated detention and None are applicable.	
retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health	
risks arising from the breeding of mosquitoes.	
PO 4.5 DTS/DPF 4.5	
Constructed wetland systems, including associated detention and None are applicable.	
retention basins, are sited and designed to allow sediments to settle	
prior to discharge into watercourses or the marine environment.	
PO 4.6 DTS/DPF 4.6	
Constructed wetland systems, including associated detention and None are applicable.	
retention basins, are sited and designed to function as a landscape feature.	
Total C.	
Minor Land Division (Under 20 Allotments)	

Page 100 of 128 Printed on 8/12/2022

Page 261 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

Policy24 - Enquiry		
Open	Space	
PO 5.1	DTS/DPF 5.1	
Land division proposing an additional allotment under 1 hectare provides or supports the provision of open space.	None are applicable.	
Solar O	i rientation	
PO 6.1	DTS/DPF 6.1	
Land division for residential purposes facilitates solar access through allotment orientation.	None are applicable.	
Water Sens	sitive Design	
PO 7.1	DTS/DPF 7.1	
Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.	
PO 7.2	DTS/DPF 7.2	
Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.	
Battle-Axe I	Development	
PO 8.1	DTS/DPF 8.1	
Battle-axe development appropriately responds to the existing neighbourhood context.	Allotments are not in the form of a battle-axe arrangement.	
PO 8.2 Battle-axe development designed to allow safe and convenient movement. PO 8.3 Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	The handle of a battle-axe development: (a) has a minimum width of 4m or (b) where more than 3 allotments are proposed, a minimum width of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or	
Major Land Divisio	(b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).	
Open	Space	

Page 101 of 128 Printed on 8/12/2022

Page 262 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

1 Shoy2 1 Zhiquiy	
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.	None are applicable.
PO 9.2	DTS/DPF 9.2
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sens	sitive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.2	DTS/DPF 10.2
Land division creating 20 or more non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.3	DTS/DPF 10.3
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar O	rientation
PO 11.1	DTS/DPF 11.1
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.

Marinas and On-Water Structures

Assessment Provisions (AP)

	Desired Outcome
DO 1	

Page 102 of 128 Printed on 8/12/2022

Page 263 Council Assessment Panel Agenda - 28 March 2023

Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation	and Safety
PO 1.1	DTS/DPF 1.1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
PO 1.2	DTS/DPF 1.2
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
PO 1.3	DTS/DPF 1.3
Navigation and access channels are not impaired by marinas and on-water structures.	None are applicable.
PO 1.4	DTS/DPF 1.4
Commercial shipping lanes are not impaired by marinas and onwater structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5	DTS/DPF 1.5
Marinas and on-water structures are located to avoid interfering	On-water structures are set back:
with the operation or function of a water supply pumping station.	(a) 3km or more from upstream water supply pumping station take-off points
	(b) 500m or more from downstream water supply pumping station take-off points.
PO 1.6	DTS/DPF 1.6
Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	None are applicable.
Environmen	I tal Protection
PO 2.1	DTS/DPF 2.1
Development is sited and designed to facilitate water circulation and exchange.	None are applicable.

Open Space and Recreation

Assessment Provisions (AP)

Page 103 of 128 Printed on 8/12/2022

Page 264 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Desired Outcome DO 1 Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Land Use a	nd Intensity
PO 1.1		DTS/DPF 1.1
Recrea activitie	tion facilities are compatible with surrounding land uses and es.	None are applicable.
PO 1.2		DTS/DPF 1.2
	space areas include natural or landscaped areas using locally lous plant species and large trees.	None are applicable.
	Design a	and Siting
PO 2.1		DTS/DPF 2.1
Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.		None are applicable.
PO 2.2		DTS/DPF 2.2
Open space and recreation facilities incorporate park furniture, shaded areas and resting places.		None are applicable.
PO 2.3		DTS/DPF 2.3
l '	space and recreation facilities link habitats, wildlife corridors isting open spaces and recreation facilities.	None are applicable.
Pedestrians and Cyclists		and Cyclists
PO 3.1		DTS/DPF 3.1
Open s	space incorporates:	None are applicable.
(a)	pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes;	
(b)	safe crossing points where pedestrian routes intersect the road network;	
(c)	easily identified access points.	
	Usa	bility
PO 4.1		DTS/DPF 4.1

Page 104 of 128 Printed on 8/12/2022

City of Salisbury

Land allocated for open space is suitable for its intended active and	None are applicable
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.
Safety an	d Security
PO 5.1	DTS/DPF 5.1
Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.	None are applicable.
PO 5.2	DTS/DPF 5.2
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.
PO 5.3	DTS/DPF 5.3
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.	None are applicable.
PO 5.5	DTS/DPF 5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.
Signage	
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.
Buildings and Structures	
PO 7.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.
PO 7.2	DTS/DPF 7.2
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.
PO 7.3	DTS/DPF 7.3
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.
PO 7.4	DTS/DPF 7.4
Development that abuts or includes a coastal reserve or Crown land	None are applicable.

Page 105 of 128 Printed on 8/12/2022

Page 266 Council Assessment Panel Agenda - 28 March 2023

scaping
DTS/DPF 8.1
None are applicable.
DTS/DPF 8.2
None are applicable.
DTS/DPF 8.3
None are applicable.
DTS/DPF 8.4
None are applicable.
-

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome	
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and
	reinforced.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres: (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings (c) in contributing to or maintaining a pattern of development that supports equitable community access to services and	None are applicable.
PO 1.2 Out-of-activity centre non-residential development complements	DTS/DPF 1.2 None are applicable.

Page 106 of 128 Printed on 8/12/2022

Page 267 Council Assessment Panel Agenda - 28 March 2023

Activity Centres through the provision of services and facilities:

(a) that support the needs of local residents and workers, particularly in underserviced locations

(b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.

Resource Extraction

Assessment Provisions (AP)

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Designated Performance Feature
and Intensity
DTS/DPF 1.1
None are applicable.
DTS/DPF 1.2
None are applicable.
Quality
DTS/DPF 2.1
None are applicable.
Buffers and Landscaping
DTS/DPF 3.1
None are applicable.

Page 107 of 128 Printed on 8/12/2022

Page 268 City of Salisbury

PO 3.2	DTS/DPF 3.2
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.

Site Contamination

Assessment Provisions (AP)

DO 1 Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 Ensure land is suitable for use when land use changes to a more sensitive use.	DTS/DPF 1.1 Development satisfies (a), (b), (c) or (d): (a) does not involve a change in the use of land (b) involves a change in the use of land that does not constitute a change to a more sensitive use (c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: (i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that- A. site contamination does not exist (or no longer exists) at the land or B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	(ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as

Page 108 of 128 Printed on 8/12/2022

Page 269 Council Assessment Panel Agenda - 28 March 2023

demonstrated in a site contamination declaration form).	n

Tourism Development

Assessment Provisions (AP)

	Desired Outcome		
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Ger	neral
PO 1.1	DTS/DPF 1.1
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.
it supports immersive natural experiences it showcases South Australia's landscapes and produce its events and functions are connected to local food, wine and nature.	
PO 1.2	DTS/DPF 1.2
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.
Caravan and	Tourist Parks
PO 2.1	DTS/DPF 2.1
Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	None are applicable.
PO 2.2	DTS/DPF 2.2
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.
PO 2.3	DTS/DPF 2.3
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.

Page 109 of 128 Printed on 8/12/2022

Page 270 Council Assessment Panel Agenda - 28 March 2023

PO 2.4	DTS/DPF 2.4
Perimeter landscaping is used to enhance the amenity of the	None are applicable.
locality.	
PO 2.5	DTS/DPF 2.5
Amenity blocks (showers, toilets, laundry and kitchen facilities) are	None are applicable.
sufficient to serve the full occupancy of the development.	
PO 2.6	DTS/DPF 2.6
Long-term occupation does not displace tourist accommodation,	None are applicable.
particularly in important tourist destinations such as coastal and riverine locations.	
Tourist accommodation in areas constituted to	under the National Parks and Wildlife Act 1972
PO 3.1	DTS/DPF 3.1
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or	None are applicable.
substantially intact strata of native vegetation (including regenerated	
areas of native vegetation lost through bushfire).	
PO 3.2	DTS/DPF 3.2
Tourist accommodation is sited and designed in a manner that is	None are applicable.
subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are	
avoided.	
PO 3.3	DTS/DPF 3.3
Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on	None are applicable.
cleared (other than where cleared as a result of bushfire) or	
degraded areas or where environmental improvements can be achieved.	
PO 3.4	DTS/DPF 3.4
Tourist accommodation is designed to prevent conversion to private dwellings through:	None are applicable.
(a) comprising a minimum of 10 accommodation units (b) clustering separated individual accommodation units	
(c) being of a size unsuitable for a private dwelling	
(d) ensuring functional areas that are generally associated	
with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual	
accommodation units, or are of a size unsuitable for a private dwelling.	
F	

Transport, Access and Parking

Assessment Provisions (AP)

Page 110 of 128 Printed on 8/12/2022

Desired Outcome	
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Moveme	nt Systems
PO 1.1	DTS/DPF 1.1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.
PO 1.4	DTS/DPF 1.4
Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	All vehicle manoeuvring occurs onsite.
Sightlines	
PO 2.1	DTS/DPF 2.1
Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	None are applicable.
PO 2.2	DTS/DPF 2.2
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.
Vehicle	e Access
PO 3.1	DTS/DPF 3.1
Safe and convenient access minimises impact or interruption on the	The access is:
2000 111 of 120	Printed on 8/12/2022

Page 111 of 128 Printed on 8/12/2022

Page 272 Council Assessment Panel Agenda - 28 March 2023

Polic	y24 -	Enc	uiry
-------	-------	-----	------

Policy24 - Enquiry	
operation of public roads.	provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.
PO 3.2	DTS/DPF 3.2
Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.
PO 3.4	DTS/DPF 3.4
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.
PO 3.5	DTS/DPF 3.5
Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street
	tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an
	intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 3.6	DTS/DPF 3.6
Driveways and access points are separated and minimised in	Driveways and access points:
number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	(a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.
PO 3.7	DTS/DPF 3.7
Access points are appropriately separated from level crossings to	Development does not involve a new or modified access or cause

Page 112 of 128 Printed on 8/12/2022

Page 273 Council Assessment Panel Agenda - 28 March 2023

avoid in	nterference and ensure their safe ongoing operation.	an increase in traffic through an existing access that is located
		within the following distance from a railway crossing:
		(a) 80 km/h road - 110m
		(a) 80 km/n road - 110m (b) 70 km/h road - 90m
		(c) 60 km/h road - 70m
		(d) 50km/h or less road - 50m.
		(-) Column of 1000 1000
PO 3.8		DTS/DPF 3.8
Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.		None are applicable.
PO 3.9		DTS/DPF 3.9
Develor	pment is designed to ensure vehicle circulation between	None are applicable.
	areas occurs within the site without the need to use public	
roads.		
	Access for Page	le with Disabilities
PO 4.1	noods of Foop	DTS/DPF 4.1
	week is sited and designed to provide only discilled and	
	pment is sited and designed to provide safe, dignified and ient access for people with a disability.	None are applicable.
CONVEN	ilent access for people with a disability.	
	Vehicle Pa	rking Rates
PO 5.1		DTS/DPF 5.1
Sufficie	ent on-site vehicle parking and specifically marked	Development provides a number of car parking spaces on-site at a
accessi	ible car parking places are provided to meet the needs of the	rate no less than the amount calculated using one of the following,
	oment or land use having regard to factors that may support	whichever is relevant:
a reduc	ced on-site rate such as:	(a) Transport, Access and Parking Table 1 - General Off-
(a)	availability of on-street car parking	Street Car Parking Requirements
(b)	shared use of other parking areas	(b) Transport, Access and Parking Table 2 - Off-Street Vehicle
(c)	in relation to a mixed-use development, where the hours of	Parking Requirements in Designated Areas
	operation of commercial activities complement the	(c) if located in an area where a lawfully established carparking fund operates, the number of spaces
	residential use of the site, the provision of vehicle parking may be shared	calculated under (a) or (b) less the number of spaces
(d)	the adaptive reuse of a State or Local Heritage Place.	offset by contribution to the fund.
	Vehicle Pa	rking Areas
PO 6.1		DTS/DPF 6.1
Vehicle	parking areas are sited and designed to minimise impact on	Movement between vehicle parking areas within the site can occur
	eration of public roads by avoiding the use of public roads	without the need to use a public road.
when m	noving from one part of a parking area to another.	
PO 6.2		DTS/DPF 6.2
Vehicle parking areas are appropriately located, designed and		None are applicable.
constructed to minimise impacts on adjacent sensitive receivers		
through measures such as ensuring they are attractively developed		
and lan	dscaped, screen fenced, and the like.	
PO 6.3		DTS/DPF 6.3
	parking areas are designed to provide opportunity for	
verlicie	, paining areas are designed to provide opportunity for	None are applicable.

Page 113 of 128 Printed on 8/12/2022

Page 274 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry	
integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.	
PO 6.4	DTS/DPF 6.4
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.
PO 6.5	DTS/DPF 6.5
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.
PO 6.6	DTS/DPF 6.6
Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	Loading areas and designated parking spaces are wholly located within the site.
PO 6.7	DTS/DPF 6.7
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.
Undercroft and Below Ground C	I Saraging and Parking of Vehicles
PO 7.1	DTS/DPF 7.1
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.	None are applicable.
Internal Roads and Parking Areas in Resid	ential Parks and Caravan and Tourist Parks
PO 8.1	DTS/DPF 8.1
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.
PO 8.2	DTS/DPF 8.2
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.
Bicycle Parking in	Designated Areas
PO 9.1	DTS/DPF 9.1
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.
PO 9.2	DTS/DPF 9.2
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.
PO 9.3	DTS/DPF 9.3
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to	None are applicable.

Page 114 of 128 Printed on 8/12/2022




Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential Development	
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Group Dwelling	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a

Page 115 of 128 Printed on 8/12/2022

Page 276 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

Row Dwelling where vehicle access is not from	
the primary street (i.e. rear-loaded)	bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Semi-Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supported Accommodation	
Retirement village	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
Residential Development (Other)	
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation	0.3 spaces per bed.
Workers' accommodation	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
Workers' accommodation Tourist Caravan park / tourist park	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking. Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
Tourist	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for
Tourist	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. Parks with more than 100 sites - a minimum of 1 space per 15 sites used for
Tourist Caravan park / tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation. A minimum of 1 space for every caravan (permanently fixed to the ground) or
Tourist Caravan park / tourist park Tourist accommodation	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation. A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation. A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.

Page 116 of 128 Printed on 8/12/2022

Page 277 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

1 Olicy24 - Eriquii y	
Call centre	8 spaces per 100m ² of gross leasable floor area.
Motor repair station	3 spaces per service bay.
Office	4 spaces per 100m ² of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m ² gross leasable floor area.
Service trade premises	 2.5 spaces per 100m² of gross leasable floor area 1 space per 100m² of outdoor area used for display purposes.
Shop (no commercial kitchen)	5.5 spaces per 100m ² of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared. 5 spaces per 100m ² of gross leasable floor area where located in an integrated
	complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Shop (in the form of a bulky goods outlet)	2.5 spaces per 100m ² of gross leasable floor area.
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m ² of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Community and Civic Uses	
Childcare centre	0.25 spaces per child
Library	4 spaces per 100m ² of total floor area.
Community facility	10 spaces per 100m ² of total floor area.
Hall / meeting hall	0.2 spaces per seat.
Place of worship	1 space for every 3 visitor seats.
Pre-school	1 per employee plus 0.25 per child (drop off/pick up bays)

Page 117 of 128 Printed on 8/12/2022

Page 278 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

, , , , , , , , , , , , , , , , , , , ,	
Educational establishment	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Health Related Uses	
Hospital	4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
Consulting room	4 spaces per consulting room excluding ancillary facilities.
Recreational and Entertainment Uses	
Cinema complex	0.2 spaces per seat.
Concert hall / theatre	0.2 spaces per seat.
Hotel	1 space for every 2m ² of total floor area in a public bar plus 1 space for every 6m ² of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	 6.5 spaces per 100m² of total floor area for a Fitness Centre 4.5 spaces per 100m² of total floor area for all other Indoor recreation facilities.
Industry/Employment Uses	
Fuel depot	1.5 spaces per 100m ² total floor area
	1 spaces per 100m ² of outdoor area used for fuel depot activity purposes.
Industry	1.5 spaces per 100m ² of total floor area.
Store	0.5 spaces per 100m ² of total floor area.
Timber yard	1.5 spaces per 100m ² of total floor area
	1 space per 100m ² of outdoor area used for display purposes.
Warehouse	0.5 spaces per 100m ² total floor area.
	Printed on 9/12/2022

Page 118 of 128 Printed on 8/12/2022

Page 279 Council Assessment Panel Agenda - 28 March 2023

Other Uses	
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.
Radio or Television Station	5 spaces per 100m ² of total building floor area.

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column subject to the following:

- (a) the location of the development is unable to satisfy the requirements of Table 2 Criteria (other than where a location is exempted from the application of those criteria)
- (b) the development satisfies Table 2 Criteria (or is exempt from those criteria) and is located in an area where a lawfully established carparking fund operates, in which case the number of spaces are reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development		ses more than one development ing rate will be taken to be the or each development type. Maximum number of spaces	Designated Areas
Development generally			
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is: 1 space for each dwelling with a total floor area less than 75 square metres 2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres 3 spaces for each dwelling with a total floor area greater than 150 square metres. Residential flat building or Residential component of a multi-storey building: 1 visitor space for each 6 dwellings.	Capital City Zone City Main Street Zone City Riverbank Zone Adelaide Park Lands Zone Business Neighbourhood Zone (within the City of Adelaide) The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community Facilities Zone
Non-residential developr	ment		
Non-residential	3 spaces per 100m ² of gross	5 spaces per 100m ² of gross	City Living Zone

Page 119 of 128 Printed on 8/12/2022

Page 280 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry

Policy24 - Enquiry			
development excluding tourist accommodation	leasable floor area.	leasable floor area.	Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m ² of gross leasable floor area.	6 spaces per 100m ² of gross leasable floor area.	Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Business Neighbourhood Zone Suburban Main Street Zone Urban Activity Centre Zone
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Residential development			
Residential component of a multi-storey building	Dwelling with no separate bedroom -0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling 2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25 spaces per dwelling 0.25 spaces per dwelling for visitor parking.	None specified.	City Living Zone Strategic Innovation Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling	None specified.	City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone

Page 120 of 128 Printed on 8/12/2022

2 bedroom dwelling - 1 space per dwelling	Urban Corridor (Living) Zone
3 or more bedroom dwelling - 1.25 spaces per dwelling 0.25 spaces per dwelling for visitor parking.	Urban Corridor (Main Street) Zone Urban Neighbourhood Zone

Table 2 - Criteria:

The following criteria are used in conjunction with Table 2. The 'Exception' column identifies locations where the criteria do not apply and the car parking rates in Table 2 are applicable.

Criteria	Exceptions
The designated area is wholly located within Metropolitan Adelaide and any part of the development site satisfies one or more of the following:	(a) All zones in the City of Adelaide (b) Strategic Innovation Zone in the following locations: (i) City of Burnside (ii) City of Marion (iii) City of Mitcham
 (a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service⁽²⁾ (b) is within 400 metres of a bus interchange⁽¹⁾ (c) is within 400 metres of an O-Bahn interchange⁽¹⁾ (d) is within 400 metres of a passenger rail station⁽¹⁾ (e) is within 400 metres of a passenger tram station⁽¹⁾ (f) is within 400 metres of the Adelaide Parklands. 	 (c) Urban Corridor (Boulevard) Zone (d) Urban Corridor (Business) Zone (e) Urban Corridor (Living) Zone (f) Urban Corridor (Main Street) Zone (g) Urban Neighbourhood Zone

[NOTE(S): (1)Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Table 3 - Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Class of Development	Bicycle Parking Rate Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Consulting Room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.
Educational establishment	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.

Page 121 of 128 Printed on 8/12/2022

Page 282 City of Salisbury

Policy24 - Engu	irv
-----------------	-----

Policy24 - Enquiry	
	For tertiary education - 1 space per 20 employees plus 1 space per 10 full time students.
Hospital	1 space per 15 beds plus 1 space per 30 beds for visitors.
Indoor recreation facility	1 space per 4 employees plus 1 space per 200m ² of gross leasable floor area for visitors.
Licensed Premises	1 per 20 employees, plus 1 per 60 square metres total floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 square metres lounge and beer garden floor area, plus 1 per 60 square metres dining floor area, plus 1 per 40 square metres gaming room floor area.
Office	1 space for every 200m ² of gross leasable floor area plus 2 spaces plus 1 space per 1000m ² of gross leasable floor area for visitors.
Pre-school	1 space per 20 full time employees plus 1 space per 40 full time children.
Recreation area	1 per 1500 spectator seats for employees plus 1 per 250 visitor and customers.
Residential flat building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.
Residential component of a multi-storey building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.
Shop	1 space for every $300m^2$ of gross leasable floor area plus 1 space for every $600m^2$ of gross leasable floor area for customers.
Tourist accommodation	1 space for every 20 employees plus 2 for the first 40 rooms and 1 for every additional 40 rooms for visitors.
Schedule to Table 3	
Designated Area	Relevant part of the State The bicycle parking rate applies to a designated area located in a relevant part
	of the State described below.
All zones	City of Adelaide
Business Neighbourhood Zone	Metropolitan Adelaide
Strategic Innovation Zone	
Suburban Activity Centre Zone	
Suburban Business Zone	

Page 122 of 128 Printed on 8/12/2022

Page 283 Council Assessment Panel Agenda - 28 March 2023

Suburban Main Street Zone

Urban Activity Centre Zone

Urban Corridor (Boulevard) Zone

Urban Corridor (Business) Zone

Urban Corridor (Living) Zone

Urban Corridor (Main Street) Zone

Urban Neighbourhood Zone

Waste Treatment and Management Facilities

Assessment Provisions (AP)

	Desired Outcome
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting		
PO 1.1	DTS/DPF 1.1	
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.	
Soil and Water Protection		
PO 2.1	DTS/DPF 2.1	
Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as: (a) containing potential groundwater and surface water contaminants within waste operations areas (b) diverting clean stormwater away from waste operations areas and potentially contaminated areas (c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.	None are applicable.	

Page 123 of 128 Printed on 8/12/2022

Page 284 City of Salisbury

1 Olicy24 - Eriquiry		
PO 2.2	DTS/DPF 2.2	
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.	
PO 2.3	DTS/DPF 2.3	
Wastewater lagoons are designed and sited to:	None are applicable.	
 (a) avoid intersecting underground waters; (b) avoid inundation by flood waters; (c) ensure lagoon contents do not overflow; (d) include a liner designed to prevent leakage. 		
PO 2.4	DTS/DPF 2.4	
Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources.	Waste operations areas are set back 100m or more from watercourse banks.	
Am	enity	
PO 3.1	DTS/DPF 3.1	
Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Access routes to waste treatment and management facilities via residential streets is avoided.	None are applicable.	
PO 3.3	DTS/DPF 3.3	
Litter control measures minimise the incidence of windblown litter.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.	None are applicable.	
Acc	cess	
PO 4.1	DTS/DPF 4.1	
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.	
PO 4.2	DTS/DPF 4.2	
Suitable access for emergency vehicles is provided to and within waste treatment or management sites.	None are applicable.	
Fencing and Security		
PO 5.1	DTS/DPF 5.1	
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.	
Landfill		

Page 124 of 128 Printed on 8/12/2022

Page 285 Council Assessment Panel Agenda - 28 March 2023

Policy24 - Enquiry		
PO 6.1	DTS/DPF 6.1	
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.	
PO 6.2	DTS/DPF 6.2	
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.	
PO 6.3	DTS/DPF 6.3	
Landfill facilities are located on land that is not subject to land slip.	None are applicable.	
PO 6.4	DTS/DPF 6.4	
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.	
Organic Waste Pr	rocessing Facilities	
PO 7.1	DTS/DPF 7.1	
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.	
PO 7.2	DTS/DPF 7.2	
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.	
PO 7.3	DTS/DPF 7.3	
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.	
PO 7.4	DTS/DPF 7.4	
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.	
PO 7.5	DTS/DPF 7.5	
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.	
Major Wastewater Treatment Facilities		
PO 8.1	DTS/DPF 8.1	
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	None are applicable.	
PO 8.2	DTS/DPF 8.2	
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.	

Workers' accommodation and Settlements

Page 125 of 128 Printed on 8/12/2022

Page 286 Council Assessment Panel Agenda - 28 March 2023

Assessment Provisions (AP)

Desired Outcome		
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.	


Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

Part 12 - Concept Plans

Playford

Concept Plan 81 Edinburgh Defence Airfield Lighting Constraints

Page 126 of 128 Printed on 8/12/2022



Page 127 of 128 Printed on 8/12/2022

Item 8.1.1 - Attachment 3 - Extract of Planning and Design Code

Policy24 - Enquiry

No criteria applies to this land use. Please check the definition of the land use for further detail.

Page 128 of 128 Printed on 8/12/2022

ITEM 8.1.2

COUNCIL ASSESSMENT PANEL

DATE 28 March 2023

APPLICATION NO. 23005553

APPLICANT John Bested & Associated Pty Ltd

PROPOSAL Land Division (Boundary Realignment)

LOCATION 23-29 Amsterdam Crescent, Salisbury Downs SA 5108

Lot 56 Amsterdam Crescent, Salisbury Downs SA 5108

CERTIFICATE OF

5538/701 and 6057/334

TITLE

AUTHOR Kieron Barnes, Planning Consultant, City Development

1. DEVELOPMENT APPLICATION DETAILS

Zone/Policy Area	General Neighbourhood
Application Type	Performance Assessed
Public Notification	Not Required
Referrals - Statutory	None Required for Planning Consent
Referrals – Internal	Nil
Planning and Design Code	2023.3
Version	
Assessing Officer	Kieron Barnes – Planning Consultant (Planning Studio)
Recommendation	Planning Consent with Conditions
Meeting Date	28 March 2023

2. REPORT CONTENTS

This Report provides an assessment of the proposed development against the relevant provisions of the Planning and Design Code. This assessment has been based on a review of the following plans and documents which are appended to this report:

Attachment 1: Proposal Plans and Supporting Documentation

Attachment 2: Extract of Planning and Design Code

3. EXECUTIVE SUMMARY

The proposed development seeks to re-align the boundaries between Thomas More College and a portion of a Council reserve known as Venlo Court Reserve at Salisbury Downs. The application responds to an agreement reached between Thomas More College (the 'Çollege') and the City of Salisbury (the 'Council') for the College to purchase a portion of the reserve.

Page 291 City of Salisbury

The subject land comprising 23-29 Amsterdam Crescent and Lot 56 Amsterdam Crescent, Salisbury Downs, is located within the General Neighbourhood Zone. The development did not trigger a notification process, nor did it require any statutory referrals as part of the Planning Consent stage.

This report provides a detailed assessment of the application against the relevant provisions of the Planning and Design Code. This assessment has concluded that the proposed development:

- Will result in allotments which are suitable for their intended use (subject to detailed assessment via a future 'land use' application); and
- Will allow for the expansion of the College ('Educational Establishment') which is a form of development anticipated in the General Neighbourhood Zone.

For the above reasons, it is recommended the Council Assessment Panel grant Planning Consent subject to Conditions.

4. BACKGROUND

Venlo Court Reserve, which is located at Lot 56 Amsterdam Crescent, Salisbury Downs, is owned and managed by the City of Salisbury. The Venlo Court Reserve adjoins Thomas More College to the east as well as a number of residential properties to the north and south.

The City of Salisbury has resolved to sell a portion of Venlo Court Reserve (the 'Reserve') to Thomas More College. The College is seeking to purchase the land to facilitate construction of a multi-function gymnasium (which will be subject of a future land use application).

Given that the Reserve is classified as Community Land, a revocation process was first required to enable the sale to proceed. This process, managed by the Council, included statutory notification requirements as well as an additional Community Information Forum for affected land owners and occupiers. The revocation was approved by Council on 24 October 2022.

The relevant authority for the development application is the Assessment Manager for the City of Salisbury. Regulation 30(1)(c) of the *Planning, Development and Infrastructure* (Accredited Professionals) Regulations 2019 provides however that an accredited professional must not perform any function of an accredited professional in relation to a development if they are employed by any person or body associated with any aspect of the development.

Following the revocation process, a land division application (boundary realignment) has been submitted by the Council (via John C Bested & Associates Pty Ltd). Given the reserve is owned and managed by the Council, the Minister for Planning was requested to 'call-in' the development application to be assessed by the State Planning Commission rather than Council's Assessment Manager. The 'call-in' was requested to avoid a perceived conflict of interest. However, the Minister for Planning's Delegate declined the 'call-in' request and noted that the Council Assessment Panel (CAP) could be appointed, as an independent body, to assess the proposal and thereby removing the perceived conflict of interest.

Further to the above and, consistent with the Council's Policy in relation to development undertaken by the Council, an independent planning consultant has been engaged to assess the application and prepare an assessment report for consideration by the CAP.

5. SUBJECT SITE

The subject land comprises two parcels of land as follows:

- Thomas More College which is a 6.905-hectare site located at 23-29 Amsterdam Crescent, Salisbury Downs (Allotment 200 in Certificate of Title Volume 6057 Folio 334). The subject land is reasonably rectangular in shape with a frontage of 139 metres to Amsterdam Crescent and a depth of approximately 299 metres; and
- Venlo Court Reserve which has an area of approximately 8,000m² and is located at Lot 56 Amsterdam Crescent (Certificate of Title Volume 5538 Folio 701). The portion of land to be transferred to the College is approximately 3,300 m².

Currently, Venlo Court Reserve wraps around a number of residential properties and contains a number of walking trails which provide pedestrian access for residents. The Reserve is heavily vegetated. This includes a Significant Tree and two Regulated Trees on the 3,300m² portion of the Reserve that will be transferred to the College.

The eastern side of the reserve adjoins Thomas More College which is a secondary Catholic school for years 7 to 12. The College is comprised of a range of buildings and facilities as well as a substantial oval.

The proposed boundary realignment will increase the total area of the College to 7.235 hectares and is intended to facilitate the future construction of a new multi-function gymnasium and chapel, as well as allowing the existing gymnasium to be converted into a performing arts centre. While these works will be the subject of a future Development Application, it is noted such works are likely to require the removal of the Regulated and Significant Trees on this portion of the subject land.

There are no easements over the portion of the Reserve which will be transferred to the College. Similarly, the subject land does not contain any Heritage Places which may affect the development.

Site photos are provided below.

Photo 1
Portion of
Venlo Court
Reserve to be
transferred
to Thomas
More
College (to
the left of the
walking
trail)



Photo 2
Portion of
Venlo Court
Reserve to be
transferred
to Thomas
Moore
College



Photo 3
Thomas
Moore
College and
adjoining
Venlo Court
Reserve




Photo 4
Residential
properties
adjoining the
portion of
Reserve to be
transferred
to the
College



6. LOCALITY

The locality is generally defined as comprising land between Amsterdam Crescent, Kings Road and the railway line to the east. Apart from the College, the locality is generally residential in character and nature reflecting the land uses sought in the General Neighbourhood Zone. A retail fuel outlet is located outside the locality on the corner of Kings Road and Salisbury Highway while industrial and commercial development is located on the eastern side of the railway line within the Strategic Employment Zone. The Commonwealth

Facilities Zone lies to the south, containing the Parafield Airfield Complex. A Local Activity Centre Zone is located to the north of the subject land, however, the buildings within this Zone are all occupied and used by the College.


A locality plan and contextual plan are provided below.

Locality Plan - Aerial



Legend (Source: NearMap)		
	Site boundary	
	Locality boundary	

Contextual Plan



Legend (Source: SAPPA)	
	Site boundary

<u>Panorama View – Looking West</u>



Legend (Source: NearMap)			
	Site boundary		

7. DESCRIPTION OF THE PROPOSED DEVELOPMENT

The proposed development involves the realignment of the boundaries between Venlo Court Reserve and Thomas More College. More specifically, approximately 3,300m² of the reserve will be transferred to the College to facilitate its future expansion (understood to include a new multi-function gymnasium). This will result in the College's boundary 'shifting' further to the west so that it adjoins the rear boundaries of an additional four residential properties which front Venlo Court.

A copy of the proposal plans and supporting documentation are contained in Attachment 1.

8. CLASSIFICATION

Given that 'land division – boundary re-alignment' is not listed as 'Accepted' or 'Deemed to Satisfy' in the General Neighbourhood Zone, the proposed development is a Performance Assessed development which must be assessed against the relevant provisions of the Planning and Design Code.

9. PUBLIC NOTIFICATION

Table 5 of the General Neighbourhood Zone excludes 'land division' from notification.

10. REFERRALS – STATUTORY

No statutory referrals are required at the Planning Consent stage.

11. REFERRALS – INTERNAL

Nil.

12. ASSESSMENT

Pursuant to Section 107(2)(c) of the *Planning, Development and Infrastructure Act*, it is recommended that the Panel determine that the proposed development is not seriously at variance with the Planning and Design Code. The following reasons are given in support of this recommendation:

- a) The proposed land division will facilitate the expansion of Thomas More College (an Educational Establishment) which is a form of development envisaged in the General Neighbourhood Zone; and
- b) The proposed land division will not, in itself, create any additional impacts (noting that a future built-form application will be assessed against the relevant provisions of the Planning and Design Code).

Page 299 City of Salisbury

Assessment

A detailed assessment of the application has taken place against the relevant provisions of the Planning and Design Code and is described below under headings. Further, a Policy Enquiry containing the relevant provisions of the Planning and Design Code relating to the proposed development on the subject land, is contained in Attachment 2.

Overlays

A summary of the proposed development's compliance with the relevant Overlays affecting the subject land is provided in the table below. It is noted that these Overlays have been automatically identified by PlanSA based on the selection of 'land division' as the development element. On this basis, the Regulated and Significant Tree Overlay has not been identified as a relevant Overlay. Therefore, a future application relating to the construction of additional buildings at the expanded site of Thomas More College will most likely need to address the Regulated and Significant Tree Overlay.

Overlay	Assessment
Affordable Housing	Not applicable – the proposed land division
	is not for residential purposes.
Hazards (Flooding)	Satisfied – it is noted that only a small
	portion of Thomas More College (to the east
	of the oval) is subject to flooding.
Key Railway Crossing	Satisfied – the proposed development does
	not involve any access within the specified
	distances from a railway crossing.
Traffic Generating Development	Not applicable – the proposed development
	does not involve the creation of 50 or more
	allotments and will not impact on transport
	routes.

Land Use and Intensity

It is noted that the purpose of the boundary realignment is to enable the future expansion of Thomas More College which is defined as an Educational Establishment in Part 7 of the Planning and Design Code:

Means a primary school, secondary school, reception to year 12 school, college, university or technical institute, and includes an associated pre-school or institution for the care and maintenance of children.

In terms of land use, Desired Outcome 1 of the General Neighbourhood Zone seeks low and medium-density housing as well employment and community service uses:

Low-rise, low and medium-density housing that supports a range of needs and lifestyles located within easy reach of services and facilities. Employment and community service uses contribute to making the neighbourhood a convenient place to live without compromising residential amenity. (DO 1)

Performance Outcome (PO) 1.1 and its associated Deemed to Satisfy / Designated Performance Feature (DTS/DPF) provides greater clarity in relation to the land uses sought in the Zone:

PO 1.1

Predominantly residential development with complementary non-residential uses that support an active, convenient and walkable neighbourhood.

DTS/DPF 1.1

Development comprises one or more of the following:

- (a) Ancillary accommodation
- (b) Community facility
- (c) Consulting room
- (d) Dwelling
- (e) Educational establishment
- (f) Office
- (g) Place of Worship
- (h) Pre-school
- (i) Recreation area
- (j) Residential flat building
- (k) Retirement facility
- (l) Shop
- (m) Student accommodation
- (n) Supported accommodation

City of Salisbury

Whilst the proposed development is for land division (boundary re-alignment), it is understood the purpose of the land division is to facilitate the future development and expansion of Thomas More College (Educational Establishment). Given that DTS/DPF 1.1 lists Educational Establishment as an anticipated form of development, the proposed future use of the land is considered acceptable.

Further, the proposed future expansion of Thomas Moore College on to the realigned parcel, represents an appropriate 'community service use' as sought by DO 1 while also reflecting a 'complementary non-residential use' sought by PO 1.1. On this basis, and noting that a future built-form application will require assessment against the Planning and Design Code, the proposal is considered appropriate.

Site Dimensions and Land Division

POs 2.1, 2.2 and 2.2 and the associated DTS/DPFs of the General Neighbourhood Zone provide guidance in relation to the size and dimension of allotments/sites created through the land division process. However, POs 2.1 and 2.2 specifically relate to allotments/sites that are intended for residential purposes. On this basis, it is considered that only PO 2.3 is relevant to the proposed development:

PO 2.3

Land division results in sites that are accessible and suitable for their intended purpose.

DTS/DPF 2.3

Division of land satisfies (a), (b) or (c):

- (a) reflects the site boundaries illustrated and approved in an existing development authorisation under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes
- (b) is proposed as part of a combined land division application with deemed-tosatisfy dwellings on the proposed allotments
- (c) satisfies all of the following:
 - *i)* No more than 5 additional allotments are created
 - ii) Each proposed allotment has a minimum site area of 300 sqm and frontage of 9 m
 - iii) Each proposed allotment has a slope less than 12.5 % (1 in 8)
 - iv) There are no regulated trees on or within 20m of the subject land, with the distance measured from the base of the trunk of the tree (or the nearest trunk of the tree) to the subject land
 - v) The division does not involve creation of a public road
 - vi) Vehicle access from a public road can be provided to all proposed allotments which satisfies Design in Urban Areas DTS/DPF 23,3, 23.4 and 23,6, and would be located wholly on one side of the allotment, or located no more than 1m from the side boundary alignment
 - vii) No allotments are in a battle-axe configuration and
 - viii) Each proposed allotment is of a size and dimension capable of containing a rectangle 9m in width and 15m in depth.

In response to PO 2.3, it is noted the boundary realignment will transfer a portion of the existing reserve to the adjoining Thomas More College where existing, convenient and safe access is available from Amsterdam Crescent to the north. Also, the land represents a logical expansion of the College which will enable additional buildings to be grouped close to existing buildings while also preserving the majority of the existing open space which is currently used by the College for sporting activities. On this basis, and noting that a future built-form application will be assessed against the relevant provisions of the Planning and Design Code, the proposed land division will create sites which are accessible and suitable for their intended purpose.

Similarly, the resultant Reserve area remains functional and of reasonable spatial area, able to support existing trees and vegetation, existing infrastructure (and associated easements) as well as existing pedestrian connectivity. Accordingly, the Reserve continues to support recreational and open space opportunities.

In terms of DTS/DPF 2.3. it is noted that the boundary realignment does not satisfy clause (c)(iv) as there are Regulated and Significant Trees on the subject land. However, as mentioned previously, an assessment of these trees will occur as part of a future built-form application. Apart from this clause, the boundary realignment satisfies DTS/DPF 2.3 of the General Neighbourhood Zone.

Further guidance is provided by the 'Land Division' General Development Policies within the Planning and Design Code. In particular, DO 1 seeks allotments of appropriate dimensions and shape for their intended use while also preserving significant vegetation and other environmental features.

DO 1 Land division:

- (a) creates allotments with the appropriate dimensions and shape for their intended use
- (b) allows efficient provision of new infrastructure and the optimum use of underutilized infrastructure
- (c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation watercourses, water bodies and other environmental features
- (d) facilitates solar access through allotment orientation
- (e) creates a compact urban form that supports active travel, walkability and the use of public transport
- (f) avoids areas of high natural hazard risk.

In response to DO 1, it is noted that the proposed realigned allotments will facilitate the expansion of Thomas More College and its associated buildings which provide an important educational service for the local community. However, it is also noted the expansion of the College is likely to require the removal of a number of Regulated and Significant Trees. A future built-form application will need to assess the potential removal of these trees against relevant Code policy, while considering the overall community benefits associated with the expansion of the College.

In terms of the other relevant 'land division' General Development Policies, it is noted that:

- The land division is unlikely to result in substantial earthworks or retaining walls (PO 2.1);
- A future built-form application will assess the potential interface impacts between the College and adjoining residential development (PO 2.2);
- The land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure (PO 2.4);
- The land division will create allotments which are connected to existing all-weather public roads (PO 3.1); and
- The land division will not impede public access to the remaining portions of Venlo Court Reserve (PO 3.3).

For the above reasons, the proposed land division generally satisfies the relevant 'land division' General Development Policies of the Planning and Design Code.

PO 2.1

Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.

DTS/DPF 2.1

None are applicable.

PO 2.2

Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.

DTS/DPF 2.2

None are applicable.

PO 2.4

Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.

DTS/DPF 2.4

None are applicable.

PO 3.1

Land division provides allotments with access to an all-weather public road.

DTS/DPF 3.1

None are applicable.

PO 3.3

Land division does not impede access to publicly owned open space and/or recreation facilities.

DTS/DPF 3.3

None are applicable.

Page 304 City of Salisbury

13. CONCLUSION

The City of Salisbury has resolved to sell a portion of the Venlo Court Reserve to the adjoining Thomas More College. The affected portion of land has proceeded through the Community Land revocation process and has been the subject of separate consultation with affected land owners and occupiers. The Council is now seeking to amend the boundaries of the two parcels of land via a land division (boundary realignment). This will facilitate the transfer process and enable Thomas More College to submit a separate built-form application for additional facilities and, potentially, tree damaging activity.

Given that the proposed expansion of Thomas More College (an Educational Establishment) is a form of development that is anticipated in the General Neighborhood Zone, it is considered the proposed allotment will be suitable for its intended use. Also, the remaining portion of the Venlo Court Reserve will continue to function as a valuable recreational and open space facility for the local community.

Importantly, matters such as potential interface issues and the removal of Regulated and Significant Trees will be the subject of a future built-form application.

This report has provided a detailed assessment of the application against the relevant provisions of the Planning and Design Code. The assessment found that the proposed land division:

- Will create allotments which will be used in accordance with the land uses sought by the General Neighbourhood Zone; and
- Will enable the future expansion of Thomas More College while also preserving the existing areas of open space used by the students.

Accordingly, it is recommended that Planning Consent be granted, subject to conditions.

14. STAFF RECOMMENDATION

That the Council Assessment Panel resolve that:

- A. The proposed development is not considered to be seriously at variance with the Planning and Design Code.
- B. Pursuant to Section 107 of the *Planning, Development and Infrastructure Act 2016*, Planning Consent is **GRANTED** to application number 23005553 for Land Division (Boundary Realignment) at 23-29 and Lot 56 Amsterdam Court, Salisbury Downs, 5108 in accordance with the plans and details submitted with the application and subject to the following conditions

Planning Conditions

1. The development shall be carried out in accordance with the details submitted with the application and the following stamped approved plans and documents, except where otherwise varied by the conditions herein:

Drawing No.	Plan Type	Date	Prepared By
25147-DIV	Amended	15/2/23	John Bested &
			Associates

Page 305 City of Salisbury

Advice Notes

Rights of Appeal

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

Advice regarding Council land

This Development Approval does not constitute land owner's approval. The following applies to any works on Council land:

- 1. Any person making alteration to Council land including erecting or installing a structure (pipes, wires, cables, fixtures, fittings), storing building materials, erecting temporary fencing, altering the kerb, gutter, footpath or crossover etc. in, on, under or over Council land, is subject to a permit from Council pursuant to Section 221 of the *Local Government Act 1999*.
- 2. Service infrastructure should be located as far as practicable away from street trees, in order to protect the root zone and to prevent future damage to the infrastructure from roof expansion.
- 3. Residents and businesses are encouraged to develop and maintain the verge area between their property boundary and the kerb. However, some types of development such as irrigation, tree planting and landscaping may be restricted in some areas and therefore permission should be first sought from Council before commencing any works;
- 4. It is the developer's/owner's responsibility to ensure that damage does not occur to verge infrastructure during construction. Council regularly inspects the condition of verge infrastructure during construction and where damage is observed, Council may recover the costs from the owner for reinstatement of any damage to the footpath, kerb or gutter and may also impose a substantial penalty for any wilful damage.

Fences Act

You will need to obtain your permission from your neighbour should you wish to access their property to carry out construction work adjacent the boundary or if you wish to erect common boundary fencing or boundary retaining walls, pursuant to the *Fences Act 1975*. To find out more, please visit: https://lsc.sa.gov.au/resources/fencesandthelawbooklet.pdf

ATTACHMENTS

This document should be read in conjunction with the following attachments:

- 1. Proposal Plans and Supporting Documentation
- 2. Extract of Planning and Design Code

Appendix 1

Proposal Plans and Supporting Documentation



Product Date/Time Register Search (C1 5538/701) 23/11/2022 03:01PM

Customer Reference

Order ID 20221123007354



The Registrar-General certifies that this Title Register Search displays the records maintained in the Register Book and other notations at the time of searching.



Certificate of Title - Volume 5538 Folio 701

Parent Title(s) CT 4208/61

Creating Dealing(s) CONVERTED TITLE

Title Issued 26/05/1998 Edition 1 Edition Issued 26/05/1998

Estate Type

FEE SIMPLE (RESERVE)

Registered Proprietor

CITY OF SALISBURY OF PO BOX 8 SALISBURY SA 5108

Description of Land

ALLOTMENT (RESERVE) 56 DEPOSITED PLAN 11139 IN THE AREA NAMED SALISBURY DOWNS HUNDRED OF YATALA

BEING A RESERVE

Easements

SUBJECT TO SERVICE EASEMENT(S) OVER THE LAND MARKED D AND E(T/F) ON DP 11139 FOR ELECTRICITY SUPPLY PURPOSES TO DISTRIBUTION LESSOR CORPORATION (SUBJECT TO LEASE 8890000) (223LG RPA)

Schedule of Dealings

NIL

Notations

Dealings Affecting Title NIL
Priority Notices NIL
Registrar-General's Notes NIL
Administrative Interests NIL

Land Services SA Page 1 of 1

Page 308 Council Assessment Panel Agenda - 28 March 2023



Product
Date/Time

Register Search (CT 6057/334) 23/11/2022 03:01PM

Customer Reference

Order ID 20221123007354



The Registrar-General certifies that this Title Register Search displays the records maintained in the Register Book and other notations at the time of searching.



Certificate of Title - Volume 6057 Folio 334

Parent Title(s) CT 5346/722

Creating Dealing(s) TG 11359766, TG 11359767

Title Issued 29/04/2010 Edition 1 Edition Issued 29/04/2010

Estate Type

FEE SIMPLE

Registered Proprietor

CATHOLIC CHURCH ENDOWMENT SOCIETY INC. OF 91 WEST TERRACE ADELAIDE SA 5000

Description of Land

ALLOTMENT 200 DEPOSITED PLAN 44742 IN THE AREA NAMED SALISBURY DOWNS HUNDRED OF YATALA

Easements

SUBJECT TO EASEMENT(S) OVER THE LAND MARKED B TO DISTRIBUTION LESSOR CORPORATION (SUBJECT TO LEASE 8890000) (TG 11359766)

SUBJECT TO EASEMENT(S) OVER THE LAND MARKED A (TG 11359767)

Schedule of Dealings

NIL

Notations

Dealings Affecting Title NIL
Priority Notices NIL
Notations on Plan NIL
Registrar-General's Notes NIL
Administrative Interests NIL

Land Services SA Page 1 of 2


Page 309 Council Assessment Panel Agenda - 28 March 2023



Product
Date/Time
Customer Reference
Order ID

Register Search (CT 6057/334) 23/11/2022 03:01PM

20221123007354



Land Services SA Page 2 of 2



PLAN OF DIVISION

ALLOTMENT 200 IN D44742 & ALLOTMENT 56 (RESERVE) IN D11139

П	IRRIGATION AREA	A A X 4	DIVISION	
	HUNDRED.	YATAL	Α	
	AREA.	SALIS	BURY DOWN	S
	COUNCIL , ,	CITY, OF	SALISBURY	
	TITLE REFERENCE	CT 5538	3/701 & CT 6057/33	14
	MAP REFERENCE	6628	3-29-K	
	DEV. No.			
	SCALE 0	50	100	METRES 150
П				

ANNOTATIONS

DATA IS APPROXIMATE AND SUBJECT TO SURVEY

SUBJECT TO AN EASEMENT OVER THE LAND MARKED B TO DISTRIBUTION LESSOR CORPORATION (SUBJECT TO LEASE 8890000)(TG 11359766)

SUBJECT TO AN EASEMENT OVER THE LAND MARKED A (TG 11359767)

SUBJECT TO SERVICE EASEMENT(S) OVER THE LAND MARKED D & E(T/F) FOR ELECTRICITY SUPPLY PURPOSES TO DISTRIBUTION LESSOR CORPORATION (SUBJECT TO LEASE 8890000)(223LG RPA)

- 1 This plan was prepared for the purpose and exclusive use of CITY OF SALISBURY to accompany an application to the CITY OF SALISBURY for the approval to subdivide the land described in this plan and is not to be used for any other purpose or by any other person or corporation. JOINE C BESTED & ASSOC PTY LTD accepts no responsibility for any loss or damage suffered howscever arising to any person or corporation who hay use or rely on this plan in contravention of the terms of this clause or clauses 2, 3, 4, 5 & 6 hereof.
- 2 The dimensions, areas and total number of parcels shown hereon are subject to survey and the requirements of Council and/or any other authority that may have requirements under any relevant legislation.
- 3 No reliance should be placed on the information on this plan for any financial dealings involving the land.
- 4. Where shown, the contours or levels on this plan are suitable only for the purpose of this application and ne reliance should be placed upon such contours or levels for any other purpose.
- 5 Where shown, the dimensions, areas, size and location of any inprovements on this plan are approximate only an may vary.
- 6 This plan may not be photocopied unless this note is included.

JOHN C BESTED & ASSOC


ABN 96 004 596 908

SURVEYING & PLANNING CONSULTANTS 362 MAGILL ROAD KENSINGTON PARK 5068 PHONE (08) 8332 7111

email surveyors@johnbested.com.au

REFERENCE No. 25147 DRAWING No. 25147-DIV

ERSION No.



Appendix 2

Extract of Planning and Design Code

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

23-29 AMSTERDAM CR SALISBURY DOWNS SA 5108

Address:

Click to view a detailed interactive SMISS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

General Neighbourhood

Airport Building Heights (Regulated) (All structures over 15 metres)

Advertising Near Signalised Intersections

Affordable Housing

Building Near Airfields

Defence Aviation Area (All structures over 90 metres)

Hazards (Flooding)

Hazards (Flooding - General)

Key Railway Crossings

Prescribed Wells Area

Regulated and Significant Tree

Stormwater Management

Traffic Generating Development

Urban Tree Canopy

Development Pathways

- General Neighbourhood
 - 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Air handling unit, air conditioning system or exhaust fan
- Building work on railway land
- Carport
- Internal building work
- Shade sail
- Solar photovoltaic panels (roof mounted)
- Verandah
- Water tank (above ground)
- Water tank (underground)
- 2. Code Assessed Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Temporary accommodation in an area affected by bushfire
 Verandah

Downloaded on 6/03/2023

Generated By Policy24

Page 1 of 106

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Performance Assessed development types listed below are those for which the Code identifies relevant policies. Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Ancillary accommodation
- CarportDemolition
- Detached dwelling
- Dwelling addition
 Dwelling or residential flat building undertaken by:

(a) the South Australian Housing Trust either individually or jointly with other persons or bodies

(b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

- Fence
- Group dwelling

- Land divisionOutbuildingResidential flat building
- Retaining wall
- Row dwelling
- Semi-detached dwelling
- Tree-damaging activity
- Verandah

4. Impact Assessed - Restricted

 $Means that the development type \ requires \ approval. \ Classes \ of \ development \ that \ are \ classified \ as \ Restricted \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ and \ restricted \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ in \ Table \ 4 \ of \ the \ relevant \ are \ listed \ are \$ Zones.

Property Policy Information for above selection

Part 2 - Zones and Sub Zones

General Neighbourhood Zone

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
	Low-rise, low and medium-density housing that supports a range of needs and lifestyles located within easy reach of services and facilities. Employment and community service uses contribute to making the neighbourhood a convenient place to live without compromising residential amenity.

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	and Intensity
PO 1.1	DTS/DPF 1.1
Predominantly residential development with complementary non-residential uses that support an active, convenient, and walkable neighbourhood.	Development comprises one or more of the following: (a) Ancillary accommodation (b) Community facility (c) Consulting room (d) Dwelling (e) Educational establishment (f) Office (g) Place of Worship

Downloaded on 6/03/2023 Generated By Policy24 Page 2 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(h) Pre-school (i) Recreation area (j) Residential flat building (k) Retirement facility (l) Shop (m) Student accommodation (n) Supported accommodation
PO 1.2 Non-residential development located and designed to improve community accessibility to services, primarily in the form of: (a) small scale commercial uses such as offices, shops and consulting rooms (b) community services such as educational establishments, community centres, places of worship, pre-schools, and other health and welfare services (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities (d) open space and recreation facilities.	DTS/DPF 1.2 None are applicable.
PO 1.3 Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood.	DTS/DPF 1.3 None are applicable.
PO 1.4 Commercial activities improve community access to services are of a scale and type to maintain residential amenity.	A shop, consulting room or office (or any combination thereof) satisfies any one of the following: (a) It is located on the same allotment and in conjunction with a dwelling where all the following are satisfied: (i) does not exceed 50m² gross leasable floor area (ii) does not involve the display of goods in a window or about the dwelling or its curtilage (b) It reinstates a former shop, consulting room or office in an existing building (or portion of a building) and satisfies one of the following: (i) the building is a State or Local Heritage Place (ii) is in conjunction with a dwelling and there is no increase in the gross leasable floor area previously used for non-residential purposes (c) is located more than 500m from an Activity Centre and satisfies one of the following: (i) does not exceed 100m² gross leasable floor area (individually or combined, in a single building) where the site does not have a frontage to a State Maintained Road (ii) does not exceed 200m² gross leasable floor area (individually or combined, in a single building) where the site has a frontage to a State Maintained Road (d) the development site abuts an Activity Centre and all the following are satisfied: (i) it does not exceed 200m² gross leasable floor area (individually or combined, in a single building) (ii) the proposed development will not result in a combined gross leasable floor area (existing and proposed) of all shops, consulting rooms and offices that abut the Activity Centre in this zone exceeding the lesser of the following: A. 50% of the existing gross leasable floor area within the Activity Centre B. 1000m².
PO 1.5 Expansion of existing community services such as educational establishments, community facilities and pre-schools in a manner which complements the scale of development envisaged by the desired outcome for the neighbourhood.	DTS/DPF 1.5 Alteration of or addition to existing educational establishments, community facilities or pre-schools where all the following are satisfied: (a) set back at least 3m from any boundary shared with a residential land use
Downloaded on 6/03/2023	

Downloaded on 6/03/2023 Generated By Policy24 Page 3 of 106

Policy24		P&D C	ode (in effect) Version 2	023.3 16/02/202
	(c) the total floor ar (d) off-stre with the Genera	al floor area of the aprior to the set vehicular pare rate(s) specifical Off-Street Carcking Requirements	teeding 1 building level the building not exceeding 1! addition/alteration rking exists or will be provide ed in Transport, Access and F Parking Requirements or Ta ents in Designated Areas to t	ed in accordance Parking Table 1 - able 2 - Off-Street
Site Dimensions	and Land Division			
PO 2.1 Allotments/sites created for residential purposes are of suitable size and dimension to accommodate the anticipated dwelling form and remain compatible with the pattern of development in a low-rise and predominantly low-density neighbourhood, with higher densities closer to public open space, public transport stations and activity centres.	DTS/DPF 2.1 Development will not result in more than 1 dwelling on an existing allotment or Allotments/sites for residential purposes accord with the following:			
passed an appropriate the second seco	Dwelling Type		Minimum site/allotment area per dwelling	Minimum site/allotment frontage
	Detached dwel		300m² (exclusive of any battle-axe allotment 'handle')	9m where not on a battle-axe site 5m where on a battle-axe site
	Row dwelling (dwelling in a tearrangement)	or detached	300m ² 250m ²	9m 7m (averaged)
	Group dwelling	3	300m ² (average, including common areas)	15m (total)
	Dwelling within flat building	n a residential	300m² (average, including common areas)	15m (total)
PO 2.2 Development creating new allotments/sites in conjunction with retention of an existing dwelling ensures the site of the existing dwelling remains fit for purpose.	(a) the bala require (b) if there	ance of the allowers specified is an existing dent after complex Private open so Areas Table 1 off-street vehicrate(s) specified General Off-St	thes not comprise an entire all timent accords with site area din General Neighbourhood welling on the allotment thai etion of the development, it is pace requirements specified - Private Open Space cular parking exists in accord in Transport, Access and Pireet Car Parking Requirements in Design renumber.	and frontage Zone DTS/DPF 2.1 t will remain on the will not contravene I in Design in Urbar lance with the arking Table 1 - nts or Table 2 - Off
PO 2.3 Land division results in sites that are accessible and suitable for their intended	DTS/DPF 2.3			
purpose.	develop Plannin allotme purpos (b) is prope deeme	the site bound pment authorising. Development authorising. Developments are used or es osed as part of ad-to-satisfy dwe sail of the follor No more than Each proposed and frontage of Each proposed. There are no reland, with the of the tree (or land The division down the division down the proposed allor DTS/DPF 23.3,	aries illustrated and approve ation under the Developmen at and Infrastructure Act 2011 are proposed to be used so a combined land division app ellings on the proposed allots wing: 5 additional allotments are a d allotment has a minimum s	nt Act 1993 or 6 where the elely for residential elication with ments created site area of 300m ² han 12.5% (1-in-8) 20m of the subject base of the trunk e) to the subject public road rovided to all n in Urban Areas elecated wholly on
Downloaded on 6/03/2023 Generated	Rv Policy24	are side bodfi	dary alignment	Page 4 of 106

Downloaded on 6/03/2023 Generated By Policy24 Page 4 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
	(vii) No allotments are in a battle-axe configuration		
	and (viii) Each proposed allotment is of a size and dimension capable of containing a rectangle 9m in width and 15m in depth.		
Site Co	I overage		
PO 3.1	DTS/DPF 3.1		
Building footprints allow sufficient space around buildings to limit visual impact, provide an attractive outlook and access to light and ventilation.	The development does not result in site coverage exceeding 60%.		
Buildin	g Height		
PO 4.1	DTS/DPF 4.1		
Buildings contribute to a low-rise suburban character.	Building height (excluding garages, carports and outbuildings) no greater than:		
	(a) 2 building levels and 9m and		
	(b) wall height that is no greater than 7m except in the case of a gable end.		
Primary Str	reet Setback		
PO 5.1	DTS/DPF 5.1		
Buildings are setback from primary street boundaries to contribute to the existing/emerging pattern of street setbacks in the streetscape.	The building line of a building set back from the primary street boundary:		
existing/enterging pattern of street setbacks in the streetscape.	(a) no more than 1m in front of the average setback to the building line of existing buildings on adjoining sites which face the same primary street (including those buildings that would adjoin the site if not		
	separated by a public road or a vacant allotment) (b) where there is only one existing building on adjoining sites which face the same primary street (including those that would adjoin if not separated by a public road or a vacant allotment), no more than 1m in front of the setback to the building line of that building		
	or (c) not less than 5m where no building exists on an adjoining site with the same primary street frontage.		
Secondary S	treet Setback		
PO 6.1	DTS/DPF 6.1		
Buildings are set back from secondary street boundaries to achieve separation between building walls and public streets and contribute to a suburban streetscape character.	Building walls are set back from the boundary of the allotment with a secondary street frontage:		
	(a) at least 900mm or		
	(b) if a dwelling on any adjoining allotment is closer to the secondary street than 900mm, at least the distance of that dwelling from the boundary with the secondary street.		
Bounda	ory Walls		
PO 7.1	DTS/DPF 7.1		
Dwelling boundary walls are limited in height and length to manage visual and overshadowing impacts on adjoining properties.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, side boundary walls occur only on one side boundary and satisfy (a) or (b) below:		
	(a) side boundary walls adjoin or abut a boundary wall of a building on adjoining land for the same or lesser length and height (b) side boundary walls do not:		
	(i) exceed 3m in height from the top of footings		
	(ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, exceed a maximum 45% of the length of the boundary		
	(iv) encroach within 3m of any other existing or proposed boundary walls on the subject land.		
PO 7.2	DTS/DPF 7.2		
Dwellings in a semi-detached, row or terrace arrangement maintain space	Dwelling walls in a semi-detached, row or terrace arrangement are setback at		

Downloaded on 6/03/2023

Generated By Policy24

Page 5 of 106

Policy24		P&D Code (in effect) Version 2023.3 16/02/202		
between l	buildings consistent with a suburban streetscape character.	least 900mm from side boundaries shared with allotments outside the development site.		
	Side bound	ndary setback		
PO 8.1		DTS/DPF 8.1		
	walls are set back from side boundaries to provide:	Other than walls located on a side boundary, building walls are set back from side boundaries:		
cl	eparation between dwellings in a way that contributes to a suburban haracter nd	(a) at least 900mm where the wall height is up to 3m (b) other than for a wall facing a southern side boundary, at least 900mm		
	access to natural light and ventilation for neighbours.	plus 1/3 of the wall height above 3m and		
		(c) at least 1900mm plus 1/3 of the wall height above 3m for walls facing a southern side boundary.		
	Rear bound	ndary setback		
PO 9.1		DTS/DPF 9.1		
(a) se cl (b) a (c) p	walls are set back from rear boundaries to provide: eparation between dwellings in a way that contributes to a suburban haracter cccess to natural light and ventilation for neighbours private open space pace for landscaping and vegetation.	Dwelling walls are set back from the rear boundary at least: (a) if the size of the site is less than 301m²— (i) 3m in relation to the ground floor of the dwelling (ii) 5m in relation to any other building level of the dwelling (b) if the size of the site is 301m² or more— (i) 4m in relation to the ground floor of the dwelling (ii) 6m in relation to any other building level of the dwelling.		
	Conces	ept Plans		
Concept P Design Co	nent is compatible with the outcomes sought by any relevant Plan contained within Part 12 - Concept Plans of the Planning and ode to support the orderly development of land through staging of nent and provision of infrastructure.	The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant: In relation to DTS/DPF 10.1, in instances where:		
		 (a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. (b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 10.1 is met. 		
	Ancillary Buildin	ngs and Structures		
streetscap	al ancillary buildings are sited and designed to not detract from the pe or appearance of primary residential buildings on the site or	DTS/DPF 11.1 Ancillary buildings:		
	ring properties.	 (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: in front of any part of the building line of the dwelling to which it is ancillary or within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: is set back at least 5.5m from the boundary of the primary street have a door / opening not exceeding:		

Downloaded on 6/03/2023 Generated By Policy24 Page 6 of 106

Policy24		P&D Code (in effect) Version 202	23.3 16/02/2023	
	(e)	if situated on a boundary (not being a boundary with or secondary street), do not exceed a length of 11.5n (i) a longer wall or structure exists on the adjace situated on the same allotment boundary an (ii) the proposed wall or structure will be built allength of boundary as the existing adjacent was a situated on the same allotment boundary and the proposed wall or structure will be built allength of boundary as the existing adjacent was a situated on a boundary as the existing adjacent was a situated on a boundary as the situated on a boundary with or secondary structure.	n unless: ent site and is d ong the same	
	(f) (g)	to the same or lesser extent if situated on a boundary of the allotment (not being, a primary street or secondary street), all walls or struboundary will not exceed 45% of the length of that be will not be located within 3m of any other wall along the boundary unless on an adjacent site on that boundary	ctures on the oundary he same	
	(h)	existing wall of a building that would be adjacent to or proposed wall or structure have a wall height or post height not exceeding 3m (a a gable end) have a roof height where no part of the roof is more	about the	
	(j)	the natural ground level if clad in sheet metal, is pre-colour treated or painted reflective colour	in a non-	
	(k) (i)	retains a total area of soft landscaping in accordance whichever is less: a total area as determined by the following table:	with (i) or (ii),	
		Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m²)	mum entage of site	
		<150 10%		
		150-200 15%		
		201-450 20%		
		>450 25%		
	(ii)	the amount of existing soft landscaping prior to the doccurring.	evelopment	
PO 11.2	DTS/DPF	11.2		
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements		y buildings and structures do not result in:		
or result in over-development of the site.	(a)	1 - Private Open Space		
	(b)	less on-site car parking than specified in Transport, Av Parking Table 1 - General Off-Street Car Parking Requ Table 2 - Off-Street Car Parking Requirements in Desi	irements or	
New Section		Advertisements		
PO 12.1	DTS/DPF	12.1		
Advertisements identify the associated business activity, and do not detract from the residential character of the locality.		sements relating to a lawful business activity associate tial use do not exceed 0.3m2 and mounted flush with		

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether

Downloaded on 6/03/2023

Generated By Policy24

Page 7 of 106

Policv24

P&D Code (in effect) Version 2023.3 16/02/2023

one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

Class of Development	Exceptions	
(Column A)	(Column B)	
 Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development. 	None specified.	
All development undertaken by: (a) the South Australian Housing Trust either individually or jointly with other persons or bodies or (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.	residential flat building(s) of 3 or more building levels the demolition of a State or Local Heritage Place the demolition of a building (except an ancillary building) in a Historic Area Overlay.	
3. Any development involving any of the following (or of any combination of any of the following): (a) air handling unit, air conditioning system or exhaust fan (b) ancillary accommodation (c) building work on railway land (d) carport (e) deck (f) dwelling (g) dwelling addition (h) fence (i) outbuilding (j) pergola (k) private bushfire shelter (l) residential flat building (m) retaining wall (n) retirement facility (o) shade sail (p) solar photovoltaic panels (roof mounted) (q) student accommodation (s) swimming pool or spa pool (t) verandah (u) water tank.	1. does not satisfy General Neighbourhood Zone DTS/DPF 4.1 or 2. involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a boundary with a primary street or secondary street or an excluded boundary) and: (a) the length of the proposed wall (or structure) exceeds 11.5m (other than where the proposed wall abuts an existing wall or structure of greater length on the adjoining allotment) or (b) the height of the proposed wall (or post height) exceeds 3m measured from the top of footings (other than where the proposed wall (or post) abuts an existing wall or structure of greater height on the adjoining allotment).	
4. Any development involving any of the following (or of any combination of any of the following): (a) consulting room (b) office (c) shop.	1. does not satisfy any of the following: (a) General Neighbourhood Zone DTS/DPF 1.4 (b) General Neighbourhood Zone DTS/DPF 4.1 or 2. involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a boundary with a primary street or secondary street or an excluded boundary) and: (a) the length of the proposed wall (or structure) exceeds 11.5m (other than where the proposed wall abuts an existing wall or structure of greater length on the adjoining allotment) or (b) the height of the proposed wall (or post height) exceeds 3m measured from the top of footings (other than where the proposed wall (or post) abuts an existing wall or structure of greater height on the adjoining allotment).	
Any development involving any of the following (or of any combination of any of the following): (a) internal building works (b) land division	None specified.	

Downloaded on 6/03/2023

Generated By Policy24

Page 8 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
(c) recreation area (d) replacement building (e) temporary accommodation in an area affected by bushfire (f) tree damaging activity.				
6. Alteration of or addition to any development involving the following (or of any combination of any of the following): (a) community facility (b) educational establishment (c) pre-school.	Except development that does not satisfy General Neighbourhood Zone DTS/DPF 1.5.			
7. Demolition.	the demolition of a State or Local Heritage Place the demolition of a building (except an ancillary building) in a Historic Area Overlay.			
Placement of Notices - Exemptions for Performance Assessed Development				
None specified.				
Placement of Notices - Exemptions for Restricted Development				
None specified.				

Part 3 - Overlays

Advertising Near Signalised Intersections Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Provision of a safe road environment by reducing driver distraction at key points of conflict on the road.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Advertisements Near Signalised Intersections			
PO 1.1	DTS/DPF 1.1		
Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).		

Downloaded on 6/03/2023 Generated By Policy24 Page 9 of 106

Page 324 Council Assessment Panel Agenda - 28 March 2023

Policv24

P&D Code (in effect) Version 2023.3 16/02/2023

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Advertisement or advertising hoarding that: (a) is within 100m of a: (i) signalised intersection or (ii) signalised pedestrian crossing and (b) will: (i) be internally illuminated or (ii) incorporate a moving or changing display or message or (iii) incorporate a flashing light.	Commissioner of Highways.	To provide expert technical assessment on potential risks relating to pedestrian and road safety which may arise from advertisements near intersections.	Development of a class to which Schedule 9 clause 3 item 21 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Affordable Housing Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Affordable housing is integrated with residential and mixed use development.	
DO 2	Affordable housing caters for a variety of household structures.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land	Division
PO 1.1	DTS/DPF 1.1
Development comprising 20 or more dwellings / allotments incorporates affordable housing.	Development results in 0-19 additional allotments / dwellings.
PO 1.2	DTS/DPF 1.2
Development comprising 20 or more dwellings or residential allotments provides housing suited to a range of incomes including households with low to moderate incomes.	Development comprising 20 or more dwellings / or residential allotments includes a minimum of 15% affordable housing except where: (a) it can be demonstrated that any shortfall in affordable housing has been provided in a previous stage of development or (b) it can be demonstrated that any shortfall in affordable housing will be accommodated in a subsequent stage or stages of development.

Downloaded on 6/03/2023 Generated By Policy24 Page 10 of 106

Page 325 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 1.3	DTS/DPF 1.3
Affordable housing is distributed throughout the development to avoid an overconcentration.	None are applicable.
	nd Character
PO 2.1	DTS/DPF 2.1
Affordable housing is designed to complement the design and character of residential development within the locality.	None are applicable.
Affordable Ho	using Incentives
PO 3.1	DTS/DPF 3.1
To support the provision of affordable housing, minimum allotment sizes may be reduced below the minimum allotment size specified in a zone while providing allotments of a suitable size and dimension to accommodate dwellings with a high standard of occupant amenity.	The minimum site area specified for a dwelling can be reduced by up to 20%, or the maximum density per hectare increased by up to 20%, where it is to be used to accommodate affordable housing except where the development is located within the Character Area Overlay or Historic Area Overlay.
PO 3.2	DTS/DPF 3.2
To support the provision of affordable housing, building heights may be increased above the maximum specified in a zone.	Where a building incorporates dwellings above ground level and includes at least 15% affordable housing, the maximum building height specified in any relevant zone policy can be increased by 1 building level in the:
	 (a) Business Neighbourhood Zone (b) City Living Zone (c) Established Neighbourhood Zone (d) General Neighbourhood Zone (e) Hills Neighbourhood Zone (f) Housing Diversity Neighbourhood Zone (g) Neighbourhood Zone (h) Master Planned Neighbourhood Zone (i) Master Planned Renewal Zone (j) Master Planned Township Zone (k) Rural Neighbourhood Zone (l) Suburban Business Zone (m) Suburban Neighbourhood Zone (n) Township Neighbourhood Zone (o) Township Zone (p) Urban Renewal Neighbourhood Zone (q) Waterfront Neighbourhood Zone (a) the development is located within the Character Area Overlay or Historic Area Overlay
	or (b) other height incentives already apply to the development.
Movement and Car Parking	
PO 4.1 Sufficient car parking is provided to meet the needs of occupants of affordable housing.	DTS/DPF 4.1 Dwellings constituting affordable housing are provided with car parking in accordance with the following: (a) 0.3 carparks per dwelling within a building which incorporates dwellings located above ground level within either: (i) 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service ⁽²⁾ (ii) is within 400 metres of a bus interchange ⁽¹⁾ (iii) is within 400 metres of an O-Bahn interchange ⁽¹⁾ (iv) is within 400 metres of a passenger rail station ⁽¹⁾ (v) is within 400 metres of a passenger tram station ⁽¹⁾ (vi) is within 400 metres of the Adelaide Parklands.
	To the part has a maining for any other awaining.

Downloaded on 6/03/2023 Generated By Policy24 Page 11 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	[NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Development for the purposes of the provision of affordable housing (applying the criteria determined under regulation 4 of the South Australian Housing Trust Regulations 2010).	Minister responsible for administering the South Australian Housing Trust Act 1995.	To provide direction on the conditions required to secure the provision of dwellings or allotments for affordable housing.	Development of a class to which Schedule 9 clause 3 item 20 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Airport Building Heights (Regulated) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operation of a certified or registered aerodrome.	DTS/DPF 1.1 Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2	DTS/DPF 1.2

Downloaded on 6/03/2023 Generated By Policy24 Page 12 of 106

City of Salisbury Page 327

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	Development does not include exhaust stacks.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development: (a) building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay (b) building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter landing sites through management of non-residential lighting, turbulence and activities that may attract or result in the congregation of wildlife.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	DTS/DPF 1.1 Development: (a) primarily or wholly for residential purposes (b) for non-residential purposes that does not incorporate outdoor floodlighting.
PO 1.2 Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	DTS/DPF 1.2 All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft: (a) food packing/processing plant (b) horticulture (c) intensive animal husbandry (d) showground (e) waste management facility

Downloaded on 6/03/2023 Generated By Policy24 Page 13 of 106

Page 328 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(f) waste transfer station (g) wetland (h) wildlife sanctuary.
PO 1.3	DTS/DPF 1.3
Buildings are adequately separated from runways and other take-off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	·	Statutory Reference
None	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Built Form		
PO 1.1 Building height does not pose a hazard to the operations of Defence Aviation Areas.	DTS/DPF 1.1 Building height does not exceed the relevant height specified by the <i>Defence Aviation Area Overlay</i> .	
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	DTS/DPF 1.2 Development does not include exhaust stacks.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	·	Statutory Reference
None	None	None	None

Downloaded on 6/03/2023

Generated By Policy24

Page 14 of 106

Page 329 Council Assessment Panel Agenda - 28 March 2023 Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Hazards (Flooding) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
	Impacts on people, property, infrastructure and the environment from high flood risk are minimised by retaining areas free from development, and minimising intensification where development has occurred.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Division		
PO 1.1	DTS/DPF 1.1	
Land division is limited to areas where the consequences to buildings and safety are low and can be readily managed or overcome.	None are applicable.	
Land	d Use	
PO 2.1	DTS/DPF 2.1	
Development sited and designed to minimise exposure of people and property to unacceptable flood risk.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Buildings housing vulnerable people, community services facilities, key infrastructure and emergency services are sited away from flood prone areas to enable uninterrupted operation of services and reduce likelihood of entrapment.	Pre-schools, educational establishments, retirement and supported accommodation, emergency services facilities, hospitals and prisons are not located within the Overlay area.	
Flood R	esilience	
PO 3.1	DTS/DPF 3.1	
Development avoids the need for flood protection works.	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Development does not cause unacceptable impacts on any adjoining property by the diversion of flood waters or an increase in flood velocity or flood level.	None are applicable.	
PO 3.3	DTS/DPF 3.3	
Development does not impede the flow of floodwaters through the allotment or the surrounding land, or cause an unacceptable loss of flood storage.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Development avoids frequently flooded or high velocity areas, other than where it is part of a flood mitigation scheme to reduce flood impact.	Other than a recreation area, development is located outside of the 5% AEP principal flow path.	
PO 3.5	DTS/DPF 3.5	
Buildings are sited, designed and constructed to prevent the entry of floodwaters in a 1% AEP flood event where the entry of floodwaters is likely to	Buildings comprise one of the following:	

Downloaded on 6/03/2023 Generated By Policy24

Page 15 of 106

P&D Code (in effect) Version 2023.3 16/02/2023
(a) a porch or portico with at least 2 open sides
(b) a verandah with at least 3 open sides
 a carport or outbuilding with at least 2 open sides (whichever elevations face the direction of the flow)
(d) any post construction with open sides
 (e) a building with a finished floor level that is at least 300mm above the height of a 1% AEP flood event.
DTS/DPF 3.6
A post and wire fence (other than a chain mesh fence).
ntal Protection
DTS/DPF 4.1
Development involving the storage or disposal of hazardous materials is wholly located outside of the 1% AEP flood plain or flow path.
DTS/DPF 4.2
None are applicable.
arthworks
DTS/DPF 5.1
None are applicable.
DTS/DPF 5.2
Filling for ancillary purposes:
(a) does not exceed 300mm above existing ground level (b) is no more than 5m wide.
DTS/DPF 6.1
None are applicable.
DTS/DPF 6.2
None are applicable.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Hazards (Flooding - General) Overlay

Downloaded on 6/03/2023 Generated By Policy24 Page 16 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
	Impacts on people, property, infrastructure and the environment from general flood risk are minimised through the appropriate siting and design of development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land	d Use
PO 1.1	DTS/DPF 1.1
Buildings housing vulnerable people, community services facilities, key infrastructure and emergency services are sited away from flood areas enable uninterrupted operation of services and reduce likelihood of entrapment.	Pre-schools, educational establishments, retirement and supported accommodation, emergency services facilities, hospitals and prisons located outside the 1% AEP flood event.
Flood R	esilience
PO 2.1	DTS/DPF 2.1
Development is sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished ground and floor level not less than: In instances where no finished floor level value is specified, a building incorporates a finished floor level at least 300mm above the height of a 1% AEP flood event.
Environmen	tal Protection
PO 3.1 Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building during a 1% AEP flood event to avoid potential environmental harm.	DTS/DPF 3.1 Development involving the storage or disposal of hazardous materials is wholly located outside of the 1% AEP flood plain or flow path.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Key Railway Crossings Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023 Generated By Policy24 Page 17 of 106

Page 332 Council Assessment Panel Agenda - 28 March 2023

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Desired Outcome	
DO 1	Safe, efficient and uninterrupted operation of key railway crossings.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Access, Design	n and Function
PO 1.1	DTS/DPF 1.1
Site access does not interfere or impact on the safe operation of a railway crossing.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 110 km/h road - 190m (b) 100 km/h road - 165m (c) 90 km/h road - 140m (d) 80 km/h road - 110m (e) 70 km/h road - 90m (f) 60 km/h road - 70m (g) 50km/h or less road - 50m

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Sustainable water use in prescribed wells areas.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
All development, but in particular involving any of the following:	Development satisfies either of the following:

Downloaded on 6/03/2023

Generated By Policy24

Page 18 of 106

Page 333 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	(a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry. Commercial forestry that requires a forest water licence under Part 8 Division 6 of the Landscape South Australia Act 2019.	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Tree Retention	on and Health
PO 1.1	DTS/DPF 1.1
Regulated trees are retained where they:	None are applicable.
(a) make an important visual contribution to local character and amenity	
 (b) are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or 	
(c) provide an important habitat for native fauna.	

Downloaded on 6/03/2023 Generated By Policy24 Page 19 of 106

Page 334 City of Salisbury Council Assessment Panel Agenda - 28 March 2023

Policy	24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 1.2		DTS/DPF 1.2
	ant trees are retained where they:	None are applicable.
	make an important contribution to the character or amenity of the local area	The de applicable.
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
	represent an important habitat for native fauna	
	are part of a wildlife corridor of a remnant area of native vegetation are important to the maintenance of biodiversity in the local	
(e)	environment and/or	
(f)	form a notable visual element to the landscape of the local area.	
PO 1.3		DTS/DPF 1.3
A tree of	lamaging activity not in connection with other development satisfies (b):	None are applicable.
(a)	tree damaging activity is only undertaken to: (i) remove a diseased tree where its life expectancy is short (ii) mitigate an unacceptable risk to public or private safety due to limb drop or the like	
	rectify or prevent extensive damage to a building of value as comprising any of the following: A. a Local Heritage Place	
	a State Heritage Place a substantial building of value	
	and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity	
	(iv) reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist accommodation or other habitable building from bushfire	
	 treat disease or otherwise in the general interests of the health of the tree and / or 	
	(vi) maintain the aesthetic appearance and structural integrity of the tree	
(b)	in relation to a significant tree, tree-damaging activity is avoided unless all reasonable remedial treatments and measures have been determined to be ineffective.	
PO 1.4		DTS/DPF 1.4
A tree-o	damaging activity in connection with other development satisfies all the ag:	None are applicable.
(a)	it accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible	
(b)	in the case of a significant tree, all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring.	
	Ground work	affecting trees
PO 2.1		DTS/DPF 2.1
compro	ed and significant trees, including their root systems, are not unduly omised by excavation and / or filling of land, or the sealing of surfaces he vicinity of the tree to support their retention and health.	None are applicable.
	Land (Division
PO 3.1		DTS/DPF 3.1
	vision results in an allotment configuration that enables its subsequent oment and the retention of regulated and significant trees as far as is	Land division where:
reason	ably practicable.	(a) there are no regulated or significant trees located within or adjacent to the plan of division

Downloaded on 6/03/2023 Generated By Policy24 Page 20 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
	or (b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.		

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	The state of the s	Statutory Reference
None	None	None	None

Stormwater Management Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development incorporates water sensitive urban design techniques to capture and re-use stormwater.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
PO 1.1	DTS/DPF 1.1
(a) maximise conservation of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage stormwater runoff quality.	Residential development comprising detached, semi-detached or row dwellings, or less than 5 group dwellings or dwellings within a residential flat building: (a) includes rainwater tank storage: (i) connected to at least: A. in relation to a detached dwelling (not in a battle-axe arrangement), semi-detached dwelling or row dwelling, 60% of the roof area B. in all other cases, 80% of the roof area (ii) connected to either a toilet, laundry cold water outlets or hot water service for sites less than 200m² (iii) connected to one toilet and either the laundry cold water outlets or hot water service for sites of 200m² or greater (iv) with a minimum total capacity in accordance with Table 1 (v) where detention is required, includes a 20-25 mm diameter slow release orifice at the bottom of the detention component of the tank (b) incorporates dwelling roof area comprising at least 80% of the site's impervious area Table 1: Rainwater Tank Site size Minimum retention volume (Litres) (Litres) 4200 1000 1000

Downloaded on 6/03/2023 Generated By Policy24 Page 21 of 106

Page 336 Council Assessment Panel Agenda - 28 March 2023

P&D Code (in effect) Version 2023.3 16/02/20					n 2023.3 16/02/2023
		200-400	2000	Site perviousness <30%: 1000 Site perviousness ≥30%: N/A	
		>401	4000	Site perviousness <35%: 1000 Site perviousness ≥35%: N/A	

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity		Referral Body	· ·	Statutory Reference
	None	None	None	None

Traffic Generating Development Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1	Safe and efficient operation of Urban Transport Routes and Major Urban Transport Routes for all road users.			
DO 2	Provision of safe and efficient access to and from urban transport routes and major urban transport routes.			

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Traffic Generat	ing Development
PO 1.1	DTS/DPF 1.1
Development designed to minimise its potential impact on the safety, efficiency and functional performance of the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.

Downloaded on 6/03/2023 Generated By Policy24 Page 22 of 106

Page 337 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
PO 1.2	DTS/DPF 1.2		
Access points sited and designed to accommodate the type and volume of traffic likely to be generated by development.	Access is obtained directly from a State Maintained Road where it involves a of the following types of development:		
	(a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.		
PO 1.3	DTS/DPF 1.3		
Sufficient accessible on-site queuing provided to meet the needs of the development so that queues do not impact on the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:		
	(a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more		
	(c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more		
	(e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.		

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except where all of the relevant deemed-to-satisfy criteria are met, any of the following classes of development that are proposed within 250m of a State Maintained Road: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m² or more (c) retail development with a gross floor area of 2,000m² or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m² or more (e) industry with a gross floor area of 20,000m² or more (f) educational facilities with a capacity of 250 students or more.	Commissioner of Highways.	To provide expert technical assessment and direction to the Relevant Authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 7 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Urban Tree Canopy Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome
Residential development preserves and enhances urban tree canopy through the planting of new trees and retention of existing mature trees where practicable.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 23 of 106

Page 338 Council Assessment Panel Agenda - 28 March 2023 licy24 P&D Code (in effect) Version 2023.3 16/02/2023

Performance Outcome			o-Satisf Perform		iteria / e Feature
PO 1.1	DTS/DPF 1.1				
ees are planted or retained to contribute to an urban tree canopy.	Tree planting is provided in accordance with the following:				
	J J ,		Tree size* an	Tree size* and number required per dwelling	
	<450	<450		1 small tree	
	450-800		1 medium tro	1 medium tree or 2 small trees	
	>800			1 large tree or 2 medium trees or 4 small trees	
	*refer Table	1 Tree Size			
	Table 1 Tree	e Size			
	Tree size	Mature height (minimum)	Mature spread (minimum)		
	Small	4 m	2m	10m² and min. dimension	
	Medium	6 m	4 m	30m² a 2m	and min. dimension of
	Large 12 m	12 m	8m	60m² a 4m	and min. dimension of
	to be planted subject land not a species	in DTS/DPF 1.1 that meet the cri identified in Reg	where existing tre teria in Columns	ee(s) are A, B and of the Plar	ber of trees required retained on the C of Table 2, and are nning Development
	Table 2 Tree	Discounts			
	Retained tree height (Column A)	Retained tree spread (Column B)	Retained so around tre developme (Column C)	e within ent site	Discount applied (Column D)
	4-6m	2-4m	10m ² and dimension		2 small trees (or 1 medium tree)
	6-12m	4-8m	30m ² and dimension		2 medium trees (or 4 small trees)
	>12m	>8m	60m ² and dimension		2 large trees (or 4 medium trees, or 8 small trees)
	Note: In orde	er to satisfy DTS/I	OPF 1.1, payment	may be	made in accordance

Downloaded on 6/03/2023 Generated By Policy24 Page 24 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	with a relevant off-set scheme established by the Minister under section 197 of the Planning, Development and Infrastructure Act 2016, provided the provisions and requirements of that scheme are satisfied. For the purposes of section 102(4) of the Planning, Development and Infrastructure Act 2016, an applicant may elect for any of the matters in DTS/DPF 1.1 to be reserved.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	, ·	Statutory Reference
None	None	None	None

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Appe	arance
PO 1.1	DTS/DPF 1.1
Advertisements are compatible and integrated with the design of the building and/or land they are located on.	Advertisements attached to a building satisfy all of the following: (a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building
	(c) where they are not flush with a wall: (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (ii) if attached to a two-storey building:

Downloaded on 6/03/2023 Generated By Policy24 Page 25 of 106

Page 340 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	has no part located above the finished floor level of the second storey of the building does not protrude beyond the outer limits of any verandah structure below does not have a sign face that exceeds 1m2 per side.
	(d) if located below canopy level, are flush with a wall (e) if located at canopy level, are in the form of a fascia sign (f) if located above a canopy: (i) are flush with a wall (ii) do not have any part rising above parapet height (iii) are not attached to the roof of the building. (g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building (i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.
PO 1.2 Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	DTS/DPF 1.2 Where development comprises an advertising hoarding, the supporting structure is: (a) concealed by the associated advertisement and decorative detailing or (b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.
PO 1.3 Advertising does not encroach on public land or the land of an adjacent allotment.	DTS/DPF 1.3 Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1.4 Where possible, advertisements on public land are integrated with existing structures and infrastructure.	DTS/DPF 1.4 Advertisements on public land that meet at least one of the following: (a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.
PO 1.5 Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	DTS/DPF 1.5 None are applicable.
Proliferation of	Advertisements
PO 2.1 Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	DTS/DPF 2.1 No more than one freestanding advertisement is displayed per occupancy.
PO 2.2 Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	DTS/DPF 2.2 Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3 Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	DTS/DPF 2.3 Advertisements satisfy all of the following: (a) are attached to a building (b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached (c) do not result in more than one sign per occupancy that is not flush with a wall.
Advertisin	ng Content
PO 3.1	DTS/DPF 3.1

Downloaded on 6/03/2023 Generated By Policy24 Page 26 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.
Amenit	/ Impacts
PO 4.1	DTS/DPF 4.1
Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	Advertisements do not incorporate any illumination.
Sa	fety
PO 5.1	DTS/DPF 5.1
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2	DTS/DPF 5.2
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
Advertisements and/or advertising hoardings do not create a hazard to drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	Advertisements satisfy all of the following: (a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Road Reserve
PO 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.	DTS/DPF 5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.
POST.	DTC-DDC-F-F
PO 5.5 Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	DTS/DPF 5.5 Where the advertisement or advertising hoarding is: (a) on a kerbed road with a speed zone of 60km/h or less, the
	advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m.
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Downloaded on 6/03/2023

Generated By Policy24

Page 27 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting as	nd Design
PO 1.1	DTS/DPF 1.1
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.
Horse	Keeping
PO 2.1	DTS/DPF 2.1
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
PO 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
PO 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.
PO 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
PO 2.5	DTS/DPF 2.5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Ker	nels
PO 3.1	DTS/DPF 3.1

Downloaded on 6/03/2023 Generated By Policy24 Page 28 of 106

Page 343 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following: (a) are constructed of impervious concrete (b) are designed to be self-draining when washed down.
PO 3.2	DTS/DPF 3.2
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
(a) adopting appropriate separation distances (b) orientating openings away from sensitive receivers.	
PO 3.3	DTS/DPF 3.3
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.
Wa	stes
PO 4,1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
PO 4.2	DTS/DPF 4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land-based	Aquaculture
PO 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following: (a) 200m or more from a sensitive receiver in other ownership (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.
PO 1.2 Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	DTS/DPF 1.2 None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 29 of 106

Page 344 City of Salisbury

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 1.3	DTS/DPF 1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	None are applicable.
PO 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	None are applicable.
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
PO 1.6	DTS/DPF 1.6
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	None are applicable.
PO 1.7	DTS/DPF 1.7
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.
Marine Base	d Aquaculture
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
(a) creeks and estuaries (b) wetlands (c) significant seagrass and mangrove communities (d) marine habitats and ecosystems.	
PO 2.2	DTS/DPF 2.2
Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	None are applicable.
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	None are applicable.
PO 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark.
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
(a) areas of high public use (b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports (c) areas of outstanding visual or environmental value (d) areas of high tourism value (e) areas of important regional or state economic activity, including	
commercial ports, wharfs and jetties (f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment.	None are applicable.
PO 2.7	DTS/DPF 2.7

Downloaded on 6/03/2023 Generated By Policy24 Page 30 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Marine aquaculture is designed to be as unobtrusive as practicable by	None are applicable.
incorporating measures such as:	Trong are applicable.
(a) using feed hoppers painted in subdued colours and suspending them	
as close as possible to the surface of the water (b) positioning structures to protrude the minimum distance practicable	
above the surface of the water (c) avoiding the use of shelters and structures above cages and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons	
(d) positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
PO 2.8	DTS/DPF 2.8
Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.	None are applicable.
PO 2.9	DTS/DPF 2.9
Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.	None are applicable.
PO 2.10	DTS/DPF 2.10
Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> .	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i> .
PO 2.11	DTS/DPF 2.11
Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by:	None are applicable.
being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape making provision for appropriately sited and designed vehicular	
access arrangements, including using existing vehicular access arrangements as far as practicable	
(c) incorporating appropriate waste treatment and disposal.	
Navigation	and Safety
PO 3.1	DTS/DPF 3.1
Marine aquaculture sites are suitably marked to maintain navigational safety.	None are applicable.
PO 3.2	DTS/DPF 3.2
Marine aquaculture is sited to provide adequate separation between farms for safe navigation.	None are applicable.
Fnvironments	 Management
PO 4.1	DTS/DPF 4.1
Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.	None are applicable.
PO 4.2	DTS/DPF 4.2
Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.	None are applicable.
PO 4.3	DTS/DPF 4.3
Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.	None are applicable.
PO 4.4	DTS/DPF 4.4
Aquaculture operations incorporate measures for the removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste	None are applicable.
Downloaded on 6/03/2023 Generated	By Policy24 Page 31 of 106

Downloaded on 6/03/2023 Generated By Policy24 Page 31 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
to prevent pollution of waters, wetlands, or the nearby coastline.	

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Odour a	nd Noise
PO 1.1	DTS/DPF 1.1
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.
PO 1.2	DTS/DPF 1.2
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.
PO 1.4	DTS/DPF 1.4
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.
PO 1.5	DTS/DPF 1.5
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.
Water	Quality
PO 2.1	DTS/DPF 2.1
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.
PO 2.2	DTS/DPF 2.2
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.
PO 2.3	DTS/DPF 2.3
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations)	

Downloaded on 6/03/2023

Generated By Policy24

Page 32 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
is drained to an onsite stormwater treatment system to manage potential environmental impacts.	
PO 2.4	DTS/DPF 2.4
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.
Wastewate	er Irrigation
PO 3.1	DTS/DPF 3.1
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.
PO 3.2	DTS/DPF 3.2
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
PO 3.3	DTS/DPF 3.3
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as:	None are applicable.
(a) waterlogged areas (b) land within 50m of a creek, swamp or domestic or stock water bore (c) land subject to flooding (d) steeply sloping land (e) rocky or highly permeable soil overlaying an unconfined aquifer.	

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting ar	nd Design
PO 1.1	DTS/DPF 1.1
Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers:

Downloaded on 6/03/2023 Generated By Policy24 Page 33 of 106

Page 348 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility
	(b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility
	(c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more
	(d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more.
Buffers and	Landscaping
PO 2.1	DTS/DPF 2.1
Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	None are applicable.
PO 2.2	DTS/DPF 2.2
Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	None are applicable.
Access an	nd Parking
PO 3.1	DTS/DPF 3.1
Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	Roadways and vehicle parking areas are sealed with an all-weather surface.
Slipways, Wharv	es and Pontoons
PO 4.1	DTS/DPF 4.1
Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	None are applicable.

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1

Downloaded on 6/03/2023 Generated By Policy24 Page 34 of 106

Page 349 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	One of the following is satisfied: a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996 there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

Design

Assessment Provisions (AP)

Desired Outcome (DO)

		Desired Outcome
DO 1	Develo	opment is:
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	(b)	durable - fit for purpose, adaptable and long lasting
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All deve	lopment
External A	ppearance
PO 1.1	DTS/DPF 1.1
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.
PO 1.2	DTS/DPF 1.2
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.
PO 1.3	DTS/DPF 1.3
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.
 (a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces 	
(b) screening rooftop plant and equipment from view	

Downloaded on 6/03/2023 Generated By Policy24 Page 35 of 106

Page 350 City of Salisbury

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(c) when located on the roof of non-residential development, locating	
the plant and equipment as far as practicable from adjacent sensitive	
land uses.	
PO 1.5	DTS/DPF 1.5
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design	None are applicable.
and screening them from public view (such as fencing, landscaping and built	
form) taking into account the form of development contemplated in the	
relevant zone.	
Saf	ety
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the public	None are applicable.
realm by providing clear lines of sight, appropriate lighting and the use of	
visually permeable screening wherever practicable.	
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public	None are applicable.
street frontages and vehicle parking areas.	
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
San tamente di tre asjuttini pasini pasini	
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of	None are applicable.
residential buildings), and non-residential land uses at street level, maximise	
passive surveillance from the public realm to the inside of the building at	
night.	
night.	
	caping
	caping DTS/DPF 3.1
Lands	
PO 3.1 Soft landscaping and tree planting is incorporated to:	DTS/DPF 3.1
PO 3.1	DTS/DPF 3.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection	DTS/DPF 3.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes	DTS/DPF 3.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration	DTS/DPF 3.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes	DTS/DPF 3.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity.	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity.	DTS/DPF 3.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmenta	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmenta PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmenta PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmental PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmenta PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable.
PO 3.1 Soft landscaping and tree planting is incorporated to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. Environmenta PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	DTS/DPF 3.1 None are applicable. DTS/DPF 3.2 None are applicable. I Performance DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 36 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
and photovoltaic cells.	
Water Sen:	sitive Design
PO 5.1	DTS/DPF 5.1
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.
the quantity and quality of surface water and groundwater the depth and directional flow of surface water and groundwater the quality and function of natural springs.	
On-site Waste Tr	reatment Systems
PO 6.1 Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	DTS/DPF 6.1 Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
	Appearance
P07.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	DTS/DFF7.1 None are applicable.
PO 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.
PO 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
PO 7.4	DTS/DPF 7.4
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	None are applicable.
PO 7.5	DTS/DPF7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	None are applicable.
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks a	nd sloping land
PO 8.1	DTS/DPF 8.1

Downloaded on 6/03/2023 Generated By Policy24 Page 37 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following:	
This is the recent of culturary to mine distributive to rate and topography.	(a) excavation exceeding a vertical height of 1m	
	(b) filling exceeding a vertical height of 1m	
	(c) a total combined excavation and filling vertical height of 2m or more.	
PO 8.2	DTS/DPF 8.2	
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):	
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway	
	(b) are constructed with an all-weather trafficable surface.	
PO 8.3	DTS/DPF 8.3	
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.	
do not contribute to the instability of embankments and cuttings provide level transition areas for the safe movement of people and goods to and from the development		
(c) are designed to integrate with the natural topography of the land.		
PO 8.4	DTS/DPF 8.4	
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.	
PO 8.5	DTS/DPF 8.5	
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.	
Fences	and Walls	
PO 9.1	DTS/DPF 9.1	
Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.	
PO 9.2	DTS/DPF 9.2	
Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.	
Overlooking / Visual Privacy	(in building 3 storeys or less)	
PO 10.1	DTS/DPF 10.1	
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following:	
	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm	
	(b) have sill heights greater than or equal to 1.5m above finished floor level	
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.	
PO 10.2	DTS/DPF 10.2	
PO 10.2 Development mitigates direct overlooking from balconies, terraces and decks to habitable rooms and private open space of adjoining residential uses.	DTS/DPF 10.2 One of the following is satisfied:	

Downloaded on 6/03/2023 Generated By Policy24 Page 38 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
	or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases	
All Residenti	al development	
Front elevations an	d passive surveillance	
PO 11.1	DTS/DPF 11.1	
Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street.	
PO 11.2	DTS/DPF 11.2	
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.	
Outlook a	and amenity	
PO 12.1	DTS/DPF 12.1	
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront area	
PO 12.2	DTS/DPF 12.2	
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.	
Ancillary I	Development	
PO 13.1	DTS/DPF 13.1 Ancillary buildings:	
Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.	 (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) when facing a primary street or secondary street, has a total door / opening not exceeding:	
	and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent	

Downloaded on 6/03/2023 Generated By Policy24 Page 39 of 106

Policy24		P&D Code (in effect) Version	2023.3 16/02/2023
	a prim	ated on a boundary of the allotment (not be pary street or secondary street), all walls or	structures on the
	(g) will not exceed 45% of the length of that boundary will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure		ong the same ndary there is an
	(h) have a	a wall height or post height not exceeding 3 d level (and not including a gable end)	m above natural
	(i) have a roof height where no part of the roof is more than 5m about the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour (k) retains a total area of soft landscaping in accordance with (i) or (ii) whichever is less: (i) a total area as determined by the following table:		
		Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m²)	Minimum percentage of site
		<150	10%
		150-200	15%
		201-450	20%
		>450	25%
	(ii)	the amount of existing soft landscaping (development occurring.	prior to the
PO 13.2 Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	DTS/DPF 13.2 Ancillary buildings and structures do not result in: (a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.		rt, Access and Requirements or
PO 13.3	DTS/DPF 13.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	The pump and/or filtration system is ancillary to a dwelling erected or same site and is:		ng erected on the
		sed in a solid acoustic structure that is local earest habitable room located on an adjoini	
	(b) locate	d at least 12m from the nearest habitable ing allotment.	room located on an
Garage a	ppearance		
PO 14.1	DTS/DPF 14.1		
Garaging is designed to not detract from the streetscape or appearance of a dwelling.		arports facing a street:	
	part o	tuated so that no part of the garage or carp f the building line of the dwelling	
		t back at least 5.5m from the boundary of garage door / opening not exceeding 7m i	
	(d) have a	a garage door /opening width not exceedin ge unless the dwelling has two or more bu ng line fronting the same public street.	g 50% of the site
	ssing		
PO 15.1	DTS/DPF 15.1		
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are appl	icable	
Dwelling	additions		
Downloaded on 6/03/2023 Generated	By Policy24	l.	Page 40 of 106

Downloaded on 6/03/2023 Generated By Policy24 Page 40 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
PO 16.1	DTS / DPF 16.1	
Dwelling additions are sited and designed to not detract from the streetscape	Dwelling additions:	
Dwelling additions are sited and designed to not detract from the streetscape or amenity of adjoining properties and do not impede on-site functional requirements.	(a) are not constructed, added to or altered so that any part is situated closer to a public street (b) do not result in: (i) excavation exceeding a vertical height of 1m (ii) filling exceeding a vertical height of 1m (iii) a total combined excavation and filling vertical height of 2m or more (iv) less Private Open Space than specified in Design Table 1 - Private Open Space (v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (vi) upper level windows facing side or rear boundaries unless: A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or B. have sill heights greater than or equal to 1.5m above finished floor level or C. incorporate screening to a height of 1.5m above finished floor level (vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land	
	B. 1.7m above finished floor level in all other cases.	
Private O	pen Space	
PO 17.1	DTS/DPF 17.1	
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.	
Water Sen:	sitive Design	
PO 18.1	DTS/DPF 18.1	
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	Residential development creating a common driveway / access that service or more dwellings achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen.	
PO 18.2	DTS/DPF 18.2	
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	Development creating a common driveway / access that services 5 or more dwellings: (a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; an manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.	
	and manoeuvrability	
PO 19.1	DTS/DPF 19.1	
Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage	

Downloaded on 6/03/2023 Generated By Policy24 Page 41 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	area):
	(a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 19.2	DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m
PO 19.3	DTS/DPF 19.3
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages, domestic waste collection and on-street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
PO 19.4	DTS/DPF 19.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed: (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads (ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that: (a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average (b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary (c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site
PO 19.6	DTS/DPF 19.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.

Downloaded on 6/03/2023 Generated By Policy24 Page 42 of 106

cy24 P&D Code (in effect) Version 2023.3 16/02/2023		
Waste	e storage	
PO 20.1	DTS/DPF 20.1	
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.	
Design of Transp	oortable Dwellings	
PO 21.1	DTS/DPF 21.1	
The sub-floor space beneath transportable buildings is enclosed to give the	Buildings satisfy (a) or (b):	
appearance of a permanent structure.	(a) are not transportable	
	or (b) the sub-floor space between the material and finish consistent to	ne building and ground level is clad in a with the building.
Group dwelling, residential flat bu	I ildings and battle-axe development	
Am	enity	
PO 22.1	DTS/DPF 22.1	
Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	Dwellings have a minimum internal flootable:	or area in accordance with the following
	Number of bedrooms	Minimum internal floor area
	Studio	35m ²
	1 bedroom	50m ²
	2 bedroom	65m ²
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 22.2	DTS/DPF 22.2	
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
PO 22.3	DTS/DPF 22.3	
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.	
PO 22.4	DTS/DPF 22.4	
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the	e form of a battle-axe arrangement.
Communal	Open Space	
PO 23.1	DTS/DPF 23.1	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
PO 23.2	DTS/DPF 23.2	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.	
PO 23.3	DTS/DPF 23.3	
Communal open space is designed and sited to:	None are applicable.	
be conveniently accessed by the dwellings which it services have regard to acoustic, safety, security and wind effects.		

Downloaded on 6/03/2023

Generated By Policy24

Page 43 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
PO 23.4	DTS/DPF 23,4	
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.	
PO 23.5	DTS/DPF 23.5	
Communal open space is designed and sited to:	None are applicable.	
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by		
 in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 		
Carparking, access	and manoeuvrability	
PO 24.1	DTS/DPF 24.1	
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:	
	(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.	
PO 24.2	DTS/DPF 24.2	
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.	
PO 24.3	DTS/DPF 24.3	
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.	
PO 24.4	DTS/DPF 24.4	
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.	
PO 24.5	DTS/DPF 24.5	
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages of parking spaces in no more than a three-point turn manoeuvre.	
PO 24.6	DTS/DPF 24.6	
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.	
Soft Lar	dscaping	
PO 25.1	DTS/DPF 25.1	
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.	
PO 25.2	DTS/DPF 25.2	
Soft landscaping is provided that improves the appearance of common	Where a common driveway is located directly adjacent the side or rear	

Downloaded on 6/03/2023 Generated By Policy24 Page 44 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
driveways.	boundary of the site, soft landscaping with a minimum dimension of 1m is
	provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	 Waste Storage
PO 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian	None are applicable.
entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
located away, or screened, from public view, and conveniently located in proximity to dwellings and the waste collection point.	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and	None are applicable.
convenient access, egress and movement of waste collection vehicles.	
PO 26.6	DTS/DPF 26.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Supported accommodation	on and retirement facilities
Siting and G	Configuration
PO 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Movement	and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
ground-level access or lifted access to all units level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places	
car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability kerb ramps at pedestrian crossing points.	
Communal	Open Space
PO 29.1	DTS/DPF 29.1
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
PO 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
	ļ

Downloaded on 6/03/2023 Generated By Policy24 Page 45 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
PO 29.3	DTS/DPF 29.3			
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.			
PO 29.4	DTS/DPF 29.4			
Communal open space is designed and sited to:	None are applicable.			
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.				
PO 29.5	DTS/DPF 29.5			
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.			
PO 29.6	DTS/DPF 29.6			
Communal open space is designed and sited to:	None are applicable.			
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.				
·				
Site Facilities /	Waste Storage DTS/DPF 30.1			
Development is designed to provide storage areas for personal items and	None are applicable.			
specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	Two is a applicable.			
PO 30.2	DTS/DPF 30.2			
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.			
PO 30.3	DTS/DPF 30.3			
Provision is made for suitable external clothes drying facilities.	None are applicable.			
PO 30.4	DTS/DPF 30.4			
Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.	None are applicable.			
PO 30.5	DTS/DPF 30.5			
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.			
PO 30.6	DTS/DPF 30.6			
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.			
PO 30.7	DTS/DPF 30.7			
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.			
All non-residential development				
Water Sens	sitive Design			
PO 31.1	DTS/DPF 31.1			
Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.			
PO 31.2	DTS/DPF 31.2			
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.			
Downloaded on 6/03/2023	Py Policy24 Page 46 of 106			

Downloaded on 6/03/2023 Generated By Policy24 Page 46 of 106

Policy	24		P&D Code (in effect) Version 2023.3 16/02/2023
		Wash-down and Waste	Loading and Unloading
PO 32.1			DTS/DPF 32.1
bins in	design a bund stormy paved of suff from th	ties including loading and unloading, storage of waste refuse roial and industrial development or wash-down areas used for vehicles, vessels, plant or equipment are: ded to contain all wastewater likely to pollute stormwater within ded and roofed area to exclude the entry of external surface water run-off with an impervious material to facilitate wastewater collection icident size to prevent 'splash-out' or 'over-spray' of wastewater he wash-down area ded to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): 4m² with a minimum dimension 1.8m One bedroom: 8m² with a minimum dimension 2.1m Two bedroom dwelling: 11m² with a minimum dimension 2.4m Three + bedroom dwelling: 15m² with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Design in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome			
DO 1	Development is: (a) contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality		
	(b) durable - fit for purpose, adaptable and long lasting		

Downloaded on 6/03/2023 Generated By Policy24 Page 47 of 106

Page 362 City of Salisbury

Policy24		P&D Code (in effect) Version 2023.3 16/02/2023
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
All Devo	elopment		
External A	ppearance		
PO 1.1	DTS/DPF 1.1		
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.		
PO 1.3	DTS/DPF 1.3		
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.		
PO 1.4	DTS/DPF 1.4		
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces (b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	Development does not incorporate any structures that protrude beyond the roofline.		
PO 1.5	DTS/DPF 1.5		
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.	None are applicable.		
Sa	fety		
PO 2.1	DTS/DPF 2.1		
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.		
PO 2.2	DTS/DPF 2.2		
Development is designed to differentiate public, communal and private areas.	None are applicable.		
PO 2.3	DTS/DPF 2.3		
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.		
PO 2.4	DTS/DPF 2.4		

Downloaded on 6/03/2023 Generated By Policy24 Page 48 of 106

Page 363 Ci Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.			
PO 2.5	DTS/DPF 2.5			
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.			
Lands	scaping			
PO 3.1	DTS/DPF 3.1			
Soft landscaping and tree planting are incorporated to:	None are applicable.			
(a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.				
Environment	al Performance			
PO 4,1	DTS/DPF 4.1			
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.			
PO 4.2	DTS/DPF 4.2			
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.			
PO 4.3	DTS/DPF 4.3			
Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.			
Water Sens	sitive Design			
PO 5.1	DTS/DPF 5.1			
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.			
 (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. 				
On-site Waste Tr	reatment Systems			
PO 6.1	DTS/DPF 6.1			
Dedicated on-site effluent disposal areas do not include any areas to be used	Effluent disposal drainage areas do not:			
for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.			
Car parking	appearance			
PO 7.1	DTS/DPF 7.1			
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding	None are applicable.			

Downloaded on 6/03/2023 Generated By Policy24

Page 49 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
(c) limiting the width of openings and integrating them into the building structure.			
PO 7.2	DTS/DPF 7.2		
Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.		
PO 7.3	DTS/DPF 7.3		
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.		
PO 7.4	DTS/DPF 7.4		
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.		
PO 7.5	DTS/DPF 7.5		
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of:		
	(a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.		
PO 7.6	DTS/DPF 7.6		
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.		
PO 7.7	DTS/DPF 7.7		
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.		
Earthworks ar	nd sloping land		
PO 8.1	DTS/DPF 8.1		
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m		
	(b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.		
PO 8.2	DTS/DPF 8.2		
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):		
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway		
	driveway (b) are constructed with an all-weather trafficable surface.		
PO 8.3	driveway (b) are constructed with an all-weather trafficable surface. DTS/DPF 8.3		
PO 8.3 Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	driveway (b) are constructed with an all-weather trafficable surface.		
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): (a) do not contribute to the instability of embankments and cuttings	driveway (b) are constructed with an all-weather trafficable surface. DTS/DPF 8.3		
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	driveway (b) are constructed with an all-weather trafficable surface. DTS/DPF 8.3		
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development	driveway (b) are constructed with an all-weather trafficable surface. DTS/DPF 8.3		
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development (c) are designed to integrate with the natural topography of the land.	driveway (b) are constructed with an all-weather trafficable surface. DTS/DPF 8.3 None are applicable.		

Generated By Policy24

Page 50 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
Development does not occur on land at risk of landslip or increase the	None are applicable.		
potential for landslip or land surface instability.			
Ennas	and walls		
PO 9.1	DTS/DPF 9.1		
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.		
PO 9.2	DTS/DPF 9.2		
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.		
Overlooking / Visual Pr	ivacy (low rise buildings)		
PO 10.1	DTS/DPF 10.1		
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones.	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.		
PO 10.2	DTS/DPF 10.2		
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road,		
	public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or		
	(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases		
Site Facilities / Waste Storage (exclu	ding low rise residential development)		
PO 11.1	DTS/DPF 11.1		
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.		
PO 11.2	DTS/DPF 11.2		
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.		
PO 11.3	DTS/DPF 11.3		
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.		
PO 11.4	DTS/DPF 11.4		
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.		
PO 11.5	DTS/DPF 11.5		
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.		
All Development - N	fedium and High Rise		
External A	Appearance		
PO 12.1	DTS/DPF12.1		

Downloaded on 6/03/2023 Generated By Policy24 Page 51 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.		
PO 12.2	DTS/DPF 12.2		
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.		
PO 12.3	DTS/DPF 12.3		
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.		
PO 12.4	DTS/DPF 12.4		
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.		
PO 12.5	DTS/DPF 12.5		
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes (a) masonry		
	(b) natural stone		
	 (c) pre-finished materials that minimise staining, discolouring or deterioration. 		
PO 12.6	DTS/DPF 12.6		
Street-facing building elevations are designed to provide attractive, high	Building street frontages incorporate:		
quality and pedestrian-friendly street frontages.	(a) active uses such as shops or offices		
	(b) prominent entry areas for multi-storey buildings (where it is a common entry)		
	(c) habitable rooms of dwellings		
	 areas of communal public realm with public art or the like, where consistent with the zone and/or subzone provisions. 		
PO 12.7	DTS/DPF 12.7		
Entrances to multi-storey buildings are safe, attractive, welcoming, functional	Entrances to multi-storey buildings are:		
and contribute to streetscape character.	(a) oriented towards the street		
	(b) clearly visible and easily identifiable from the street and vehicle parking areas		
	(c) designed to be prominent, accentuated and a welcoming feature if		
	there are no active or occupied ground floor uses (d) designed to provide shelter, a sense of personal address and		
	(d) designed to provide shelter, a sense of personal address and transitional space around the entry		
	(e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors		
	(f) designed to avoid the creation of potential areas of entrapment.		
PO 12.8	DTS/DPF 12.8		
Building services, plant and mechanical equipment are screened from the public realm.	None are applicable.		
Land:	scaping		
PO 13.1	DTS/DPF 13.1		
Development facing a street provides a well landscaped area that contains a	Buildings provide a 4m by 4m deep soil space in front of the building that		
deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	accommodates a medium to large tree, except where no building setback from front property boundaries is desired.		
PO 13.2	DTS/DPF 13.2		
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporates trees a not less than the following rates, except in a location or zone where full site coverage is desired.		
	Site area Minimum deep soil soil area Minimum Tree / deep soil dimension zones		

Downloaded on 6/03/2023 Generated By Policy24 Page 52 of 106

Policy24		P&D Code (in	effect) Version 2	2023.3 16/02/2023
	<300 m ²	10 m ²	1.5m	1 small tree / 10 m ²
	300-1500 m ²	7% site area	3m	1 medium tree / 30 m ²
	>1500 m ²	7% site area	6m	1 large or medium tree / 60 m ²
	Tree size and site	area definitions		
	Small tree	4-6m mature heigh	nt and 2-4m canopy	spread
	Medium tree	6-12m mature heig	ght and 4-8m canopy	y spread
	Large tree	12m mature heigh	t and >8m canopy s	pread
	Site area	The total area for o	development site, no	ot average area per
PO 13.3	DTS/DPF 13.3			
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	ntural light are provided to assist in None are applicable.			
PO 13.4	DTS/DPF 13.4			
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.		_		
Enviror	nmental			
PO 14.1 Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	DTS/DPF 14.1 None are applicable	e.		
PO 14.2	DTS/DPF 14.2			
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.	None are applicabl	e.		
PO 14.3	DTS/DPF 14.3			
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as:	None are applicabl	e.		
a podium at the base of a tall tower and aligned with the street to deflect wind away from the street substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas the placement of buildings and use of setbacks to deflect the wind at ground level avoiding tall shear elevations that create windy conditions at street level.				
Car P.	arking			
	or 10.116			
PO 15.1	DTS/DPF 15.1			

Generated By Policy24

Page 53 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
street frontages and complement neighbouring buildings.	provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.			
PO 15.2	DTS/DPF 15.2			
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.			
Overlooking	Visual Privacy			
PO 16.1	DTS/DPF 16.1			
Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:	None are applicable.			
 (a) appropriate site layout and building orientation (b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight (c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms (d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity. 				
All residentia	l development			
Front elevations an	d passive surveillance			
PO 17.1	DTS/DPF 17.1			
Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street.			
PO 17.2	DTS/DPF 17.2			
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.			
Outlook a	nd Amenity			
PO 18.1	DTS/DPF 18.1			
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.			
PO 18.2	DTS/DPF 18.2			
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	, None are applicable.			
Ancillary D	evelopment			
PO 19.1	DTS/DPF 19.1			
Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or neighbouring properties.	Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)			
	(d) in the case of a garage or carport, the garage or carport:			

Downloaded on 6/03/2023 Generated By Policy24 Page 54 of 106

Policy24			P&D Code (in effect) Version	2023.3 16/02/2023
			is set back at least 5.5m from the bounda	ary of the primary
		(ii)	when facing a primary street or secondar door / opening not exceeding:	
			 A. for dwellings of single building lever 50% of the site frontage, whicher 	
			for dwellings comprising two or r at the building line fronting the sa 7m in width	
	(e)	or secor (i) (ii)	ed on a boundary (not being a boundary vendary street), do not exceed a length of 1' a longer wall or structure exists on the adsituated on the same allotment boundary and the proposed wall or structure will be buillength of boundary as the existing adjace to the same or lesser extent	1.5m unless: ljacent site and is / It along the same
	(f) if situated on a boundary of the allotment (not being a boundary wi a primary street or secondary street), all walls or structures on the		structures on the	
	boundary will not exceed 45% of the length of that boundary will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level			ing the same idary there is an
				m above natural
	(i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour (k) retains a total area of soft landscaping in accordance with (i) or (ii) whichever is less:			
		(i)	a total area as determined by the following	
			Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	Minimum percentage of site
			<150	10%
			150-200	15%
			201-450	20%
			>450	25%
	(ii) the amount of existing soft landscaping prior to the development occurring.		rior to the	
PO 19.2	DTS/DPF	19,2		
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements	Ancillary buildings and structures do not result in:			
or result in over-development of the site.	(a) less private open space than specified in Design in Urban Areas Tab 1 - Private Open Space		n Urban Areas Table	
	(b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.			
PO 19.3	DTS/DPF	19.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:		g erected on the	
reside residente to dejuterit deriorere receivers.	(a)		d in a solid acoustic structure that is locat rest habitable room located on an adjoinir	
	(b)		at least 12m from the nearest habitable r g allotment.	oom located on an
Downloaded on 6/03/2023 Generated	Bv Pol	icv24		Page 55 of 106

-	pment - Low Rise				
-					
PO 20 1	External appearance				
PO 20.1	DTS/DPF 20.1				
Garaging is designed to not detract from the streetscape or appearance of a dwelling.	Garages and carports facing a street:				
	 (a) are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling (b) are set back at least 5.5m from the boundary of the primary street (c) have a garage door / opening width not exceeding 7m (d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. 				
PO 20.2	DTS/DPF 20.2				
positive contribution to the streetscape and the appearance of common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building wall is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single material or finish.				
PO 20.3	DTS/DPF 20.3				
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable				
Private Op	pen Space				
PO 21.1	DTS/DPF 21.1				
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.				
PO 21.2	DTS/DPF 21.2				
Private open space is positioned to provide convenient access from internal living areas.	Private open space is directly accessible from a habitable room.				
Landsc	aping				
PO 22.1	DTS/DPF 22.1				
	Residential development incorporates soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b):				
(a) minimise heat absorption and reflection (b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity	(a) a total area as determined by the following table:				
	Dwelling site area (or in the case of Minimum				
(d) enhance the appearance of land and streetscapes.	residential flat building or group percentage of site dwelling(s), average site area) (m ²)				
(d) enhance the appearance of land and streetscapes.					

Downloaded on 6/03/2023 Generated By Policy24 Page 56 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/20		
	>200-450 20%		
	>450 25%		
	(b) at least 30% of any land between the primary street boundary and the primary building line.		
Car narking arress	nd manoeuvrability		
PO 23.1	DTS/DPF 23.1		
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):		
	(a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m		
	(ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.		
PO 23.2	DTS/DPF 23.2		
Uncovered car parking space are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:		
	(a) a minimum length of 5.4m		
	(b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any		
	fence, wall or other obstruction of 1.5m.		
PO 23.3	DTS/DPF 23.3		
Driveways and access points are located and designed to facilitate safe access	Driveways and access points satisfy (a) or (b):		
and egress while maximising land available for street tree planting, domestic waste collection, landscaped street frontages and on-street parking.	(a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary ar are the only access point provided on the site (b) sites with a frontage to a public road greater than 10m: (i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site (ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m.		
PO 23.4	DTS/DPF 23.4		
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 of more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.		
PO 23.5	DTS/DPF 23.5		
Driveways are designed to enable safe and convenient vehicle movements	Driveways are designed and sited so that:		

Downloaded on 6/03/2023 Generated By Policy24

Page 57 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
from the public road to on-site parking spaces.	
	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1-in-4 on average
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.
	(c) if located so as to provide access from an alley, lane or right of way - the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site
PO 23.6	DTS/DPF 23.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)
	 (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
Waste	storage
PO 24.1	DTS/DPF 24.1
Provision is made for the convenient storage of waste bins in a location screened from public view.	Where dwellings abut both side boundaries a waste bin storage area is provided behind the building line of each dwelling that:
	(a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open
	space); and (b) has a continuous unobstructed path of travel (excluding moveable
	objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
Design of Transp	ortable Buildings
PO 25.1	DTS/DPF 25.1
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	Buildings satisfy (a) or (b):
	are not transportable the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and	High Rise (including serviced apartments)
Outlook and	Visual Privacy
PO 26.1	DTS/DPF 26.1
Ground level dwellings have a satisfactory short range visual outlook to public,	Buildings:
communal or private open space.	(a) provide a habitable room at ground or first level with a window facing
	toward the street (b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.
PO 26.2	DTS/DPF 26.2
The visual privacy of ground level dwellings within multi-level buildings is	The finished floor level of ground level dwellings in multi-storey developments
protected.	is raised by up to 1.2m.
	pen Space
Private O	
PO 27.1	DTS/DPF 27.1
PO 27.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	DTS/DPF 27.1 Private open space provided in accordance with Design in Urban Areas Table 1

Downloaded on 6/03/2023 Generated By Policy24 Page 58 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary.	
Po 28.2 Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to: (a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy (b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas. Po 28.3 Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	DTS/DPF 28.2 Balconies utilise one or a combination of the following design elements: (a) sun screens (b) pergolas (c) louvres (d) green facades (e) openable walls. DTS/DPF 28.3 Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.	
Dwellings are provided with sufficient space for storage to meet likely occupant needs.	Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling: (a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .	
PO 28.5 Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a reasonable living amenity is provided.	DTS/DPF 28.5 Light wells: (a) are not used as the primary source of outlook for living rooms (b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms (c) above 18m in height have a minimum horizontal dimension of 6m, or 9m if overlooked by bedrooms.	
PO 28.6 Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	DTS/DPF 28.6 None are applicable.	
PO 28.7 Dwellings are designed so that internal structural columns correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable.	DTS/DPF 28.7 None are applicable.	
Dwelling Co	onfiguration	
PO 29.1 Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	DTS/DPF 29.1 Buildings containing in excess of 10 dwellings provide at least one of each of the following: (a) studio (where there is no separate bedroom) (b) 1 bedroom dwelling / apartment with a floor area of at least 50m ² (c) 2 bedroom dwelling / apartment with a floor area of at least 65m ² (d) 3+ bedroom dwelling / apartment with a floor area of at least 80m ² , and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom.	
PO 29.2 Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible. Commo	DTS/DPF 29.2 None are applicable. on Areas	

Downloaded on 6/03/2023 Generated By Policy24 Page 59 of 106

Policy24	P&D Code (in	effect) Version 2023.3 16/02/2023	
PO 30.1	DTS/DPF 30.1		
The size of lifts, lobbies and corridors is sufficient to accommodate movement of bicycles, strollers, mobility aids and visitor waiting areas.	(a) have a minimum ceiling height (b) provide access to no more tha (c) incorporate a wider section at exceed 12m in length from a ceiling height	n 8 dwellings apartment entries where the corridors	
Group Dwellings, Residential Flat Bi	uildings and Battle axe Development		
Am	enity		
PO 31.1 Dwellings are of a suitable size to provide a high standard of amenity for occupants.	DTS/DPF 31.1 Dwellings have a minimum internal floor area in accordance with the following table:		
	Number of bedrooms	Minimum internal floor area	
	Studio	35m ²	
	1 bedroom	50m ²	
	2 bedroom	65m ²	
	3+ bedrooms	80m² and any dwelling over 3 bedrooms provides an additional 15m² for every additional bedroom	
PO 31.2	DTS/DPF 31.2		
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.		
PO 31.3	DTS/DPF 31.3		
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.			
PO 31.4 Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	DTS/DPF 31.4 Dwelling sites/allotments are not in the form of a battle-axe arrangement.		
	Open Space		
PO 32.1	DTS/DPF 32.1		
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.		
PO 32.2 Communal open space is of sufficient size and dimensions to cater for group recreation.	DTS/DPF 32.2 Communal open space incorporates a minimum dimension of 5 metres.		
PO 32.3	DTS/DPF 32.3		
Communal open space is designed and sited to:	None are applicable.		
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.			
PO 32.4 Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	DTS/DPF 32.4 None are applicable.		
PO 32.5	DTS/DPF 32.5		
Communal open space is designed and sited to:	None are applicable.		
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings			

Downloaded on 6/03/2023 Generated By Policy24 Page 60 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/20			
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.			
Car parking, access	and manoeuvrability		
PO 33.1	DTS/DPF 33.1		
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:		
	(a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.		
PO 33.2	DTS/DPF 33.2		
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.		
PO 33.3	DTS/DPF 33.3		
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street		
	(ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.		
PO 33.4	DTS/DPF 33.4		
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.		
PO 33.5	DTS/DPF 33.5		
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.		
Soft lar	dscaping		
PO 34.1	DTS/DPF 34.1		
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.		
PO 34.2	DTS/DPF 34.2		
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of		
	1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).		
	/ Waste Storage		
PO 35.1	DTS/DPF 35.1		
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.		

Downloaded on 6/03/2023 Generated By Policy24 Page 61 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 35.3	DTS/DPF 35.3
Provision is made for suitable household waste and recyclable material	None are applicable.
storage facilities which are:	
(a) located away, or screened, from public view, and	
 conveniently located in proximity to dwellings and the waste collection point. 	
PO 35.4	DTS/DPF 35.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 35.5	DTS/DPF 35.5
Where waste bins cannot be conveniently collected from the street, provision	None are applicable.
is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	
PO 35.6	DTS/DPF 35.6
Services including gas and water meters are conveniently located and	None are applicable.
screened from public view.	
Water sensitiv	e urban design
PO 36.1	DTS/DPF 36.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other	None are applicable.
contaminants to the stormwater system, watercourses or other water bodies.	
PO 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and	None are applicable.
manage the rate and duration of stormwater discharges from the site to	
ensure that the development does not increase the peak flows in downstream systems.	
	on and retirement facilities
PO 37.1	ation and Design DTS/DPF 37.1
Supported accommodation and housing for aged persons and people with	None are applicable.
disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	
PO 37.2	DTS/DPF 37.2
Universal design features are incorporated to provide options for people living	None are applicable.
with disabilities or limited mobility and / or to facilitate ageing in place.	and Access
PO 38.1	DTS/DPF 38.1
Development is designed to support safe and convenient access and	None are applicable.
movement for residents by providing:	
ground-level access or lifted access to all units level entry porches, ramps, paths, driveways, passenger loading areas	
and areas adjacent to footpaths that allow for the passing of	
wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient	
area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	
Communal	Open Space
PO 39.1	DTS/DPF 39.1
Development is designed to provide attractive, convenient and comfortable	None are applicable.
indoor and outdoor communal areas to be used by residents and visitors.	

Downloaded on 6/03/2023 Generated By Policy24 Page 62 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 39.2	DTS/DPF 39.2
Private open space provision may be substituted for communal open space	None are applicable.
which is designed and sited to meet the recreation and amenity needs of residents.	Note are applicable.
PO 39.3	DTS/DPF 39.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 39.4	DTS/DPF 39.4
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.	
PO 39.5	DTS/DPF 39.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Site Facilities /	Waste Storage
PO 40.1	DTS/DPF 40.1
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.	None are applicable.
PO 40.2	DTS/DPF 40.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 40.3	DTS/DPF 40.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 40.4	DTS/DPF 40.4
Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	None are applicable.
PO 40.5	DTS/DPF 40.5
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 40.6	DTS/DPF 40.6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
PO 40.7	DTS/DPF 40.7
Services, including gas and water meters, are conveniently located and screened from public view.	None are applicable.
Student Acc	ommodation
PO 41.1	DTS/DPF 41.1
Student accommodation is designed to provide safe, secure, attractive,	Student accommodation provides:

Generated By Policy24

Page 63 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/202	
convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction.	(a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including: (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m³ for every 2 dwellings or students (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students	
PO 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	DTS/DPF 41.2 None are applicable.	
All and societies	tiel development	
	Itial development	
Water Sen:	DTS/DPF 42.1	
Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.	
PO 42.2	DTS/DPF 42.2	
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.	
Po 42.3 Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	DTS/DPF 42.3 None are applicable.	
Wash-down and Waste	Loading and Unloading	
PO 43.1	DTS/DPF 43.1	
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection	None are applicable.	
(c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a		
regular basis.		
Laneway D	evelopment	
Infrastructu	re and Access	
PO 44.1	DTS/DPF 44.1	
Development with a primary street comprising a laneway, alley, lane, right of way or similar minor thoroughfare only occurs where:	Development with a primary street frontage that is not an alley, lane, right of way or similar public thoroughfare.	

Downloaded on 6/03/2023 Generated By Policy24 Page 64 of 106

Policy	24	P&D Code (in effect) Version 2023.3 16/02/2023
(a)	existing utility infrastructure and services are capable of accommodating the development	
(b)	the primary street can support access by emergency and regular service vehicles (such as waste collection)	
(c)	it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management systems)	
(d)	safety of pedestrians or vehicle movement is maintained	
(e)	any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares.	

Table 1 - Private Open Space

Dwelling Type	Dwelling / Site	Minimum Rate
	Configuration	
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate above	Dwellings at ground level:	15m ² / minimum dimension 3m
ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m² / minimum dimension 1.8m
	One bedroom dwelling	8m² / minimum dimension 2.1m
	Two bedroom dwelling	11m ² / minimum dimension 2.4m
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome
Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 65 of 106

Page 380 Council Assessment Panel Agenda - 28 March 2023 licy24 P&D (

Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
	ing	
PO 1.1	DTS/DPF 1.1	
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).	
PO 1.3	DTS/DPF 1.3	
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
PO 1.4	DTS/DPF 1.4	
Commercial forestry plantations are separated from reserves gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> to minimise fire risk and potential for weed infestation.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from reserve gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> .	
Water P	rotection	
PO 2.1	DTS/DPF 2.1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources.	do not involve cultivation (excluding spot cultivation) in drainage lines are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer) are set back 10m or more from the banks of any first or second order watercourse or sinkhole (with no direct connection to an aquifer).	
Fire Management		
PO 3.1	DTS/DPF 3.1	
Commercial forestry plantations incorporate appropriate firebreaks and fire	Commercial forestry plantations provide:	
management design elements.	(a) 7m or more wide external boundary firebreaks for plantations of 40ha or less (b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha (c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.	
PO 3.2	DTS/DPF 3.2	
Commercial forestry plantations incorporate appropriate fire management access tracks.	commercial forestry plantation fire management access tracks: are incorporated within all firebreaks bare 7m or more wide with a vertical clearance of 4m or more are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for fire-fighting vehicles (d) partition the plantation into units of 40ha or less in area.	
Power-line Clearances		

Downloaded on 6/03/2023 Generated By Policy24 Page 66 of 106

Policy24	P&D C	ode (in effec	t) Version 2023.3 16/02/2023
PO 4.1	DTS/DPF 4.1		
Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	Commercial forestry plantation height of greater than 6m mee following table:		g trees with an expected mature e requirements listed in the
	Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome
Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
PO 1.1	DTS/DPF 1.1	
Residential development provides a range of housing choices.	Development comprises one or more of the following: (a) detached dwellings (b) semi-detached dwellings (c) row dwellings (d) group dwellings (e) residential flat buildings.	
PO 1.2 Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	DTS/DPF 1.2 None are applicable.	
Buildin	g Height	

Downloaded on 6/03/2023 Generated By Policy24 Page 67 of 106

Page 382 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 2.1	DTS/DPF 2.1
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).
PO 2.2	DTS/DPF 2.2
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.
Primary St	reet Setback
PO 3.1	DTS/DPF 3.1
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.
Secondary S	Street Setback
PO 4.1	DTS/DPF 4.1
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.
Bound	ary Walls
PO 5.1	DTS/DPF 5.1
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
PO 5.2 Dwellings in a semi-detached, row or terrace arrangement maintain space	DTS/DPF 5.2 Dwellings in a semi-detached or row arrangement are set back 900mm or
between buildings consistent with a suburban streetscape character.	more from side boundaries shared with allotments outside the development site, except for a carport or garage.
Side Boun	I dary Setback
PO 6.1	DTS/DPF 6.1
Buildings are set back from side boundaries to provide:	Other than walls located on a side boundary, buildings are set back from side boundaries:
(a) separation between dwellings in a way that contributes to a suburban character	(a) at least 900mm where the wall height is up to 3m
(b) access to natural light and ventilation for neighbours.	(b) other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m (c) at least 1.9m plus 1/3 of the wall height above 3m for walls facing a southern side boundary.
Rear Boun	dary Setback
PO 7.1	DTS/DPF 7.1
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:
(a) separation between dwellings in a way that contributes to a suburban character (b) assess to patient light and position for paidbours.	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.
(b) access to natural light and ventilation for neighbours	I

Generated By Policy24

Page 68 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
(c) private open space		
(d) space for landscaping and vegetation.		
Buildings ele	l vation design	
PO 8.1	DTS/DPF 8.1	
Po 8.1 Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.	
PO 8.2	DTS/DPF 8.2	
Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m	
	 (b) has an aggregate window area of at least 2m² facing the primary street 	
PO 8.3	DTS/DPF 8.3	
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable.	
PO 8.4	DTS/DPF 8.4	
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable.	
PO 8.5	DTS/DPF 8.5	
Entrances to multi-storey buildings are:	None are applicable.	
 (a) oriented towards the street (b) visible and easily identifiable from the street (c) designed to include a common mail box structure. 		
Outlook a	nd amenity	
PO 9.1 DTS/DPF 9.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook towards the street frontage or private open space.	
PO 9.2	DTS/DPF 9.2	
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.	
Private Open Space		
D 10.1 DTS/DPF 10.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with the following table:	
	Dwelling Type Dwelling / Site Minimum Rate Configuration	

Downloaded on 6/03/2023 Generated By Policy24 Page 69 of 106

Policy24		P&D Code (in effect) \	Version 2023.3 16/02/2023
	Dwelling (at ground level)		Total area: 24m² located behind the building line Minimum adjacent to a living room: 16m² with a
	Dwelling (above ground level)	Studio	minimum dimension 3m 4m² / minimum dimension 1.8m
		One bedroom dwelling	8m² / minimum dimension 2.1m
		Two bedroom dwelling	11m ² / minimum dimension 2.4m
		Three + bedroom dwelling	15 m ² / minimum dimension 2.6m
PO 10.2 Private open space positioned to provide convenient access from internal living areas.	DTS/DPF 10.2 At least 50% of the req habitable room.	uired area of private open	space is accessible from a
PO 10.3 Private open space is positioned and designed to: (a) provide useable outdoor space that suits the needs of occupants; (b) take advantage of desirable orientation and vistas; and (c) adequately define public and private space.	DTS/DPF 10.3 None are applicable.		
Visual	privacy		
PO 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	residential allotment/si (a) are permanent level and are fi (b) have sill height level (c) incorporate so permanently fi and sited adjact the finished flo	exed or not capable of being as greater than or equal to reening with a maximum aixed no more than 500mn tent to any part of the win	wing: f 1.5m above finished floor ng opened more than 200mm · 1.5m above finished floor
PO 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses.	public road res places faced by or (b) all sides of bald permanently of transparency/o (i) 1.5m a at leas dwellir	e of the balcony or terrace serve or public reserve that y the balcony or terrace conies or terraces on uppe sbscured by screening with openings fixed to a minimulatove finished floor level v	er building levels are h a maximum 25% um height of: where the balcony is located rest habitable window of a
Land	scaping		
PO 12.1	DTS/DPF 12.1		
Soft landscaping is incorporated into development to:	Residential developme	nt incorporates pervious a	areas for soft landscaping

Downloaded on 6/03/2023 Generated By Policy24 Page 70 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
	with a minimum dimension of 700mm provided in accordance with (a) and (b)
(a) minimise heat absorption and reflection	provided in decordance than (a) and (b)
(b) maximise shade and shelter	(a) a total area as determined by the following table:
(c) maximise stormwater infiltration and biodiversity	Duelling site and for in the case of additional death wilding. Mislanda
enhance the appearance of land and streetscapes.	Dwelling site area (or in the case of residential flat building Minimum or group dwelling(s), average site area) (m²) percentage of
	<150 10%
	<200 15%
	200-450 20%
	>450 25%
	(b) at least 30% of land between the road boundary and the building line
Water Sens	itive Design
PO 13.1	DTS/DPF 13.1
Residential development is designed to capture and use stormwater to:	None are applicable.
(a) maximise efficient use of water resources	
(b) manage peak stormwater runoff flows and volume to ensure the	
carrying capacities of downstream systems are not overloaded	
(c) manage runoff quality to maintain, as close as practical, pre-	
development conditions.	
Car P	I arking
PO 14.1	DTS/DPF 14.1
On-site car parking is provided to meet the anticipated demand of residents,	On-site car parking is provided at the following rates per dwelling:
with less on-site parking in areas in close proximity to public transport.	Torresite car parking is provided at the following rates per dwelling.
with less of site parking in areas in close proximity to public transport.	(a) 2 or fewer bedrooms - 1 car parking space
	(b) 3 or more bedrooms - 2 car parking spaces.
	, , ,
PO 14.2	DTS/DPF 14.2
Enclosed car parking spaces are of dimensions to be functional, accessible and	Residential parking spaces enclosed by fencing, walls or other obstructions
convenient.	with the following internal dimensions (separate from any waste storage
	area):
	43
	(a) single parking spaces:
	(i) a minimum length of 5.4m
	(ii) a minimum width of 3.0m
	(iii) a minimum garage door width of 2.4m
	(b) double parking spaces (side by side):
	(i) a minimum length of 5.4m
	(ii) a minimum width of 5.5m
	(iii) minimum garage door width of 2.4m per space.
	gg
PO 14.3	DTS/DPF 14.3
Uncovered car parking spaces are of dimensions to be functional, accessible	Uncovered car parking spaces have:
and convenient.	(a) a minimum length of 5.4m
	(a) a minimum length of 5.4m (b) a minimum width of 2.4m
	(c) a minimum width of 2.4m
	fence, wall or other obstruction of 1.5m.
PO 14.4	DTS/DPF 14.4
Residential flat buildings and group dwelling developments provide sufficient	Visitor car parking for group and residential flat buildings incorporating 4 or
on-site visitor car parking to cater for anticipated demand.	more dwellings is provided on-site at a minimum ratio of 0.25 car parking
	spaces per dwelling.
PO 14.5	DTS/DPF 14.5
Residential flat buildings provide dedicated areas for bicycle parking.	Residential flat buildings provide one bicycle parking space per dwelling.
Oversh	adowing
PO 15.1	DTS/DPF 15.1
Development minimises overshadowing of the private open spaces of	None are applicable.
	t to the second
adjoining land by ensuring that ground level open space associated with	

Generated By Policy24

Page 71 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
residential buildings receive direct sunlight for a minimum of 2 hours	
between 9am and 3pm on 21 June.	
· ·	aste
	DTS/DPF 16.1
PO 16.1	
Provision is made for the convenient storage of waste bins in a location screened from public view.	A waste bin storage area is provided behind the primary building line that:
Secreta non posic ven.	(a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
PO 16.2	DTS/DPF 16.2
Residential flat buildings provide a dedicated area for the on-site storage of waste which is:	None are applicable.
easily and safely accessible for residents and for collection vehicles screened from adjoining land and public roads of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.	
Vehicle	e Access
PO 17.1	DTS/DPF 17.1
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	None are applicable.
PO 17.2	DTS/DPF 17.2
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not more than 1-in-4 on average (b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary. (c) if located so as to provide access from an alley, lane or right of way the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site.
PO 17.4	DTS/DPF 17.4
Driveways and access points are designed and distributed to optimise the provision of on-street parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:

Downloaded on 6/03/2023 Generated By Policy24 Page 72 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
	minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) Minimum car park length of 5.4m where a vehicle can enter or exit a space directly minimum car park length of 6m for an intermediate space located between two other parking spaces.	
PO 17.5	DTS/DPF 17.5	
Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.	
PO 17.6	DTS/DPF 17.6	
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre	
PO 17.7	DTS/DPF 17.7	
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.	
Sto	rage	
PO 18.1	DTS/DPF 18.1	
Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:	
	(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .	
	works	
PO 19.1	DTS/DPF 19.1	
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	The development does not involve: (a) excavation exceeding a vertical height of 1m or	
	(b) filling exceeding a vertical height of 1m or	
	(c) a total combined excavation and filling vertical height exceeding 2m.	
Service connections and infrastructure		
PO 20.1 DTS/DPF 20.1		
Dwellings are provided with appropriate service connections and	The site and building:	
infrastructure.	 (a) have the ability to be connected to a permanent potable water supply (b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011 (c) have the ability to be connected to electricity supply (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996. 	
Site cont	amination	
PO 21.1 Land that is suitable for sensitive land uses to provide a safe environment.	DTS/DPF 21.1 Development satisfies (a), (b), (c) or (d):	
Downloaded on 6/03/2023	Py Policy 24 Page 72 of 106	

Downloaded on 6/03/2023 Generated By Policy24 Page 73 of 106

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome			
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
General			
PO 1.1	DTS/DPF 1.1		
Development is located and designed to minimise hazard or nuisance to adjacent development and land uses.	None are applicable.		
Visual Amenity			
PO 2.1	DTS/DPF 2.1		
The visual impact of above-ground infrastructure networks and services	None are applicable.		

Downloaded on 6/03/2023 Generated By Policy24 Page 74 of 106

Page 389 Council Assessment Panel Agenda - 28 March 2023

D. II. 04	
Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(excluding high voltage transmission lines), renewable energy facilities	
(excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by:	
(a) utilising features of the natural landscape to obscure views where	
practicable (b) siting development below ridgelines where practicable	
(b) siting development below ridgelines where practicable (c) avoiding visually sensitive and significant landscapes	
using materials and finishes with low-reflectivity and colours that complement the surroundings	
(e) using existing vegetation to screen buildings	
(f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	
PO 2.2	DTS/DPF 2.2
Pumping stations, battery storage facilities, maintenance sheds and other	None are applicable.
ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	
PO 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage	None are applicable.
facilities, pipework, penstock, substations and other ancillary plant are	
reinstated and revegetated to reduce adverse visual impacts on adjacent land.	
	ilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas,	None are applicable.
ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	
	anagement
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development	None are applicable.
located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are	None are applicable.
separated as far as practicable from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to	
reduce risks to public safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
	None are applicable.
Bushfire hazard risk is minimised for renewable energy facilities by providing appropriate access tracks, safety equipment and water tanks and establishing	none are applicable.
cleared areas around substations, battery storage and operations	
compounds.	
Electricity Infrastructure a	nd Battery Storage Facilities
PO 5.1	DTS/DPF 5.1
Electricity infrastructure is located to minimise visual impacts through	None are applicable.
techniques including:	
(a) siting utilities and services:	
(i) on areas already cleared of native vegetation	
(ii) where there is minimal interference or disturbance to	
existing native vegetation or biodiversity	
(b) grouping utility buildings and structures with non-residential development, where practicable.	
PO 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new development in	None are applicable.
Downloaded on 6/03/2023 Generated	By Policy24 Page 75 of 106

Generated By Policy24

Page 75 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.			
PO 5.3	DTS/DPF5.3		
Battery storage facilities are co-located with substation infrastructure where practicable to minimise the development footprint and reduce environmental impacts.	None are applicable.		
Telecommuni	cation Facilities		
PO 6.1	DTS/DPF 6.1		
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity.	None are applicable.		
PO 6.2	DTS/DPF 6.2		
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	None are applicable.		
PO 6.3	DTS/DPF 6.3		
Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	None are applicable.		
(a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose			
or all of the following:			
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services (c) using materials and finishes that complement the environment			
using materials and finishes that complement the environment screening using landscaping and vegetation, particularly for equipment shelters and huts.			
Renewable E	nergy Facilities		
PO 7.1	DTS/DPF 7.1		
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.		
	Facilities (Wind Farm)		
PO 8.1 Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation		
PO 8.2 The visual impact of wind turbine generators on natural landscapes is	DTS/DPF 8.2 None are applicable.		
managed by: (a) designing wind turbing generators to be uniform in colour, size and			
designing wind turbine generators to be uniform in colour, size and shape coordinating blade rotation and direction			

Generated By Policy24

Page 76 of 106

y24 P&D Code (in effect) Version 2023.3 16/02/2			023.3 16/02/202		
(c) mounting wind turbine generators on tubular towers as opposed to lattice towers.					
PO 8.3	DTS/DPF 8.3				
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applic	able.			
PO 8.4	DTS/DPF 8.4				
		No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.			
PO 8.5	DTS/DPF 8.5				
Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	None are applic	able.			
Renewable Energy F	acilities (Solar Powe	er)			
PO 9.1	DTS/DPF 9.1				
Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	None are applic	able.			
PO 9.2	DTS/DPF 9.2				
Ground mounted solar power facilities allow for movement of wildlife by:	None are applic	able.			
incorporating wildlife corridors and habitat refuges avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.					
PO 9.3	DTS/DPF 9.3				
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:				
	Generation Capacity	Approximate size of array	from	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
	Notes:				
	Does not app facility is located	-		osed ground mo	unted solar power
PO 9.4	DTS/DPF 9.4				
Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent	None are applic	able.			

Downloaded on 6/03/2023 Generated By Policy24 Page 77 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/202		
allotments accommodating non-host dwellings, where balanced with			
infrastructure access and bushfire safety considerations.			
Hydropower / Pumped Hydropower Facilities			
PO 10.1 DTS/DPF 10.1			
Hydropower / pumped hydropower facility storage is designed and operated	None are applicable.		
to minimise the risk of storage dam failure.	Notice are applicable.		
PO 10.2	DTS/DPF 10.2		
Hydropower / pumped hydropower facility storage is designed and operated	None are applicable.		
to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational			
measures or detection systems.			
PO 10.3	DTS/DPF 10.3		
	None are applicable.		
minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the			
future.			
	Supply		
PO 11.1	DTS/DPF 11.1		
Development is connected to an appropriate water supply to meet the	Development is connected, or will be connected, to a reticulated water		
ongoing requirements of the intended use.	scheme or mains water supply with the capacity to meet the on-going requirements of the development.		
	requirements of the development.		
PO 11.2	DTS/DPF 11.2		
Dwellings are connected to a reticulated water scheme or mains water	A dwelling is connected, or will be connected, to a reticulated water scheme o		
supply with the capacity to meet the requirements of the intended use.	mains water supply with the capacity to meet the requirements of the		
Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is:		
for domestic use is provided.	tarks capable of flording at least 30,000 littles of water which is.		
	(a) exclusively for domestic use		
	(b) connected to the roof drainage system of the dwelling.		
Wastewat	ter Services		
PO 12.1	DTS/DPF 12.1		
Development is connected to an approved common wastewater disposal	Development is connected, or will be connected, to an approved common		
service with the capacity to meet the requirements of the intended use.	wastewater disposal service with the capacity to meet the requirements of th		
Where this is not available an appropriate on-site service is provided to meet	development. Where this is not available it is instead capable of being serviced		
the ongoing requirements of the intended use in accordance with the following:	by an on-site waste water treatment system in accordance with the following.		
following.	(a) the system is wholly located and contained within the allotment of		
(a) it is wholly located and contained within the allotment of the	development it will service; and		
development it will service (b) in areas where there is a high risk of contamination of surface,	 (b) the system will comply with the requirements of the South Australian Public Health Act 2011. 		
ground, or marine water resources from on-site disposal of liquid	T don't red to receive the		
wastes, disposal systems are included to minimise the risk of			
pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal			
areas are located away from watercourses and flood prone, sloping,			
saline or poorly drained land to minimise environmental harm.			
PO 12.2	DTS/DPF 12.2		
FO 12.2			
	Development is not built on, or encroaches within, an area that is, or will be		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to	Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.		
Effluent drainage fields and other wastewater disposal areas are maintained			
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	required for a sewerage system or waste control system.		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Temporar	required for a sewerage system or waste control system. ry Facilities		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Temporar	required for a sewerage system or waste control system. ry Facilities DTS/DPF 13.1		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Temporar PO 13.1 In rural and remote locations, development that is likely to generate	required for a sewerage system or waste control system. ry Facilities DTS/DPF 13.1 A waste collection and disposal service is used to dispose of the volume of		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Temporar PO 13.1 In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste,	required for a sewerage system or waste control system. ry Facilities DTS/DPF 13.1		
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Temporar PO 13.1 In rural and remote locations, development that is likely to generate	required for a sewerage system or waste control system. ry Facilities DTS/DPF 13.1 A waste collection and disposal service is used to dispose of the volume of		

Downloaded on 6/03/2023 Generated By Policy24 Page 78 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 13.2	DTS/DPF 13.2
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.	None are applicable.

Intensive Animal Husbandry and Dairies

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Siting and Design			
PO 1.1	DTS/DPF 1.1		
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.		
PO 1.3	DTS/DPF 1.3		
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.		
PO 1.4	DTS/DPF 1.4		
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.		
PO 1.5	DTS/DPF 1.5		
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.		
Waste			
PO 2.1	DTS/DPF 2.1		
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.		

Downloaded on 6/03/2023 Generated By Policy24 Page 79 of 106

Page 394 Council Assessment Panel Agenda - 28 March 2023

Policy	24	P&D Code (in effect) Version 2023.3 16/02/2023
(a) (b) (c)	avoid attracting and harbouring vermin avoid polluting water resources be located outside 1% AEP flood event areas.	
	Soil and Wat	er Protection
PO 3.1 To avoi	d environmental harm and adverse effects on water resources,	DTS/DPF 3.1 Intensive animal husbandry operations are set back:
(a) (b) (c)	ve animal husbandry operations are appropriately set back from: public water supply reservoirs major watercourses (third order or higher stream) any other watercourse, bore or well used for domestic or stock water supplies.	800m or more from a public water supply reservoir 200m or more from a major watercourse (third order or higher stream) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.
	we animal husbandry operations and dairies incorporate appropriately ed effluent and run-off facilities that: have sufficient capacity to hold effluent and runoff from the operations on site ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.	DTS/DPF 3.2 None are applicable.

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
General Land U	se Compatibility		
PO 1.1	DTS/DPF 1.1		
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.		
Hours of Operation			
PO 2.1	DTS/DPF 2.1		
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent	Development operating within the following hours:		
zone primarily for sensitive receivers through its hours of operation having regard to:	Class of Development Hours of operation		

Downloaded on 6/03/2023 Generated By Policy24 Page 80 of 106

Page 395 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D C	Code (in effect) Version 2023.3 16/02/202
the nature of the development measures to mitigate off-site impacts the extent to which the development is desired in the zone measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	Consulting room	7am to 9pm, Monday to Friday 8am to 5pm, Saturday
	Office	7am to 9pm, Monday to Friday
		8am to 5pm, Saturday
	Shop, other than any one or combination of the following: (a) restaurant (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone	7am to 9pm, Monday to Friday 8am to 5pm, Saturday and Sunday
Querch	adowing	
PO 3.1 Overshadowing of habitable room windows of adjacent residential land uses in: a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	DTS/DPF 3.1 North-facing windows of habitable rooms of adjacent residential land uses in neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.	
PO 3.2 Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	DTS/DPF 3.2 Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.	
PO 3.3 Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	DTS/DPF 3.3 None are applicable.	
PO 3.4 Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	DTS/DPF 3.4 None are applicable.	
Activities Generating Noise or Vibration DTS/DPF 4.1		
PO 4.1 Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.	
PO 4.2 Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not	DTS/DPF 4.2 None are applicable.	

Generated By Policy24

Page 81 of 106

Policy24	P&D C	Code (in effect) Version 2023.3 16/02/202
unreasonably impact the amenity of adjacent sensitive receivers (or lawfully		
approved sensitive receivers) and zones primarily intended to accommodate		
sensitive receivers due to noise and vibration by adopting techniques		
including:		
(a) locating openings of buildings and associated services away from the		
interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers		
 (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers 		
 housing plant and equipment within an enclosed structure or acoustic enclosure 		
(d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.		
PO 4.3	DTS/DPF 4.3	
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause	The pump and/or filtration sys site is:	stem ancillary to a dwelling erected on the sam
unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers).		oustic structure located at least 5m from the m located on an adjoining allotment
		rom the nearest habitable room located on an
PO 4.4	DTS/DPF 4.4	
External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.	Adjacent land is used for resid	ential purposes.
PO 4.5	DTS/DPF 4.5	
Outdoor areas associated with licensed premises (such as beer gardens or	None are applicable.	
dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers).		
PO 4.6	DTS/DPF 4.6	
Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully	Development incorporating m will achieve the following noise	usic includes noise attenuation measures that e levels:
approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers.	Assessment location	Music noise level
	Externally at the nearest	Less than 8dB above the level of
	existing or envisaged noise sensitive location	background noise (L _{90,15min}) in any octave band of the sound spectrum (LOCT10,15
		< LOCT90,15 + 8dB)
Air O	uality	< LOCT90,15 + 8dB)
	uality DTS/DPF 5.1	< LOCT90,15 + 8dB)
PO 5.1	DTS/DPF 5.1	< LOCT90,15 + 8dB)
PO 5.1 Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or		< LOCT90,15 + 8dB)
Development with the potential to emit harmful or nuisance-generating air collution incorporates air pollution control measures to prevent harm to numan health or unreasonably impact the amenity of sensitive receivers (or awfully approved sensitive receivers) within the locality and zones primarily	DTS/DPF 5.1	< LOCT90,15 + 8dB)
PO 5.1 Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	DTS/DPF 5.1	< LOCT90,15 + 8dB)
Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers. PO 5.2 Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive	DTS/DPF 5.1 None are applicable.	< LOCT90,15 + 8dB)
PO 5.1 Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers. PO 5.2 Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by: (a) incorporating appropriate treatment technology before exhaust	DTS/DPF 5.1 None are applicable. DTS/DPF 5.2	< LOCT90,15 + 8dB)
Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers. PO 5.2 Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by:	DTS/DPF 5.1 None are applicable. DTS/DPF 5.2	< LOCT90,15 + 8dB)

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Ligh	t Spill
PO 6.1	DTS/DPF 6.1
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
PO 6.2	DTS/DPF 6.2
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Reflec	ttivity / Glare
PO 7.1	DTS/DPF 7.1
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.
Electrical I	nterference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably diminish or	The building or structure:
result in the loss of existing communication services due to electrical interference.	(a) is no greater than 10m in height, measured from existing ground level or
	is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable.
Interface with	Rural Activities
PO 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.2	DTS/DPF 9.2
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.3	DTS/DPF 9.3
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.
PO 9.4	DTS/DPF 9.4
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.
PO 9.5	DTS/DPF 9.5
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following: (a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility (b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day

Downloaded on 6/03/2023 Generated By Policy24 Page 83 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.
PO 9.6	DTS/DPF 9.6
Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.
PO 9.7	DTS/DPF 9.7
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.
Interface with Mines and Qua	rries (Rural and Remote Areas)
PO 10.1	DTS/DPF 10.1
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .

Land Division

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Land division:	
	(a) creates allotments with the appropriate dimensions and shape for their intended use	
	(b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure	
	(c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features	
	(d) facilitates solar access through allotment orientation	
	(e) creates a compact urban form that supports active travel, walkability and the use of public transport	
	(f) avoids areas of high natural hazard risk.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All land	division
Allotment of	onfiguration
PO 1.1	DTS/DPF 1.1
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b): (a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes

Downloaded on 6/03/2023 Generated By Policy24 Page 84 of 106

Page 399 City of Salisbury

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.
PO 1.2	DTS/DPF 1.2
Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	None are applicable.
Design a	nd Layout
PO 2.1	DTS/DPF 2.1
Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	None are applicable.
PO 2.2	DTS/DPF 2.2
Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	None are applicable.
PO 2.3	DTS/DPF 2.3
Land division maximises the number of allotments that face public open space and public streets.	None are applicable.
PO 2.4	DTS/DPF 2.4
Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	None are applicable.
PO 2.5	DTS/DPF 2.5
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
PO 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
PO 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads at	nd Access
PO 3.1	DTS/DPF 3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
PO 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Land division does not impede access to publicly owned open space and/or recreation facilities.	None are applicable.
PO 3.4	DTS/DPF 3.4
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
Downloaded on 6/03/2023	

Downloaded on 6/03/2023 Generated By Policy24

Page 85 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7	DTS/DPF 3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.9	DTS/DPF 3.9
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.10	DTS/DPF 3.10
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
PO 3.11	DTS/DPF 3.11
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrast	ructure
PO 4.1	DTS/DPF 4.1
Land division incorporates public utility services within road reserves or dedicated easements.	None are applicable.
PO 4.2	DTS/DPF 4.2
Waste water, sewage and other effluent is capable of being disposed of from	Each allotment can be connected to:
each allotment without risk to public health or the environment.	(a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.
PO 4.3	DTS/DPF 4.3
Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.4	DTS/DPF 4.4
Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.
PO 4.5	DTS/DPF 4.5
Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	None are applicable.
PO 4.6	DTS/DPF 4.6
Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape feature.	None are applicable.
Minor Land Division	(Under 20 Allotments)
Open	Space
PO 5.1	DTS/DPF 5.1
Land division proposing an additional allotment under 1 hectare provides or	None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 86 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
supports the provision of open space.	
Solar Or	ientation
PO 6.1	DTS/DPF 6.1
Land division for residential purposes facilitates solar access through allotment orientation.	None are applicable.
Water Sens	sitive Design
PO 7.1	DTS/DPF 7.1
Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
PO 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Battle-Axe [Development
PO 8.1 Battle-axe development appropriately responds to the existing neighbourhood context.	DTS/DPF 8.1 Allotments are not in the form of a battle-axe arrangement.
PO 8.2 Battle-axe development designed to allow safe and convenient movement.	DTS/DPF 8.2 The handle of a battle-axe development:
	(a) has a minimum width of 4m or (b) where more than 3 allotments are proposed, a minimum width of 5.5m.
PO 8.3 Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre.
PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b):
	(a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Major Land Divisio	I on (20+ Allotments)
Open	Space
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.	None are applicable.
PO 9.2	DTS/DPF 9.2
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sens	l sitive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in	None are applicable.
Downloaded on 6/03/2023 Generated	By Policy24 Page 87 of 106

Downloaded on 6/03/2023 Generated By Policy24 Page 87 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
downstream systems.	
PO 10.2	DTS/DPF 10.2
Land division creating 20 or more non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.3	DTS/DPF 10.3
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar Or	ientation
PO 11.1	DTS/DPF 11.1
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation	and Safety
PO 1.1	DTS/DPF 1.1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
PO 1.2	DTS/DPF 1.2
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
PO 1.3	DTS/DPF 1.3
Navigation and access channels are not impaired by marinas and on-water structures.	None are applicable.
PO 1.4	DTS/DPF 1.4
Commercial shipping lanes are not impaired by marinas and on-water structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5	DTS/DPF 1.5

Downloaded on 6/03/2023 Generated By Policy24 Page 88 of 106

Page 403 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points.
Po 1.6 Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	DTS/DPF 1.6 None are applicable.
Environmen	atal Protection
PO 2.1 Development is sited and designed to facilitate water circulation and exchange.	DTS/DPF 2.1 None are applicable.

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
	Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Designated Performance Feature		
and Intensity		
DTS/DPF 1.1		
None are applicable.		
DTS/DPF 1.2		
None are applicable.		
Design and Siting		
DTS/DPF 2.1		
None are applicable.		
DTS/DPF 2.2		
None are applicable.		
DTS/DPF 2.3		
None are applicable.		

Downloaded on 6/03/2023 Generated By Policy24 Page 89 of 106

Page 404 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Pedestrian	s and Cyclists
PO 3.1	DTS/DPF 3.1
Open space incorporates:	None are applicable.
 (a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes; (b) safe crossing points where pedestrian routes intersect the road network; 	
(c) easily identified access points.	
Usi	District Teachers of the Control of
PO 4.1	DTS/DPF 4.1
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.
Safety at	nd Security
PO 5.1	DTS/DPF 5.1
Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.	None are applicable.
PO 5.2	DTS/DPF 5.2
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.
PO 5.3	DTS/DPF 5.3
Landscaping provided in open space and recreation facilities maximises	None are applicable.
opportunities for casual surveillance throughout the park.	
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.	None are applicable.
PO 5.5	DTS/DPF 5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.
Sig	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.
Buildings a	nd Structures
PO 7.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.
PO 7.2	DTS/DPF 7.2
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.
PO 7.3	DTS/DPF 7.3
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.
PO 7.4	DTS/DPF 7.4
Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve.	None are applicable.
ownloaded on 6/03/2023 Generated	By Policy24 Page 90 of 10

Downloaded on 6/03/2023 Generated By Policy24

Page 90 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Landscaping		
PO 8.1	DTS/DPF 8.1	
Open space and recreation facilities provide for the planting and retention of large trees and vegetation.	None are applicable.	
PO 8.2	DTS/DPF 8.2	
Landscaping in open space and recreation facilities provides shade and windbreaks:	None are applicable.	
(a) along cyclist and pedestrian routes; (b) around picnic and barbecue areas; (c) in car parking areas.		
PO 8.3	DTS/DPF 8.3	
Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.	None are applicable.	
PO 8.4	DTS/DPF 8.4	
Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable.	None are applicable.	

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1		DTS/DPF 1.1
	sidential development outside Activity Centres of a scale and type that ot diminish the role of Activity Centres:	None are applicable.
(a)	as primary locations for shopping, administrative, cultural, entertainment and community services	
(b)	as a focus for regular social and business gatherings	
(c)	in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	
PO 1.2		DTS/DPF 1.2
Out-of-	activity centre non-residential development complements Activity	None are applicable.
Centres through the provision of services and facilities:		
(a)	that support the needs of local residents and workers, particularly in underserviced locations	
(b)	at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	

Resource Extraction

Downloaded on 6/03/2023 Generated By Policy24 Page 91 of 106

Page 406 Council Assessment Panel Agenda - 28 March 2023

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use a	nd Intensity	
PO 1.1	DTS/DPF 1.1	
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.	
Water Quality		
PO 2.1	DTS/DPF 2.1	
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.	
Separation Treatments, Buffers and Landscaping		
PO 3.1	DTS/DPF 3.1	
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.	

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1 Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 92 of 106

Page 407 Council Assessment Panel Agenda - 28 March 2023 Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
	 (a) does not involve a change in the use of land (b) involves a change in the use of land that does not constitute a change to a more sensitive use (c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: (i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that-A. site contamination does not exist (or no longer exists) at the land or B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development) and (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit
	report (as demonstrated in a site contamination declaration form).

Tourism Development

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
General		
PO 1.1	DTS/DPF 1.1	
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.	

Downloaded on 6/03/2023 Generated By Policy24 Page 93 of 106

Page 408 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(a) it supports immersive natural experiences (b) it showcases South Australia's landscapes and produce (c) its events and functions are connected to local food, wine and nature.	
PO 1.2 Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	DTS/DPF 1.2 None are applicable.
Caravan and	Tourist Parks
PO 2.1 Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	DTS/DPF 2.1 None are applicable.
PO 2.2 Occupants are provided privacy and amenity through landscaping and fencing.	DTS/DPF 2.2 None are applicable.
PO 2.3 Communal open space and centrally located recreation facilities are provided for guests and visitors.	DTS/DPF 2.3 12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.
PO 2.4 Perimeter landscaping is used to enhance the amenity of the locality.	DTS/DPF 2.4 None are applicable.
PO 2.5 Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development. DTS/DPF 2.5 None are applicable.	
Po 2.6 Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	DTS/DPF 2.6 None are applicable.
Tourist accommodation in areas constituted	under the National Parks and Wildlife Act 1972
PO 3.1 Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	
PO 3.2 Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.	DTS/DPF 3.2 None are applicable.
PO 3.3 Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved.	DTS/DPF 3.3 None are applicable.
PO 3.4 Tourist accommodation is designed to prevent conversion to private dwellings through: (a) comprising a minimum of 10 accommodation units (b) clustering separated individual accommodation units (c) being of a size unsuitable for a private dwelling (d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.	DTS/DPF 3.4 None are applicable.

Downloaded on 6/03/2023

Generated By Policy24

Page 94 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Movement Systems			
PO 1.1	DTS/DPF 1.1		
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.		
PO 1.3	DTS/DPF 1.3		
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.		
PO 1.4	DTS/DPF 1.4		
Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	All vehicle manoeuvring occurs onsite.		
Sigh	tlines		
PO 2.1	DTS/DPF 2.1		
Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	None are applicable.		
PO 2.2	DTS/DPF 2.2		
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.		
Vehicle Access			
PO 3.1	DTS/DPF 3.1		
Safe and convenient access minimises impact or interruption on the operation of public roads.	The access is: (a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or (b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.		
Downloaded on 6/03/2023	Dono OF of 100		

Downloaded on 6/03/2023 Generated By Policy24 Page 95 of 106

Page 410 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
PO 3.2	DTF-DDF-2-3		
Development incorporating vehicular access ramps ensures vehicles can	DTS/DPF 3.2 None are applicable.		
enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	rone are applicable.		
PO 3.3	DTS/DPF 3.3		
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.		
PO 3.4	DTS/DPF 3.4		
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.		
PO 3.5	DTS/DPF 3.5		
Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.		
PO 3.6	DTS/DPF 3.6		
Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.		
PO 3.7	DTS/DPF 3.7		
Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.		
PO 3.8	DTS/DPF 3.8		
Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	None are applicable.		
PO 3.9	DTS/DPF 3.9		
Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	None are applicable.		
Access for Peopl	e with Disabilities		
PO 4.1	DTS/DPF 4.1		
Development is sited and designed to provide safe, dignified and convenient	None are applicable.		

Downloaded on 6/03/2023 Generated By Policy24 Page 96 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/202		
access for people with a disability.			
Vehicle Parking Rates			
PO 5.1	DTS/DPF 5.1		
Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements (b) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the		
	number of spaces offset by contribution to the fund.		
	rking Areas		
Po 6.1 Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.	DTS/DPF 6.1 Movement between vehicle parking areas within the site can occur without the need to use a public road.		
PO 6.2	DTS/DPF 6.2		
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.			
PO 6.3	DTS/DPF 6.3		
Vehicle parking areas are designed to provide opportunity for integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.			
PO 6.4	DTS/DPF 6.4		
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.		
PO 6.5	DTS/DPF 6.5		
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.		
PO 6.6	DTS/DPF 6.6		
Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	ided Loading areas and designated parking spaces are wholly located within the site.		
PO 6.7	DTS/DPF 6.7		
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.		
Undercroft and Below Ground Garaging and Parking of Vehicles			
PO 7.1	DTS/DPF 7.1		
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.			
Internal Roads and Parking Areas in Residential Parks and Caravan and Tourist Parks			
PO 8.1	DTS/DPF 8.1		
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.		
PO 8.2	DTS/DPF 8.2		
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.		
ownloaded on 6/03/2023 Generated	By Policy24 Page 97 of 106		

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Bicycle Parking in Designated Areas		
PO 9.1	DTS/DPF 9.1	
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles a a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.	
PO 9.2	DTS/DPF 9.2	
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.	
PO 9.3	DTS/DPF 9.3	
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	None are applicable.	
Corner	Cut-Offs	
PO 10.1	DTS/DPF 10.1	
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:	
	Corner Cut- Off Area Allotment Boundary Asset Road Reserve	

Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Group Dwelling	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.

Downloaded on 6/03/2023 Generated By Policy24 Page 98 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Residential Flat Building	welling with 1 or 2 bedrooms (including rooms capable of being used as a
Nesidential Plat Building	bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	welling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Semi-Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supporte	d Accommodation
Retirement village	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
Supported accommodation	0.2 spaces per dwelling for visitor parking.
Supported accommodation Residential Dev	0.3 spaces per bed.
Ancillary accommodation	Loginer (Other)
Artificially accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation Workers' accommodation	0.3 spaces per bed. 0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
	urist
Caravan park / tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation	1 car parking space per accommodation unit / guest room.
	rcial Uses
Automotive collision repair	1 space per 100m2 of building floor area plus an additional 2 spaces.
Automotive collision repair Call centre	3 spaces per service bay. 8 spaces per 100m2 of gross leasable floor area.
Motor repair station	3 spaces per room 2 or gross leasable noor area.
Office	4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
	1 space per 100m2 of outdoor area used for display purposes.
Shop (no commercial kitchen)	5.5 spaces per 100m2 of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may
	comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
	5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of
Shop (in the form of a bulky goods outlet)	refuse are shared. 2.5 spaces per 100m2 of gross leasable floor area.
Shop (in the form of a bulky goods outlet)	

Downloaded on 6/03/2023 Generated By Policy24 Page 99 of 106

Policy24 P&D Code (in effect) Version 2023.3	
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Commun	ity and Civic Uses
Childcare centre	0.25 spaces per child
Community facility	10 spaces per 100m2 of total floor area.
Educational establishment	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Hall / meeting hall	0.2 spaces per seat.
Library	4 spaces per 100m2 of total floor area.
Place of worship Pre-school	1 space for every 3 visitor seats.
	1 per employee plus 0.25 per child (drop off/pick up bays)
	n Related Uses
Consulting room Hospital	4 spaces per consulting room excluding ancillary facilities. 4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
	nd Entertainment Uses
Cinema complex Concert hall / theatre	.2 spaces per seat. 0.2 spaces per seat.
Hotel	Spaces per seat. Space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
Industry/	Employment Uses
Fuel depot	1.5 spaces per 100m2 total floor area
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.
Industry	1.5 spaces per 100m2 of total floor area.
Store Timber yourd	0.5 spaces per 100m2 of total floor area.
Timber yard	1.5 spaces per 100m2 of total floor area
	1 space per 100m2 of outdoor area used for display purposes.
Warehouse	0.5 spaces per 100m2 total floor area.
	ther Uses
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.
Radio or Television Station	5 spaces per 100m2 of total building floor area.

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column subject to the following:

- (a) the location of the development is unable to satisfy the requirements of Table 2 Criteria (other than where a location is exempted from the application of those criteria) or
- (b) the development satisfies Table 2 Criteria (or is exempt from those criteria) and is located in an area where a lawfully established carparking fund operates, in which case the number of spaces are reduced by an amount equal to the number of spaces offset by contribution to the fund.

Downloaded on 6/03/2023 Generated By Policy24 Page 100 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/202			
Class of Development	Car Parking Rate		Designated Areas
	Where a development comprises		
		evelopment type,	
		car parking rate	
		be the sum of the	
		ates for each	
		nent type.	
	Minimum	Maximum	
	number of	number of	
	spaces	spaces	
All classes of development	No minimum.	No maximum except in the Primary	
,		Pedestrian Area identified in the Primary Pedestrian Area Concept	Capital City Zone
		Plan, where the maximum is:	City Main Street Zone
		1 space for each dwelling with a total floor area less than 75 square metres	City Riverbank Zone
		2 spaces for each dwelling with a total	Adelaide Park Lands Zone
		floor area between 75 square metres and 150 square metres	Business Neighbourhood Zone (within the City of Adelaide)
		3 spaces for each dwelling with a total floor area greater than 150 square metres.	The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community Facilities Zone
		Residential flat building or Residential component of a multi-storey building: 1 visitor space for each 6 dwellings.	Community Facilities Zone
		al development	
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	5 spaces per 100m2 of gross leasable floor area.	City Living Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	6 spaces per 100m2 of gross leasable floor area.	Strategic Innovation Zone
excidentify tourist accommodation	noor area.	inoor urea.	Suburban Activity Centre Zone
			Suburban Business Zone
			Business Neighbourhood Zone
			Suburban Main Street Zone
			Urban Activity Centre Zone
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	City Living Zone
	5 Deal out is over 100 Deal out is	pediodilis over 100 pediodilis	Urban Activity Centre Zone
			Urban Corridor (Boulevard) Zone
Downloaded on 6/03/2023			Urban Corridor (Business) Zone

Downloaded on 6/03/2023 Generated By Policy24 Page 101 of 106

Policy24		P&D Code (in	effect) Version 2023.3 16/02/2023
			Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
	Residential	development	
Residential component of a multi- storey building	Dwelling with no separate bedroom -0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling 2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25 spaces per dwelling 0.25 spaces per dwelling for visitor parking.	None specified.	City Living Zone Strategic Innovation Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling 2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25 spaces per dwelling 0.25 spaces per dwelling for visitor parking.	None specified.	City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone

Table 2 - CriteriaThe following criteria are used in conjunction with Table 2. The 'Exception' column identifies locations where the criteria do not apply and the car parking rates in Table 2 are applicable.

Criteria	Exceptions
The designated area is wholly located within Metropolitan Adelaide and any part of the development site satisfies one or more of the following:	(a) All zones in the City of Adelaide (b) Strategic Innovation Zone in the following locations: (i) City of Burnside (ii) City of Marion (iii) City of Mitcham
 (a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service⁽²⁾ (b) is within 400 metres of a bus interchange⁽¹⁾ (c) is within 400 metres of an O-Bahn interchange⁽¹⁾ (d) is within 400 metres of a passenger rail station⁽¹⁾ (e) is within 400 metres of a passenger tram station⁽¹⁾ (f) is within 400 metres of the Adelaide Parklands. 	(c) Urban Corridor (Boulevard) Zone (d) Urban Corridor (Business) Zone (e) Urban Corridor (Living) Zone (f) Urban Corridor (Main Street) Zone (g) Urban Neighbourhood Zone

[NOTE(S): (1)Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Table 3 - Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Downloaded on 6/03/2023 Generated By Policy24 Page 102 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
----------	--

Class of	Bicycle Parking Rate				
Development					
	Where a development comprises more than one				
	development type, then the overall bicycle parking rate				
	will be taken to be the sum of the bicycle parking rates for				
	each development type.				
Consulting room Educational establishment	1 space per 20 employees plus 1 space per 20 consulting rooms for customers. For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.				
Hospital	For tertiary education - 1 space per 20 employees plus 1 space per 15 beds plus 1 space per 30 beds for visito				
Indoor recreation facility	1 space per 4 employees plus 1 space per 200m2 of gr	oss leasable floor area for visitors.			
Licensed Premises	square metres lounge and beer garden floor area, plus gaming room floor area.	floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 s 1 per 60 square metres dining floor area, plus 1 per 40 square metres			
Office	1 space for every 200m2 of gross leasable floor area p visitors.	lus 2 spaces plus 1 space per 1000m2 of gross leasable floor area for			
Pre-school	1 space per 20 full time employees plus 1 space per 40) full time children.			
Recreation area	1 per 1500 spectator seats for employees plus 1 per 2	50 visitor and customers.			
Residential flat building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.				
Residential component of a multi-storey building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.				
Shop Tourist accommodation	1 space for every 300m2 of gross leasable floor area p 1 space for every 20 employees plus 2 for the first 40 r	lus 1 space for every 600m2 of gross leasable floor area for customers. ooms and 1 for every additional 40 rooms for visitors.			
Schedule to Table 3	Designated Area	Relevant part of the State			
		The bicycle parking rate applies to a designated area located in a relevant part of the State described below.			
	All zones	City of Adelaide			
	Business Neighbourhood Zone	Metropolitan Adelaide			
	Strategic Innovation Zone				
	Suburban Activity Centre Zone				
	Suburban Business Zone				
	Suburban Business Zone				
	Suburban Business Zone Suburban Main Street Zone				
	Suburban Main Street Zone				
	Suburban Main Street Zone Urban Activity Centre Zone				
	Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone				
	Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone				
	Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone				

Waste Treatment and Management Facilities

Downloaded on 6/03/2023 Generated By Policy24 Page 103 of 106

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Siting			
PO 1.1 DTS/DPF 1.1			
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.		
Soil and Wa	ter Protection		
PO 2.1	DTS/DPF 2.1		
Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as: (a) containing potential groundwater and surface water contaminants	None are applicable.		
 (a) containing potential groundwater and surface water contaminants within waste operations areas 			
diverting clean stormwater away from waste operations areas and potentially contaminated areas providing a leachate barrier between waste operations areas and			
underlying soil and groundwater.			
PO 2.2	DTS/DPF 2.2		
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.		
PO 2.3	DTS/DPF 2.3		
Wastewater lagoons are designed and sited to:	None are applicable.		
(a) avoid intersecting underground waters;			
(b) avoid inundation by flood waters;			
(c) ensure lagoon contents do not overflow; (d) include a liner designed to prevent leakage.			
include a liner designed to prevent leakage.			
PO 2.4	DTS/DPF 2.4		
Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources.	Waste operations areas are set back 100m or more from watercourse banks.		
Am	enity		
PO 3.1	DTS/DPF 3.1		
Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.	None are applicable.		
PO 3.2	DTS/DPF 3.2		
Access routes to waste treatment and management facilities via residential streets is avoided.	None are applicable.		
	1		

Downloaded on 6/03/2023 Generated By Policy24 Page 104 of 106

Page 419 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
PO 3.3	DTS/DPF 3.3		
Litter control measures minimise the incidence of windblown litter.	None are applicable.		
PO 3.4	DTS/DPF 3.4		
Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.	None are applicable.		
Aci	ress		
PO 4.1	DTS/DPF 4.1		
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.		
PO 4.2	DTS/DPF 4.2		
Suitable access for emergency vehicles is provided to and within waste treatment or management sites.	None are applicable.		
Fencing a	nd Security		
PO 5.1	DTS/DPF 5.1		
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.		
Lar	dfill		
PO 6.1	DTS/DPF 6.1		
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.		
PO 6.2	DTS/DPF 6.2		
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.		
PO 6.3	DTS/DPF 6.3		
Landfill facilities are located on land that is not subject to land slip.	None are applicable.		
PO 6.4	DTS/DPF 6.4		
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.		
Organic Waste Pr	ocessing Facilities		
PO 7.1	DTS/DPF 7,1		
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.		
PO 7.2	DTS/DPF 7.2		
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.		
PO 7.3	DTS/DPF7.3		
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.		
PO 7.4	DTS/DPF 7.4		
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.		
PO 7.5	DTS/DPF7.5		
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.		
Major Wastewater Treatment Facilities			

Downloaded on 6/03/2023 Generated By Policy24 Page 105 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 8.1	DTS/DPF 8.1
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	None are applicable.
PO 8.2	DTS/DPF 8.2
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
PO 1.1	DTS/DPF 1.1	
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.	

No criteria applies to this land use. Please check the definition of the land use for further detail.

Downloaded on 6/03/2023 Generated By Policy24 Page 106 of 106

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

LOT 56 AMSTERDAM CR SALISBURY DOWNS SA 5108

Address

Click to view a detailed interactive SAISS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

General Neighbourhood

Airport Building Heights (Regulated) (All structures over 15 metres)

Advertising Near Signalised Intersections

Affordable Housing

Building Near Airfields

Defence Aviation Area (All structures over 90 metres)

Hazards (Flooding - General)

Prescribed Wells Area

Regulated and Significant Tree

Stormwater Management

Traffic Generating Development

Urban Tree Canopy

Development Pathways

General Neighbourhood

1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Air handling unit, air conditioning system or exhaust fan
- · Brush fence
- Building work on railway land
- Carport

- Internal building work
 Outbuilding
 Partial demolition of a building or structure
- Private bushfire shelter
- Shade sail
- Solar photovoltaic panels (roof mounted)
- Swimming pool or spa pool
- Verandah
- Water tank (above ground)
- · Water tank (underground)

2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Ancillary accommodation
- Carport
- Detached dwelling
- · Dwelling addition

Downloaded on 6/03/2023

Generated By Policy24

Page 1 of 105

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

- Dwelling or residential flat building undertaken by:
 (a) the South Australian Housing Trust either individually or jointly with other persons or bodies
- (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by
- Outbuilding
- Replacement building
- Row dwelling
- · Semi-detached dwelling
- Temporary accommodation in an area affected by bushfire
- Verandah

3. Code Assessed - Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Ancillary accommodation
- Carport
- Demolition
- · Detached dwelling
- Dwelling addition
- Dwelling or residential flat building undertaken by:

(a) the South Australian Housing Trust either individually or jointly with other persons or bodies

(b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

- Fence
- Group dwelling
- Land division
- Outbuilding
- · Residential flat building
- Retaining wall
- Row dwelling
- Semi-detached dwelling
- Tree-damaging activity
- Verandah

4. Impact Assessed - Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant

Property Policy Information for above selection

Part 2 - Zones and Sub Zones

General Neighbourhood Zone

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Low-rise, low and medium-density housing that supports a range of needs and lifestyles located within easy reach of services and facilities. Employment and community service uses contribute to making the neighbourhood a convenient place to live without compromising residential amenity.		

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

D - (Decreed to Out of Out or in I
Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
	Designated Performance realure

Downloaded on 6/03/2023 Generated By Policy24 Page 2 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/202			
Land Use and Intensity			
PO 1.1 DTS/DPF 1.1			
Predominantly residential development with complementary non-residential uses that support an active, convenient, and walkable neighbourhood.	Development comprises one or more of the following: (a) Ancillary accommodation (b) Community facility (c) Consulting room (d) Dwelling (e) Educational establishment (f) Office (g) Place of Worship (h) Pre-school (i) Recreation area (j) Residential flat building (k) Retirement facility (l) Shop (m) Student accommodation (n) Supported accommodation		
P01.2	DTS/DPF 1.2		
Non-residential development located and designed to improve community accessibility to services, primarily in the form of: (a) small scale commercial uses such as offices, shops and consulting rooms (b) community services such as educational establishments, community centres, places of worship, pre-schools, and other health and welfare services (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities (d) open space and recreation facilities.	None are applicable.		
PO 1.3	DTS/DPF 1.3		
Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood.	None are applicable.		
PO 1.4	DTS/DPF 1.4		
Commercial activities improve community access to services are of a scale and type to maintain residential amenity.	A shop, consulting room or office (or any combination thereof) satisfies any one of the following: (a) it is located on the same allotment and in conjunction with a dwelling where all the following are satisfied: (i) does not exceed 50m² gross leasable floor area (ii) does not involve the display of goods in a window or about the dwelling or its curtilage (b) it reinstates a former shop, consulting room or office in an existing building (or portion of a building) and satisfies one of the following: (i) the building is a State or Local Heritage Place (ii) is in conjunction with a dwelling and there is no increase in the gross leasable floor area previously used for non-residential purposes (c) is located more than 500m from an Activity Centre and satisfies one of the following: (i) does not exceed 100m² gross leasable floor area (individually or combined, in a single building) where the site does not have a frontage to a State Maintained Road (ii) does not exceed 200m² gross leasable floor area (individually or combined, in a single building) where the site has a frontage to a State Maintained Road		
	(d) the development site abuts an Activity Centre and all the following are satisfied: (i) it does not exceed 200m² gross leasable floor area (individually or combined, in a single building) (ii) the proposed development will not result in a combined gross leasable floor area (existing and proposed) of all		

Downloaded on 6/03/2023 Generated By Policy24 Page 3 of 105

Policy24	P&D Co	ode (in effect) Version 20	023.3 16/02/202
	shops, consulting rooms and offices that abut the Activity Centre in this zone exceeding the lesser of the following: A. 50% of the existing gross leasable floor area within the Activity Centre B. 1000m ² .		the following:
P0 1.5	DTS/DPF 1.5		
Expansion of existing community services such as educational establishments, community facilities and pre-schools in a manner which complements the scale of development envisaged by the desired outcome for the neighbourhood.	Alteration of or addition to existing educational establishments, community		
Site Dimensions	and Land Division		
Allotments/sites created for residential purposes are of suitable size and dimension to accommodate the anticipated dwelling form and remain compatible with the pattern of development in a low-rise and predominantly low-density neighbourhood, with higher densities closer to public open space, public transport stations and activity centres.	DTS/DPF2.1 Development will not result in more than 1 dwelling on an existing allotment or Allotments/sites for residential purposes accord with the following:		
	Dwelling Type	Minimum site/allotment area per dwelling	Minimum site/allotment frontage
	Detached dwelling (not in a terrace arrangement)	300m² (exclusive of any battle-axe allotment 'handle')	9m where not on a battle-axe site 5m where on a battle-axe site
	Semi-detached dwelling Row dwelling (or detached dwelling in a terrace arrangement)	300m ² 250m ²	9m 7m (averaged)
	Group dwelling Dwelling within a residential	300m ² (average, including common areas) 300m ² (average,	15m (total)
	flat building	including common areas)	
P0.2.2 Development creating new allotments/sites in conjunction with retention of an existing dwelling ensures the site of the existing dwelling remains fit for purpose.	DTS/DPF.2.2 Where the site of a dwelling does not comprise an entire allotment: (a) the balance of the allotment accords with site area and frontage		and frontage
	requirements specified in General Neighbourhood Zone DTS/DPF (b) if there is an existing dwelling on the allotment that will remain on allotment after completion of the development, it will not contrave (i) Private open space requirements specified in Design in Usera Table 1 - Private Open Space (ii) off-street vehicular parking exists in accordance with the rate(s) specified in Transport, Access and Parking Table General Off-Street Car Parking Requirements or Table 2 - Street Car Parking Requirements in Designated Areas to to nearest whole number.		
PO 2.3 Land division results in sites that are accessible and suitable for their intended purpose.	development authorisa Planning, Development	or (c): aries illustrated and approved tion under the Development and Infrastructure Act 2016 are proposed to be used sol	Act 1993 or where the
lownloaded on 6/03/2023 Generated	By Policy24		Page 4 of 10:

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Policy24	(b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments (c) satisfies all of the following: (i) No more than 5 additional allotments are created (ii) Each proposed allotment has a minimum site area of 300m² and frontage of 9m (iii) Each proposed allotment has a slope less than 12.5% (1-in-8) (iv) There are no regulated trees on or within 20m of the subject land, with the distance measured from the base of the trunk of the tree (or the nearest trunk of the tree) to the subject land (v) The division does not involve creation of a public road (vi) Vehicle access from a public road can be provided to all proposed allotments which satisfies Design in Urban Areas DTS/DPF 23.3, 23.4 and 23.6, and would be located wholly on one side of the allotment, or located no more than 1m from the side boundary alignment (vii) No allotments are in a battle-axe configuration and (viii) Each proposed allotment is of a size and dimension capable of containing a rectangle 9m in width and 15m in depth.	
	or cortaining a rectargle 311 in waar and 1311 in depth.	
Site Co	Deverage	
P0 3.1	DTS/DPF 3.1	
Building footprints allow sufficient space around buildings to limit visual impact, provide an attractive outlook and access to light and ventilation.	The development does not result in site coverage exceeding 60%.	
Buildin	g Height	
PO 4.1	DTS/DPF 4.1	
Buildings contribute to a low-rise suburban character.	Building height (excluding garages, carports and outbuildings) no greater than	
	2 building levels and 9m and (b) wall height that is no greater than 7m except in the case of a gable end.	
Primary Str	reet Setback	
P0.5.1 Buildings are setback from primary street boundaries to contribute to the existing/emerging pattern of street setbacks in the streetscape.	The building line of a building set back from the primary street boundary: (a) no more than 1m in front of the average setback to the building line of existing buildings on adjoining sites which face the same primary street (including those buildings that would adjoin the site if not separated by a public road or a vacant allotment) (b) where there is only one existing building on adjoining sites which face the same primary street (including those that would adjoin if not separated by a public road or a vacant allotment), no more than 1m in front of the setback to the building line of that building or (c) not less than 5m where no building exists on an adjoining site with the same primary street frontage.	
	treet Setback	
P0.6.1 Buildings are set back from secondary street boundaries to achieve separation between building walls and public streets and contribute to a suburban streetscape character.	DTS/DPF 6.1 Building walls are set back from the boundary of the allotment with a secondary street frontage: (a) at least 900mm or (b) if a dwelling on any adjoining allotment is closer to the secondary street than 900mm, at least the distance of that dwelling from the boundary with the secondary street.	
Bounda	y Walls	
P0 7.1 Dwelling boundary walls are limited in height and length to manage visual and	DTS/DPF 7.1 Except where the dwelling is located on a central site within a row dwelling or	
Downloaded on 6/03/2023 Generated	By Policy24 Page 5 of 105	

Downloaded on 6/03/2023

Generated By Policy24

Page 5 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202	
overshadowing impacts on adjoining properties.	terrace arrangement, side boundary walls occur only on one side boundary and satisfy (a) or (b) below:	
	(a) side boundary walls adjoin or abut a boundary wall of a building on adjoining land for the same or lesser length and height (b) side boundary walls do not: (i) exceed 3m in height from the top of footings (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, exceed a maximum 45% of the length of the boundary (iv) encroach within 3m of any other existing or proposed boundary walls on the subject land.	
P0 7.2	DTS/DPF 7.2	
Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.	Dwelling walls in a semi-detached, row or terrace arrangement are setback at least 900mm from side boundaries shared with allotments outside the development site.	
Side bour	ndary setback	
PO 8.1	DTS/DPF 8.1	
Building walls are set back from side boundaries to provide:	Other than walls located on a side boundary, building walls are set back from side boundaries:	
 (a) separation between dwellings in a way that contributes to a suburban character and (b) access to natural light and ventilation for neighbours. 	(a) at least 900mm where the wall height is up to 3m (b) other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m and (c) at least 1900mm plus 1/3 of the wall height above 3m for walls facing a southern side boundary.	
Rear bour	ndary setback	
P0 9.1	DTS/DPF 9.1	
Dwelling walls are set back from rear boundaries to provide: (a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours (c) private open space (d) space for landscaping and vegetation.	Dwelling walls are set back from the rear boundary at least: (a) if the size of the site is less than 301m²— (i) 3m in relation to the ground floor of the dwelling (ii) 5m in relation to any other building level of the dwelling (b) if the size of the site is 301m² or more— (i) 4m in relation to the ground floor of the dwelling (ii) 6m in relation to any other building level of the dwelling.	
Conc	ept Plans	
PO 10.1 Development is compatible with the outcomes sought by any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning and Design Code to support the orderly development of land through staging of development and provision of infrastructure.	DTS/DPF 10.1 The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant:	
	In relation to DTS/DPF 10.1, in instances where:	
	one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 10.1 is met.	
Ancillary Buildi	ngs and Structures	
P0 11.1 Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or	DTS/DPF 11.1 Ancillary buildings:	
neighbouring properties.	(a) are ancillary to a dwelling erected on the same site	

Downloaded on 6/03/2023 Generated By Policy24 Page 6 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
	(d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) have a door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width
	(e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure
	(h) have a wall height or post height not exceeding 3m (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-
	reflective colour (k) retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less: (i) a total area as determined by the following table:
	Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m²)
	<150 10% 150-200 15%
	201-450 20%
	>450 25%
	(ii) the amount of existing soft landscaping prior to the development occurring.
PO 11.2 Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements	DTS/DPF11.2 Ancillary buildings and structures do not result in:
or result in over-development of the site.	(a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.

Downloaded on 6/03/2023 Generated By Policy24 Page 7 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
New Section	Advertisements
PO 12.1	DTS/DPF 12.1
Advertisements identify the associated business activity, and do not detract from the residential character of the locality.	Advertisements relating to a lawful business activity associated with a residential use do not exceed 0.3m2 and mounted flush with a wall or fence.

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the application table, in which case the application will not require notification.

Class	of Development	Exceptions	
(Colun	nn A)	(Column B)	
1.	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	None specified.	
2.	All development undertaken by: (a) the South Australian Housing Trust either individually or jointly with other persons or bodies or (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.	residential flat building(s) of 3 or more building levels the demolition of a State or Local Heritage Place the demolition of a building (except an ancillary building) in a Historic Area Overlay.	
3.	Any development involving any of the following (or of any combination of any of the following): (a) air handling unit, air conditioning system or exhaust fan (b) ancillary accommodation (c) building work on railway land (d) carport (e) deck (f) dwelling (g) dwelling addition (h) fence (i) outbuilding (j) pergola (k) private bushfire shelter (l) residential flat building (m) retaining wall (n) retirement facility (o) shade sail (p) solar photovoltaic panels (roof mounted) (q) student accommodation (r) supported accommodation (s) swimming pool or spa pool (t) verandah (u) water tank.	1. does not satisfy General Neighbourhood Zone DTS/DPF 4.1 or 2. involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a boundary with a primary street or secondary street or an excluded boundary) and: (a) the length of the proposed wall (or structure) exceeds 11.5m (other than where the proposed wall abuts an existing wall or structure of greater length on the adjoining allotment) or (b) the height of the proposed wall (or post height) exceeds 3m measured from the top of footings (other than where the proposed wall (or post) abuts an existing wall or structure of greater height on the adjoining allotment).	
4.	Any development involving any of the following (or of any combination of any of the following):	Except development that:	

Downloaded on 6/03/2023 Generated By Policy24 Page 8 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
(a) consulting room (b) office (c) shop.	1. does not satisfy any of the following: (a) General Neighbourhood Zone DTS/DPF 1.4 (b) General Neighbourhood Zone DTS/DPF 4.1 or 2. involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a boundary with a primary street or secondary street or an excluded boundary) and: (a) the length of the proposed wall (or structure) exceeds 11.5m (other than where the proposed wall abuts an existing wall or structure of greater length on the adjoining allotment) or (b) the height of the proposed wall (or post height) exceeds 3m measured from the top of footings (other than where the proposed wall (or post) abuts an existing wall or structure of greater height on the adjoining allotment).	
5. Any development involving any of the following (or of any combination of any of the following): (a) internal building works (b) land division (c) recreation area (d) replacement building (e) temporary accommodation in an area affected by bushfire (f) tree damaging activity.	None specified.	
6. Alteration of or addition to any development involving the following (or of any combination of any of the following): (a) community facility (b) educational establishment (c) pre-school.	Except development that does not satisfy General Neighbourhood Zone DTS/DPF 1.5.	
7. Demolition.	the demolition of a State or Local Heritage Place the demolition of a building (except an ancillary building) in a Historic Area Overlay.	
Placement of Notices - Exemptions for Performance Assessed Development		
None specified.		
Placement of Notices - Exemptions for Restricted Development		
None specified.		

Part 3 - Overlays

Advertising Near Signalised Intersections Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023

Generated By Policy24

Page 9 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

	Desired Outcome
DO 1	Provision of a safe road environment by reducing driver distraction at key points of conflict on the road.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Advertisements Near	Signalised Intersections
PO 1.1 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 1.1 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Advertisement or advertising hoarding that: (a) is within 100m of a: (i) signalised intersection or (ii) signalised pedestrian crossing and (b) will: (i) be internally illuminated or (ii) incorporate a moving or changing display or message or (iii) incorporate a flashing light.	Commissioner of Highways.	To provide expert technical assessment on potential risks relating to pedestrian and road safety which may arise from advertisements near intersections.	Development of a class to which Schedule 9 clause 3 item 21 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Affordable Housing Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Affordable housing is integrated with residential and mixed use development.
DO 2	Affordable housing caters for a variety of household structures.

Downloaded on 6/03/2023

Generated By Policy24

Page 10 of 105

Page 431 Council Assessment Panel Agenda - 28 March 2023 Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
	Land Division	
P0 1.1	DTS/DPF 1.1	
Development comprising 20 or more dwellings / allotments incorporates affordable housing.	Development results in 0-19 additional allotments / dwellings.	
P0 1.2	DTS/DPF 1.2	
Development comprising 20 or more dwellings or residential allotments provides housing suited to a range of incomes including households with low to moderate incomes.	Development comprising 20 or more dwellings / or residential allotments includes a minimum of 15% affordable housing except where: (a) it can be demonstrated that any shortfall in affordable housing has	
	been provided in a previous stage of development or (b) it can be demonstrated that any shortfall in affordable housing will be accommodated in a subsequent stage or stages of development.	
PO 1.3	DTS/DPF 1.3	
Affordable housing is distributed throughout the development to avoid an overconcentration.	None are applicable.	
Built Form a	and Character	
P0 2.1	DTS/DPF 2.1	
Affordable housing is designed to complement the design and character of residential development within the locality.	None are applicable.	
Affordable Hot	using Incentives	
P0 3.1	DTS/DPF 3.1	
To support the provision of affordable housing, minimum allotment sizes may be reduced below the minimum allotment size specified in a zone while providing allotments of a suitable size and dimension to accommodate dwellings with a high standard of occupant amenity.	The minimum site area specified for a dwelling can be reduced by up to 20 or the maximum density per hectare increased by up to 20%, where it is to lused to accommodate affordable housing except where the development i located within the Character Area Overlay or Historic Area Overlay.	
P0 3.2	DTS/DPF 3.2	
To support the provision of affordable housing, building heights may be increased above the maximum specified in a zone.	Where a building incorporates dwellings above ground level and includes at least 15% affordable housing, the maximum building height specified in any relevant zone policy can be increased by 1 building level in the:	
	(a) Business Neighbourhood Zone	
	(b) City Living Zone	
	(c) Established Neighbourhood Zone	
	(d) General Neighbourhood Zone	
	(e) Hills Neighbourhood Zone (f) Housing Diversity Neighbourhood Zone	
	(g) Neighbourhood Zone	
	(h) Master Planned Neighbourhood Zone	
	(i) Master Planned Renewal Zone	
	(j) Master Planned Township Zone	
	(k) Rural Neighbourhood Zone	
	Suburban Business Zone Suburban Neighbourhood Zone	
	(n) Township Neighbourhood Zone	
	(o) Township Zone	
	(p) Urban Renewal Neighbourhood Zone (q) Waterfront Neighbourhood Zone	
	and up to 30% in any other zone, except where:	

Downloaded on 6/03/2023 Generated By Policy24

Page 11 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) the development is located within the Character Area Overlay or Historic Area Overlay or (b) other height incentives already apply to the development.
Movement an	d Car Parking
P0.4.1 Sufficient car parking is provided to meet the needs of occupants of affordable housing.	DTS/DPF 4.1 Dwellings constituting affordable housing are provided with car parking in accordance with the following: (a) 0.3 carparks per dwelling within a building which incorporates dwellings located above ground level within either: (i) 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service ⁽²⁾ (ii) is within 400 metres of a bus interchange ⁽¹⁾ (iii) is within 400 metres of an 0-Bahn interchange ⁽¹⁾ (iv) is within 400 metres of a passenger rail station ⁽¹⁾ (v) is within 400 metres of a passenger tram station ⁽¹⁾ (vi) is within 400 metres of the Adelaide Parklands. or (b) 1 carpark per dwelling for any other dwelling. [NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Development for the purposes of the provision of affordable housing (applying the criteria determined under regulation 4 of the South Australian Housing Trust Regulations 2010).	Minister responsible for administering the South Australian Housing Trust Act 1995.	To provide direction on the conditions required to secure the provision of dwellings or allotments for affordable housing.	Development of a class to which Schedule 9 clause 3 item 20 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Airport Building Heights (Regulated) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023

Generated By Policy24

Page 12 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	Desired Outcome
DO 1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
Po 1.1 Building height does not pose a hazard to the operation of a certified or registered aerodrome.	DTS/DPF1.1 Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	DTS/DPF 1.2 Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development: building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter landing sites
	through management of non-residential lighting, turbulence and activities that may attract or result in the congregation of wildlife.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 13 of 105

Page 434 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
PO 1.1	DTS/DPF 1.1	
Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	Development: (a) primarily or wholly for residential purposes	
	(b) for non-residential purposes that does not incorporate outdoor floodlighting.	
P0 1.2	DTS/DPF 1.2	
Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft:	
	(a) food packing/processing plant (b) horticulture	
	(c) intensive animal husbandry	
	(d) showground	
	(e) waste management facility (f) waste transfer station	
	(g) wetland	
	(h) wildlife sanctuary.	
PO 1.3	DTS/DPF 1.3	
Buildings are adequately separated from runways and other take-off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 14 of 105

Page 435 Council Assessment Panel Agenda - 28 March 2023

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operations of Defence Aviation Areas.	DTS/DPF1.1 Building height does not exceed the relevant height specified by the <i>Defence Aviation Area Overlay</i> .
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	DTS/DPF 1.2 Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Hazards (Flooding - General) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
1	Impacts on people, property, infrastructure and the environment from general flood risk are minimised through the appropriate siting and design of development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land	d Use
Po 1.1 Buildings housing vulnerable people, community services facilities, key infrastructure and emergency services are sited away from flood areas enable uninterrupted operation of services and reduce likelihood of entrapment.	DTS/DPF 1.1 Pre-schools, educational establishments, retirement and supported accommodation, emergency services facilities, hospitals and prisons located outside the 1% AEP flood event.
Flood R	esilience
Po 2.1 Development is sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	DTS/DPF 2.1 Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished ground and floor level not less than: In instances where no finished floor level value is specified, a building incorporates a finished floor level at least 300mm above the height of a 1% AEP flood event.
Environment	tal Protection
P0 3.1	DTS/DPF 3.1

Downloaded on 6/03/2023 Generated By Policy24 Page 15 of 105

Page 436 Council Assessment Panel Agenda - 28 March 2023

Page 16 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building during a 1% AEP flood event to avoid potential environmental harm.	Development involving the storage or disposal of hazardous materials is wholly located outside of the 1% AEP flood plain or flow path.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Sustainable water use in prescribed wells areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 All development, but in particular involving any of the following:	DTS/DPF 1.1 Development satisfies either of the following:
(a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	(a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia	To provide expert technical assessment and direction to the relevant authority on the taking of	Development of a class to which

Downloaded on 6/03/2023 Generated By Policy24

Page 437 City of Salisbury

Policy	24		P&D Code (in effect) Version 2023.3 16/		
(a) (b) (c) (d) (e) (f)	horticulture activities requiring irrigation aquaculture industry intensive animal husbandry commerical forestry.	Act 2019.	water to ensure development is undertaken sustainably.	Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations	
	ercial forestry that requires a forest water licence under Division 6 of the Landscape South Australia Act 2019.			2017 applies.	

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.

 $Performance\ Outcomes\ (PO)\ and\ Deemed\ to\ Satisfy\ (DTS)\ /\ Designated\ Performance\ Feature\ (DPF)\ Criteria$

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retention	on and Health
PO 1.1		DTS/DPF 1.1
Regulat	ted trees are retained where they:	None are applicable.
(a) (b)	make an important visual contribution to local character and amenity are indigenous to the local area and listed under the <i>National Parks</i> and <i>Wildlife Act 1972</i> as a rare or endangered native species and / or provide an important habitat for native fauna.	
P0 1.2		DTS/DPF 1.2
Signific	ant trees are retained where they:	None are applicable.
(a)	make an important contribution to the character or amenity of the local area	
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
(c)	represent an important habitat for native fauna	
(d)	are part of a wildlife corridor of a remnant area of native vegetation	
(e)	are important to the maintenance of biodiversity in the local environment and / or	
(f)	form a notable visual element to the landscape of the local area.	
P0 1.3		DTS/DPF 1.3
A tree d	lamaging activity not in connection with other development satisfies (b):	None are applicable.
(a)	tree damaging activity is only undertaken to:	

Downloaded on 6/03/2023 Generated By Policy24 Page 17 of 105

Page 438 Council Assessment Panel Agenda - 28 March 2023

Policy	24				P&D Code (in effect) Version 2023.3 16/02/2023
	(i)	roman	a a diagonal trae where it	a life avanetancy is cho-	
	(ii)		e a diseased tree where it	, ,	
		to limi	drop or the like	public or private safety due	
	(iii)	comp	or prevent extensive dam rising any of the following:	age to a building of value as	
		A.	a Local Heritage Place		
		B.	a State Heritage Place		
		C.	a substantial building of	f value	
	(iv)	such o	lamage other than to unde y		
	(14)	20m o	e an unacceptable nazard If an existing residential, to habitable building from bu		
	(v)		lisease or otherwise in the of the tree	general interests of the	
	(vi)		ain the aesthetic appearan	ice and structural integrity of	
(b)	unless	all reas	significant tree, tree-dama onable remedial treatment be ineffective.	aging activity is avoided is and measures have been	
P0 1.4					DTS/DPF 1.4
A tree-		ng activit	y in connection with other	development satisfies all the	None are applicable.
(a)	with th		nt zone or subzone where	pment of land in accordance such development might not	
(b) in the case of a significant tree, all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring.			utions have been conside		
				Ground work	affecting trees
PO 2.1					DTS/DPF 2.1
compre	omised t	by excav		ot systems, are not unduly d, or the sealing of surfaces ntion and health.	None are applicable.
				Land (ivision
PO 3.1					DTS/DPF 3.1
develo		nd the re	etention of regulated and s	n that enables its subsequent significant trees as far as is	Land division where: (a) there are no regulated or significant trees located within or adjacent
	adij pla	COMMIC			to the plan of division or (b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Stormwater Management Overlay

Downloaded on 6/03/2023 Generated By Policy24 Page 18 of 105

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development incorporates water sensitive urban design techniques to capture and re-use stormwater.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
P0 1.1	DTS/DPF 1.1
Residential development is designed to capture and re-use stormwater to: (a) maximise conservation of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage stormwater runoff quality.	
	(Litres) <200 1000 1000
	200-400 2000 Site perviousness <30%: 1000 Site perviousness ≥30%: N/A
	>401 4000 Site perviousness <35%: 1000 Site perviousness ≥35%: N/A

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Downloaded on 6/03/2023

Generated By Policy24

Page 19 of 105

Policy24	P&[Code (in effect) Version 2023.3	16/02/2023
Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Traffic Generating Development Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Safe and efficient operation of Urban Transport Routes and Major Urban Transport Routes for all road users.
DO 2	Provision of safe and efficient access to and from urban transport routes and major urban transport routes.

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
Traffic Generat	ing Development	
P0 1.1	DTS/DPF 1.1	
Development designed to minimise its potential impact on the safety, efficiency and functional performance of the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involved any of the following types of development: (a) I and division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.	
P0 1.2	DTS/DPF 1.2	
Access points sited and designed to accommodate the type and volume of traffic likely to be generated by development.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.	
Po 1.3 Sufficient accessible on-site queuing provided to meet the needs of the development so that queues do not impact on the State Maintained Road	DTS/DPF 1.3 Access is obtained directly from a State Maintained Road where it involves any of the following types of development:	

Downloaded on 6/03/2023 Generated By Policy24 Page 20 of 105

Page 441 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
network.	(a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of 10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more (e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Developme	nt / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except where all of the relevant deem met, any of the following classes of d proposed within 250m of a State Maii (a) land division creating 50 or n (b) commercial development with 10,000m ² or more (c) retail development with a gromore (d) a warehouse or transport defilioor area of 8,000m ² or more (e) industry with a gross floor are ducational facilities with a comore.	evelopment that are natained Road: nore additional allotments in a gross floor area of 2,000m² or cot with a gross leasable in a gross leasable i	Commissioner of Highways.	To provide expert technical assessment and direction to the Relevant Authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 7 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Urban Tree Canopy Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Residential development preserves and enhances urban tree canopy through the planting of new trees and retention of existing mature trees
	where practicable.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
PO 1.1	DTS/DPF 1.1	
Trees are planted or retained to contribute to an urban tree canopy.	Tree planting is provided in accordance with the following:	
	Site size per dwelling (m ²)	Tree size* and number required per dwelling
	<450	1 small tree
	450-800	1 medium tree or 2 small trees

Downloaded on 6/03/2023 Generated By Policy24 Page 21 of 105

Page 442 Council Assessment Panel Agenda - 28 March 2023

Policy24		P&D C	ode (in effect)	Versio	n 2023.3 16/02/2023
	>800		1 large tree or trees	2 medi	um trees or 4 small
	*refer Table 1	Tree Size			
	Table 1 Tree	Size			
	Tree size	Mature height (minimum)	Mature spread (minimum)	*.	
	Small	4 m	2m	10m ² a 1.5m	and min. dimension of
	Medium	6 m	4 m	30m ² a 2m	and min. dimension of
	Large	12 m	8m	60m ² a	and min. dimension of
	be planted in land that mee species ident	DTS/DPF 1.1 who et the criteria in Co ified in Regulation e (General) Regula	ere existing tree(s olumns A, B and (n 3F(4)(b) of the F	s) are ret C of Tabl	ber of trees required to ained on the subject e 2, and are not a Development and
	Retained tree height (Column A)	Retained tree spread (Column B)	Retained so around tree developmen (Column C)	within	Discount applied (Column D)
	4-6m	2-4m	10m ² and n		2 small trees (or 1 medium tree)
	6-12m	4-8m	30m ² and n		2 medium trees (or 4 small trees)
	>12m	>8m	60m ² and n dimension o		2 large trees (or 4 medium trees, or 8 small trees)
	with a relevar of the Plannir provisions an section 102(4	nt off-set scheme ng, Development of requirements o (1) of the Planning	established by the and Infrastructure of that scheme are of Development and	ne Minis e Act 20° e satisfie ed Infras	made in accordance ter under section 197 16, provided the ed. For the purposes of tructure Act 2016, an .1 to be reserved.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Statutory Reference

Downloaded on 6/03/2023 Generated By Policy24 Page 22 of 105

Policy24	P&0	Code (in effect) Version 2023.3	16/02/2023
None	None	None	None

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Арр	earance
P0 1.1	DTS/DPF 1.1
Advertisements are compatible and integrated with the design of the building and/or land they are located on.	Advertisements attached to a building satisfy all of the following: (a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building (c) where they are not flush with a wall: (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (ii) if attached to a two-storey building: A. has no part located above the finished floor level of the second storey of the building B. does not protrude beyond the outer limits of any verandah structure below C. does not have a sign face that exceeds 1m2 per side. (d) if located below canopy level, are flush with a wall (e) if located above a canopy: (i) are flush with a wall (ii) do not have any part rising above parapet height (iii) are not attached to the roof of the building.

Downloaded on 6/03/2023 Generated By Policy24 Page 23 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
	(g) if attached to a verandah, no part of the advertisement protrudes	
	beyond the outer limits of the verandah structure (h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building (i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.	
	-	
P0 1.2	DTS/DPF1.2 Where development comprises an advertising hoarding, the supporting	
Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	structure is:	
	(a) concealed by the associated advertisement and decorative detailing	
	(b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.	
P0 1.3	DTS/DPF 1.3	
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.	
P0 1.4	DTS/DPF 1.4	
Where possible, advertisements on public land are integrated with existing structures and infrastructure.	Advertisements on public land that meet at least one of the following:	
structures and infrastructure.	(a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.	
PO 1.5	DTS/DPF 1.5	
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.	
Proliferation of	I Advertisements	
P0 2.1	DTS/DPF 2.1	
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.	
P0 2.2	DTS/DPF 2.2	
Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.	
P0 2.3	DTS/DPF 2.3	
Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	Advertisements satisfy all of the following:	
	(a) are attached to a building (b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached (c) do not result in more than one sign per occupancy that is not flush	
	with a wall.	
Advertising Content		
PO 3.1	DTS/DPF 3.1	
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.	
Amenity	y Impacts	
P0 4.1	DTS/DPF 4.1	
Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	Advertisements do not incorporate any illumination.	
Sa	fety	
PO 5.1	DTS/DPF 5.1	
Oownloaded on 6/03/2023 Generated	By Policy24 Page 24 of 105	

Downloaded on 6/03/2023 Generated By Policy24 Page 24 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2 Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	DTS/DPF 5.2 No advertisement illumination is proposed.
P0 5.3 Advertisements and/or advertising hoardings do not create a hazard to drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	DTS/DPF 5.3 Advertisements satisfy all of the following: (a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Allotment Boundary Off Area Road Reserve
P0 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.	DTS/DPF 5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.
P0.5.5 Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	DTS/DPF 5.5 Where the advertisement or advertising hoarding is: (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m.
Po 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023

Generated By Policy24

Page 25 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	Desired Outcome
DO 1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting ar	nd Design
PO 1.1	DTS/DPF 1.1
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.
P0 1.2	DTS/DPF 1.2
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.
Horse	Keeping
P0 2.1	DTS/DPF 2.1
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
P0 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
P0 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.
P0 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
P0 2.5	DTS/DPF 2.5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Kennels	
PO 3.1	DTS/DPF 3.1
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following:
	are constructed of impervious concrete are designed to be self-draining when washed down.
P0 3.2	DTS/DPF 3.2
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
(a) adopting appropriate separation distances	

Downloaded on 6/03/2023

Generated By Policy24

Page 26 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(b) orientating openings away from sensitive receivers.	
P0 3.3	DTS/DPF 3.3
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.
Wastes	
PO 4.1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
P0 4.2	DTS/DPF 4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
Land-based	Aquaculture
P0 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following:
	(a) 200m or more from a sensitive receiver in other ownership (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.
P0 1.2	DTS/DPF 1.2
Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	None are applicable.
P0 1.3	DTS/DPF 1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	None are applicable.
P0 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 27 of 105

Page 448 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
P0 1.6	DTS/DPF 1.6
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	None are applicable.
Po 1.7 Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	DTS/DPF 1.7 None are applicable.
Marine Base	d Aquaculture
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
(a) creeks and estuaries (b) wetlands (c) significant seagrass and mangrove communities (d) marine habitats and ecosystems.	
PO 2.2	DTS/DPF 2.2
Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	None are applicable.
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	None are applicable.
PO 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark.
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
(a) areas of high public use (b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports (c) areas of outstanding visual or environmental value (d) areas of high tourism value (e) areas of important regional or state economic activity, including commercial ports, wharfs and jetties (f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment.	None are applicable.
P0 2.7	DTS/DPF 2.7
Marine aquaculture is designed to be as unobtrusive as practicable by incorporating measures such as:	None are applicable.
using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water (b) positioning structures to protrude the minimum distance practicable.	
above the surface of the water	
(c) avoiding the use of shelters and structures above cages and	Pu Doliny 24 Page 39 of 105

Downloaded on 6/03/2023

Generated By Policy24

Page 28 of 105

Policy2	24	P&D Code (in effect) Version 2023.3 16/02/202
	platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock	
(d)	inside the cages, or for safety reasons positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
P0 2.8		DTS/DPF 2.8
	launching and maintenance facilities utilise existing established roads,	None are applicable.
tracks, r	ramps and paths to or from the sea where possible to minimise mental and amenity impacts.	топо и о оррживани.
PO 2.9		DTS/DPF 2.9
	launching and maintenance facilities are developed as common user s and are co-located where practicable to mitigate adverse impacts on areas.	None are applicable.
P0 2.10		DTS/DPF 2.10
	aquaculture is sited to minimise potential impacts on, and to protect grity of, reserves under the National Parks and Wildlife Act 1972.	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the National Parks and Wildlife Act 1972.
PO 2.11		DTS/DPF 2.11
	e storage, cooling and processing facilities do not impair the coastline visual amenity by:	None are applicable.
(a)	being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape	
(b)	making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable	
(c)	incorporating appropriate waste treatment and disposal.	
	Navigation	and Safety
P0 3.1		DTS/DPF 3.1
Marine	aquaculture sites are suitably marked to maintain navigational safety.	None are applicable.
P0 3.2		DTS/DPF 3.2
	aquaculture is sited to provide adequate separation between farms for vigation.	None are applicable.
	Environmenta	l Management
PO 4.1		DTS/DPF 4.1
includin	aquaculture is maintained to prevent hazards to people and wildlife, g breeding grounds and habitats of native marine mammals and al fauna, especially migratory species.	None are applicable.
P0 4.2		DTS/DPF 4.2
structur	aquaculture is designed to facilitate the relocation or removal of es in the case of emergency such as oil spills, algal blooms and water flows.	None are applicable.
P0 4.3		DTS/DPF 4.3
	aquaculture provides for progressive or future reclamation of ed areas ahead of, or upon, decommissioning.	None are applicable.
P0 4.4		DTS/DPF 4.4
	Iture operations incorporate measures for the removal and disposal of sused material, shells, debris, detritus, dead animals and animal waste ent pollution of waters, wetlands, or the nearby coastline.	None are applicable.

Beverage Production in Rural Areas

Downloaded on 6/03/2023 Generated By Policy24 Page 29 of 105

Policv24

P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
Odour a	and Noise	
P0 1.1	DTS/DPF 1.1	
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.	
P0 1.3	DTS/DPF 1.3	
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.	
PO 1.5	DTS/DPF 1.5	
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.	
Water	Quality	
PO 2.1	DTS/DPF 2.1	
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.	
P0 2.2	DTS/DPF 2.2	
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.	
PO 2.4	DTS/DPF 2.4	
Stormwater runoff from areas unlikely to cause contamination by beverage	None are applicable.	
Downloaded on 6/03/2023 Generated	By Policy24 Page 30 of 105	

Downloaded on 6/03/2023

Generated By Policy24

Page 30 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	
Wastewat	er Irrigation
P0 3.1	DTS/DPF 3.1
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.
PO 3.2	DTS/DPF 3.2
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
PO 3.3	DTS/DPF 3.3
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as: (a) waterlogged areas (b) land within 50m of a creek, swamp or domestic or stock water bore (c) land subject to flooding (d) steeply sloping land (e) rocky or highly permeable soil overlaying an unconfined aquifer.	None are applicable.

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
Siting ar	nd Design
P0 1.1	DTS/DPF 1.1
Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers:
	(a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility
	(b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with

Downloaded on 6/03/2023 Generated By Policy24 Page 31 of 105

Page 452 Council Assessment Panel Agenda - 28 March 2023

Policy24	the facility (c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more.	
Buffers and Landscaping		
P0 2.1 Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	DTS/DFF 2.1 None are applicable.	
P0 2.2	DTS/DPF 2.2	
Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	None are applicable.	
Access and Parking		
PO 3.1	DTS/DPF 3.1	
Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	Roadways and vehicle parking areas are sealed with an all-weather surface.	
Slipways, Wharves and Pontoons		
PO 4.1	DTS/DPF 4.1	
Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	None are applicable.	

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	One of the following is satisfied: (a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996 (b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

Downloaded on 6/03/2023 Generated By Policy24 Page 32 of 105

Page 453 Council Assessment Panel Agenda - 28 March 2023 Policy24 P&D Code (in effect) Version 2023.3 16/02/202

Design

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Development is:	
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	(b)	durable - fit for purpose, adaptable and long lasting
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All deve	elopment
External A	ppearance
P0 1.1	DTS/DPF 1.1
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.
P0 1.2	DTS/DPF 1.2
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.
PO 1.3	DTS/DPF1.3
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.
P0 1.4	DTS/DPF 1.4
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.
(a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces	
(b) screening rooftop plant and equipment from view	
(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	
P0 1.5	DTS/DPF 1.5
The negative visual impact of outdoor storage, waste management, loading	None are applicable.

Downloaded on 6/03/2023

Generated By Policy24

Page 33 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.	
Sa	- fety
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
P0 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
PO 3.1	DTS/DPF 3.1
Soft landscaping and tree planting is incorporated to:	None are applicable.
(a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity.	
PO 3.2	DTS/DPF 3.2
Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	None are applicable.
Environmenta	al Performance
PO 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.
PO 4.3	DTS/DPF 4.3
Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.
Water Sen:	sitive Design
PO 5.1	DTS/DPF 5.1
Development is sited and designed to maintain natural hydrological systems	None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 34 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
without negatively impacting:	
(a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs.	
On-site Waste Tr	l eatment Systems
P0 6.1	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space,	Effluent disposal drainage areas do not:
driveways or car parking.	encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space use an area also used as a driveway encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
Carparking	Appearance
P0 7.1	DTS/DPF 7.1
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.
P0 7.2	DTS/DPF 7.2
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.
P0 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
P0 7.4	DTS/DPF 7.4
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	None are applicable.
P0 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	None are applicable.
P0 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
P0 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks at	nd sloping land
P0 8.1	DTS/DPF 8.1
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following:
	(a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m
lownloaded on 6/03/2023	Pv Policy 24 Page 25 of 105

Downloaded on 6/03/2023

Generated By Policy24

Page 35 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the
	driveway (b) are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
do not contribute to the instability of embankments and cuttings provide level transition areas for the safe movement of people and goods to and from the development are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.
Fences	and Walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.
PO 9.2	DTS/DPF 9.2
Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Privacy	(in building 3 storeys or less)
PO 10.1	DTS/DPF 10.1
Davidson and militarias disease and a literature forms	
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following:
	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor
	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor
	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished
habitable rooms and private open spaces of adjoining residential uses. PO 10.2 Development mitigates direct overlooking from balconies, terraces and decks	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
habitable rooms and private open spaces of adjoining residential uses.	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. DTS/DPF 10.2 One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace
habitable rooms and private open spaces of adjoining residential uses. PO 10.2 Development mitigates direct overlooking from balconies, terraces and decks	allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. DTS/DPF 10.2 One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace

Downloaded on 6/03/2023 Generated By Policy24

Page 36 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023 at least 15 metres from the nearest habitable window of a
	dwelling on adjacent land or
	(ii) 1.7m above finished floor level in all other cases
All Residentia	I al development
Front elevations and	passive surveillance
P0 11.1	DTS/DPF 11.1
Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street.
P0 11.2	DTS/DPF 11.2
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook a	nd amenity
P0 12.1	DTS/DPF 12.1
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.
P0 12.2	DTS/DPF 12.2
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.
Ancillary D	revelopment
P0 13.1	DTS/DPF 13.1
Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.	Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary

Downloaded on 6/03/2023 Generated By Policy24 Page 37 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202	
TOTIC 1/24	(g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less: (i) a total area as determined by the following table: Dwelling site area (or in the case of the case of the dwelling(s), average site area) (m²) 150 15% 201-450 20% >450	
	(ii) the amount of existing soft landscaping prior to the development occurring.	
PO 13.2 Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	DTS/DPF 13.2 Ancillary buildings and structures do not result in: (a) less private open space than specified in Design in Urban Areas Tabl 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.	
PO 13.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	DTS/DPF 13.3 The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment.	
Garage a	ppearance	
PO 14.1 Garaging is designed to not detract from the streetscape or appearance of a dwelling.	DTS/DPF14.1 Garages and carports facing a street: (a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling (b) are set back at least 5.5m from the boundary of the primary street (c) have a garage door / opening not exceeding 7m in width (d) have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.	
	ssing	
PO 15.1 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF15.1 None are applicable	
Dwelling PO 16.1	DTS/DPF16.1	
Downloaded on 6/03/2023	Py Policy24 Page 29 of 105	

Downloaded on 6/03/2023 Generated By Policy24 Page 38 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Dwelling additions are sited and designed to not detract from the streetscape	Dwelling additions:
or amenity of adjoining properties and do not impede on-site functional requirements.	(a) are not constructed, added to or altered so that any part is situated
	closer to a public street
	(b) do not result in: (i) excavation exceeding a vertical height of 1m
	(ii) filling exceeding a vertical height of 1m
	(iii) a total combined excavation and filling vertical height of 2m or more
	 (iv) less Private Open Space than specified in Design Table 1 - Private Open Space
	(v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas
	(vi) upper level windows facing side or rear boundaries unless:
	they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or
	B. have sill heights greater than or equal to 1.5m above finished floor level or
	C. incorporate screening to a height of 1.5m above finished floor level
	(vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land B. 1.7m above finished floor level in all other cases.
	- 1.7m above milished floor level in all other cases.
Private O	pen Space
PO 17.1	DTS/DPF 17.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.
Water Sen:	itive Design
PO 18.1	DTS/DPF 18.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment,	Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater runoff outcomes:
suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	(a) 80 per cent reduction in average annual total suspended solids
Containinants to the stormwater system, water courses or other water boules.	(b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen.
PO 18.2	DTS/DPF 18.2
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to	Development creating a common driveway / access that services 5 or more dwellings:
ensure that the development does not increase the peak flows in downstream systems.	(a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or
	captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.
	To ALT 11000 Event to avoid 11000mily of buildings.
Car parking, access	and manoeuvrability
P0 19.1	DTS/DPF 19.1
Enclosed parking spaces are of a size and dimensions to be functional,	Residential car parking spaces enclosed by fencing, walls or other structures

Downloaded on 6/03/2023 Generated By Policy24 Page 39 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
accessible and convenient.	have the following internal dimensions (separate from any waste storage area):
	(a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
P0 19.2	DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m
P0 19.3	DTS/DPF 19.3
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages, domestic waste collection and on-street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
P0 19.4	DTS/DPF 19.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed: (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads (ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle movements	Driveways are designed and sited so that:
from the public road to on-site parking spaces.	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average (b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary
	(c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site
P0 19.6	alley, land or right or way is at least 6.2m wide along the boundary of
PO 19.6 Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site
Driveways and access points are designed and distributed to optimise the	alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site DTS/DPF 19.6 Where on-street parking is available abutting the site's street frontage, on-

Downloaded on 6/03/2023 Generated By Policy24 Page 40 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/202		
parking is indented.		
Waste storage		
PO 20.1	DTS/DPF 20.1	
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.	
Design of Transp	portable Dwellings	
PO 21.1	DTS/DPF 21.1	
The sub-floor space beneath transportable buildings is enclosed to give the	Buildings satisfy (a) or (b):	
appearance of a permanent structure.	(a) are not transportable	
	or (b) the sub-floor space between t	he building and ground level is clad in a
	material and finish consistent	
Group dwelling, residential flat bu	I ildings and battle-axe development	
Am	enity	
PO 22.1	DTS/DPF 22.1	
Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	Dwellings have a minimum internal flootable:	or area in accordance with the following
	Number of bedrooms	Minimum internal floor area
	Studio	35m ²
	1 bedroom	50m ²
	2 bedroom	65m ²
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 22.2	DTS/DPF 22.2	
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
PO 22.3	DTS/DPF 22.3	
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.	
PO 22.4	DTS/DPF 22.4	
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.	
Communal	Open Space	
PO 23.1	DTS/DPF 23.1	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
P0 23.2	DTS/DPF 23.2	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a	minimum dimension of 5 metres.
PO 23.3	DTS/DPF 23.3	
Communal open space is designed and sited to:	None are applicable.	
Downloaded on 6/03/2023 Concreted	D D II 01	5 11 1105

Downloaded on 6/03/2023 Generated By Policy24 Page 41 of 105

Policy24		P&D Code (in effect) Version 2023.3 16/02/202
(a) b	a conveniently accessed by the divellines which it consists	
	e conveniently accessed by the dwellings which it services ave regard to acoustic, safety, security and wind effects.	
P0 23.4		DTS/DPF 23.4
1	al open space contains landscaping and facilities that are functional, and encourage recreational use.	None are applicable.
PO 23.5		DTS/DPF 23.5
Communa	al open space is designed and sited to:	None are applicable.
h o (b) ir	n relation to rooftop or elevated gardens, minimise overlooking into abitable room windows or onto the useable private open space of ther dwellings or relation to ground floor communal space, be overlooked by abitable rooms to facilitate passive surveillance.	
	Carparking, access	and manoeuvrability
PO 24.1		DTS/DPF 24.1
	s and access points are designed and distributed to optimise the of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:
		minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) minimum car park length of 5.4m where a vehicle can enter or exit a space directly minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 24.2		DTS/DPF 24.2
The numb	per of vehicular access points onto public roads is minimised to terruption of the footpath and positively contribute to public safety ability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 24.3		DTS/DPF 24.3
1	al driveways that service more than one dwelling are designed to and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 24.4		DTS/DPF 24.4
	al driveways in a battle-axe configuration are designed to allow safe enient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.
PO 24.5		DTS/DPF 24.5
allow pass	al driveways that service more than one dwelling are designed to senger vehicles to enter and exit the site and manoeuvre within the afe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 24.6		DTS/DPF 24.6
Dwellings manoeuvr	are adequately separated from common driveways and ing areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
	Soft Lar	dscaping
PO 25.1		DTS/DPF 25.1
1	scaping is provided between dwellings and common driveways to the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling

Downloaded on 6/03/2023 Generated By Policy24 Page 42 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	and common driveway.
P0 25.2	DTS/DPF 25.2
Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities	/ Waste Storage
PO 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
P0 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
(a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point.	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 26.6	DTS/DPF 26.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Supported accommodati	ion and retirement facilities
Siting and	Configuration
P0 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Movemen	t and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
ground-level access or lifted access to all units level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability kerb ramps at pedestrian crossing points.	
Communa	l Open Space
P0 29.1	DTS/DPF 29.1
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.

Downloaded on 6/03/2023

Generated By Policy24

Page 43 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
P0 29.3	DTS/DPF 29.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4	DTS/DPF 29.4
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.	
PO 29.5	DTS/DPF 29.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 29.6	DTS/DPF 29.6
Communal open space is designed and sited to:	None are applicable.
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Site Facilities ,	/ Waste Storage
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	DTS/DPF 30.1 None are applicable.
PO 30.2	DTS/DPF 30.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 30.3	DTS/DPF 30.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 30.4	DTS/DPF 30.4
Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.	None are applicable.
PO 30.5	DTS/DPF 30.5
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 30.6	DTS/DPF 30.6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
P0 30.7	DTS/DPF 30.7
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
All non-residen	tial development
Water Sen	sitive Design
P0 31.1	DTS/DPF 31.1

Downloaded on 6/03/2023 Generated By Policy24 Page 44 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.
PO 31.2	DTS/DPF 31.2
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.
Wash-down and Waste	Loading and Unloading
P0 32.1	DTS/DPF 32.1
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): 4m ² with a minimum dimension 1.8m One bedroom: 8m ² with a minimum dimension 2.1m Two bedroom dwelling: 11m ² with a minimum dimension 2.4m Three + bedroom dwelling: 15m ² with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m², which may be used as second car parking space, provided on each site intended for residential occupation.

Design in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023 Generated By Policy24 Page 45 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Development is: (a) contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality (b) durable - fit for purpose, adaptable and long lasting (c) inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors (d) sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All Development External Appearance		
PO 1.1	DTS/DPF 1.1	
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.	
P01.2	DTS/DPF 1.2	
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.	
P0 1.3	DTS/DPF 1.3	
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.	
P0 1.4	DTS/DPF 1.4	
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.	
positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces screening rooftop plant and equipment from view when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.		
P0 1.5	DTS/DPF 1.5	
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.	None are applicable.	
Sa	fety	
P0 2.1 Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	DTS/DPF 2.1 None are applicable.	
PO 2.2	DTS/DPF 2.2	

Downloaded on 6/03/2023 Generated By Policy24 Page 46 of 105

Page 467 Council Assessment Panel Agenda - 28 March 2023

	P&D Code (in effect) Version 2023.3 16/02/202
Development is designed to differentiate public, communal and private areas.	None are applicable.
P0 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
P0 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
P0 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
Lands	scaping
P0 3.1	DTS/DPF 3.1
Soft landscaping and tree planting are incorporated to:	None are applicable.
 (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes. 	
Environment	al Performance
P0 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
P0 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.
P0 4.3	DTS/DPF 4.3
Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.
Water Sen	sitive Design
P0 5.1	DTS/DPF 5.1
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.
 (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. 	
On-site Waste T	reatment Systems
P0 6.1	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table
	1 - Private Open Space
	(c) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and

Downloaded on 6/03/2023 Generated By Policy24 Page 47 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	appearance
PO 7.1	DTS/DPF 7.1
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.
onditate.	
P07.2 Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF7.2 None are applicable.
P0 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
P0 7.4	DTS/DPF 7.4
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of:
	(a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.
P0 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
P0 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks a	nd sloping land
PO 8.1	DTS/DPF 8.1
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
	do not have a gradient exceeding 25% (1-in-4) at any point along the driveway are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
(a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and	

Downloaded on 6/03/2023 Generated By Policy24 Page 48 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
goods to and from the development	
(c) are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.
P0 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.
Fences	and walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.
PO 9.2	DTS/DPF 9.2
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Pr	ivacy (low rise buildings)
PO 10.1	DTS/DPF 10.1
Po 10.2 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones. Po 10.2 Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. DTS/DPF 10.2 One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
Site Facilities / Waste Storage (exclu	ding low rise residential development)
P0 11.1	DTS/DPF 11.1
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.
PO 11.2 Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	DTS/DPF11.2 None are applicable.
PO 11.3	DTS/DPF 11.3
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.

Generated By Policy24

Page 49 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 11.4	DTS/DPF 11.4
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.
PO 11.5	DTS/DPF 11.5
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.
All Development - M	edium and High Rise
External A	ppearance
PO 12.1	DTS/DPF 12.1
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.
P0 12.2	DTS/DPF12.2
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.
PO 12.3	DTS/DPF 12.3
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.
P0 12.4	DTS/DPF 12.4
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.
PO 12.5	DTS/DPF 12.5
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:
	(a) masonry (b) natural stone
	natural stone pre-finished materials that minimise staining, discolouring or deterioration.
PO 12.6	DTS/DPF 12.6
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	Building street frontages incorporate:
	(a) active uses such as shops or offices (b) prominent entry areas for multi-storey buildings (where it is a
	(b) prominent entry areas for multi-storey buildings (where it is a common entry)
	(c) habitable rooms of dwellings
	areas of communal public realm with public art or the like, where consistent with the zone and/or subzone provisions.
P0 12.7	DTS/DPF 12.7
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to multi-storey buildings are:
	(a) oriented towards the street
	(b) clearly visible and easily identifiable from the street and vehicle parking areas
	designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses
	(d) designed to provide shelter, a sense of personal address and transitional space around the entry
	located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors
	designed to avoid the creation of potential areas of entrapment.
PO 12.8	DTS/DPF 12.8
Building services, plant and mechanical equipment are screened from the public realm.	None are applicable.
Lands	caping
PO 13.1	DTS/DPF 13.1
I	I

Downloaded on 6/03/2023 Generated By Policy24 Page 50 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	Buildings provide a 4m by 4m deep soil space in front of the building that accommodates a medium to large tree, except where no building setback from front property boundaries is desired.		-	
P0 13.2	DTS/DPF 13.2			
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporates trees a not less than the following rates, except in a location or zone where full site coverage is desired.			
	Site area	Minimum deep soil area	Minimum dimension	Tree / deep soil zones
	<300 m ²	10 m ²	1.5m	1 small tree / 10 m ²
	300-1500 m ²	7% site area	3m	1 medium tree / 30 m ²
	>1500 m ²	7% site area	6m	1 large or medium tree / 60 m ²
	Tree size and site	area definitions		•
	Small tree	4-6m mature heigh	nt and 2-4m canopy	spread
	Medium tree	6-12m mature heig	ght and 4-8m canop	y spread
	Large tree	12m mature heigh	t and >8m canopy s	pread
	Site area	The total area for o	development site, no	ot average area per
P0 13.3	DTS/DPF 13.3			
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applicable	е.		
PO 13.4	DTS/DPF 13.4			
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.			g levels in height are eep soil zone area is	
Enviro	nmental			
P0 14.1	DTS/DPF 14.1			
Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	None are applicable.			
PO 14.2	DTS/DPF 14.2			
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.	I .			
P0 14.3	DTS/DPF 14.3			
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through	None are applicable	e.		

Downloaded on 6/03/2023 Generated By Policy24 Page 51 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
measures such as:	
(a) a podium at the base of a tall tower and aligned with the street to	
deflect wind away from the street (b) substantial verandahs around a building to deflect downward	
travelling wind flows over pedestrian areas (c) the placement of buildings and use of setbacks to deflect the wind at	
ground level (d) avoiding tall shear elevations that create windy conditions at street	
level.	
Gar F PO 15.1	DTS/DPF 15.1
Multi-level vehicle parking structures are designed to contribute to active	Multi-level vehicle parking structures within buildings:
street frontages and complement neighbouring buildings.	(a) provide land uses such as commercial, retail or other non-car parking
	uses along ground floor street frontages (b) incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.
PO 15.2	DTS/DPF 15.2
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.
Overlooking	Visual Privacy
PO 16.1	DTS/DPF 16.1
Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:	None are applicable.
(a) appropriate site layout and building orientation (b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight	
building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms screening devices that are integrated into the building design and	
have minimal negative effect on residents' or neighbours' amenity.	
All residentia	l development
Front elevations and	d passive surveillance
P0 17.1	DTS/DPF 17.1
Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street:
	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m
	(b) has an aggregate window area of at least 2m ² facing the primary street.
P0 17.2	DTS/DPF 17.2
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook a	nd Amenity
PO 18.1	DTS/DPF 18.1
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.
PO 18.2	DTS/DPF 18.2
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.
Downloaded on 6/03/2023	Do Dollar 24

Generated By Policy24

Page 52 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02	2/2023
Ancillary Development		
PO 19.1	DTS/DPF 19.1	
Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or neighbouring properties.	Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situa (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a	
	secondary street (if the land has boundaries on two or r roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the prim street (ii) when facing a primary street or secondary street, has a door / opening not exceeding: A. for dwellings of single building level - 7m in wid 50% of the site frontage, whichever is the lesse B. for dwellings comprising two or more building at the building line fronting the same public street 7m in width	total dth or er levels
	(e) if situated on a boundary (not being a boundary with a primary s or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and situated on the same allotment boundary and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent	d is
	(f) if situated on a boundary of the allotment (not being a boundary a primary street or secondary street), all walls or structures on t boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is are existing wall of a building that would be adjacent to or about the	the n
	proposed wall or structure (h) have a wall height or post height not exceeding 3m above nature ground level (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m about the natural ground level	
	if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour retains a total area of soft landscaping in accordance with (i) or whichever is less:	(ii),
	(i) a total area as determined by the following table:	
	Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	of site
	<150 10%	
	150-200 15%	
	201-450 20%	
	>450 25%	
	(ii) the amount of existing soft landscaping prior to the development occurring.	
P0 19.2	DTS/DPF 19.2	

Downloaded on 6/03/2023 Generated By Policy24 Page 53 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Ancillary buildings and structures do not impede on-site functional	Ancillary buildings and structures do not result in:
requirements such as private open space provision, car parking requirements or result in over-development of the site.	less private open space than specified in Design in Urban Areas Table 1 - Private Open Space less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
P0 19.3	DTS/DPF 19.3
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment.
Pasidantial David	opment - Low Rise
	ортеп: - Low наse
PO 20.1	DTS/DPF 20.1
Garaging is designed to not detract from the streetscape or appearance of a	Garages and carports facing a street:
dwelling.	are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling are set back at least 5.5m from the boundary of the primary street have a garage door / opening width not exceeding 7m have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.
P0 20.2	DTS/DPF 20.2
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance of common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building wall is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall (e) eaves of a minimum 400mm width extend along the width of the fron elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 20.3	DTS/DPF 20.3
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable
Private 0	ipen Space
P0 21.1	DTS/DPF 21.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
P0 21.2	DTS/DPF 21.2
ownloaded on 6/03/2023 Generated	By Policy24 Page 54 of 105

Downloaded on 6/03/2023 Generated By Policy24 Page 54 of 105

Policy24		P&D Code (in effect) Version	on 2023.3 16/02/2023
Private open space is positioned to provide convenient access from internal living areas.	Private	open space is directly accessible from a habital	ble room.
Lands	caping		
PO 22.1	DTS/DPF	22.1	
Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection	1 .	tial development incorporates soft landscaping on of 700mm provided in accordance with (a) a	
(b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity	(a)	a total area as determined by the following tab	le:
(d) enhance the appearance of land and streetscapes.		Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	Minimum percentage of site
		<150	10%
		150-200	15%
		>200-450	20%
		>450	25%
	(b)	at least 30% of any land between the primary s primary building line.	treet boundary and the
Car parking, access	and mano	euvrability	
P0 23.1 Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.		23.1 tial car parking spaces enclosed by fencing, wa e following internal dimensions (separate from a	
	(a) (b)	single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m double width car parking spaces (side by side) (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m p	:
PO 23.2	DTS/DPF	23.2	
Uncovered car parking space are of dimensions to be functional, accessible and convenient.	(a) (b) (c)	red car parking spaces have: a minimum length of 5.4m a minimum width of 2.4m a minimum width between the centre line of the wall or other obstruction of 1.5m.	e space and any fence,
PO 23.3	DTS/DPF	23.3	
Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, domestic waste collection, landscaped street frontages and on-street parking.	Drivewa (a) (b)	ys and access points satisfy (a) or (b): sites with a frontage to a public road of 10m or between 3.0 and 3.2 metres measured at the p are the only access point provided on the site sites with a frontage to a public road greater th (i) have a maximum width of 5m measure boundary and are the only access poin (ii) have a width between 3.0 metres and 3 at the property boundary and no more points are provided on site, separated	nan 10m: ed at the property it provided on the site; 3.2 metres measured than two access
P0 23.4	DTS/DPF	23.4	

Downloaded on 6/03/2023 Generated By Policy24 Page 55 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b):
	is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed, is set back:
	0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance 6m or more from the tangent point of an intersection of 2 or more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
P0 23.5	DTS/DPF 23.5
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1-in-4 on average
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.
	(c) if located so as to provide access from an alley, lane or right of way- the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site
PO 23.6	DTS/DPF 23.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
Waste	storage
PO 24.1	DTS/DPF 24.1
Provision is made for the convenient storage of waste bins in a location screened from public view.	Where dwellings abut both side boundaries a waste bin storage area is provided behind the building line of each dwelling that:
	 (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space); and
	(b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
Design of Trans	portable Buildings
PO 25.1	DTS/DPF 25.1
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	Buildings satisfy (a) or (b):
	are not transportable the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and	High Rise (including serviced apartments)
Outlook and	Visual Privacy
P0 26.1	DTS/DPF 26.1

Downloaded on 6/03/2023 Generated By Policy24 Page 56 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Ground level dwellings have a satisfactory short range visual outlook to public,	Buildings:
communal or private open space.	provide a habitable room at ground or first level with a window facing toward the street limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.
P0 26.2	DTS/DPF 26.2
The visual privacy of ground level dwellings within multi-level buildings is protected.	The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.
Private 0	pen Space
PO 27.1	DTS/DPF 27.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
Residential amenity i	in multi-level buildings
PO 28.1	DTS/DPF 28.1
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary.
PO 28.2	DTS/DPF 28.2
Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to: (a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy (b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor	Balconies utilise one or a combination of the following design elements: (a) sun screens (b) pergolas (c) louvres (d) green facades (e) openable walls.
areas. PO 28.3 Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	DTS/DPF 28.3 Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.
-	
PO 28.4 Dwellings are provided with sufficient space for storage to meet likely occupant needs.	DTS/DPF 28.4 Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling: (a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³
	(d) 3+ bedroom dwelling / apartment: not less than 12m³.
PO 28.5 Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a reasonable living amenity is provided.	DTS/DPF 28.5 Light wells: (a) are not used as the primary source of outlook for living rooms (b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms (c) above 18m in height have a minimum horizontal dimension of 6m, or 9m if overlooked by bedrooms.
PO 28.6 Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	DTS/DPF 28.6 None are applicable.
PO 28.7 Dwellings are designed so that internal structural columns correspond with	DTS/DPF 28.7 None are applicable.

Generated By Policy24

Page 57 of 105

Policy24	P&D Code (ii	n effect) Version 2023.3 16/02/202
the position of internal walls to ensure that the space within the dwelling/apartment is useable.		
Dwelling (onfiguration	
P0 29.1	DTS/DPF 29.1	
Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.		wellings provide at least one of each of
	(c) 2 bedroom dwelling / apartme (d) 3+ bedroom dwelling / apartm	arate bedroom) ent with a floor area of at least 50m ² ent with a floor area of at least 65m ² nent with a floor area of at least 80m ² , oms provides an additional 15m ² for
P0 29.2	DTS/DPF 29.2	
Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	None are applicable.	
Comm	on Areas	
P0 30.1	DTS/DPF 30.1	
The size of lifts, lobbies and corridors is sufficient to accommodate movement of bicycles, strollers, mobility aids and visitor waiting areas.	Common corridor or circulation areas:	
	(a) have a minimum ceiling heigh (b) provide access to no more the (c) incorporate a wider section at exceed 12m in length from a of	an 8 dwellings apartment entries where the corridors
Group Dwellings. Residential Flat I	uildings and Battle axe Development	
	enity	
P0 31.1	DTS/DPF 31.1	
Dwellings are of a suitable size to provide a high standard of amenity for	Dis/DPF 31.1 Dwellings have a minimum internal floor area in accordance with the follow table:	
occupants.	1 -	or area in accordance with the following
	1 -	or area in accordance with the following
	table:	I
	Number of bedrooms	Minimum internal floor area
	Number of bedrooms Studio	Minimum internal floor area
	Number of bedrooms Studio 1 bedroom	Minimum internal floor area $35m^2$ $50m^2$
occupants.	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity,	table: Number of bedrooms Studio 1 bedroom 2 bedroom	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. PO 31.3 Development maximises the number of dwellings that face public open space	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms DTS/DPF 31.2 None are applicable.	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. PO 31.3 Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms DTS/DPF 31.2 None are applicable.	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. PO 31.3 Development maximises the number of dwellings that face public open space	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms DTS/DPF 31.2 None are applicable. DTS/DPF 31.3 None are applicable.	Minimum internal floor area 35m ² 50m ² 65m ² 80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 31.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. PO 31.3 Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties. PO 31.4 Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	table: Number of bedrooms Studio 1 bedroom 2 bedroom 3+ bedrooms DTS/DPF 31.2 None are applicable. DTS/DPF 31.3 None are applicable.	Minimum internal floor area 35m² 50m² 65m² 80m² and any dwelling over 3 bedrooms provides an additional 15m² for every additional bedroom

Generated By Policy24

Page 58 of 105

Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 32.2 Communal open space is of sufficient size and dimensions to cater for group recreation.	DTS/DPF 32.2 Communal open space incorporates a minimum dimension of 5 metres.
PO 32.3	DTS/DPF 32.3
Communal open space is designed and sited to:	None are applicable.
be conveniently accessed by the dwellings which it services have regard to acoustic, safety, security and wind effects.	
PO 32.4	DTS/DPF 32.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 32.5	DTS/DPF 32.5
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Car parking, access	and manoeuvrability
P0 33.1	DTS/DPF 33.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 33.2	DTS/DPF 33.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 33.3	DTS/DPF 33.3
Residential driveways that service more than one dwelling are designed to	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
allow safe and convenient movement.	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
P0 33.4	DTS/DPF 33.4
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 33.5	DTS/DPF 33.5
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Downloaded on 6/03/2023 Generated	By Policy24 Page 59 of 105

Downloaded on 6/03/2023 Generated By Policy24 Page 59 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 34.1	DTS/DPF 34.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
P0 34.2	DTS/DPF 34.2
Battle-axe or common driveways incorporate landscaping and permeability to	Battle-axe or common driveways satisfy (a) and (b):
improve appearance and assist in stormwater management.	are constructed of a minimum of 50% permeable or porous material where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities	/ Waste Storage
P0 35.1	DTS/DPF 35.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
P0 35.2	DTS/DPF 35.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 35.3	DTS/DPF 35.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
(a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point.	
PO 35.4	DTS/DPF 35.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 35.5	DTS/DPF 35.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 35.6	DTS/DPF 35.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Water sensitiv	ve urban design
PO 36.1	DTS/DPF 36.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
P0 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Supported Accommodati	on and retirement facilities
Siting, Configur	ation and Design
P0 37.1	DTS/DPF 37.1

Downloaded on 6/03/2023 Generated By Policy24 Page 60 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Supported accommodation and housing for aged persons and people with	None are applicable.
disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	
P0 37.2	DTS/DPF 37.2
Universal design features are incorporated to provide options for people living	None are applicable.
with disabilities or limited mobility and / or to facilitate ageing in place.	
Movement	and Access
PO 38.1	DTS/DPF 38.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
(a) ground-level access or lifted access to all units	
(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places	
(c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability	
(d) kerb ramps at pedestrian crossing points.	
Communal	Open Space
P0 39.1	DTS/DPF 39.1
Development is designed to provide attractive, convenient and comfortable	None are applicable.
indoor and outdoor communal areas to be used by residents and visitors.	Notice are applicable.
PO 39.2	DTS/DPF 39.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 39.3	DTS/DPF 39.3
Communal open space is of sufficient size and dimensions to cater for group	Communal open space incorporates a minimum dimension of 5 metres.
recreation.	
PO 39.4	DTS/DPF 39.4
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.	
PO 39.5	DTS/DPF 39.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
P0 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of	
other dwellings (b) in relation to ground floor communal space, be overlooked by	
habitable rooms to facilitate passive surveillance.	
Site Facilities /	Waste Storage
PO 40.1	DTS/DPF 40.1
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.	None are applicable.
PO 40.2	DTS/DPF 40.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
Downloaded on 6/03/2023	

Generated By Policy24

Page 61 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202	
P0 40.3	DTS/DPF 40.3	
Provision is made for suitable external clothes drying facilities.	None are applicable.	
PO 40.4	DTS/DPF 40.4	
Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	None are applicable.	
P0 40.5	DTS/DPF 40.5	
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	
PO 40.6	DTS/DPF 40.6	
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.	
PO 40.7	DTS/DPF 40.7	
Services, including gas and water meters, are conveniently located and screened from public view.	None are applicable.	
Student Acc	ommodation	
P0 41.1	DTS/DPF 41.1	
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction. PO 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	Student accommodation provides: (a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including: (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m³ for every 2 dwellings or students (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students DTS/DPF 41.2 None are applicable.	
longer required for student flousing.		
All non-resident	development (
Water Sens	sitive Design	
PO 42.1	DTS/DPF 42.1	
Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.	
PO 42.2	DTS/DPF 42.2	
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.	
PO 42.3	DTS/DPF 42.3	
Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	None are applicable.	
Wash-down and Waste	Loading and Unloading	
howmloaded on 6/03/2023 Conserted		

Generated By Policy24

Page 62 of 105

Policy	24		P&D Code (in effect) Version 2023.3 16/02/202
0 43.1			DTS/DPF 43.1
oins in	comme	ities including loading and unloading, storage of waste refuse rcial and industrial development or wash-down areas used for vehicles, plant or equipment are:	None are applicable.
(a) (b) (c) (d)	a bund storms paved of suff from the	ted to contain all wastewater likely to pollute stormwater within led and roofed area to exclude the entry of external surface water run-off with an impervious material to facilitate wastewater collection ficient size to prevent 'splash-out' or 'over-spray' of wastewater he wash-down area signed to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or a holding tank and its subsequent removal off-site on a regular basis.	
		Laneway D	Development
		Infrastructur	re and Access
0 44.1			DTS/DPF 44.1
		with a primary street comprising a laneway, alley, lane, right of minor thoroughfare only occurs where:	Development with a primary street frontage that is not an alley, lane, right of way or similar public thoroughfare.
(a)		g utility infrastructure and services are capable of amodating the development	
(b)		mary street can support access by emergency and regular e vehicles (such as waste collection)	
(c)		not require the provision or upgrading of infrastructure on land (such as footpaths and stormwater management ns)	
(d) (e)	,	of pedestrians or vehicle movement is maintained	
	safety any ne	*	

Table 1 - Private Open Space

the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares.

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m2: 24m2 located behind the building line. (b) Site area ≥ 301m2: 60m2 located behind the building line. Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate above	Dwellings at ground level:	15m ² / minimum dimension 3m
ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m² / minimum dimension 1.8m
	One bedroom dwelling	8m² / minimum dimension 2.1m

Downloaded on 6/03/2023 Generated By Policy24 Page 63 of 105

Policy24		P&D Code (in effect) Version 2023.3 16/02/2023
	Two bedroom dwelling	11m ² / minimum dimension 2.4m
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
Siting		
P0 1.1	DTS/DPF 1.1	
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).	
P0 1.3	DTS/DPF 1.3	
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
PO 1.4	DTS/DPF 1.4	
Commercial forestry plantations are separated from reserves gazetted under the National Parks and Wildlife Act 1972 and/or Wilderness Protection Act 1992 to minimise fire risk and potential for weed infestation.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from a reserve gazetted under the National Parks and Wildlife Act 1972 and/or Wilderness Protection Act 1992.	
Water P	rotection	
PO 2.1	DTS/DPF 2.1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
P0 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources.	Commercial forestry plantations: (a) do not involve cultivation (excluding spot cultivation) in drainage lines (b) are set back 20m or more from the banks of any major watercourse	

Downloaded on 6/03/2023

Generated By Policy24

Page 64 of 105

Policy24	Р	&D Code (in effe	ct) Version 2023.3 16/02/2023
	sinkhole (with di	higher watercourse) rect connection to a	, lake, reservoir, wetland or n aquifer)
			panks of any first or second order rect connection to an aquifer).
Fire Man	agement		
P0 3.1	DTS/DPF 3.1		
Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.	Commercial forestry plan	ntations provide:	
	(a) 7m or more wide or less	e external boundary	firebreaks for plantations of 40ha
	(b) 10m or more wid between 40ha ar		y firebreaks for plantations of
		or more of fuel-reduc	y firebreaks, or 10m with an ced plantation, for plantations of
P0 3.2	DTS/DPF 3.2		
Commercial forestry plantations incorporate appropriate fire management access tracks.	Commercial forestry plan	ntation fire manager	nent access tracks:
	· ·	within all firebreaks	
			clearance of 4m or more gh access at junctions, or if they
	are a no through	access track are ap	propriately signposted and
		turnaround areas to ntation into units of	r fire-fighting vehicles 40ha or less in area.
Power-line	Clearances		
PO 4.1	DTS/DPF 4.1		
Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.			
	Voltage of transmission	line Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023

Generated By Policy24

Page 65 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	Desired Outcome
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
PO 1.1	DTS/DPF 1.1	
Residential development provides a range of housing choices.	Development comprises one or more of the following: (a) detached dwellings	
	(a) detached dwellings (b) semi-detached dwellings (c) row dwellings (d) group dwellings (e) residential flat buildings.	
PO 1.2	DTS/DPF 1.2	
Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	None are applicable.	
Buildin	g Height	
P0 2.1	DTS/DPF 2.1	
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).	
PO 2.2	DTS/DPF 2.2	
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.		
Primary St	reet Setback	
PO 3.1	DTS/DPF 3.1	
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.	
Secondary Street Setback		
P0 4.1	DTS/DPF 4.1	
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.	
Bounda	ary Walls	
PO 5.1	DTS/DPF 5.1	
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b):	
	(a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level	

Downloaded on 6/03/2023 Generated By Policy24 Page 66 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
	(ii) exceed 11.5m in length	
	(iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary	
	(iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.	
P0 5.2	DTS/DPF 5.2	
Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character. Dwellings in a semi-detached or row arrangement are set back more from side boundaries shared with allotments outside the site, except for a carport or garage.		
Side Boun	dary Setback	
PO 6.1	DTS/DPF 6.1	
Buildings are set back from side boundaries to provide:	Other than walls located on a side boundary, buildings are set back from side boundaries:	
separation between dwellings in a way that contributes to a suburban character access to natural light and ventilation for neighbours.	at least 900mm where the wall height is up to 3m other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m at least 1.9m plus 1/3 of the wall height above 3m for walls facing a southern side boundary.	
Rear Boun	dary Setback	
P0 7.1	DTS/DPF 7.1	
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:	
separation between dwellings in a way that contributes to a suburban character access to natural light and ventilation for neighbours private open space space for landscaping and vegetation.	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.	
	evation design	
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas. PO 8.2 Dwellings incorporate windows along primary street frontages to encourage	DTS/DPF 8.1 Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.	
passive surveillance and make a positive contribution to the streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street	
PO 8.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF 8.3 None are applicable.	

Downloaded on 6/03/2023 Generated By Policy24 Page 67 of 105

Policy24		P&D Code (in effect) \	Version 2023.3 16/02/202
P0 8.4	DTS/DPF 8.4		
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable.		
PO 8.5	DTS/DPF 8.5		
Entrances to multi-storey buildings are:	None are applicable.		
(a) oriented towards the street (b) visible and easily identifiable from the street (c) designed to include a common mail box structure.			
Outlook a	nd amenity		
PO 9.1	DTS/DPF 9.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	1 -	lling incorporates a windowntage or private open spac	w with an external outlook e.
PO 9.2	DTS/DPF 9.2		
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.		
Private 0	pen Space		
P0 10.1	DTS/DPF 10.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.			
	Dwelling Type	Dwelling / Site	Minimum Rate
		Configuration	
	Dwelling (at ground level)		Total area: 24m² located behind the building line
			Minimum adjacent to a living room: 16m ² with a minimum dimension 3m
	Dwelling (above ground level)	Studio	4m ² / minimum dimension 1.8m
		One bedroom dwelling	8m ² / minimum dimension 2.1m
		Two bedroom dwelling	11m² / minimum dimension 2.4m
		Three + bedroom dwelling	15 m ² / minimum dimension 2.6m
P0 10.2	DTS/DPF 10.2		
Private open space positioned to provide convenient access from internal living areas.	At least 50% of the req habitable room.	uired area of private open	space is accessible from a
P0 10.3	DTS/DPF 10.3		
Private open space is positioned and designed to:	None are applicable.		
(a) provide useable outdoor space that suits the needs of occupants;			
(b) take advantage of desirable orientation and vistas; and			
(c) adequately define public and private space.			
Visual	privacy		
PO 11.1	DTS/DPF 11.1		

Generated By Policy24

Page 68 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2
Development mitigates direct overlooking from upper level windows to	Upper level windows facing side or rear boundaries shared with another
habitable rooms and private open spaces of adjoining residential uses.	residential allotment/site satisfy one of the following:
	(a) are permanently obscured to a height of 1.5m above finished floor
	(b) have sill beights greater than or equal to 1.5m above finished floor
	(b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permane
	fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5m above the finish
	floor.
P0 11.2	DTS/DPF 11.2
Development mitigates direct overlooking from upper level balconies and	One of the following is satisfied:
terraces to habitable rooms and private open space of adjoining residential	one of the following is satisfied.
uses.	 the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in al
	places faced by the balcony or terrace
	or (b) all sides of balconies or terraces on upper building levels are
	 (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25%
	transparency/openings fixed to a minimum height of:
	 1.5m above finished floor level where the balcony is locate at least 15 metres from the nearest habitable window of a
	dwelling on adjacent land
	(ii) 1.7m above finished floor level in all other cases
	dscaping
P0 12.1	DTS/DPF 12.1
Soft landscaping is incorporated into development to:	Residential development incorporates pervious areas for soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and
(a) minimise heat absorption and reflection	With a fill minimum difference of 700 mm provided in accordance with (a) and
(b) maximise shade and shelter	(a) a total area as determined by the following table:
maximise stormwater infiltration and biodiversity enhance the appearance of land and streetscapes.	Dwelling site area (or in the case of residential flat building Minimum
crimation the appearance of faire and offectiouses.	or group dwelling(s), average site area) (m ²) percentage o
	<150 10%
	<200
	>450 25%
	(b) at least 30% of land between the road boundary and the building lin
Water Se	Insitive Design
PO 13.1	DTS/DPF 13.1
Residential development is designed to capture and use stormwater to:	None are applicable.
nesidential development is designed to capture and use stormwater to:	Note are applicable.
(a) maximise efficient use of water resources	
 (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded 	
(c) manage runoff quality to maintain, as close as practical, pre-	
development conditions.	
Car	Parking
P0 14.1	DTS/DPF 14.1
On-site car parking is provided to meet the anticipated demand of residents,	On-site car parking is provided at the following rates per dwelling:
with less on-site parking in areas in close proximity to public transport.	
	(a) 2 or fewer bedrooms - 1 car parking space
	(b) 3 or more bedrooms - 2 car parking spaces.
P0 14.2	DTS/DPF 14.2
Enclosed car parking spaces are of dimensions to be functional, accessible	Residential parking spaces enclosed by fencing, walls or other obstructions
and convenient.	with the following internal dimensions (separate from any waste storage
	area):
ownloaded on 6/03/2023 Generated	By Policy24 Page 69 of 1

Generated By Policy24

Page 69 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) single parking spaces: (i) a minimum length of 5.4m (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.5m (iii) minimum garage door width of 2.4m per space.
PO 14.3 Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	DTS/DPF 14.3 Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 14.4 Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	DTS/DPF 14.4 Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.
PO 14.5 Residential flat buildings provide dedicated areas for bicycle parking.	DTS/DPF 14.5 Residential flat buildings provide one bicycle parking space per dwelling.
Oversh	adowing
Po 15.1 Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	DTS/DPF15.1 None are applicable.
Wa	iste
PO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view.	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
PO 16.2	DTS/DPF 16.2
Residential flat buildings provide a dedicated area for the on-site storage of waste which is: (a) easily and safely accessible for residents and for collection vehicles (b) screened from adjoining land and public roads (c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.	None are applicable.
Vakiala	Access
PO 17.1 Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	DTS/DPF17.1 None are applicable.
P0 17.2 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	DTS/DPF 17.2 Vehicle access to designated car parking spaces satisfy (a) or (b):
	By Policy24 Page 70 of 105

Downloaded on 6/03/2023 Generated By Policy24 Page 70 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) is provided via a lawfully existing or authorised access point or an
	access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed, is set back:
	0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not more than 1-in-4 on average
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.
	(c) if located so as to provide access from an alley, lane or right of way the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site.
P0 17.4	DTS/DPF 17.4
Driveways and access points are designed and distributed to optimise the provision of on-street parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) Minimum car park length of 5.4m where a vehicle can enter or exit a
	space directly
	minimum car park length of 6m for an intermediate space located between two other parking spaces.
PO 17.5	DTS/DPF 17.5
Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
P0 17.6	DTS/DPF 17.6
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre
PO 17.7	DTS/DPF 17.7
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Sto	orage
PO 18.1	DTS/DPF 18.1
Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:

Downloaded on 6/03/2023 Generated By Policy24 Page 71 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) studio: not less than 6m ³
	(b) 1 bedroom dwelling / apartment: not less than 8m ³
	(c) 2 bedroom dwelling / apartment: not less than 10m ³
	(d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
Earth	works
PO 19.1	DTS/DPF 19.1
Development, including any associated driveways and access tracks,	The development does not involve:
minimises the need for earthworks to limit disturbance to natural topography.	(a) excavation exceeding a vertical height of 1m or
	(b) filling exceeding a vertical height of 1m
	(c) a total combined excavation and filling vertical height exceeding 2m.
Service connection	as and infrastructure
P0 20.1	DTS/DPF 20.1
Dwellings are provided with appropriate service connections and infrastructure.	The site and building:
	(a) have the ability to be connected to a permanent potable water supply (b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011
	(c) have the ability to be connected to electricity supply
	 (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes
	(e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the <i>Electricity Act</i> 1996.
Site cont	amination
P0 21.1	DTS/DPF 21.1
Land that is suitable for sensitive land uses to provide a safe environment.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> does not exist (as demonstrated in a <u>site</u> contamination declaration form)
	(d) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the
	following:
	(i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that
	<u>site contamination</u> does not exist (or no longer exists) at the land or
	B. the land is suitable for the proposed use or range of uses (without the need for any further <u>remediation</u>)
	or C. where <u>remediation</u> is, or remains, necessary for the
	proposed use (or range of uses), <u>remediation work</u> has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and
	(ii) no other <u>class 1 activity</u> or <u>class 2 activity</u> has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a <u>site contamination declaration form</u>).

Downloaded on 6/03/2023 Generated By Policy24 Page 72 of 105

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Ger	neral
PO 1.1	DTS/DPF 1.1
Development is located and designed to minimise hazard or nuisance to adjacent development and land uses.	None are applicable.
Visual	Amenity
PO 2.1	DTS/DPF 2.1
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by: (a) utilising features of the natural landscape to obscure views where practicable (b) siting development below ridgelines where practicable (c) avoiding visually sensitive and significant landscapes (d) using materials and finishes with low-reflectivity and colours that complement the surroundings (e) using existing vegetation to screen buildings (f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	None are applicable.
Po 2.2 Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	DTS/DPF 2.2 None are applicable.
P0 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
Rehab	ilitation
PO 3.1 Progressive rehabilitation (incorporating revegetation) of disturbed areas,	DTS/DPF 3.1 None are applicable.
ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	D. D. F. 104

Downloaded on 6/03/2023

Generated By Policy24

Page 73 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	anagement
P0 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety,	None are applicable.
including the operation of ports, airfields and landing strips.	
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are	None are applicable.
separated as far as practicable from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to	
reduce risks to public safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy facilities by providing	None are applicable.
appropriate access tracks, safety equipment and water tanks and establishing cleared areas around substations, battery storage and operations	
compounds.	
Electricity Infrastructure a	Ind Battery Storage Facilities
PO 5.1	DTS/DPF 5.1
Electricity infrastructure is located to minimise visual impacts through	None are applicable.
techniques including:	
(a) siting utilities and services:	
on areas already cleared of native vegetation where there is minimal interference or disturbance to existing	
native vegetation or biodiversity	
(b) grouping utility buildings and structures with non-residential	
development, where practicable.	
P0 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new development in	None are applicable.
urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.	
PO 5.3	DTS/DPF 5.3
Battery storage facilities are co-located with substation infrastructure where	None are applicable.
practicable to minimise the development footprint and reduce environmental	Traine and appropriation
impacts.	
	cation Facilities
PO 6.1	DTS/DPF 6.1
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically feasible,	None are applicable.
by co-locating a facility with other communications facilities to mitigate	
impacts from clutter on visual amenity.	
PO 6.2	DTS/DPF 6.2
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	None are applicable.
values to manage over an burk and mitigate inflates on visual amenity.	
2000	NAME OF CO.
P0 6.3	DTS/DPF 6.3
Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	None are applicable.
where technically feasible, incorporating the facility within an existing structure that may serve another purpose	
or all of the following:	
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas	
Downloaded on 6/03/2023 Generated	By Policy24 Page 74 of 105

Downloaded on 6/03/2023 Generated By Policy24 Page 74 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services	
using materials and finishes that complement the environment screening using landscaping and vegetation, particularly for equipment shelters and huts.	
Panawahla	Energy Facilities
PO 7.1	DTS/DPF 7.1
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.
Renewable Energy	Facilities (Wind Farm)
P0 8.1	DTS/DPF 8.1
Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation
P0 8.2	DTS/DPF 8.2
The visual impact of wind turbine generators on natural landscapes is managed by:	None are applicable.
designing wind turbine generators to be uniform in colour, size and shape coordinating blade rotation and direction mounting wind turbine generators on tubular towers as opposed to lattice towers.	
PO 8.3	DTS/DPF 8.3
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applicable.
P0 8.4	DTS/DPF 8.4
Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.
PO 8.5	DTS/DPF 8.5
Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	None are applicable.
Renewable Energy	Facilities (Solar Power)
P0 9.1	DTS/DPF 9.1
Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	None are applicable.
P0 9.2	DTS/DPF 9.2
Ground mounted solar power facilities allow for movement of wildlife by:	None are applicable.
incorporating wildlife corridors and habitat refuges avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.	
	I By Policy24 Page 75 of 10

Downloaded on 6/03/2023 Generated By Policy24 Page 75 of 105

Policy24		P&D C	ode (in eff	ect) Version	2023.3 16/02/2023
PO 9.3	DTS/DPF 9.3				
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:				
	Generation Capacity	Approximate size of array	Setback from adjoining land boundary	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
	Notes:				
	Does not app facility is located	-		-	ounted solar power
PO 9.4	DTS/DPF 9.4				
Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.	None are applica	able.			
Hydropower / Pumped Hydropower Facilities					
PO 10.1	DTS/DPF 10.1				
Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	None are applica	able.			
P0 10.2	DTS/DPF 10.2				
Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	None are applica	able.			
PO 10.3	DTS/DPF 10.3				
Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.	None are applica	able.			
Water	Supply				
PO 11.1	DTS/DPF 11.1				
Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use.	Development is scheme or main requirements of	s water supply	with the cap		
P0 11.2	DTS/DPF 11.2				
Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is	A dwelling is co				ted water scheme or nents of the
Downloaded on 6/03/2023 Generated	By Policy24				Page 76 of 105

Downloaded on 6/03/2023 Generated By Policy24 Page 76 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
not available an appropriate rainwater tank or storage system for domestic use is provided.	development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling.
Wastewat	er Services
P0 12.1 Development is connected to an approved common wastewater disposal	DTS/DPF 12.1 Development is connected, or will be connected, to an approved common
service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate on-site service is provided to meet the ongoing requirements of the intended use in accordance with the following: (a) it is wholly located and contained within the allotment of the development it will service (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm.	wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011.
P0 12.2 Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	DTS/DPF12.2 Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.
Temporar	y Facilities
PO 13.1 In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter.	DTS/DPF13.1 A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.
PO 13.2 Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.	DTS/DPF 13.2 None are applicable.

Intensive Animal Husbandry and Dairies

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria /

Downloaded on 6/03/2023 Generated By Policy24 Page 77 of 105

Page 498 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	Designated Performance Feature
Siting a	nd Design
P0 1.1	DTS/DPF 1.1
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.
P0 1.2	DTS/DPF 1.2
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.
P0 1.3	DTS/DPF 1.3
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.
PO 1.4	DTS/DPF 1.4
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.
PO 1.5	DTS/DPF 1.5
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.
W	aste
PO 2.1	DTS/DPF 2.1
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.
(a) avoid attracting and harbouring vermin (b) avoid polluting water resources (c) be located outside 1% AEP flood event areas.	
Soil and Wa	ler Protection
P0 3.1	DTS/DPF 3.1
To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations are appropriately set back from: (a) public water supply reservoirs (b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies.	Intensive animal husbandry operations are set back: (a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher stream) (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.
P0 3.2	DTS/DPF 3.2
Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities that:	None are applicable.
have sufficient capacity to hold effluent and runoff from the operations on site ensure effluent does not infiltrate and pollute groundwater, soil or	
other water resources.	

Interface between Land Uses

Downloaded on 6/03/2023 Generated By Policy24 Page 78 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome		to-Satisfy Criteria / Performance Feature
General Land U	se Compatibility	
PO 1.1	DTS/DPF 1.1	
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.	
Hours of	Operation	
PO 2.1	DTS/DPF 2.1	
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:	Development operating within	the following hours:
	Class of Development	Hours of operation
(a) the nature of the development	Consulting room	7am to 9pm, Monday to Friday
(b) measures to mitigate off-site impacts (c) the extent to which the development is desired in the zone		8am to 5pm, Saturday
(c) the extent to which the development is desired in the zone (d) measures that might be taken in an adjacent zone primarily for		out to opin, outdroug
sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	Office	7am to 9pm, Monday to Friday
unreasonably compromising the intended use of that land.		8am to 5pm, Saturday
	Shop, other than any one or	7am to 9pm, Monday to Friday
	combination of the following:	8am to 5pm, Saturday and Sunday
	(a) restaurant (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone	
Overshadowing		
PO 3.1	DTS/DPF 3.1	
Overshadowing of habitable room windows of adjacent residential land uses in:	North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.	
a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.		

Downloaded on 6/03/2023 Generated By Policy24 Page 79 of 105

PPF 3.2 elopment maintains 2 hours of direct sunlight between 9.00 am and 3.00 on 21 June to adjacent residential land uses in a neighbourhood-type zone
cordance with the following: or ground level private open space, the smaller of the following: alf the existing ground level open space (with at least one of the sidmensions measuring 2.5m) or ground level communal open space, at least half of the existing ground open space.
DPF 3.3
e are applicable.
PF 3.4
e are applicable.
e or Vibration
PF 4.1
e that affects sensitive receivers achieves the relevant Environment ection (Noise) Policy criteria.
PF 4.2
e are applicable.
PF 4.3
oump and/or filtration system ancillary to a dwelling erected on the same s: enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment
or located at least 12m from the nearest habitable room located on an adjoining allotment.
DPF 4.4
cent land is used for residential purposes.
OPPOP

Downloaded on 6/03/2023 Generated By Policy24 Page 80 of 105

Policy24	P&D C	Code (in effect) Version 2023.3 16/02/202
same or an adjoining allotment.		
Same of all adjoining anothers.		
PO 4.5	DTS/DPF 4.5	
Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.	
D0.46	DTS/DPF 4.6	
Po 4.6 Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully		usic includes noise attenuation measures that e levels:
approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers.	Assessment location	Music noise level
	Externally at the nearest existing or envisaged noise sensitive location	Less than 8dB above the level of background noise (L _{90,15min}) in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)
Air C	Quality	
PO 5.1	DTS/DPF 5.1	
Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	None are applicable.	
P0 5.2	DTS/DPF 5.2	
Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by:	None are applicable.	
incorporating appropriate treatment technology before exhaust emissions are released locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.		
Ligh	t Spill	
P0 6.1	DTS/DPF 6.1	
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.	
P0 6.2	DTS/DPF 6.2	
External lighting is not hazardous to motorists and cyclists.	None are applicable.	
Solar Refle	ctivity / Glare	
P07.1	DTS/DPF 7.1	
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.	
Electrical	Interference	
P0 8.1	DTS/DPF 8.1	
Development in rural and remote areas does not unreasonably diminish or result in the loss of existing communication services due to electrical interference.	The building or structure: (a) is no greater than 10n or (b) is not within a line of s	n in height, measured from existing ground leve
Downloaded on 6/03/2023	l receiver (antenna) oth	er than where an alternative service is available

Generated By Policy24

Page 81 of 105

olicy24 P&D Code (in effect) Version 2023.3 16/02/202		
	via a different fixed transmitter or cable.	
Interface with	Rural Activities	
PO 9.1	DTS/DPF 9.1	
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.	
PO 9.2	DTS/DPF 9.2	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.	
PO 9.3	DTS/DPF 9.3	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.	
PO 9.4	DTS/DPF 9.4	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.	
PO 9.5	DTS/DPF 9.5	
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following:	
	300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility	
	(b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day	
	(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total onsite storage capacity not exceeding 1000 cubic metres	
	(d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes	
	(e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.	
PO 9.6	DTS/DPF 9.6	
Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.	
PO 9.7	DTS/DPF 9.7	
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.	
Interface with Mines and Qua	rries (Rural and Remote Areas)	
PO 10.1	DTS/DPF 10.1	
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .	

Land Division

Downloaded on 6/03/2023 Generated By Policy24

Page 82 of 105

Policy24

P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Land division: (a) creates allotments with the appropriate dimensions and shape for their intended use	
	 (b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure (c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features (d) facilitates solar access through allotment orientation 	
	 (e) creates a compact urban form that supports active travel, walkability and the use of public transport (f) avoids areas of high natural hazard risk. 	

 $Performance\ Outcomes\ (PO)\ and\ Deemed-to-Satisfy\ (DTS)\ Criteria\ /\ Designated\ Performance\ Feature\ (DPF)$

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All land division		
Allotment o	onfiguration	
PO 1.1	DTS/DPF 1.1	
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b):	
	(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.	
P0 1.2	DTS/DPF 1.2	
Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	None are applicable.	
Design a	nd Layout	
PO 2.1	DTS/DPF 2.1	
Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	None are applicable.	
P0 2.2	DTS/DPF 2.2	
Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Land division maximises the number of allotments that face public open space and public streets.	None are applicable.	
P0 2.4	DTS/DPF 2.4	
Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	None are applicable.	
PO 2.5	DTS/DPF 2.5	

Downloaded on 6/03/2023

Generated By Policy24

Page 83 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
P0 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
PO 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads as	nd Access
PO 3.1	DTS/DPF 3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
P0 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Land division does not impede access to publicly owned open space and/or recreation facilities.	None are applicable.
PO 3.4	DTS/DPF 3.4
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
P0 3.7	DTS/DPF 3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
P0 3.9	DTS/DPF 3.9
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.10	DTS/DPF 3.10
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
P0 3.11	DTS/DPF 3.11
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrast	ructure
Downloaded on 6/03/2023 Generated	By Policy24 Page 84 of 105

Generated By Policy24

Page 84 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 4.1	DTS/DPF 4.1
Land division incorporates public utility services within road reserves or dedicated easements.	None are applicable.
P0 4.2	DTS/DPF 4.2
Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment.	Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and
	pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets
	relevant public health and environmental standards.
PO 4.3	DTS/DPF 4.3
Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
P0 4.4	DTS/DPF 4.4
Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.
PO 4.5	DTS/DPF 4.5
Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	None are applicable.
PO 4.6	DTS/DPF 4.6
Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape feature.	None are applicable.
Minor Land Division	(Under 20 Allotments)
Open .	Space
P0 5.1	DTS/DPF 5.1
Land division proposing an additional allotment under 1 hectare provides or supports the provision of open space.	None are applicable.
Solar Or	ientation
PO 6.1	DTS/DPF 6.1
Land division for residential purposes facilitates solar access through allotment orientation.	None are applicable.
Water Sens	itive Design
P0 7.1	DTS/DPF 7.1
Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
P0 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Battle-Axe I	Development
PO 8.1 Battle-axe development appropriately responds to the existing neighbourhood context.	DTS/DPF 8.1 Allotments are not in the form of a battle-axe arrangement.

Generated By Policy24

Page 85 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 8.2	DTS/DPF 8.2
Battle-axe development designed to allow safe and convenient movement.	The handle of a battle-axe development:
	(a) has a minimum width of 4m
	(b) where more than 3 allotments are proposed, a minimum width of 5.5m.
PO 8.3	DTS/DPF 8.3
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre.
PO 8.4	DTS/DPF 8.4
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	Battle-axe or common driveways satisfy (a) and (b):
	(a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Major Land Division	on (20+ Allotments)
Open	Space
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.	None are applicable.
PO 9.2	DTS/DPF 9.2
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sen	sitive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.2	DTS/DPF 10.2
Land division creating 20 or more non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.3	DTS/DPF 10.3
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar O	rientation
P0 11.1	DTS/DPF 11.1
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.
	I

Downloaded on 6/03/2023 Generated By Policy24

Page 86 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation and Safety	
P0 1.1	DTS/DPF 1.1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
P0 1.2	DTS/DPF 1.2
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
P0 1.3	DTS/DPF 1.3
Navigation and access channels are not impaired by marinas and on-water structures.	None are applicable.
P0 1.4	DTS/DPF 1.4
Commercial shipping lanes are not impaired by marinas and on-water structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5	DTS/DPF 1.5
Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points.
P0 1.6	DTS/DPF 1.6
Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	None are applicable.
Environment	tal Protection
PO 2.1	DTS/DPF 2.1
Development is sited and designed to facilitate water circulation and exchange.	None are applicable.

Open Space and Recreation

Downloaded on 6/03/2023 Generated By Policy24 Page 87 of 105

Page 508 Council Assessment Panel Agenda - 28 March 2023 Policy24 P&D Code (in effect) Version 2023.3 16/02/2023

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
	Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
P0 1.1	DTS/DPF 1.1	
Recreation facilities are compatible with surrounding land uses and activities.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Open space areas include natural or landscaped areas using locally indigenous plant species and large trees.	None are applicable.	
Design a	and Siting	
PO 2.1	DTS/DPF 2.1	
Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.	None are applicable.	
P0 2.2	DTS/DPF 2.2	
Open space and recreation facilities incorporate park furniture, shaded areas and resting places.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities.	None are applicable.	
Pedestrians	and Cyclists	
PO 3.1	DTS/DPF 3.1	
Open space incorporates:	None are applicable.	
(a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes;		
(b) safe crossing points where pedestrian routes intersect the road network;		
(c) easily identified access points.		
Usa	bility	
PO 4.1	DTS/DPF 4.1	
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.	
Safety ar	nd Security	
P0 5.1	DTS/DPF 5.1	
Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.	None are applicable.	

Downloaded on 6/03/2023 Generated By Policy24 Page 88 of 105

Page 509 Council Assessment Panel Agenda - 28 March 2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 5.2	DTS/DPF 5.2
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.
P0 5.3	DTS/DPF 5.3
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.
P0 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.	None are applicable.
PO 5.5	DTS/DPF 5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.
Sign	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.
Buildings an	d Structures
P07.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.
PO 7.2	DTS/DPF 7.2
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.
P07.3	DTS/DPF 7.3
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.
P07.4	DTS/DPF 7.4
Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve.	None are applicable.
Lands	caping
PO 8.1	DTS/DPF 8.1
Open space and recreation facilities provide for the planting and retention of large trees and vegetation.	None are applicable.
PO 8.2	DTS/DPF 8.2
Landscaping in open space and recreation facilities provides shade and windbreaks:	None are applicable.
(a) along cyclist and pedestrian routes; (b) around picnic and barbecue areas; (c) in car parking areas.	
P0 8.3	DTS/DPF 8.3
Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.	None are applicable.

Generated By Policy24

Page 89 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
P0 8.4	DTS/DPF 8.4
Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable.	None are applicable.

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range of
	shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria /
		Designated Performance Feature
P0 1.1		DTS/DPF 1.1
	sidential development outside Activity Centres of a scale and type that ot diminish the role of Activity Centres:	None are applicable.
(a)	as primary locations for shopping, administrative, cultural, entertainment and community services	
(b)	as a focus for regular social and business gatherings	
(c)	in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	
P0 1.2		DTS/DPF 1.2
Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities:		None are applicable.
(a)	that support the needs of local residents and workers, particularly in underserviced locations	
(b)	at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Downloaded on 6/03/2023 Generated By Policy24 Page 90 of 105

Page 511 Council Assessment Panel Agenda - 28 March 2023 olicy24 P&D Code (in effect) Version 2023.3 16/02/2023

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	nd Intensity
P0 1.1	DTS/DPF 1.1
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.
P0 1.2	DTS/DPF 1.2
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.
Water Quality	
PO 2.1	DTS/DPF 2.1
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.
Separation Treatments, Buffers and Landscaping	
PO 3.1	DTS/DPF 3.1
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.
PO 3.2	DTS/DPF 3.2
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcomes (P0) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
P0 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
	does not involve a change in the use of land involves a change in the use of land that does not constitute a change to a more sensitive use involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at
	which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the

Downloaded on 6/03/2023 Generated By Policy24 Page 91 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	following:
	a site contamination audit report has been prepared under Part 10A of the <i>Environment Protection Act 1993</i> in relation to the land within the previous 5 years which states that- site contamination does not exist (or no longer
	exists) at the land
	 b. the land is suitable for the proposed use or range of uses (without the need for any further remediation)
	or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	 and (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

Tourism Development

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Ger	neral
PO 1.1	DTS/DPF 1.1
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.
(a) it supports immersive natural experiences	
(b) it showcases South Australia's landscapes and produce	
(c) its events and functions are connected to local food, wine and nature.	
P0 1.2	DTS/DPF 1.2
Tourism development comprising multiple accommodation units (including	None are applicable.
any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	
Caravan and Tourist Parks	
P0 2.1	DTS/DPF 2.1
Potential conflicts between long-term residents and short-term tourists are	None are applicable.

Downloaded on 6/03/2023 Generated By Policy24 Page 92 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
minimised through suitable siting and design measures.	
P0 2 2	DTS/DPF 2.2
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.
PO 2.3	DTS/DPF 2.3
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.
PO 2.4	DTS/DPF 2.4
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.
PO 2.5	DTS/DPF 2.5
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.
PO 2.6	DTS/DPF 2.6
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.
Tourist accommodation in areas constituted under the National Parks and Wildlife Act 1972	
P0 3.1	DTS/DPF 3.1
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	None are applicable.
PO 3.2	DTS/DPF 3.2
Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.	None are applicable.
PO 3.3	DTS/DPF 3.3
Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved.	None are applicable.
PO 3.4	DTS/DPF 3.4
Tourist accommodation is designed to prevent conversion to private dwellings through:	None are applicable.
(a) comprising a minimum of 10 accommodation units (b) clustering separated individual accommodation units (c) being of a size unsuitable for a private dwelling (d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.	

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 6/03/2023

Generated By Policy24

Page 93 of 105

Policy24	P&D (Code (in effect) Version 2023.3 16/02/2023
	Desired Outcome	
DO 1 A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Movem	ent Systems
PO 1.1	DTS/DPF 1.1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
P0 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers	None are applicable.
PO 1.3	DTS/DPF 1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.
P0 1.4	DTS/DPF 1.4
Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	All vehicle manoeuvring occurs onsite.
Sig	htlines
PO 2.1	DTS/DPF 2.1
Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhance to ensure safety for all road users and pedestrians.	None are applicable.
P0 2.2	DTS/DPF 2.2
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.
Vehic	le Access
P0 3.1	DTS/DPF 3.1
Safe and convenient access minimises impact or interruption on the operation	The access is:
of public roads.	provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or (b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.
P0 3.2	DTS/DPF 3.2
Development incorporating vehicular access ramps ensures vehicles can ente and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	r None are applicable.
PO 3.3	DTS/DPF 3.3
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.

Downloaded on 6/03/2023

Generated By Policy24

Page 94 of 105

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023		
P0 3.4	DTS/DPF 3.4	
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.	
PO 3.5	DTS/DPF 3.5	
Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.	
PO 3.6	DTS/DPF 3.6	
Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.	
PO 3.7	DTS/DPF 3.7	
Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.	
PO 3.8	DTS/DPF 3.8	
Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	None are applicable.	
PO 3.9	DTS/DPF 3.9	
Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	None are applicable.	
Access for People with Disabilities		
P0 4.1	DTS/DPF 4.1	
Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	None are applicable.	
Vehicle Pa	Vehicle Parking Rates	
P0 5.1	DTS/DPF 5.1	
Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as:	Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant:	
(a) availability of on-street car parking (b) shared use of other parking areas	(a) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements	
Downloaded on 6/03/2023 Generated	By Policy24 Page 95 of 105	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
(c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	(b) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the	
the adaptive rease of a state of Escal Fernage Flace.	number of spaces offset by contribution to the fund.	
Vehicle Parking Areas		
P0 6.1	DTS/DPF 6.1	
Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.	Movement between vehicle parking areas within the site can occur without the need to use a public road.	
PO 6.2	DTS/DPF 6.2	
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.	None are applicable.	
P0 6.3	DTS/DPF 6.3	
Vehicle parking areas are designed to provide opportunity for integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.	None are applicable.	
P0 6.4	DTS/DPF 6.4	
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.	
PO 6.5	DTS/DPF 6.5	
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.	
PO 6.6	DTS/DPF 6.6	
Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	Loading areas and designated parking spaces are wholly located within the site.	
PO 6.7	DTS/DPF 6.7	
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.	
Undercroft and Below Ground Garaging and Parking of Vehicles		
P0 7.1	DTS/DPF 7.1	
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.	None are applicable.	
Internal Roads and Parking Areas in Residential Parks and Caravan and Tourist Parks		
PO 8.1	DTS/DPF 8.1	
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.	
P0 8.2	DTS/DPF 8.2	
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.	
Bicycle Parking in	Designated Areas	
PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.	
P0 9.2	DTS/DPF 9.2	
Ownloaded on 6/03/2023	Pv Policy24 Pose 06 of 105	

Generated By Policy24

Page 96 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.
PO 9.3	DTS/DPF 9.3
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	None are applicable.
Corner	Cut-Offs
PO 10.1	DTS/DPF 10.1
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram: Corner Cut-Off Area Allotment Boundary 14.5M Road Reserve

Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for
	each development type.
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling. Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Group Dwelling	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling. Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	welling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. 0.33 spaces per dwelling for visitor parking where development involves 3 or
	more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.

Downloaded on 6/03/2023 Generated By Policy24 Page 97 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	welling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Semi-Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supported	d Accommodation
Retirement village	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
Supported accommodation	0.2 spaces per dwelling for visitor parking. 0.3 spaces per bed.
	elopment (Other)
Ancillary accommodation	enderment (marget)
Residential park	No additional requirements beyond those associated with the main dwelling. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation	0.3 spaces per bed.
Workers' accommodation	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
То	urist
Caravan park / tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation	1 car parking space per accommodation unit / guest room.
	rcial Uses
Auction room/ depot	1 space per 100m2 of building floor area plus an additional 2 spaces.
Automotive collision repair	3 spaces per service bay.
Call centre Motor repair station	8 spaces per 100m2 of gross leasable floor area. 3 spaces per service bay.
Office	4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
	1 space per 100m2 of outdoor area used for display purposes.
Shop (no commercial kitchen)	5.5 spaces per 100m2 of gross leasable floor area where not located in an
	integrated complex containing two or more tenancies (and which may
	comprise more than one building) where facilities for off-street vehicle
	parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
	Telege are shared.
	5 spaces per 100m2 of gross leasable floor area where located in an
	integrated complex containing two or more tenancies (and which may
	comprise more than one building) where facilities for off-street vehicle
	parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Shop (in the form of a bulky goods outlet)	2.5 spaces per 100m2 of gross leasable floor area.
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the

Downloaded on 6/03/2023 Generated By Policy24 Page 98 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
	pick-up point.
	Community and Civic Uses
Childcare centre	0.25 spaces per child
Community facility	10 spaces per 100m2 of total floor area.
Educational establishment	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Hall / meeting hall	0.2 spaces per seat.
Library Place of warship	4 spaces per 100m2 of total floor area.
Place of worship Pre-school	1 space for every 3 visitor seats.
Pre-school	1 per employee plus 0.25 per child (drop off/pick up bays)
	Health Related Uses
Consulting room	4 spaces per consulting room excluding ancillary facilities.
Hospital	4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital. Recreational and Entertainment Uses
Cinema complex	.2 spaces per seat.
Concert hall / theatre	0.2 spaces per seat.
Hotel	1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
	Industry/Employment Uses
Fuel depot	1.5 spaces per 100m2 total floor area
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.
Industry	1.5 spaces per 100m2 of total floor area.
Store	0.5 spaces per 100m2 of total floor area.
Timber yard	1.5 spaces per 100m2 of total floor area
Westbarre	1 space per 100m2 of outdoor area used for display purposes.
Warehouse	0.5 spaces per 100m2 total floor area.
	Other Uses
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.
	5 spaces per 100m2 of total building floor area.

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column subject to the following:

- (a) the location of the development is unable to satisfy the requirements of Table 2 Criteria (other than where a location is exempted from the application of those criteria)
- (b) the development satisfies Table 2 Criteria (or is exempt from those criteria) and is located in an area where a lawfully established carparking fund operates, in which case the number of spaces are reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of	Car Parking Rate	Designated Areas
Development		
	Where a development comprises more than one development type, then the	

Downloaded on 6/03/2023 Generated By Policy24 Page 99 of 105

Policy24		P&D Code (in	effect) Version 2023.3 16/02/2023
overall car parking rate will be taken to			
be the sum of the car parking rates for			
	each develo		
		Maximum number	
	of spaces	of spaces	
		ent generally	
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the	Capital City Zone
		Primary Pedestrian Area Concept Plan, where the maximum is:	City Main Street Zone
		1 space for each dwelling with a total	City Riverbank Zone
		floor area less than 75 square metres	Adelaide Park Lands Zone
		2 spaces for each dwelling with a total	
		floor area between 75 square metres and 150 square metres	Business Neighbourhood Zone (within the City of Adelaide)
		3 spaces for each dwelling with a total	The St Andrews Hospital Precinct
		floor area greater than 150 square metres.	Subzone and Women's and Children's Hospital Precinct Subzone of the
		Residential flat building or Residential	Community Facilities Zone
		component of a multi-storey building: 1 visitor space for each 6 dwellings.	
Non-residential development	Non-residenti 3 spaces per 100m2 of gross	al development 5 spaces per 100m2 of gross	
excluding tourist accommodation	leasable floor area.	leasable floor area.	City Living Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
Non-residential development	3 spaces per 100m2 of gross	6 spaces per 100m2 of gross	Strategic Innovation Zone
excluding tourist accommodation	leasable floor area.	leasable floor area.	Suburban Activity Centre Zone
			Suburban Business Zone
			Business Neighbourhood Zone
			Suburban Main Street Zone
			Urban Activity Centre Zone
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4	City Living Zone
	5 bedrooms over 100 bedrooms	bedrooms over 100 bedrooms	Urban Activity Centre Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
Residential development			

Downloaded on 6/03/2023 Generated By Policy24 Page 100 of 105

Policy24		P&D Code (in	effect) Version 2023.3 16/02/2023
Residential component of a multi- storey building	Dwelling with no separate bedroom -0.25 spaces per dwelling	None specified.	City Living Zone
	1 bedroom dwelling - 0.75 spaces per dwelling		Strategic Innovation Zone
	O hadroom durelling 1 annua and		Urban Activity Centre Zone
	2 bedroom dwelling - 1 space per dwelling		Urban Corridor (Boulevard) Zone
	3 or more bedroom dwelling - 1.25 spaces per dwelling		Urban Corridor (Business) Zone
	0.25 spaces per dwelling for visitor		Urban Corridor (Living) Zone
	parking.		Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling	None specified.	City Living Zone
	1 bedroom dwelling - 0.75 spaces per dwelling		Urban Activity Centre Zone
			Urban Corridor (Boulevard) Zone
	2 bedroom dwelling - 1 space per dwelling		Urban Corridor (Business) Zone
	3 or more bedroom dwelling - 1.25 spaces per dwelling		Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
	0.25 spaces per dwelling for visitor parking.		Urban Neighbourhood Zone

Table 2 - CriteriaThe following criteria are used in conjunction with Table 2. The 'Exception' column identifies locations where the criteria do not apply and the car parking rates in Table 2 are applicable.

Criteria	Exceptions
The designated area is wholly located within Metropolitan Adelaide and any part of the development site satisfies one or more of the following: (a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service ⁽²⁾ (b) is within 400 metres of a bus interchange ⁽¹⁾ (c) is within 400 metres of an O-Bahn interchange ⁽¹⁾ (d) is within 400 metres of a passenger rail station ⁽¹⁾ (e) is within 400 metres of a passenger tram station ⁽¹⁾ (f) is within 400 metres of the Adelaide Parklands.	(a) All zones in the City of Adelaide (b) Strategic Innovation Zone in the following locations: (i) City of Burnside (ii) City of Marion (iii) City of Mitcham (c) Urban Corridor (Boulevard) Zone (d) Urban Corridor (Business) Zone (e) Urban Corridor (Living) Zone (f) Urban Corridor (Main Street) Zone (g) Urban Neighbourhood Zone

[NOTE(S): (1)Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Table 3 - Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Class of	Bicycle Parking Rate
Development	
	Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.

Downloaded on 6/03/2023 Generated By Policy24 Page 101 of 105

	P&D Code (in effect) Version 2023.3 16/02/2023	
1 space per 20 employees plus 1 space per 20 consulting rooms for customers.		
For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for		
visitors.		
For tertiary education - 1 space per 20 employees plus 1 space per 10 full time students.		
space per 15 beds plus 1 space per 30 beds for visitor		
	per 60 square metres dining floor area, plus 1 per 40 square metres	
aming room floor area.		
	us 2 spaces plus 1 space per 1000m2 of gross leasable floor area for	
space per 20 full time employees plus 1 space per 40 f	full time children.	
per 1500 spectator seats for employees plus 1 per 250	0 visitor and customers.	
	ents with a total floor area less than 150 square metres, 2 for every dwelling	
	are metres, plus 1 for every 10 dwellings for visitors, and in all other cases	
space for every 4 dwellings for residents plus 1 for eve	ery 10 dwellings for visitors.	
	ents with a total floor area less than 150 square metres, 2 for every dwelling	
	are metres, plus 1 for every 10 dwellings for visitors, and in all other cases	
space for every 4 dwellings for residents plus 1 space	for every to awellings for visitors.	
	us 1 space for every 600m2 of gross leasable floor area for customers.	
space for every 20 employees plus 2 for the first 40 ro	oms and 1 for every additional 40 rooms for visitors.	
Designated Area	Relevant part of the State	
	The biguele parking rate applies to a designated area located in a	
	The bicycle parking rate applies to a designated area located in a relevant part of the State described below.	
All zones	City of Adelaide	
Business Neighbourhood Zone	Metropolitan Adelaide	
Strategic Innovation Zone		
Suburban Activity Centre Zone		
Suburban Main Street Zone		
Jrban Activity Centre Zone		
Jrban Corridor (Boulevard) Zone		
Jrban Corridor (Business) Zone		
Jrban Corridor (Living) Zone		
Jrban Corridor (Main Street) Zone		
Jrban Neighbourhood Zone		
_	I .	
	or a secondary school - 1 space per 20 full-time time ensistors. or tertiary education - 1 space per 20 employees plus 1 space per 15 beds plus 1 space per 30 beds for visitor space per 4 employees plus 1 space per 200m2 of groper 20 employees, plus 1 per 60 square metres total fliquare metres lounge and beer garden floor area, plus 1 aming room floor area. space for every 200m2 of gross leasable floor area plusitors. space per 20 full time employees plus 1 space per 40 flight in the City of Adelaide 1 for every dwelling for reside or residents with a total floor area greater than 150 squispace for every 4 dwellings for residents residents with a total floor area greater than 150 squispace for every 4 dwellings for residents residents with a total floor area greater than 150 squispace for every 4 dwellings for residents plus 1 space space for every 4 dwellings for residents plus 1 space space for every 300m2 of gross leasable floor area plus space for every 300m2 of gross leasable floor area plus space for every 20 employees plus 2 for the first 40 robesignated Area Designated Area Suburban Business Zone Suburban Main Street Zone Suburban Corridor (Boulevard) Zone Suburban Corridor (Boulevard) Zone Suburban Corridor (Business) Zone Suburban Corridor (Living) Zone Suburban Corridor (Living) Zone	

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome

Downloaded on 6/03/2023 Generated By Policy24 Page 102 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Si	ting	
P0 1.1	DTS/DPF 1.1	
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.	
Soil and Wa	ter Protection	
PO 2.1	DTS/DPF 2.1	
Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as:	None are applicable.	
(a) containing potential groundwater and surface water contaminants within waste operations areas (b) diverting clean stormwater away from waste operations areas and		
 (b) diverting clean stormwater away from waste operations areas and potentially contaminated areas 		
(c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.		
PO 2.2	DTS/DPF 2.2	
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.	
PO 2.3	DTS/DPF 2.3	
Wastewater lagoons are designed and sited to:	None are applicable.	
(a) avoid intersecting underground waters; (b) avoid inundation by flood waters; (c) ensure lagoon contents do not overflow; (d) include a liner designed to prevent leakage.		
P0 2.4	DTS/DPF 2.4	
Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources.	Waste operations areas are set back 100m or more from watercourse banks.	
Am	enity	
PO 3.1	DTS/DPF 3.1	
Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.	None are applicable.	
P0 3.2	DTS/DPF 3.2	
Access routes to waste treatment and management facilities via residential streets is avoided.	None are applicable.	
PO 3.3	DTS/DPF 3.3	
Litter control measures minimise the incidence of windblown litter.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.	None are applicable.	

Downloaded on 6/03/2023 Generated By Policy24 Page 103 of 105

prevents unauthorised access to operations and potential hazard to the public. Landfill process. Consider A.1 Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.4 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. DTS/DFF 6.4 Landfill facilities are set back 500m or more from land inundated in a 1% Alfolod event. DTS/DFF 6.4 Landfill facilities are set back 500m or more from land inundated in a 1% Alfolod event. DTS/DFF 6.4 Landfill facilities are set back 500m or more from land inundated in a 1% Alfolod event. DTS/DFF 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 DTS/DFF 7.2 Organic waste processing facilities are set back 250m or more from a pub environmental significance and land used for public recreation and enjoyment. PO 7.4 DTS/DFF 7.4 Organic waste processing facilities are set back 250m or more from a pub environmental significance and land used for public recreation and enjoyment. PO 7.5 DTS/DFF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewate Trestment Facilities DTS/DFF 8.1	Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction. P042 Suitable access for emergency vehicles is provided to and within waste treatment or management site. Fencing and Security P051 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill facilities are separated from areas of environmentally acceptable manner. P061 Landfill facilities are separated from areas of environmental significance and Landfill facilities are separated from areas of environmental significance and Landfill facilities are separated from areas of environmental significance and Landfill facilities are separated from areas subject to flooding. D150PF 4.3 Landfill facilities are located on land that is not subject to land slip. P06.4 Landfill facilities are separated from areas subject to flooding. D150PF 4.3 Landfill facilities are separated from areas subject to flooding. D150PF 4.4 Landfill facilities are set back 500m or more from land inundated in a 1% All flood event. D150PF 4.4 Landfill facilities are set back 500m or more from land inundated in a 1% All flood event. D150PF 7.2 O150PF 7.3 O150PF 7.3 O150PF 7.3 O150PF 7.4 None are applicable. D150PF 7.4 None are applicable. D150PF 7.5 O150PF		
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction. PO-42 Suitable access for emergency vehicles is provided to and within waste treatment or management sites. Fercing and Security PO-51 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill represents a member of the waste treatment or waste management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill gas emissions are managed in an environmentally acceptable manner. PO-6.1 Landfill gas emissions are managed in an environmental significance and land used for public recreation and enjoyment. PO-6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO-6.3 Landfill facilities are located on land that is not subject to land slip. None are applicable. PO-6.4 Landfill facilities are separated from areas subject to flooding. Cigarie Waste Processing Facilities are set back 500m or more from land inundated in a 1% All flood event. PO-7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO-7.2 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO-7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO-7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO-7.2 Organic waste processing facilities are located on land that is not subject to flooding posping acceptable. PO-7.5 Organic waste processing facilities are sited away from areas of environmental significance and land used for	Acc	ess
are designed to enable vehicles to enter and exit the site in a forward direction. P042 Suitable access for emergency vehicles is provided to and within waste treatment or management sites. Fenong and Security P051 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the proble. Landill poble. Landill semissions are managed in an environmentally acceptable manner. P062 Landill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. P063 Landill facilities are separated from areas subject to flooding. Organic waste processing facilities are separated from the coast to avoid potential environmental amounterial portions and processing facilities are separated from the coast to avoid potential environmental and underlying seasonal water table cannot intersect. Organic waste processing facilities are separated from the coast to avoid potential environmental amounterial potential environment harm. Organic waste processing facilities are separated from the coast to avoid potential environment harm. Organic waste processing facilities are separated from the coast to avoid potential environment harm. Organic waste processing facilities are set back 250m or more from land inundated in a 1% All flood event. Organic waste processing facilities are set back 500m or more from the coast to avoid potential environment harm. Organic waste processing facilities are set back 500m or more from the coast to avoid potential environment harm. Organic waste processing facilities are set back 250m or more from the coast to avoid potential environment harm. Organic waste processing facilities are set back 250m or more from a pub open pace reserve, forest reserve, national park or a Conservation Zone. Organic waste processing facilities are set back 500m or more from land fundated in a 1% APP flood event. None are applicable. Organic waste processing facilities are set back	P0 4.1	DTS/DPF 4.1
Suitable access for emergency vehicles is provided to and within waste treatment or management sites. Fencing and Security 5051 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill 7051 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill 7051 Landfill gas emissions are managed in an environmentally acceptable manner. 7062 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. 7063 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. 7064 Landfill facilities are set back 500m or more from a public open space reserve, forest prevention and inundated in a 1% All food event. 7072 7073 7073 7073 7073 7073 7073 7073 7073 7074 7074 7074 7074 7074 7074 7075 7075 7075 7075 7075 7075 7075 7075 7075 7075 7075 7075 7076 7076 7076 7077 7076 7076 7077 7	are designed to enable vehicles to enter and exit the site in a forward	None are applicable.
Fencing and Security PO 5.1 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.1 Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.2 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. PO 6.2 Landfill facilities are set back 250m or more from a public open space reserve, forest pack	P0 4.2	DTS/DPF 4.2
PO 5.1 Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the proble. Landfill PO 6.1 Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities are set back 250m or more from land inundated in a 1% Alfood event. Organic waste processing facilities are set back 500m or more from the coast land where the engineered land environmental significance and environment harm. PO 7.3 Organic waste processing facilities are set back 500m or more from the coastal high water mark. PO 7.3 Organic waste processing facilities are set back 500m or more from the coastal high water mark. PO 7.3 Organic waste processing facilities are set back 500m or more from the coastal high water mark. PO 7.3 Organic waste processing facilities are set back 500m or more from the coastal high water mark. PO 7.3 Organic waste processing facilities are set back 250m or more from a public processing facilities are set back 500m or more from a public processing facilities are set back 500m or more from a public processing facilities are located on land where the engineered land underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more from a public processing facilities are set back 250m or more fr		None are applicable.
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. Landfill PO 6.1 Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are separated from areas subject to flooding. DTS/DFF 6.2 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. DTS/DFF 6.2 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. DTS/DFF 6.2 Landfill facilities are set back 500m or more from land inundated in a 1% All flood event. DTS/DFF 6.3 None are applicable. DTS/DFF 6.3 DTS/DFF 7.1 DTS/DFF 7.1 DTS/DFF 7.1 DTS/DFF 7.1 DTS/DFF 7.1 DTS/DFF 7.2 DTS/DFF 7.2 DTS/DFF 7.2 DTS/DFF 7.2 DTS/DFF 7.3 DTS/DFF 7.4 None are applicable. DTS/DFF 7.5 DTS/D	Fencing at	nd Security
prevents unauthorised access to operations and potential hazard to the public recited along the perimeter of the waste treatment or waste management facility site. Comparison of the perimeter of the waste treatment or waste management facility site.	PO 5.1	DTS/DPF 5.1
PO 6.1 Landfill gas emissions are managed in an environmentally acceptable manner. PO 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are separated from areas subject to flooding. DTS/DPF 6.4 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. PO 6.4 Landfill facilities are set back 500m or more from land inundated in a 1% Alfold event. Organic Waste Processing Facilities PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, national park or Conservation Zone. PO 7.4 Organic waste processing facilities are set back 500m or more from the coastal high water mark. DTS/DPF 7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, national park or a Conservation Zone. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% ALF flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1	prevents unauthorised access to operations and potential hazard to the	
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.2 Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. PO 6.3 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are set back 500m or more from land inundated in a 1% Al flood event. Organic Waste Processing Facilities PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 OTS/OPF 7.2 OTS/OPF 7.2 OTS/OPF 7.2 OTS/OPF 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 OTS/OPF 7.5 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.4 OTS/OPF 7.5 Organic waste processing facilities are seted away from areas of environmental significance and land used for public recreation and enjoyment. DTS/OPF 7.5 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% ALFP flood event. Major Wastewater Treatment Facilities DTS/OPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% ALFP flood event.	Lan	dfill
DTS/OPF 6.2 Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.4 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 OTS/OPF 7.3 Organic waste processing facilities are set back 500m or more from the coast located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.4 OTS/OPF 7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. DTS/OPF 7.2 Organic waste processing facilities are set back 500m or more from the coast located on land where the engineered liner and underlying seasonal water table cannot intersect. DO 7.4 OTS/OPF 7.2 Organic waste processing facilities are set back 250m or more from a public popen space reserve, forest reserve, national park or a Conservation Zone. DTS/OPF 7.4 OTS/OPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/OPF 8.1	P0 6.1	DTS/DPF 6.1
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. PO 6.3 Landfill facilities are located on land that is not subject to land slip. PO 6.4 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are located from areas subject to flooding. DTS/OPF 7.4 None are applicable. DTS/OPF 7.5 Organic waste processing facilities are set back 250m or more from a public open space reserve, national park or a Conservation Zone. PO 7.4 OTS/OPF 7.5 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/OPF 8.1	Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.
land used for public recreation and enjoyment. P0 6.3 Landfill facilities are located on land that is not subject to land slip. P0 6.4 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities P0 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. P0 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. P0 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. P0 7.4 Organic waste processing facilities are located on land that is not subject to land slip. P0 7.5 Organic waste processing facilities are located on land that is not subject to flooding. D1S/DPF 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. P0 7.4 Organic waste processing facilities are located on land that is not subject to land slip. D1S/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities D1S/DPF 8.1	P0 6.2	DTS/DPF 6.2
Landfill facilities are located on land that is not subject to land slip. None are applicable. DTS/DPF 6.4 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities PD 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PD 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. DTS/DPF 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PD 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.4 None are applicable. DTS/DPF 7.4 None are applicable. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1		
DTS/DPF 6.4 Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.4 None are applicable. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are set back 250m or more from a public poer space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF 7.5 Organic waste processing facilities are set back 250m or more from a public poer space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1	PO 6.3	DTS/DPF 6.3
Landfill facilities are separated from areas subject to flooding. Organic Waste Processing Facilities DTS/DPF 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. DTS/DPF 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. DTS/DPF 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from a pub open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from a pub open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1	Landfill facilities are located on land that is not subject to land slip.	None are applicable.
Companie Waste Processing Facilities	PO 6.4	DTS/DPF 6.4
PO 7.1 Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are set back 250m or more from the coastal high water mark. DTS/DPF 7.2 None are applicable. DTS/DPF 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are located on land that is not subject to flooding. DTS/DPF 7.5 Organic waste processing facilities are set back 250m or more from a publicable. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1	Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Organic waste processing facilities are separated from the coast to avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from a public population of the public recreation and enjoyment. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS/DPF 8.1	Organic Waste Pr	ocessing Facilities
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS//DPF 7.4 None are applicable. DTS//DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS//DPF 8.1	Organic waste processing facilities are separated from the coast to avoid	Organic waste processing facilities are set back 500m or more from the
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS//DPF 7.4 None are applicable. DTS//DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities DTS//DPF 8.1		
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities separated from areas subject to flooding. Major Wastewater Treatment Facilities DTS/DPF 8.1	Organic waste processing facilities are located on land where the engineered	
environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. DTS/DPF 7.4 None are applicable. DTS/DPF 7.5 Organic waste processing facilities separated from areas subject to flooding. DTS/DPF 7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities PO 8.1 DTS/DPF 8.1	P0 7.3	DTS/DPF 7.3
Organic waste processing facilities are located on land that is not subject to land slip. Po 7.5 Organic waste processing facilities separated from areas subject to flooding. Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities Po 8.1 DTS/DPF 8.1		Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.
land slip. Po 7.5 Organic waste processing facilities separated from areas subject to flooding. Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities Po 8.1 DTS/DPF 8.1	P0 7.4	DTS/DPF 7.4
Organic waste processing facilities separated from areas subject to flooding. Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities PO 8.1 DTS/DPF 8.1		None are applicable.
inundated in a 1% AEP flood event. Major Wastewater Treatment Facilities PO 8.1 DTS/DPF 8.1	P0 7.5	DTS/DPF 7.5
PO 8.1 DTS/DPF 8.1	Organic waste processing facilities separated from areas subject to flooding.	
	Major Wastewater	Treatment Facilities
L	P0 8.1	DTS/DPF 8.1
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	-	None are applicable.
PO 8.2 DTS/DPF 8.2	P0 8.2	DTS/DPF 8.2
Artificial wetland systems for the storage of treated wastewater are designed None are applicable.	Artificial wetland systems for the storage of treated wastewater are designed	None are applicable.

Generated By Policy24

Page 104 of 105

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
and sited to minimise potential public health risks arising from the breeding of	
mosquitoes.	

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
P0 1.1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
P0 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
P0 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
P0 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

No criteria applies to this land use. Please check the definition of the land use for further detail.

Downloaded on 6/03/2023 Generated By Policy24 Page 105 of 105

INFORMATION

ONLY

ITEM 8.2.1

COUNCIL ASSESSMENT PANEL

DATE 28 March 2023

HEADING Status of Current Appeal Matters and Deferred Items

AUTHOR Chris Zafiropoulos, Assessment Manager, City Development

SUMMARY The report provides an update on current appeal matters and

deferred items.

RECOMMENDATION

That the Panel Council:

1. Receives the information.

ATTACHMENTS

There are no attachments to this report.

1. REPORT

Applicant Appeal to Environment, Resources and Development Court, Tony Maiello (N27 Pty Ltd) v City of Salisbury (ERD-22-000014) - Development Application 361/1618/2020/2A

The Applicant appealed against the decision of the Panel to refuse the development application. The applicant presented two alternative proposals in response to the decision of the Panel but the amendments have not addressed the concerns of the Panel. Kelledy Jones Lawyers have been engaged to act on behalf of the Panel before the ERD Court. The matter has been adjournment at the request of the appellant and is currently relisted before the Court for 22 May 2023.

The applicant has requested adjournment of the current proceedings in order to lodge a new application and for a decision to be made on this application. The new application has been made under the Planning and Design Code and is proposing two dwellings. This application has been refused planning consent by the Assessment Manager and an appeal has been lodged against this decision. This appeal has also been adjournment at the request of the appellant and is currently relisted before the Court for 22 May 2023.

Applicant Appeal to Environment, Resources and Development Court, Tony Maiello (N43 Pty Ltd) v City of Salisbury (ERD-23-000022) - Development Application 22031953

The Applicant has appealed against the decision of the Panel to affirm the decision of the Assessment Manager to refuse the development application for the Construction of Two (2) Single Storey Group Dwellings In Association With Four (4) Existing Single Storey Group Dwellings, Shared Driveway, Visitor Car Parking And Landscaping' at Unit 1-2, 30 Shepherdson Road, Parafield Gardens, SA 5107. The conference date is to be scheduled by the Court.