

AGENDA

FOR COUNCIL ASSESSMENT PANEL MEETING TO BE HELD ON

17 DECEMBER 2024 AT 6.30PM

IN LITTLE PARA CONFERENCE ROOMS, SALISBURY COMMUNITY HUB, 34 CHURCH STREET, SALISBURY

MEMBERS

Mr T Mosel (Presiding Member)

Mr R Bateup Ms C Gill Mr B Brug Mr J Botten

REQUIRED STAFF

Assessment Manager, Mr C Zafiropoulos General Manager City Development, Ms M English Acting Team Leader Planning, Mr S Ondeyo Development Officer Planning, Ms K Brown

APOLOGIES

LEAVE OF ABSENCE

ADOPTED MINUTES FROM PREVIOUS MEETING

Presentation of the Minutes of the Council Assessment Panel Meeting held on 26 November 2024.

DECLARATIONS OF CONFLICTS OF INTEREST

REPORTS

Development Applications

27-35 & 37 Countess Street, Paralowie SA 5108

Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings.

OTHER BUSINESS

8.2.1	Council Assessment Panel 2025 Meeting Schedule	473
8.2.2	Status of Current Appeal Matters and Deferred Items	477
8.2.3	Policy Issues Arising from Consideration of Development Applications	
8.2.4	Future Meetings & Agenda Items	

CLOSE

Please note:

Council is committed to openness and transparency in its decision making processes. However, some documents contained within attachments to the Development Assessment Panel agenda items are subject to copyright laws. Due to copyright restrictions the files are only available for viewing. Printing is not possible. If these documents are reproduced in any way, including saving and printing, it is an infringement of copyright.

By downloading this information, you acknowledge and agree that you will be bound by provisions of the Copyright Act 1968 (Cth) and will not reproduce these documents without the express written permission of the copyright owner.

Page 2



MINUTES OF COUNCIL ASSESSMENT PANEL MEETING HELD IN LITTLE PARA CONFERENCE ROOMS, SALISBURY COMMUNITY HUB, 34 CHURCH STREET, SALISBURY ON

26 NOVEMBER 2024

MEMBERS PRESENT

Mr T Mosel (Presiding Member) Mr R Bateup Ms C Gill Mr B Brug (via Teams)

STAFF

Assessment Manager, Mr C Zafiropoulos General Manager City Development, Ms M English Team Leader Planning, Mr C Carrey Development Officer Planning, Mr M Sumito Team Leader Business Services, Ms H Crossley

The meeting commenced at 6.30 pm.

The Presiding Member welcomed the members, staff and the gallery to the meeting.

APOLOGIES

Apologies were received from Mr J Botten.

LEAVE OF ABSENCE

ADOPTED MINUTES FROM PREVIOUS MEETING

The Minutes of the Council Assessment Panel Meeting held on 29 October 2024, be taken as read and confirmed.

DECLARATIONS OF CONFLICTS OF INTEREST

REPORTS

Development Applications

8.1.1 24029172

Change of use from a service trade premises to a shop with associated internal fit-out at 95 Park Terrace, Salisbury SA 5108 for Wander Bros Indian Supermarket Pty Ltd

REPRESENTORS

No representors wished to be heard.

APPLICANT

Mr Kuldeep Wander, Wander Bros Indian Supermarket Pty Ltd and Mr Dylan Furnell, Certified Planning and Development, spoke on behalf of the application.

Ms C Gill moved, and the Council Assessment Panel resolved that:

That Development Application No 24029172 for change of use from a service trade premise to a shop at 95 Park Terrace, Salisbury SA 5108 is not considered to be seriously at variance with the Planning and Design Code (Version 2024.17), however, is **REFUSED** Planning Consent for the following reasons:

Reasons for Refusal

The proposed development is contrary to the following provisions of the Planning and Design Code:

a) Employment Zone - Performance Outcome 1.2

Reason:

The proposed development is expected to service a wide catchment (beyond that of local businesses and workers) and comprises a floor area of some $624m^2$. The proposed use is therefore of a scale and intensity much greater than that contemplated by the Zone. Further, the proposed development will not facilitate the sale of products manufactured onsite.

b) Out of Activity Centre Development – General Development Policies – Performance Outcome 1.1a

Reason:

The proposed scale of development (floor area) and its anticipated servicing catchment (beyond local workers and businesses) will diminish the role of the nearby Urban Activity Centre (Salisbury Town Centre) which is intended to function as a primary Activity Centre.

c) Out of Activity Centre Development – General Development Policies – Performance Outcome 1.2a and 1.2b

Reason:

The proposed development has failed to demonstrate if alternative locations are available to support the proposal within an Activity Centre, nor has it demonstrated if the proposed location is presently underserviced to service the needs of local residents and workers.

d) Transport, Access, Parking - General Development Policies - Performance Outcome 5.1

Reason:

The proposed development will result in a shortage of onsite car parking, when assessed against the theoretical parking rate for a 'shop' in Table 1. No reasons have been presented to support a parking shortfall, recognising there are no on-street parking opportunities available along Park Terrace.

e) Employment Zone – Performance Outcome 1.1

Reason:

The proposal has not adequately demonstrated there will be no impacts to amenity through odour associated with waste storage, or noise and hours of operation associated with waste collection.

f) Design – General Development Policies – Performance Outcome 1.5

Reason:

The proposal has not adequately demonstrated there will be no impacts to visual amenity associated with waste storage.

Advice Notes

The applicant has a right of appeal against the decision. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

OTHER BUSINESS

8.2.1 Status of Current Appeal Matters and Deferred Items

Mr C Zafiropoulos provided a verbal update of the approval of the Ancillary Accommodation Code Amendment and will provide written details to the Panel following the meeting regarding the implication for the current appeal matters.

8.2.2 Policy Issues Arising from Consideration of Development Applications

Nil

8.2.3 Future Meetings & Agenda Items

Next meeting scheduled for Tuesday 17 December 2024.

ADOPTION OF MINUTES

Mr R Bateup moved, and the Council Assessment Panel resolved that the Minutes of the Council Assessment Panel Meeting be taken and read as confirmed.

The meeting closed at 7.11 pm.

PRESIDING MEMBER: Mr T Mosel

DATE: 26 November 2024

(refer to email approving minutes registered in the City of Salisbury's Record Management System - Document

Number 8324346)

ITEM 8.1.1

COUNCIL ASSESSMENT PANEL

DATE 17 December 2024

APPLICATION NO. 24026923

APPLICANT Jeremy Graetz and Tim Ross

PROPOSAL Additions to an existing educational establishment comprising the

construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school

buildings

LOCATION 27-35 & 37 Countess Street, Paralowie SA 5108

CERTIFICATE OF

TITLE

CT-6252/316, CT-6252/317 and CT-6252/318

AUTHOR Karyn Brown, Development Officer Planning, City Development

1. DEVELOPMENT APPLICATION DETAILS

Zone/Policy Area	Suburban Activity Zone	
	General Neighbourhood Zone	
	No sub-zone applies	
Application Type	Performance Assessed	
Public Notification	Representations received: Four (4)	
	Representations to be heard: Three (3)	
Referrals - Statutory	Nil	
Referrals – Internal	Development Engineering and Traffic	
Development Plan Version	2024.19	
Assessing Officer	Karyn Brown	
Recommendation	Planning Consent with Reserved Matters and Conditions	

2. REPORT CONTENTS

This report provides an assessment of the proposed development against the relevant provisions of the Planning and Design Code. This assessment has been based on a review of the following plans and documents which are appended to this report.

Attachment 1: Proposal Plans and Supporting Documentation

Attachment 2: Copy of Sign Displayed on the Land and Representations

Attachment 3: Applicant's Response to Representations
Attachment 4: Extract of Planning and Design Code

3. EXECUTIVE SUMMARY

The applicant seeks planning consent for additions to an existing educational establishment (Bethany Christian School) comprising the construction of a new indoor sports facility (one indoor court and one undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings located at 27-37 Countess Street, Paralowie. The subject land is located within the Suburban Activity Zone and General Neighbourhood Zone.

The application is performance assessed and subject to public notification, with four (4) representations received. One (1) representor supports the proposal. Three (3) representors oppose the proposal and wish to be heard in support of their submission.

The report provides a detailed assessment of the application against the relevant provisions of the Planning and Design Code. The assessment has found the proposed development:

- (a) Represents an appropriate upgrade to an existing school and considered acceptable within the Suburban Activity Zone and General Neighbourhood Zone;
- (b) The building is of a contemporary architectural design which will enhance the appearance of the streetscape without adversely impacting on the amenity of the locality;
- (c) The building height and setbacks from property boundaries are acceptable;
- (d) Interface considerations have been appropriately addressed and will not have a negative impact on adjoining properties or the locality;
- (e) There are no anticipated changes to traffic movements on the local road network;
- (f) Adequate onsite car parking is provided to accommodate the upgraded use;
- (g) The proposal adequately addresses the concerns raised during public notification.

Accordingly, it is recommended that the Council Assessment Panel grants Planning Consent for the proposed development subject to Reserved Matters and conditions.

4. BACKGROUND

Bethany Christian School caters for Reception to Year 6 students, with an Early Learning Centre also included within the Bethany campus. The Bethany Christian School is adjacent to the Temple Christian College, which caters for Years 7-12 students. The schools operate as two separate educational entities but have a collaborative approach sharing the car park area fronting Countess Street (between Byron Bay Drive and Caroline Drive), as well as the oval and recreational area located behind the Byron Bay Drive car parking area.

The schools have also collaborated to stagger start and finish times to reduce traffic congestion associated with peak periods. Bethany Christian School starts at 8.45am and finishes at 3.10pm, while Temple Christian College starts at 8.30am and finishes at 3.00pm.

As will be discussed later in this report, a concern of the representors is the traffic movement and congestion associated with existing school conditions and the potential for the proposal to exacerbate this further.

Outside of this development proposal, Council's Traffic and Infrastructure Sections were aware of the pressures which surround some school sites. As a result in 2019 Council, in partnership with both school campuses, obtained approval and constructed a shared car park providing 25 car parking spaces within the Fairbanks Drive Reserve to the north-west of the schools. That approval also included a reconfiguration of access and movements directly associated with Bethany Christian School. The car park has improved traffic flows along Byron Bay Drive to the west of the school site.

Student numbers were conditioned to be limited to a maximum of 545 students at any one time in DA 361/1462/2018/2B for Bethany Christian School and 44 childcare places for the Early Learning Centre in DA 361/1299/2016/2B.

This development proposal does not seek to increase student enrolment numbers or the number of staff. Therefore, car parking requirements do not need to change from what was already approved in the previous development approval.

5. SUBJECT SITE

The subject land is situated at 27-37 Countess Street, Paralowie and is more formally described as Allotments 100 and 101 in Community Plan 40335 in Certificate of Title 6252/316, 6252/317 and 6252/318.

The subject land consists of three irregular shaped Community Title allotments with a total area of 4428 square metres, a frontage of 109.16m to Countess Street and 212.93m to Byron Bay Drive. The subject land is relatively flat.

The subject land comprises an existing educational facility with eight (8) building blocks and hall along with courtyards and recreational areas.

The site is bounded by Temple Christian College to the east and residential properties to the northeast. To the north, the site is bounded by Fairbanks Drive Reserve and to the northwest, a Goodstart Early Learning Centre.

The subject land is provided with two (2) designated points of access and egress to Countess Street and Byron Bay Drive.

Car parking areas on the subject land are provided adjacent the southern and western property boundaries.

A car parking area for Bethany Christian School is located adjacent Countess Street. This area comprises 55 parking spaces plus an additional 4 parking spaces available within the pick-up/set down area within this car parking area. An additional 20 spaces are provided for Temple Christian School in the shared car park. This equates to a total of 79 parking spaces within this car parking area (although 20 of these are designated for use by Temple Christian College).

A pickup/set down facility is provided via Byron Bay Drive, linking to the school's western car park with the car park in the Fairbanks Drive Reserve. This supports 9 car parking spaces within the driveway handle, connecting to a car park with 33 spaces. The school also has access to the shared car parking area comprising 25 spaces provided within Fairbanks Drive Reserve.

Location	Number of car parking spaces
Bethany Christian School	101 spaces
Temple Christian College (shared car park)	20 spaces
Fairbanks Drive Reserve (shared car park)	25 spaces

Overall, a total of 146 car parking spaces will continue to be available for use by the school.

The subject land contains landscaping areas adjacent the southern and western boundaries. The site is bordered on all sides by a tubular style fence, including gates at the access points.

While there are easements on the subject land, none are in the same location of the proposed development. Further, there are no encumbrances or Land Management Agreements that restrict the proposed development on the subject land. Similarly, the subject land does not contain any Heritage Places which may affect the development.

Site photos are provided below.

Photo 1.

Looking southeast towards the proposed development site, when viewed from Byron Bay Drive



Photo 2.

Looking northeast) towards the proposed development site, when viewed from intersection of Byron Bay Drive and Botham Street



Photo 3.

Looking southeast towards the subject land when viewed from Goodstart Early Learning Centre entrance (Byron Bay Drive)




Photo 4.

Looking east from Byron Bay Drive towards the car park area - with the proposed development site area to the right of the picture



Photo 5.

Looking south from the public car park on Fairbanks Reserve towards the drop off zone and car park beyond



Photo 6.

Looking northeast from Countess Street towards the car park area



Photo 7.

Looking north towards the subject land from Countess Street



6. LOCALITY

The locality is principally defined by visual reference.

The surrounding locality is generally residential in character and nature with low-density single storey dwellings adjacent the subject land to the east, south and west. The subject land shares a boundary to the east with Temple Christian School, with both schools sharing access to the oval in the northern portion of the land. To the immediate northwest of the subject land is Goodstart Early Leaning Centre and Fairbanks Drive reserve.

Bethany Christian School and Temple Christian College and their associated buildings, car parking and landscaped/open areas are the dominant visual components with the remainder of the locality generally consisting of residential land uses.

In terms of built form, dwellings within the locality are generally single storey in height and typically feature brick walls with Colorbond sheeting or tiled roofs. Most of the dwellings are sited on generous sized allotments and feature substantial front and rear setbacks.

The school is primarily serviced by Countess Street and Byron Bay Drive. Both streets allow for two-way vehicle movement and carry a 50km/h speed limit. On Countess Street, a 'school zone' is in place which restricts the speed limit to 25km/h when children are present and sections of 'no parking' restrictions apply during 'peak' school hours between 8.00am and 9.00am and 2.30pm to 3.30pm (Monday to Friday). In addition, a 'children's crossing' is also in place during 'peak' school hours on Byron Bay Drive.

The southern portion of the subject land is located within the Suburban Activity Centre Zone, while the northern portion is located within the General Neighbourhood Zone.

A locality plan and contextual plan are provided below.

Locality Plan - Aerial



Legend (Source: Nearmap)	
	Subject land boundary
	Locality boundary
•	Representor

<u>Locality Plan – Cadastre</u>



Legend (Source: SAPPA)	
	Subject land boundary

Panorama View



Legend (Source: Nearmap)

Subject land boundary

7. DESCRIPTION OF THE PROPOSED DEVELOPMENT

The proposed development seeks consent for additions to an existing educational establishment.

An educational establishment is formally defined by Part 7 of the Planning and Design Code as:

... a primary school, secondary school, reception to year 12 school, college, university or technical institute, and includes an associated childcare facility or institution for the care and maintenance of children.

The proposal will include the demolition of the existing outdoor sports facilities comprising two (2) outdoor basketball courts and the construction of:

- One (1) indoor sports court;
- One (1) external 'undercover' sports court;
- Multi-purpose specialised sports learning areas; and
- Sports school staff offices, toilet amenities and storage.

In terms of built form, the indoor court building will measure up 9.3 metres in height and will feature a flat roof clad in metal sheeting. The walls of the building will be painted precast concrete panels and a feature perforated metal panel in a blue colour and containing the school logo signage at the main entry.

The undercover outdoor court will be finished externally in a feature perforated metal panel in a blue colour and shades of grey and contain the school logo signage to the west.

The portion of the building that will comprise the specialised sports learning areas, sporting staff offices, storage and amenities will consist of a mixture of brick (gloss and grey) and prefinished fibre cement sheeting (light grey) with aluminium window framing (Colorbond 'Monument').

In terms of setbacks, the building will be setback 10.9 metres from the western boundary to Byron Bay Drive and 89.0 metres from the southern boundary to Countess Street.

An unfenced 'rebound ace' basketball/netball court will also be constructed on the northern end of the oval adjacent Fairbanks Drive Reserve. This court does not form part of the application because it is not defined as a form of development in the *Planning, Development and Infrastructure (General) Regulations 2017*.

The Stormwater Management Plan provided with the application indicates that stormwater detention will capture excess post development flow rates for a 10% AEP (1:10 year) 5-minute duration. As a result, the proposed development will not result in increased stormwater flows that exceed the capacity of the external stormwater drainage infrastructure.

From an operational perspective, the courts are designed for (but not limited to) netball, basketball, bouldering, and indoor soccer. Other activities that my occur in the facility include table tennis, badminton, volleyball, tennis, high jump and beep testing. Activities proposed in the non-court spaces of the centre (ie movement room, lobby/foyer and activity/gallery) include (but not limited to) table tennis, movement based activities (eg yoga and meditation), dance and parent-teacher meetings.

The facility will operate during traditional school hours of Monday to Friday 8.00am to 4.00pm. After hours school sporting use Monday to Friday by school students will be between the hours of 4.00pm to 6.00pm and will be supervised by staff. Use by the school on Saturdays will be between the hours of 8.00am to 6.00pm with no activity on Sundays or public holidays.

The applicant has confirmed the facility will not be available for public use.

The development proposal does not seek to increase enrolment numbers for the school or the number of staff. Therefore, car parking requirements do not change from what was approved in the previous development approval.

A copy of the proposal plans and supporting documentation are contained in Attachment 1.

8. CLASSIFICATION

The site is located within the Suburban Activity Zone and General Neighbourhood Zone as depicted in the SA Property and Planning Atlas (SAPPA).

The proposed development comprises additions to an existing educational establishment.

The proposed development is not listed as an Accepted or Deemed to Satisfy form of development in Tables 1 or 2 respectively of the Zone, nor is the development listed as a Restricted form of development in Table 4 of the Zone.

On this basis, the application shall be assessed as a "Performance Assessed" development against the relevant provisions of the Planning and Design Code.

9. PUBLIC NOTIFICATION

The subject site extends over two zones being General Neighbourhood Zone and the Suburban Activity Centre Zone.

Table 5 of the General Neighbourhood Zone identifies land use classes of performance assessed development that are excluded from notification with an 'education facility' being listed as exempt subject to DTS/DPF 1.5. However, this use is not listed in Table 5 of the Suburban Activity Centre Zone, therefore requiring public notification.

Public notification commenced on 28 October 2024 and closed on 15 November 2024. Four (4) representations were received during the notification period. One (1) representor supports the proposal. Three (3) representors oppose the proposal and wish to be heard in support of their submission.

The representors are listed below.

Representations received		
Representat	ions received	Wish to be Heard
1	Christine Neill	
	36 Caloundra Drive	✓
	PARAOWIE SA 5108	
2	Tracy Collins	
	28 Caloundra Drive	✓
	PARALOWIE SA 5108	
3	Andrew and Tina Green	
	26 Caloundra Drive	√
	PARALOWIE SA 5108	
4	Ben Bieby	
	17 Countess Street	
	PARALOWIE SA 5108	

A copy of the sign displayed on the land and the representations received are contained in Appendix 2.

A copy of the applicant's response to the representations is contained in Appendix 3.

The content of the representations and the applicant's response are summarised in the table below.

Summary of Representations		
Concerns	Applicant's Response	
Increased traffic with congested roads	Streets being clogged by student parking is not relevant to BCS as Prep to Year 6 kids do not drive. We believe the council is working with both Temple and Bethany to improve the drop and go around the school.	
Limited existing parking spots and people ignoring no parking yellow lines	No car parking is lost for the development and will remain the same as is currently provided. During construction, 17 car parking spaces in the school car park adjacent the development site will be unavailable. This could be until mid to end of year depending on crane requirements. However, once safe to release them back into public use, they will be unfenced. Car parking relates to students and teacher numbers, and these are not increasing with the	
Speeding vehicles	proposed new building. We cannot comment on speeding as we do not believe this is a product of the sports centre.	
Noise levels associated with sports days, concerts, fundraisers or other events	Court usage is currently until around 6pm daylight permitting. This is typical for all outdoor courts. With the new indoor courts noise transmission will be contained within a building and will therefore improve the amenity of the local residences. We can confirm that the building has been designed to acoustically shield the neighbouring properties to minimise noise transmission but as the centre is currently only proposed for school usage this should be of a minor concern.	
Litter	We cannot comment on litter as we do not believe these items are a product of the sports centre as it does not include a canteen or even vending machines.	

Industrial sized building being built in a residential area close to homes and the road

Industrial size. BELL has worked hard to break down the size and scale of the building at 8.5m it is similar to the height of 2 story house and matched the existing 2 storey buildings on site. The school was mindful of scale and chose not to achieve competition standard clearances which would have added another 1.5-2m to the building. The building is designed for primary school usage and only creates enclosed and sheltered court on the area of the school currently occupied with open/exposed courts.

10. REFERRALS – STATUTORY

No statutory referrals were triggered by the proposed development.

11. REFERRALS – INTERNAL

Development Engineering

Council's Development Engineer has reviewed the proposed development and advised that, in principle, the proposed development is acceptable from a development engineering perspective subject to the provision of a detailed design and DRAINS model which can be dealt with via Reserved Matters.

City Infrastructure – Traffic

Council's Traffic Section were consulted and raised no objection to the proposed development from a road network perspective noting the proposal was an upgrade to an existing facility to be used by the school and did not include any out of school hours use by the public.

12. ASSESSMENT

Pursuant to Section 107(2)(c) of the *Planning, Development and Infrastructure Act*, it is recommended that the Panel determine that the proposed development is not seriously at variance with the Planning and Design Code.

The following reasons are given in support of this recommendation:

- a) The proposed development is an addition to an existing educational establishment which is a contemplated land use within the Suburban Activity Centre Zone and the General Neighbourhood Zone;
- b) The proposed development will not have an unreasonable impact on the amenity of the locality.

Assessment

A detailed assessment of the application has taken place against the relevant provisions of the Planning and Design Code and is described below under headings.

A Policy Enquiry containing the relevant provisions of the Planning and Design Code relating to the proposed development on the subject land, is contained in Appendix 4.

Having considered the proposal, the policies provided in the extract are considered to be relevant to the assessment of the proposal.

Overlays

A summary of the proposed development's compliance with the relevant Overlays affecting the subject land is provided in the table below.

Overlay	Assessment
Airport Building Heights	Satisfied - the proposed development does not
(Regulated) (All structures over	involve any building work over 45 metres in height.
45 metres)	
Building Near Airfields	Satisfied – no additional outdoor lighting is proposed
	by the development and the change in use is unlikely
	to attract or result in the congregation of wildlife.
Defence Aviation Area (All	Satisfied - the proposed development does not
structures over 45 metres)	involve any building work over 45 metres in height.
Hazards (Flooding – General)	Satisfied – the proposed development is located
	outside of the 1% AEP flood event.
D II IXX II A	N . 12 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Prescribed Wells Area	Not applicable – the proposed development will not
	rely on a water supply from a prescribed well.
Regulated and Significant Tree	Not applicable – the proposed development does not
regulated and Digilileant 11cc	include Tree Damaging Activity.
	merade free Eminging Heavily.
Urban Tree Canopy	Not applicable – overlay applies to residential
2.5	development only.

Local Variations

It is noted that the subject land is subject to a Technical and Numerical Variation (Local Variation) which requires consideration of 'Concept Plan 81 – Edinburgh Defence Airfield Lighting Constraints'. It is noted that there is no proposed external lighting, other than use of existing security lighting. Therefore, the lighting will not create any concerns for the safety and operation of the airfield.

Further, the subject land is subject to a Technical and Numerical Variation (Local Variation) which requires consideration of 'Interface Height'. This is satisfied as the allotment does not abut a residential use.

Zoning and Land Use

The Suburban Activity Zone seeks:

DO 1

An active commercial precinct supporting neighbourhood-scale shopping, business, entertainment and recreation facilities to provide a focus for business and community life and most daily and weekly shopping needs of the community. Buildings and pedestrian areas create a high quality, activated public realm that is integrated with pedestrian and cycle networks and establish well-defined connections to available public transport services.

The proposed development, comprising the addition to a lawfully approved land use (educational facility), is specifically envisaged by DTS/DPF 1.1 of the Suburban Activity Zone. Further, it "... provides a range of goods and services to the surrounding neighbourhood and district ..." and is anticipated by PO 1.1 of the Zone:

PO 1.1

Shops, office, entertainment, health and recreation related uses and other businesses that provide a range of goods and services to the surrounding neighbourhood and district.

DTS/DPF 1.1

Development comprises one or more of the following:

- (a) Advertisement
- (b) Childcare facility
- (c) Cinema
- (d) Community facility
- (e) Consulting room
- (f) Dwelling
- (g) Educational facility
- (h) Emergency services facility
- (i) Hospital
- (i) Hotel
- (k) Indoor recreational facility
- (l) Library
- (m) Office
- (n) Place of worship
- (o) Recreation area
- (p) Residential flat building
- (q) Retail fuel outlet
- (r) Retirement facility
- (s) Shop
- (t) Supported accommodation
- (u) Tourist accommodation

In addition, turning to the General Neighbourhood Zone, the existing land use is also contemplated by PO 1.1 of the Zone:

PO 1.1

Predominantly residential development with complementary non-residential uses that support an active, convenient, and walkable neighbourhood.

DTS/DPF 1.1

Development comprises one or more of the following:

- (a) Ancillary accommodation
- (b) Childcare facility
- (c) Community facility
- (d) Consulting room
- (e) Dwelling
- (f) Educational facility
- (g) Office
- (h) Place of worship
- (i) Recreation area
- (j) Residential flat building
- (k) Retirement facility
- (l) Shop
- (m) Supported accommodation

Performance Outcomes (PO) 1.2 and 1.3 provide greater clarity in relation to land uses sought in the Zone:

PO 1.2

Non-residential development located and designed to improve community accessibility to services, primarily in the form of:

- (a) small scale commercial uses such as offices, shops and consulting rooms
- (b) community services such as educational facilities, community centres, places of worship, child care facilities and other health and welfare services
- (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities
- (d) open space and recreation facilities.

DTS/DPF 1.2

None are applicable.

PO 1.3

Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood.

DTS/DPF 1.3

None are applicable.

Although this will be an expansion of the existing educational facility, the use of the subject land will not change as a result of the proposed development. The subject land will continue to operate as a non-residential land use being an existing lawfully approved educational facility. Essentially, this proposed development will replace two (2) outdated outdoor sports courts with two (2) new all-weather courts [one (1) indoor and one (1) undercover outdoor] and will provide improved functionality for the school.

Given the above, the proposed development is consistent with the relevant provisions of the Suburban Activity Zone and the General Neighbourhood Zone.

Building Height and Setbacks

Building Height

The Suburban Activity Zone seeks development to comprise building heights to complement the established streetscape and local character, anticipated by PO 3.1 of the Zone.

PO 3.1

Building height is consistent with the form expressed in any relevant Maximum Building Height (Levels) Technical and Numeric Variation layer and Maximum Building Height (Metres) Technical and Numeric Variation layers or is generally low rise to complement the established streetscape and local character.

DTS/DPF 3.1

Building height is:

- (a) not greater than:
 - (i) the following:
 - (ii) in all other cases (i.e. there are blank fields for both maximum building height (metres) and maximum building height (levels)) 3 building levels up to a height of 12m

and

(b) not less than:

In relation to DTS/DPF 3.1, in instances where:

- (c) more than one value is returned in the same field:
 - (i) for the purpose of DTS/DPF
 3.1(a)(i), refer to the Maximum
 Building Height (Metres)
 Technical and Numeric Variation
 layer or Maximum Building
 Height (Levels) Technical and
 Numeric Variation layer in the SA
 planning database to determine
 the applicable value relevant to
 the site of the proposed
 development
 - (ii) for the purpose of DTS/DPF

3.1(b) refer to the Minimum
Building Height (Levels) Numeric
Variation layer in the SA
planning database to determine
the applicable value relevant to
the site of the proposed
development

- (d) only one value is returned for DTS/DPF 3.1(a)(i), (i.e. there is one blank field), then the relevant height in metres or building levels applies with no criteria for the other
- (e) no value is returned for DTS/DPF 3.1(b), (ie there is a blank field), then there is no minimum building height and DTS/DPF 3.1(b) is met.

DTS/DPF 3.1(a) provides no value for a maximum building height. Therefore, (a)(ii) advises where there are blank fields for both maximum building height (metres) and maximum building height (levels), building height shall be no greater than 3 building levels up to a height of 12 metres.

The proposed building height is a maximum of 9.3 metres.

Therefore, the building height does not exceed the exceed the limit expressed by the Suburban Activity Zone DTS/DPF 3.1 and is therefore consistent with the relevant provisions of the Suburban Activity Zone.

Further, turning to the General Neighbourhood Zone, Performance Outcome (PO) 4.1 provides clarity in relation to the building heights sought in the Zone:

PO 4.1

Buildings contribute to a low-rise suburban character.

DTS/DPF 4.1

Building height (excluding garages, carports and outbuildings) no greater than 2 building levels and 9m and wall height that is no greater than 7m (not including a gable end).

It is important to note the siting of the proposed development is located within the Suburban Activity Zone portion of the subject land where the existing buildings are located (southern end of the site). The General Neighbourhood portion of the subject land is located at the northern end of the site where the oval is located.

The height of the proposed building, while comprising a wall height greater than 7 metres at its highest point over the courts, is not dissimilar to the existing two storey buildings on the subject land located to the south of the proposed building. The proposed development represents a high-quality design which features a range of materials and colours while also presenting an articulated and visually interesting frontage to Byron Bay Drive and the adjacent residential properties to the west. In addition, substantial areas of mature landscaping will be retained around the building.

For these reasons, the building height is considered to complement the established streetscape and local character and is consistent with the intent of Performance Outcome 4.1.

Setbacks

Performance Outcome (PO) 3.3 of the Suburban Activity Zone provides clarity in relation to the setbacks sought in the Zone.

PO 3.3

Buildings on an allotment fronting a road that is not a State maintained road, and where land on the opposite side of the road is within a neighbourhood-type zone, provides an orderly transition to the built form scale envisaged in the adjacent zone to complement the streetscape character.

DTS/DPF 3.3

None are applicable.

In terms of the siting of the indoor court building, the 10.9 metre setback to the Byron Bay Drive property boundary will complement the existing setbacks of existing school buildings (setback 6.65 metres from the boundary on the subject land) as well as the setback of the Goodstart Early Learning Centre (approximately 5 metres at its closest point) on the adjoining property to the northwest.

Further, the generous setback to the Byron Bay boundary will provide an appropriate separation between the proposed development and the adjoining residential properties on the western side of Byron Bay Drive. This will complement the existing streetscape character while also allowing for landscaped play areas to be retained.

In this way, the setbacks are considered reasonable and will not unreasonably impact on surrounding residential sites. The proposed development therefore satisfies the setback provisions of the Suburban Activity Zone.

In addition, turning to the General Neighbourhood Zone, Performance Outcome (PO) 6.1 provides clarity in relation to the building heights sought in the Zone:

PO 6.1

Buildings are set back from secondary street boundaries to achieve separation between building walls and public streets and contribute to a suburban streetscape character.

DTS/DPF 6.1

Building walls are set back from the boundary of the allotment with a secondary street frontage:

- (a) at least 900mm or
- (b) if a building (except for ancillary buildings and structures) on any adjoining allotment is closer to the secondary street than 900m, not less than the distance of that building from the boundary with the secondary street.

It is important to note the siting of the proposed development is located within the Suburban Activity Zone portion of the subject land where the existing buildings are located (southern end of the site). The General Neighbourhood portion of the subject land is located at the northern end of the site where the oval is located.

The setback of the proposed building, being 10.9 metres from the Byron Bay Drive property boundary, achieves separation between the wall of the building and public streets and contributes to a suburban streetscape character. The setback of the building also allows for substantial areas of mature landscaping to be retained along the Byron Bay Drive frontage.

Therefore, the setback is consistent with the intent of Performance Outcome 6.1.

Design and Appearance

The following Performance Outcomes (PO) in the Suburban Activity Zone provide clarity in relation to the built form and character sought in the Zone:

PO 2.1

Development complements adjacent development within the zone, and mitigates interface impacts on adjoining residential uses in neighbourhood-type zones through appropriate building siting, scale and design.

DTS/DPF 2.1

None are applicable

PO 2.2

Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares.

DTS/DPF 2.2

None are applicable.

Further, turning to the General Neighbourhood Zone, the following Performance Outcomes (PO) provide clarity in relation to the built form and character sought in the Zone:

PO 1.3

Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood.

DTS/DPF 1.3

None are applicable.

PO 1.5

Expansion of existing community services such as educational facilities, community facilities and child care facilities in a manner which complements the scale of development envisaged by the desired outcome for the neighbourhood.

DTS/DPF 1.5

Alteration of or addition to existing educational facilities, community facilities or child care facilities where all the following are satisfied:

- (a) set back at least 3m from any boundary shared with a residential land use
- (b) building height not exceeding 1 building level

- (c) the total floor area of the building not exceeding 150% of the total floor area prior to the addition/alteration
- (d) off-street vehicular parking exists or will be provided in accordance with the rate(s) specified in Transport, Access and Parking Table 1 General Off-Street Car Parking Requirements or Table 2 Off-Street Car Parking Requirements in Designated Areas to the nearest whole number.

In terms of built form, the building will comprise:

- a single indoor court with a total floor area of 801 square metres will feature a flat roof and will be finished externally in painted precast concrete panels and a feature perforated metal panel in a blue colour and containing the school logo signage at the main entry.
- an undercover outdoor court of 665 square metres will be finished externally in a feature perforated metal panel in a blue colour and shades of grey and containing the school logo signage to the west.
- a specialised sports learning areas, sporting staff offices, storage and amenities with a total floor area of approximately 623 square metres will be finished externally in brick (gloss and grey), pre-finished fibre cement sheet (light grey) and aluminium window framing (Monument).

The building has been architecturally designed to match and complement the existing design features of the school.

In terms of its street presentation, the proposed development represents a high-quality design which features a range of materials and colours while also presenting an articulated and visually interesting frontage to Byron Bay Drive and the adjacent General Neighbourhood Zone residential properties to the west. In addition, substantial areas of landscaping will be retained around the building to provide outdoor play areas for children who are enrolled in the Early Learning Centre while also enhancing the appearance of the land from the streetscape. Further, the boundary will retain the open style fencing which will present attractively to the street and allow for passive surveillance opportunities to and from the site.

In this way, the proposed development satisfies the following 'Design in Urban Areas – General Development Policies' in the Planning and Design Code:

PO 1.1

DTS/DPF 1.1

None are applicable.

Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof

form and slope).

PO 1.5

The negative visual impact of outdoor

DTS/DPF 1.5

None are applicable.

storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.

PO 2.3

Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.

PO 2.4

Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.

PO 2.5

Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.

DTS/DPF 2.3

None are applicable.

DTS/DPF 2.4

None are applicable.

DTS/DPF 2.5

None are applicable.

Overall, it is considered that the development is well designed and includes several architectural elements, articulation and features to ensure it will present well to the street while being sympathetic towards adjoining properties with generous setbacks provided.

The design of the proposed development is therefore considered to be consistent with the relevant provisions of the Planning and Design Code.

Interface Between Land Uses

Given the nature of the proposed use, it is considered that potential impacts associated with noise, hours of operation and lighting are most relevant to this assessment from an interface perspective. These are discussed below under separate headings.

Noise

Performance Outcome (PO) 2.1 of the Suburban Activity Zone seeks:

PO 2.1

DTS/DPF 2.1None are applicable.

Development complements adjacent development within the zone, and mitigates interface impacts on adjoining residential uses in neighbourhood-type zones through appropriate building siting, scale and design.

Further, Performance Outcome (PO) 1.3 provides clarity in relation non-residential land uses in the General Neighbourhood Zone:

PO 1.3 DTS/DPF 1.3

Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood.

None are applicable

It is noted that noise from activities carried on in the normal course of a school, kindergarten, child care centre or place of worship, other than noise consisting of amplified music, are defined as things that are not local nuisance in the *Local Nuisance and Litter Control Act* 2016 (refer to Schedule 1 – Meaning of local nuisance (section 17), Part 3 – Things that are not local nuisance, 5 – Things that are not local nuisance).

Currently, the existing open-air courts have no form of sound attenuation and operate under similar conditions and times as the proposed facility. The benefit of the proposed development to the adjacent residential properties are the courts will now be either enclosed or setback further into the subject site away from the residences on Byron Bay Drive.

The applicant has stated the noisier spaces of a gym will generally be the courts with whistles and foot noise. This will all be enclosed now where previously was uncontrolled. The proposed precast walls and thermally and acoustically insulated roof will reduce the noise from the courts. The openings to the building have been kept to a minimum from the main court and these doors will be designed with acoustic seals.

Further, sound attenuation panels to the internal court walls are proposed to assist in ensuring the space works well for a teaching space. This will also help with any sound spill that may occur.

As parts of the facility will be used for dance and movement, the proposed external walls of the non-court part of the gym will be designed of a high acoustic level as the adjacent school building includes an early learning centre that also has sound sensitivities. Sound spill will be designed to be minimal and well within the requirements of building adjacent to residential zoning.

For the above reasons, it is considered the proposed development is unlikely to result in an increased impact on the residential area in terms of noise. Moreover, the proposal has included features to reduce the noise currently generated onsite.

Therefore, the proposed development is considered to satisfy the following 'Interface between Land Uses – General Development Policies' of the Planning and Design Code:

DO 1

Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

PO 1.2

Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.

DTS/DPF 1.2

None are applicable.

PO 4.1

Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).

DTS/DPF 4.1

Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.

Hours of operation

Performance Outcome (PO) 2.1 of the Interface between Land Uses – General Development Policies' of the Planning and Design Code states:

PO 2.1

Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:

- (a) the nature of the development
- (b) measures to mitigate off-site impacts
- (c) the extent to which the development is desired in the zone
- (d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.

DTS/DPF 2.1

Development operating within the following hours:

Class of development Hours

Consulting room 7am to 9pm

Monday to Friday 8am to 5pm Saturday

Office 7am to 9pm

Monday to Friday 8am to 5pm

Saturday

Shop (other than any one or combination of the following:

7am to 9pm Monday to Friday 8am to 5pm

Saturday and Sunday

- (a) restaurant
- (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or

Rural Horticulture Zone

The applicant has advised the proposed facility will continue to operate during traditional school hours of Monday to Friday 8.00am to 4.00pm. After hours school sporting use Monday to Friday by school students will be between the hours of 4.00pm to 6.00pm and will be supervised by staff. Use by the school on Saturdays will be between the hours of 8.00am to 6.00pm with no activity on Sundays or public holidays.

Further, the applicant has confirmed the facility will not be available for public use.

As the building will generally operate in line with standard school hours there are no anticipated unreasonable amenity impacts. All activities associated with the proposed development will occur during reasonable time periods so as not to be a nuisance to adjacent residential properties.

The design of the proposed development is therefore considered to be consistent with the relevant provisions of the Planning and Design Code as it relates to noise.

Lighting

Performance Outcome (PO) 6.1 and 6.2 of the 'Interface between Land Uses – General Development Policies' of the Planning and Design Code states:

PO 6.1 DTS/DPF 6.1

External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).

None are applicable.

PO 6.2 DTS/DPF 6.1

External lighting is not hazardous to motorists and cyclists.

None are applicable.

The applicant has confirmed any proposed external lighting will be designed to ensure no light spill occurs towards the residences on Byron Bay Drive or the residences sharing a fence line to the northeast against the oval. A condition of approval is recommended to reinforce the management of light spill within the school grounds.

Impact on the local road network and traffic movement

Desired Outcome 1 of the 'Interface between Land Uses – General Development Policies' of the Planning and Design Code is of relevance:

DO 1 Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Further, Performance Outcome (PO) 1.1 of the 'Transport, Access and Parking – General Development Policies' of the Planning and Design Code advises:

PO 1.1 DTS/DPF 1.1

Development is integrated with the existing transport system and designed to minimize its potential impact on the functional performance of the transport system.

None are applicable.

It is acknowledged there will continue to be some level of congestion and amenity impact as a consequence of drop off and pick up times associated with the existing school. Such impacts are generally confined to relatively short periods of time. In addition, some level of traffic impact is to be expected within and adjacent to a Suburban Activity Centre Zone, where a range of 'people generating' activities are anticipated. As such the level of residential amenity adjacent a centre zone, is likely to differ to that which is found within a residential zone comprised exclusively of housing.

However, it is important to confirm that the proposed development does not result in a fundamental change to the operations of the school. This means that student enrolment numbers, the number of staff and hours of operation will all remain as they are currently approved. Nor does the proposal seek to change any existing access or parking arrangements. The proposal merely seeks to upgrade existing onsite sporting facilities.

The impact of the proposed development on the local road network was a concern was raised by the representors during the public notification period. The representors indicated a concern with traffic movement and congestion associated with existing conditions and the potential for the proposal to exacerbate this further. While traffic was raised as an issue, no additional impacts to the road network are anticipated noting no additional students or staff are proposed and the proposed development is an upgrade to existing facilities.

Access

The following Performance Outcome (PO) and their associated Deemed to Satisfy/Designated Performance Features (DTS/DPF) provide greater clarity in relation to vehicle access:

PO 3.1

Safe and convenient access minimises impact or interruption on the operation of public roads.

DTS/DPF 3.1

The access is:

- (a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or
- (b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.

PO 3.3

Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.

DTS/DPF 3.3

None are applicable.

PO 3.4

Access points are sited and designed to minimise any adverse impacts on neighbouring properties.

DTS/DPF 3.4

None are applicable.

PO 3.8

Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.

DTS/DFP 3.8

None are applicable.

PO 3.9

Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads

DTS/DFP 3.9

None are applicable.

The proposed development will retain the existing access arrangements that currently apply to the subject land. No additional vehicle access points are proposed as a result of this application.

Existing vehicle access points to and from the subject site are via Countess Street and Byron Bay Drive and facilitate safe and convenient vehicle movements for all vehicles expected to visit the subject land. It is understood that deliveries and waste collection associated with the proposed facility will not change and will be provided via the existing arrangements.

In this way, the proposed development satisfies the following 'Transport, Access and Parking '- General Development Policies' in the Planning and Design Code:

Car Parking

The following Performance Outcome (PO) and their associated Deemed to Satisfy/Designated Performance Features (DTS/DPF) provide greater clarity in relation to vehicle parking:

PO 5.1

Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as:

(a) availability of on-street car parking

DTS/DPF 5.1

Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant:

(a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if

- (b) shared use of other parking areas
- (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared
- (d) the adaptive reuse of a State or Local Heritage Place.
- the development is a class of development listed in Table 2 and the site is in a Designated Area
- (b) Transport, Access and Parking Table I General Off-Street Car Parking Requirements where (a) does not apply
- (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund.

DTS/DPF 6.2

None are applicable.

PO 6.2

Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.

PO 6.4

Pedestrian linkages between parking areas and the development are provided and are safe and convenient.

PO 6.5

Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.

PO 6.7

On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.

DTS/DPF 6.4

None are applicable.

DTS/DFP 6.5

None are applicable.

DTS/DFP 6.7

None are applicable.

The proposed development will retain the existing vehicle parking arrangements that currently apply to the subject land. No changes are proposed.

A car parking area for Bethany Christian School is located adjacent Countess Street. This area comprises 55 parking spaces plus an additional 4 parking spaces available within the pick-up/set down area within this car parking area. An additional 20 spaces are provided for Temple Christian School in the shared car park. This equates to a total of 79 parking spaces within this car parking area (although 20 of these are designated for use by Temple Christian College).

A pickup/set down facility is provided via Byron Bay Drive, linking to the western car park. This supports 9 car parking spaces within the driveway handle, connecting to a car park with 33 spaces.

Outside the site there is also a shared car parking area comprising 25 spaces provided within Fairbanks Drive Reserve.

Location	Number of car parking spaces
Bethany Christian School	101 spaces
Temple Christian College (shared car park)	20 spaces
Fairbanks Drive Reserve (shared car park)	25 spaces

Overall, a total of 146 car parking spaces will continue to be available for use by the school.

During the construction period, the applicant has identified 17 car parking spaces in the school car park immediately to the north the of development site will become unavailable for a period. They have indicated this may be until mid to end of year depending on crane requirements. However, once safe to release them back into public use, the area will be unfenced, and the car parks will become available for use.

While the development proposal does not seek to increase student enrolment numbers or the number of staff, the applicant provided a Parking Review prepared by Empirical Traffic Advisory. Their parking assessment found the following:

- The proposed development comprises a new indoor gymnasium and sports facility development (1 indoor basketball court and 1 outdoor undercover basketball court with associated amenities) at Bethany Christian School.
- No changes to the existing car parking areas are proposed.
- No changes are proposed from the existing situation for deliveries to/from the school and waste collection.
- The proposed development does not propose an increase in staff or student numbers, which does not require additional parking spaces in accordance with the SA Planning and Design Code.

The assessment has concluded that the car parking requirements do not need to change from what was already approved in the previous development approval. As such, the proposed development satisfies the relevant Transport, Access and Parking provisions of the Planning and Design Code as it relates to vehicle parking.

13. CONCLUSION

This report has provided a detailed assessment of the application against the relevant provisions of the Planning and Design Code. The assessment found that the proposed development:

- (a) Represents an appropriate upgrade to an existing school and considered acceptable within the Suburban Activity Zone and General Neighbourhood Zone;
- (b) The building is of a contemporary architectural design which will enhance the appearance of the streetscape without adversely impacting on the amenity of the locality;
- (c) The building height and setbacks from property boundaries are acceptable;
- (d) Interface considerations have been appropriately addressed and will not have a negative impact on adjoining properties or the locality;

- (e) There are no anticipated changes to traffic movements on the local road network;
- (f) Adequate onsite car parking is provided to accommodate the upgraded use;
- (g) The proposal adequately addresses the concerns raised during public notification.

Accordingly, it is recommended that Planning Consent be granted, subject to Reserved Matters and conditions.

14. STAFF RECOMMENDATION

That the Council Assessment Panel resolve that:

- A. The proposed development is not considered to be seriously at variance with the Planning and Design Code.
- B. Pursuant to Section 33 of the *Planning, Development and Infrastructure Act 2016*, Planning Consent is **GRANTED** to application number 24026923 for Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings in accordance with the plans and details submitted with the application and subject to the following conditions:

Reserved Matters

The following matter/s shall be submitted for further assessment and approval by the Assessment Manager, as delegate of the Council Assessment Panel, as Reserved Matters under Section 102(5) of the *Planning, Development and Infrastructure Act* 2016:

- 1. Civil and Siteworks Plan, prepared by a qualified and experienced stormwater engineer, for all civil and stormwater works, which shall address all of the following:
 - (a) Finished floor levels for all buildings, hardstand surfaces, pavement design
 - (b) details and gradients; and
 - (c) Cut/fill details; and
 - (d) Retaining walls, kerbing or ramps, their design and grades; and
 - (e) To provide additional protection from stormwater within the road, the level of the driveway at the boundary is to maintain a minimum 150mm boundary rise be raised from the adjacent top of kerb in accordance with Council's standard detail SD-13; and
 - (f) Car parking dimensions, aisle widths, circulation movements and associated pavement markings and signage; and
 - (g) Pumped stormwater systems are to be designed and constructed in accordance with AS3500.3 Section 8. This includes the provision of duplicate, alternate duty pumps, alarms and emergency storage; and
 - (h) Plans prepared are to be consistent and reflective of the advice received by third party consultants (Environmental Noise Assessment, Traffic and Parking Report, Landscape Plans and Waste Management Advice).

- 2. Stormwater management arrangements, including accompanying design calculations, which consider the 10% AEP minor storm and 1% AEP major storm events.
 - (a) Stormwater discharge to the downstream system is not to exceed the predevelopment
 - (b) discharge rate for the equivalent minor and major storm events; and
 - (c) Stormwater systems shall be designed and constructed to cater for minor storm flows (10% AEP). The design of the stormwater system shall ensure that no stormwater is discharged onto any adjoining land. Surface stormwater is to be managed in a manner that ensures no ponding of water against buildings and structures, no creation of any insanitary conditions and no runoff into neighbouring property for the 1% AEP major storm event
 - (d) Surface drainage systems are to be designed and constructed in accordance with AS3500.3 Section 5. Surface drainage systems are to be designed to ensure overflows, in storm events with an ARI of 100 years, do not present a hazard or nuisance to people or property or discharge over any adjoining land.
 - (e) Roof drainage systems are to be designed in accordance with AS3500.3 Section 3. Stormwater discharge from the site to the downstream stormwater system is not to exceed the equivalent of the pre-developed minor storm event (10% AEP)
 - (f) MUSIC modelling is to be provided to demonstrate that Council's water quality targets can be achieved. The P&D Code (Design in Urban Areas Assessment Provision PO 42.2) includes the following Water Sensitive Design provision; Water discharged from a development site is to be of a physical, chemical and biological condition equivalent to of better than its predevelopment state. To achieve the requirements of the Code and ensure Council's water quality objectives are met, it's recommended that the following water quality targets requirements apply. These are to be verified through provision of a MUSIC model to support the proposal:
 - i. 80% retention of the typical urban annual load for Total Suspended Solids
 - ii. 60% retention of the typical urban annual load for Total Phosphorus
 - iii. 45% retention of the typical urban annual load for Total Nitrogen
 - iv. 100% retention of the typical urban annual load for Gross Pollutants (litter)
 - v. No visible oil flows up to the 3month ARI peak flow

Planning Consent Conditions

- 1. The proposal shall be developed in accordance with the details and Council stamped approved plans lodged with the application, except where varied by the conditions herein.
- 2. The external surfaces of the building shall:
 - a. be of new non-reflective materials; and
 - b. be finished in natural tones; and
 - c. be maintained in good condition at all times.

- 3. All waste and rubbish from the activity shall be contained and stored pending removal in covered containers which shall be kept in an area screened from public view.
- 4. Stormwater systems shall be designed and constructed to cater for minor storm flows (Industrial / Commercial ARI = 10 years). The design of the stormwater system shall ensure that no stormwater is discharged onto any adjoining land. Surface stormwater is to be managed in a manner that ensures no ponding of water against buildings and structures, no creation of any insanitary condition, and no runoff into neighbouring property for the major storm ARI = 100 years.
- 5. All roof and ground level plant and equipment shall incorporate screening devices.
- 6. Except where otherwise approved, outside lighting shall be restricted to that necessary for security purposes only and shall be directed and shaded to prevent light overspill and/or nuisance to adjacent occupiers or distraction to drivers on adjacent public roads. All lighting shall be in accordance with Australian Standard 4282 1997 'Control of the obtrusive effects of outdoor lighting'.
- 7. All waste and rubbish from the activity shall be contained and stored pending removal in covered containers which shall be kept in an area screened from public view.
- 8. The generation of airborne dust caused as a result of construction works shall be minimised at all times. Where generation of airborne dust is likely to cause nuisance beyond the site boundaries, dust control measures shall be implemented immediately.
- 9. Student numbers for Bethany Christian School shall be limited to a maximum of 545 students at any one time, unless otherwise approved by Council.
- 10. The approved use shall operate only by the school with no public use. Operating times shall be limited to Monday to Friday 8.00am to 6.00pm and Saturday 8.00am to 6.00pm with no activity on Sundays and Public Holidays.

Advice Notes

• Rights of Appeal

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone number 8204 0289).

• Building Consent and Approval Still Required

Building Consent and Development Approval must be obtained within 24 months from the date of this Notification, unless this period has been extended by the Council. Work cannot commence until a Development Approval is obtained.

Page 40

• Commencement

The development shall be lawfully commenced by substantial work on the site of the development within 2 years from the date of Development Approval. If substantial work on the site has occurred within 2 years, the development shall be substantially or fully completed within 3 years from the date of Development Approval.

• Advice Regarding Council Land

This Development Approval does not constitute landowner's approval. The following applies to any works on Council land:

- O Any person making alteration to Council land including erecting or installing a structure (pipes, wires, cables, fixtures, fittings), storing building materials, erecting temporary fencing, altering the kerb, gutter, footpath or crossover etc. in, on, under or over Council land, is subject to a permit from Council pursuant to Section 221 of the *Local Government Act 1999*.
- Service infrastructure should be located as far as practicable away from street trees, in order to protect the root zone and to prevent future damage to the infrastructure from roof expansion.
- Residents and businesses are encouraged to develop and maintain the verge area between their property boundary and the kerb. However, some types of development such as irrigation, tree planting and landscaping may be restricted in some areas and therefore permission should be first sought from Council before commencing any works;
- O It is the developers/owner's responsibility to ensure that damage does not occur to verge infrastructure during construction. Council regularly inspects the condition of verge infrastructure during construction and where damage is observed, Council may recover the costs from the owner for reinstatement of any damage to the footpath, kerb or gutter and may also impose a substantial penalty for any willful damage.

• Siting of Building Work

It is your responsibility to ensure that any building work is correctly sited with respect to the property boundaries of the site and it is strongly recommended that a boundary survey be undertaken before any work commences to ensure the building work is accommodated within the designated footprint and achieves the designated boundary setbacks.

• Plans Available On-Site

The Council approved plans should be available on site at all times while performing the building work.

Fences Act

You will need to obtain your permission from your neighbour should you wish to access their property to carry out construction work adjacent the boundary or if you wish to erect common boundary fencing or boundary retaining walls, pursuant to the Fences Act 1975. To find out more, please visit:

https://lsc.sa.gov.au/resources/fencesandthelawbooklet.pdf

Construction Noise

The applicant is reminded that demolition and construction is required to be carried out so that it complies with the mandatory construction noise provisions of Part 6, Division of the *Environment Protection (Noise) Policy 2007* and the provisions of the *Local Nuisance and Litter Control Act 2016*. Under the *Local Nuisance and Litter Control Act 2016*, construction noise is declared to constitute a local nuisance as follows:

The noise has travelled from the location of the construction activity to neighbouring premises –

- o On any Sunday or public holiday;
- o After 7pm or before 7am on any other day.

• EPA and Local Nuisance Matters

The applicant is reminded of its general environmental duty, as required by Section 25 of the *Environment Protection Act 1993*, to take all reasonable and practicable measures to ensure that the activities on the whole site, including during construction, do not pollute the environment in a way which causes or may cause environmental harm.

In addition, the applicant is responsible for ensuring the development (including demolition, civil works and construction activities) do not cause a 'local nuisance' under the *Local Nuisance and Litter Control Act 2016*.

Accordingly, your site planning activities should consider:

- o providing a stabilised entry/exit point to the site for all construction and trade vehicles, including contained wash down area for vehicles and equipment
- o appropriately located stockpiles and storage materials
- o a suitable and designated area for brick cutting and concrete works
- o a contained area for paint and plastering waste and wash waters
- o appropriate location of noisy equipment so as to avoid unreasonable impacts to neighbours
- o dust control measures such as use of a water cart and/or covering stockpiles

Note: EPA information sheets, guidelines documents, codes of practice, technical bulletins etc. can be accessed on the following web site: http://www.epa.sa.gov.au

• Conditions Remain Valid Unless Otherwise Varied

Except where otherwise varied by this Consent, the conditions imposed herein shall be in addition to conditions that apply to the site from previous approvals that remain active.

Page 42 City of Salisbury

ATTACHMENTS

This document should be read in conjunction with the following attachments:

- 1. Proposal Plans and Supporting Documentation
- 2. Copy of Sign Displayed on the Land and Representations
- 3. Applicant's Response to Representations
- 4. Extract of Planning and Design Code

Appendix 1

Proposal Plans and Supporting Documentation





PLANNING REPORT

Proposed new Gymnasium

37 Countess Street, Paralowie SA 5108

Revision B

Prepared for: Date: Bethany Christian School 13.09.2024

Contents

1. INTROD	UCTION2
2. PROPO	SED DEVELOPMENT6
3. SPATIA	L ATTRIBUTES7
3.1.1 Site	7
3.1.2 Localit	y8
3.1.3 Zoning	8
4. CONCL	USION9
APPENDICE	ES .
APPENDIX 1.	CERTIFICATE OF TITLE
APPENDIX 2.	BELL ARCHITECTURE - ARCHITECTURAL DOCUMENTATION.
APPENDIX 3.	MLEI CONSULTING ENGINEERS - STORMWATER MANAGEMENT PLAN AND CIVIL DRAWINGS.
APPENDIX 4.	EMPIRICAL TRAFFIC - TRAFFIC AND PARKING REPORT.
APPENDIX 5.	BELL ARCHITECTURE - PROPOSED FUTURE PUBLIC CAR PARK EXTENSION.



1. INTRODUCTION

This revised report has been prepared to accompany a development application by the Bethany Christian School to construct a new indoor gymnasium and associated specialised learning areas to carry out school needs at 37 Countess St, Paralowie SA ('the site') including:

- 1 Indoor sports court;
- 1 external 'undercover' sports court;
- Multi-purpose specialised sports learning areas;
- · Sports school staff offices, toilet amenities and storage.

Bethany Christian School was started in 1981 and is a ministry of Base Church, a Pentecostal Church belonging to Acts Global Churches and is capped at 545 students from Reception to Year 6. Located in Paralowie in the Northern suburbs of Adelaide, South Australia. The School also operates an ELC which has a maximum licensed capacity of 44 Students.

The school is a Commonwealth and State funded and registered school, governed by a School Council consisting of members approved by Base Church's Management Team, and including the School Leadership team comprising the Principal, Deputy Principal and Bursar.

Prior to submitting this application, a preliminary meeting with council was undertaken to outline any potential concerns or additional information that may be required for the Development Approval issue. Attendees of the meeting were as follows: Karyn Brown (Salisbury Council), Wendy Matear (BCS), Jeremy Graetz (BCS), Tim Ross (BELL Architecture) and Jason Chambers (BELL Architecture).

In preparing this report, we have:

- · inspected the site and its immediate surroundings;
- identified and reviewed what we consider to be the most pertinent provisions of the Planning and Design Code.
- Had regard to the Planning, Development and Infrastructure Act 2016 ('the Act') and to the Planning, Development and Infrastructure (General) Regulations 2017 ('the Regulations').
- Also had regard to the certificate of title in Appendix 1.
- Prepared architectural drawings in Appendix 2.
- Reviewed the supporting documents, including:
 - » stormwater management plan and civil drawings prepared by MLEI Consulting Engineers in Appendix 3.
 - » traffic and parking assessment prepared by Empirical Traffic in Appendix 4.
- Proposed future carpark extension in Appendix 5.

This report contains our description of the site, its surroundings and the proposal, and our assessment of the proposal against what we consider to be the most relevant provisions of the Code.



2. OPERATIONAL REPORT

Operationally a school gym can have a multitude of uses below is a list of activities the school currently undertakes but is by no means a restrictive and or exhaustive list.

Courts:

Designed for the following sports:

Netball

Basketball

Bouldering

Indoor Soccer

etc

Other activities that can occur in a typical gymnasium:

Table Tennis

Badminton

Volley Ball

Tennis

High Jump

Beep Testing

Numerous education activities that enhance students co-ordination and growth

Etc

Activities proposed in the non court spaces of the centre: (Movement Room, Lobby/Foyer, Activity/Gallery)

Table Tennis

Movement Based Activities (yoga and meditation)

General learning area

Dance

Parent-Teacher Meetings

The gym will not create or change the current vehicle access to the Bethany site.

Waste disposal will also not be changed for the site and will be looked after by the schools maintenance team which will inherit the old Physical Education Store and Office to ensure they have adequate space to maintain the schools current and future buildings.

Bethany Christian School has decided to not apply for after hours use at this point in time due to no current demand. The school will assess each community group application for out of hours use and ensure the appropriate approvals are in place before out of hours usage occurs.



3. STAFFING AND STUDENT NUMBERS

Current Staffing Numbers: 68 (ELC 10 , BSC 58)
Future Staffing Numbers: 68 (ELC 10 , BSC 58)

Bethany currently runs with 4 Physical Education Staff which are a combination of full time and part time. They also have a staff member that is the Junior Primary Arts Teacher which includes movement and music. The 5 Spaces designed for in the proposed Gym office areas cater for the relocation of these staff members (3 from an existing shed highlighted in red below) and 2 from other staff areas that are overcrowded through the school.



Current Student Numbers BCS (Currently below the capped number): 536

Current Student Numbers ELC: 39/day

Future Student Numbers: (Up to but not exceeding the capped numbers of 545 for BCS and 44 for ELC)



We would like to refer to the two previous Das lodged and approved for the school. The STEM building did extensive traffic reporting and review that raised and fixed the Student Levels across the school and ELC. The Gym will not be impacting these numbers as the school will remain a three-stream school.

DA361/1462/2018/2B STEM Building capped the Bethany Christian School at 545

DA361/1299/2016/2B had the ELC at 44 childcare places

In summary the proposed development does not propose to increase staff or student numbers and therefore the off street car parking requirements should not change from what was approved in DA361/1462/2018/2B



4. PROPOSED DEVELOPMENT

The Applicant seeks to obtain planning consent to establish a new sports teaching facility for the Bethany Christian School in Paralowie SA.

The proposed development involves the construction of an industrial scale building, which:

- · will measure up to 9.3 metres in height.
- will be set back approximately:
 - » 10.9 metres from the eastern boundary to Byron Bay Drive.
 - » 89.0 metres from the southern boundary to Countess Street.
- will include a single indoor court with a total floor area of 801 square metres, which will be finished
 externally in painted precast concrete panels and a feature perforated metal panel, colour blue
 and containing the school logo signage at the main entry.
- will include an undercover outdoor court of 665 square metres which will be finished externally in
 a feature perforated metal panel colour blue and shades of grey, also containing the school logo
 signage to the west.
- will include an area of approx. 623 square metres, comprising of specialised sports learning areas, sporting staff offices, storage and amenities. The external appearance will comprise of brick (gloss, grey), pre-finished fibre cement sheet (light grey) and aluminium window framing (monument).
- will have 'Bethany Christian School Sports' signage affixed to the east and west façade of the building.

Operationally:

- · the facility will operate during traditional school hours of 8am to 4pm, Monday to Friday;
- Saturday will see the courts used by the school between the hours of 8am and 6pm
- Monday to Friday after hours school sporting use of 4pm to 6pm by school students supervised by staff.
- No public use outside of these hours.
- the facility will accommodate up to 5 staff during a normal day which are relocated from within the existing school buildings.

In addition to the above, the proposal includes:

 a concrete footpath and covered way around the entirety of the building and also linking to other buildings on site of approx. 650 square metres.



5. SPATIAL ATTRIBUTES

5.1.1 Site

The site is identified in Figure 3.1 below.

Figure 5.1 The site



(Proposed site location shown red)

The site:

 is formally identified as 27-35 Countess Street, Paralowie SA Title Ref. CT6252/317

Parel Plan: C40335 F101

- is bound by road frontages to two of its boundaries, facing east to Byron Bay Drive and south to Countess Street.
- Shares a boundary to the North East with Residential Properties



- Shares a boundary to the East with Temple Christian School which it share carparking and access to the Northern Oval along its northeastern boundary.
- · has a total site area of approx. 3196 square metres
- · is irregular in shape.

5.1.2 Locality

The broader locality comprises the suburb of Paralowie;

Upon undertaking an inspection of the subject site and its surroundings, the following was observed:

- · to the immediate north is the Goodstart Early Learning Centre and Fairbanks Drive Reserve.
- · to the south, east and west is primarily residential housing.
- to the extended south is the Paralowie shopping centre.

5.1.3 Zoning

The site is located wholly within the General Neighbourhood Zone and Suburban Activity Zone, and within the following Overlays:

- · Airport Building Heights (Regulated) All structures over 45 metres
- Affordable Housing
- . Building Near Airfields
- · Defence Aviation Area All structures over 45 metres
- Prescribed Wells Area
- · Regulated and Significant Tree
- · Stormwater Management
- Urban Tree Canopy

5.1.4 Land Use Interfaces

The plan above shows the relationship between the existing open air courts and the neighbouring residential dwellings across the road. Currently the open air courts have no sound attenuation and operate under similar conditions and times as the proposed gym. The benefits to the neighbours is the courts will now be either enclosed or pushed further into the school away from the residences on Byron Bay drive.

The noisier spaces of a gym are the courts with whistles and foot noise. This will all be enclosed now where previously was uncontrolled. The proposed precast walls and thermally and acoustically insulated roof will reduce the noise from the courts. We have kept opening to a minimum from the main court and these doors will be designed with acoustic seals.

External lighting will be designed to ensure no light spill occurs towards the residences on Byron Bay Drive or the residences sharing a fence line to the North East against the oval.

BELL is also proposing sound attenuation panels to the internal court walls to help ensure the space works well for a teaching space. This will also help with any sound spill that may occur.



As parts of the centre will be used for dance and movement the proposed external walls of the non court part of the gym will be designed of a high acoustic level as the adjacent school building includes and ELC that also has sound sensitivities. Sound spill will be designed to be minimal and well within the requirements of building adjacent to residential zoning.

5.1.5 Landscaping and Wellbeing

Landscaping is minimal in this project as we are mainly taking external court area and turning it into Covered court area to allow for year round recreation use.

The project will allow for a slight increase in ELC outdoor space enhancing the already heavily landscaped ELC play areas.

The soft surface areas lost to this development have been earmarked in previous masterplans and as such were not heavily landscaped as the vision for the Gym has been the end piece of the previous masterplan.

The Gym will allow the school to guarantee each student gets 2 x PE lessons per week all year round which will be a major Health and Wellbeing boost via activity based movement and education sessions.

The Design has been careful to not intrude on the oval space and we have proposed a court to be built (unfenced and uncovered) to the North to enable student usage during construction and for lunch and recess breaks.

6. CONCLUSION

We wish to highlight that although this will be a new facility on the existing school site, the use of the site will not change. Fundamentally this project will replace two outdated, outdoor sports courts with two new all-weather courts (one indoor and one undercover outdoor). It is expected that pedestrian and vehicle traffic will not change, and the traffic flow will not be increased during peak school times.

We expect this project to be a vital addition for the continuous sporting and wellbeing development of the children enrolled at the Bethany Christian School and believe it should be received favourably.

This project (the gym) is the final project of the previous 2013-2023 masterplan. The future masterplan is still in development phase and we would be happy to meet with Council at some point if you would like to discuss in person.

The school council has decided to keep a maximum capacity of 3 streams for each year level. Keeping our numbers at a maximum of 545 for School and 44 for ELC for future planning. As mentioned above the School is about improving its facilities and modernising them to give the students now and into the future the best possible advantages.



APPENDIX 1. CERTIFICATE OF TITLE



LANDS TITLES OFFICE, ADELAIDE

For a Certificate of Title issued pursuant to the Real Property Act 1886

REGISTER SEARCH OF CERTIFICATE OF TITLE * VOLUME 6027 FOLIO 48

COST : \$25.00 (GST exempt) PARENT TITLE : CT 5384/424 & OTHERS

REGION : EMAIL AUTHORITY : RTC 11046571
AGENT : KFVA BOX NO : 138 DATE OF ISSUE : 02/01/2009

SEARCHED ON : 16/10/2012 AT : 11:36:40 EDITION : 1

CLIENT REF ZV106894

REGISTERED PROPRIETOR IN FEE SIMPLE

BETHANY CHRISTIAN SCHOOL INC. OF 144 FROST ROAD BRAHMA LODGE SA 5109

DESCRIPTION OF LAND

ALLOTMENT 1 DEPOSITED PLAN 76920 IN THE AREA NAMED PARALOWIE HUNDRED OF MUNNO PARA

EASEMENTS

SUBJECT TO THE EASEMENT OVER THE LAND MARKED C TO THE MINISTER FOR INFRASTRUCTURE (TG 6271600)

SUBJECT TO THE EASEMENT FOR DRAINAGE PURPOSES AS PROVIDED FOR BY SECTION 223 lg (2) OF THE REAL PROPERTY ACT 1886 OVER THE LAND MARKED A

TOGETHER WITH THE EASEMENT OVER THE LAND MARKED G FOR THE TRANSMISSION OF ELECTRICITY BY UNDERGROUND CABLE (RTC 11046571)

SCHEDULE OF ENDORSEMENTS

7211649 MORTGAGE TO ST.GEORGE BANK LTD.

NOTATIONS

DOCUMENTS AFFECTING THIS TITLE

NIL

REGISTRAR-GENERAL'S NOTES

NIL

END OF TEXT.


Page 1 of 2

The Desires According the Author Title Desires According the second

Page 57 Council Assessment Panel Agenda - 17 December 2024

LANDS TITLES OFFICE ADELAIDE SOUTH AUSTRALIA DIAGRAM FOR CERTIFICATE OF TITLE VOLUME 6027 FOLIO 48


SEARCH DATE: 16/10/2012 TIME: 11:36:40








APPENDIX 2. BELL ARCHITECTURE - ARCHITECTURAL DOCUMENTATION.
























APPENDIX 3. MLEI CONSULTING ENGINEERS - STORMWATER MANAGEMENT PLAN AND CIVIL DRAWINGS.





CONSULTING ENGINEERS



BUILDINGS

LAND DIVISION

INFRASTRUCTURE

RESOURCES & INDUSTRIAL

DEFENCE

STORMWATER MANAGEMENT PLAN

Bethany Christian School Gym Paralowie SA

Reference A2021-13712

July 2024

Head Office 452 Pulteney Street Adelaide, South Australia 5000 (08) 8231 2832 mlei@mlei.com.au

ADELAIDE + MELBOURNE + DARWIN + MILDURA + PORTLINCOLN + SYDNEY



Head Office 452 Pulteney Street Adelaide, South Australia 5000 08) 8231 2832 mlei@mlei.com.au mlei.com.au

STORMWATER MANAGEMENT PLAN

Bethany Christian School Gym

27-35 Byron Bay Road, Paralowie SA 5108

Revision	Description	Author	Reviewed	Approved	Date
Α	-	DL	CP	ND	05.07.2024

The information contained within this document which has been produced by MLEI Consulting Engineers is for the exclusive use for the purpose of which it was commissioned and in accordance with the Contract for Service of the commission. Unauthorised use of this document in any form whatsoever is prohibited. MLEI Consulting Engineers accepts no responsibility to any third party who may rely on this document. No section or element of this document may be reproduced, electronically stored or reproduced and transmitted in any form without the prior written consent of MLEI Consulting Engineers.

ADELAIDE + SYDNEY + MILDURA + PORT LINCOLN + DARWIN + MELBOURNE

ABN 29 125 240 459



Head Office 452 Pulteney Street Adelaide, South Australia 5000 08) 8231 2832 mlei@mlei.com.au mlei.com.au

1.	INTRODUCTION	
2.	SITE AND DEVELOPMENT DESCRIPTION	4
3.	PROPOSED DEVELOPMENT	6
4.	STORMWATER MANAGEMENT DESIGN REQUIREMENTS	7
5.	EROSION AND SEDIMENT CONTROLS	7
6.	PROPOSED STORMWATER DRAINAGE APPROACH	8
7.	SUMMARY	11
8.	APPENDIX A – CATCHMENT AREAS OF EXISTING WITHIN DEVELOPMENT FOOTPRINT	12
9	APPENDIX B – CONCEPT STORMWATER MANAGEMENT LAYOUT	13



1. INTRODUCTION

MLEI have been engaged by Bell Architecture to prepare this report and develop a Stormwater Management Plan (SMP) for the proposed land development at 37 Countess St. Paralowie SA 5108.

This report gives recommendations for the control and management of stormwater runoff from the proposed development and provides a Stormwater Management Plan produced for planning purposes. The site in its current state has a natural fall of 1:80 (1.20% towards the southwest corner of the site towards Byron Bay Drive. The key criterion is detention of stormwater to limit discharge off site to predevelopment conditions before connecting to Council's existing stormwater infrastructure. The report encompasses conceptual ideas on the management of stormwater for the development site. The design of individual elements on site such as the detailed stormwater collection conveyance systems are not within the scope of this management plan and will be covered within the detailed design in the development stage of the project. This report is a conceptual demonstration of the objective requirements as set out in the planning phase. As such it is acknowledged that further design, layout, and modelling changes may be required as part of the detailed design review in consultation with Council.

The final stormwater drainage layout for the proposed development will be subject to final design and the site/architectural layout. Hence this report provides an overall strategy and demonstrates that the fundamental stormwater management requirements can be met. This service has been provided on an independent and professional basis.



2. SITE AND DEVELOPMENT DESCRIPTION

2.1 DEVELOPMENT DESCRIPTION

The site of the proposed works is located between 27-35 Byron Bay Drive, Paralowie SA 5108. The new development will consist of two hard play multi use sports courts one indoor and one under cover outdoor court, movement room, activity gallery spaces, event and office spaces.

2.2 SITE CHARACTERISTICS

The current site has an approximate area of 0.26 ha adjacent 27-35 Byron Bay Road, Paralowie. At time of inspection the proposed site consisted of two existing hard play sports courts, a undercover walkway linking existing north western carpark and southern buildings and landscaping areas. A site aerial view is shown in Figure 1. The site in its current state has a natural fall of 1:80 (1.20% towards the southwest corner of the site towards Byron Bay Drive.



Figure 1 - Site Aerial View (SAPPA, 2024)





Figure 2 - Existing Flood Map 1% AEP Storm Event (SAPPA, 2024)

2.3 EXISTING SITE INFRASTRUCTURE AND CATCHMENT DESCRIPTION

Existing site infrastructure for Bethany Christian school consists of:

· Buildings and Facilities:

Existing Classrooms, administrative offices, libraries, and laboratories. With current roof catchment areas collecting within underground tanks to the south of the site and discharging to Countess Street. Note these buildings are not within the development area of the site.

Transportation and Access:

Existing access roads and two parking lots one south of the new proposed development and one to the north. Pedestrian walkways and designated bus stops. As above these areas do not sit within the footprint of the proposed development, however the northern carpark discharge route will be interrupted and has been included as part of the pre and post development flows below.



· Utilities and Services:

Water supply and distribution system, wastewater collection and treatment systems. Existing stormwater management infrastructure and existing overhead electrical lines along Byron Bay Drive adjacent to the development site.

· Landscaping and Outdoor Spaces:

Landscaping, sports fields and hard stand multi use sports courts currently sit within the area of the proposed development boundary shown on Site Aerial View (Figure 1) and catchment areas plan appendix A (SK001) currently covers a total area of approximately 2519m². This catchment area is split as hardstand 966m², pedestrian paving 322m² and landscaping and grass areas 1231m².

2.4 EXISTING STORMWATER INFRASTRUCTURE AND SITE DRAINAGE

The primary stormwater drainage to the area being developed is overland flow towards Byron Bay Drive from the existing courts and paved area shown on figure 1. Further to this the carpark to the north of the proposed development currently collects stormwater within side entry pits and discharges to a singular SEP on Byron Bay drive, however the carpark drainage will be kept the same although it will be redirected through the new detention system for the development area.

3. PROPOSED DEVELOPMENT

A concept plan of the proposed development can be found in Appendix A and B. The development consists of a new gymnasium with outdoor undercover court and classroom/activity rooms for school use.

It is envisaged the proposed development will be delivered in a single stage. Stormwater detention works will be undertaken at the same time as the proposed development.



4. STORMWATER MANAGEMENT DESIGN REQUIREMENTS

Referring to Council's development engineering document, we understand that Onsite detention of stormwater discharge to equivalent pre-development peak flows is required for all developments unless otherwise approved.

As such we are proposing stormwater detention to capture the excess post development flow rates for a 10% AEP (1:10yr) 5-minute duration. The purpose of this objective is to see that the proposed development does not result in increased stormwater flows that exceed the capacity of external stormwater drainage infrastructure and cause localised flooding within the site. The introduction of impervious surfaces and regrading of site to align with existing site contours will lead to increase in the frequency, volume, and flow rate of stormwater, hence the requirement for stormwater detention.

5. EROSION AND SEDIMENT CONTROLS

The following are considered suitable planning considerations: -

- Where practical, construction work scheduled so that time of land disturbance activities to rehabilitation is less than 6 months. Restrict land disturbance to areas of workable size, lands next to waterways should remain undisturbed for as long as practical.
- Where possible do not extend land disturbance activities beyond 5 metres (preferably 2 m) from the edge of essential construction activity other than access areas. These zones of restricted access might require clear identification with barrier mesh, sediment fencing or other appropriate materials.
- For conceptual soil and erosion plan control measures refer to CJCE drawings No.
 C
- Timing of works shall be considered by the Principal Contractor and a detailed proposal submitted for Council Approval prior to site establishment:
- · Establish a single stabilised entry/exit point (rumble pad).
- · Install sediment fence(s) along the low side of the site.
- Divert up-slope water around the work site and appropriately stabilise any drainage channels.
- · Clear only those areas necessary for building work to occur.
- Stockpile topsoil within the sediment-control zone.
- Stabilise exposed earth banks eg. vegetation, erosion control blankets.
- Install on-site waste receptacles eg. mini-skips, bins, reo cages. These should be covered to prevent waste being moved by wind.
- Commence building activities.



- Install roof downpipes as soon as practicable after the roof is laid.
- Maintain all control measures in good working order.
- Revegetate or otherwise stabilise the site.
- Principal Contractor shall follow all recommendations and guidelines from both the "Blue Book" together with "Guidelines for Erosion & Sediment Control on Building Sites"
- General erosion control measures for handling of soils should follow the guidelines
 in chapter 4 of Blue book Volume 1. As the site will disturb more than 1,000 m2 of
 land, slope lengths should not exceed 80 m immediately before forecast rainfall or
 during shutdown periods. Any temporary diversion should outlet to stable
 discharge areas. Earth embankments and abutments will be considered to reduce
 erosion hazards further. The detailed proposals will be submitted by the successful
 contractor post award of contract.

6. PROPOSED STORMWATER DRAINAGE APPROACH

6.1 OVERALL MANAGEMENT APPROACH

The entirety of the stormwater from the upper and lower-level roof will be directed to the underground detention tanks with capacity to restrict the flow to predevelopment flow rates. New pavement surrounding the building will also flow to adjacent strip or spoon drains and be directed to the underground detention tanks.

Underground detention tanks will have a lag and lead pumps with flowrate limited to achieve required peak flowrates.

Northern carpark side entry pit will be rerouted to the detention tanks prior to discharge to Byron Bay Drive side entry pit and has been allowed for within the catchment area calculations.

The Peak stormwater flows calculated in accordance with AS3500.3 are summarised in tables below for both pre and post development flow rates. Detention has been conceptually designed to restrict stormwater discharge to the surrounding system from the development site to pre-development flow rates, meaning the excess post developed catchment areas will be detained using detention techniques such as OSD systems and water sensitive urban design systems. These will capture the excess post development flow rates for a 10-year ARI 5-minute duration in accordance with AS/NZS 3500.3.



Storm Event	Factor Cr	Pre-Development Area (m²)	Post-Development Area
Roof/Hardstand	1	1085	2733
Paving/Impermeable Pavement	0.9	417	0
Grass/ Landscaped Areas	0.35	1231	0
Existing Carpark	0.9	936	936

Table 3
Pre and Post Development Peak Flows

Reference	Rainfall event	
	ARI 10 years	ARI 100 years
Existing site catchments	I/s for 5 min	I/s for 5 min
Roof/Hardstand	30.1	53.9
Paving/Impermeable Pavement	10.4	18.7
Grass/ Landscaped Areas	12.0	21.4
Existing Carpark	23.4	41.9
Total	75.9	135.9
Stage 1 catchments with existing		
Roof/Hardstand	75.9	135.9
Paving/Impermeable Pavement	0.0	0.0
Grass/ Landscaped Areas	0.0	0.0
Existing Carpark	23.4	41.9
Total	99.3	177.8

In total the site requires approximately 12.6m³ of stormwater storage volume to provide sufficient storage for the increase in runoff generated in the post development state for the 1% AEP storm event when compared to the predevelopment flows.




8. SUMMARY

The preliminary sketch plan contained within this report has been prepared to demonstrate the philosophy behind the proposed treatment of the stormwater runoff from this development. The information provided is preliminary and will be subject to finalisation of detailed design and documentation.





 APPENDIX A – CATCHMENT AREAS OF EXISTING WITHIN DEVELOPMENT FOOTPRINT





 APPENDIX B – CONCEPT STORMWATER MANAGEMENT LAYOUT





3ELL

APPENDIX 4. EMPIRICAL TRAFFIC - TRAFFIC AND PARKING REPORT REV B.



13 September 2024 #eta1000329

Bethany Christian School 37 Countess Street Paralowie SA 5108 Attention: Mr. Jeremy Graetz

BETHANY CHRISTIAN SCHOOL – GYMNASIUM AND SPORTS FACILITY PARKING REVIEW

Dear Jeremy,

I refer to the proposed development located at Bethany Christian School in Paralowie for a new gymnasium and sports facility on school grounds where there is an existing outdoor sports facility. As requested, this letter provides the findings of a parking assessment for the proposed development.

SUBJECT SITE

The subject site is located at Bethany Christian School in Paralowie between the Byron Bay Drive roundabout to the north and the school crossing to the south. The school grounds are located within a combination of General Neighbourhood and Suburban Activity Centre zone as identified within the Planning and Design Code. The proposed development site is shown in Figure 1 below.




Figure 1: Subject Site and Environs



(source: SAPPA [Aug 2024])

EXISTING SITUATION

Byron Bay Drive is a local collector road managed by the City of Salisbury. The road comprises a wide single carriageway approximately 9 metres wide, set within a 20 metre wide (approximate) road reserve. There are formal footpaths in the verge on both sides of the road. Byron Bay Drive (Figure 2) provides access to the school car parking areas via the Council car park which provides 25 spaces, the school's pick-up/set-down area comprising approximately 8 spaces and the school car park which provides 33 spaces (totalling 66 spaces within this car parking area).







There is also a school carparking area via Countess Street. There are 73 parking spaces plus an additional 4 parking spaces approximately within the pick-up/set down area existing on the school site within this car parking area (totalling 77 parking spaces within this car parking area).

PROPOSED DEVELOPMENT

The proposed development will comprise demolishing the existing outdoor sports facilities (2 outdoor basketball courts) and construct a new gymnasium and indoor sport facility (1 indoor basketball and 1 outdoor undercover basketball court) with associated amenities on the subject land.

As part of the proposed development, it is understood that the number of FTE staff members and students is not proposed to change from current approvals (68 FTE staff [10 ELC, 58 BCS] and, maximum 545 BCS students, maximum 44 ELC students).

The proposed development will be for use by the school only, including the proposed weekend periods. A breakdown schedule of the proposed hours are as follows:

School Use:

- Monday to Friday 8:00am to 6:00pm
- Saturday: 8:00am to 6:00pm

No changes are proposed to any of the school's existing car parking areas. It is also understood that deliveries and waste collection associated with the proposal will be provided via the existing arrangements. The proposal will not change the school's existing deliveries and waste collection arrangements (i.e. these will remain the status quo).

An early works basketball court is proposed to be constructed for the school toward the northern end of the school site to maintain the school student's needs for such a facility while the gymnasium is being constructed.

The proposed early works court is located to the north of the school site while the proposed gymnasium is as shown in Figure 3, and the proposed internal layout of the gymnasium shown in Figure 4.

8.1.1




Figure 3: Subject Site and Proposed Development

What was a series of the control of the control

8.1.1



Figure 4: Internal Layout of Proposed Development



(source: Bell Architecture Aug 2024)



PARKING ASSESSMENT

A review of the proposed development against the Planning and Design Code as referenced in *Table 1* - *General Off-Street Car Parking Requirements* in *Part 4* - *General Development Policies* - *Transport, Access and Parking* with the applicable rates shown:

For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.

Educational facility

For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.

As the proposed development is to be purely used by the school, and does not propose to increase the number of FTE staff or student numbers compared to the existing approvals for the site, the site does require additional parking spaces in accordance with the SA Planning and Design Code. It is understood that while the building will accommodate up to 5 staff members, these staff are understood to be relocated from existing areas within the school.

PARKING SITE OBSERVATIONS

In 2018, GTA Consultants had undertaken a Traffic and Parking impact assessment for the Development Application for the current site student numbers of 545 students (Bethany Christian School - Traffic and Parking Impact Assessment, Reference #S161750, 10 October 2018). As part of the GTA assessment, on-site observations were undertaken at school drop off (8.00am to 8.45pm) and pick up periods (3:10pm to 3:30pm).

As the proposed development is to also be utilised outside of the drop off periods (after 3.30pm), ETA undertook site observations on Wednesday 14 August from 5.00pm to confirm the available car parking within the site during the approximate midpoint of this period (3.30pm -6pm).

The parking site observations identified

- No vehicles were parked within the school drop off area during the observations shown in Figure
 5.
- A total of 1 vehicle was parked within the school car parking spaces adjacent the proposed gymnasium at 5.00pm, shown in Figure 6. The vehicle left the at 5:15pm, resulting in the car parking being empty.
- A total of 3 vehicles were parked within the Council car parking spaces at 5.00pm, shown in Figure 7. At 5:15pm, 2 vehicles were parked within the car park.
- No vehicles were parked on Byron Bay Drive, shown in Figure 8.
- The school car parking area accessed via Countess Street had large amounts of vacant spaces.

240913-1000329-eta letter

Page 96 Council Assessment Panel Agenda - 17 December 2024



Figure 5: School Drop Off Area



Figure 6: School Parking Area adjacent Proposal





Figure 7: Council Car Park



Figure 8: Byron Bay Drive



The site observations indicate that the parking for the site does not appear to have materially changed from the previous approvals, and there is adequate parking in the vicinity of the proposed development.



CONCLUSIONS

The parking assessment has found the following:

- The proposed development comprises a new indoor gymnasium and sports facility development (1 indoor basketball court and 1 outdoor undercover basketball court with associated amenities) at Bethany Christian School.
- 2. No changes to the existing car parking areas are proposed.
- No changes are proposed from the existing situation for deliveries to/from the school and waste collection.
- The proposed development does not propose an increase in staff or student numbers, which
 does not require additional parking spaces in accordance with the SA Planning and Design
 Code.

Should further information be required, please contact the undersigned at your convenience.

Yours sincerely


EMPIRICAL TRAFFIC ADVISORY

David Kwong Director



APPENDIX 5. BELL ARCHITECTURE - PROPOSED FUTURE PUBLIC CAR PARK EXTENSION.

After discussions with Council BELL has done a preliminary review of the Council owned carpark to the North of the School that is used by Bethany Christian School, Temple Christian College, Goodstart Early Learning Centre and the general population enjoying the Fairbanks Recreation Reserve. We believe the Council could expand the carpark and attached is a preliminary study of how that could look. We are not proposing this to be part of the Gym project just a study on how the area could be enhanced without detracting from the current users requirements.



Appendix 2

Copy of Sign Displayed on the Land and Representations

Proposed Development

27 -35, 27-37 & 37 COUNTESS ST, **PARALOWIE SA 5108**





APPLICATION NUMBER 24026923

NATURE OF DEVELOPMENT

Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings.

VIEW THE PLANS AND HAVE YOUR SAY ON THE **APPLICATION**

www.plan.sa.gov.au/en/public_notices

MAKE A REPRESENTATION

Up until 11:59pm on the 15-11-2024



FOR MORE INFORMATION

CONTACT PHONE **EMAIL**

City of Salisbury 08 8406 8222 representations@salisbury.sa.gov.au

It is an offence to damage, destroy, obscure or remove this notice. Penalties apply.

Details of Representations

Application Summary

Application ID	24026923
Proposal	Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings
Location	27 -35 COUNTESS ST PARALOWIE SA 5108, 27 -37 COUNTESS ST PARALOWIE SA 5108, 37 COUNTESS ST PARALOWIE SA 5108

Representations

Representor 1 - Tracy Collins

Name	Tracy Collins
Address	28 CALOUNDRA DRIVE PARALOWIE SA, 5108 Australia
Submission Date	11/11/2024 10:35 AM
Submission Source	Post
Late Submission	No
Would you like to talk to your representation at the decision-making hearing for this development?	Yes
My position is	I oppose the development
Reasons	

Attached Documents

24026923-Representation-T Collins-Recieved 11 th Nov 2024-9723501.pdf




REPRESENTATION ON APPLICATION – PERFORMANCE ASSESSED DEVELOPMENT

Planning, Development and Infrastructure Act 2016

Nature of Development:	24026923		
	Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings.		
Zone/Sub-zone/Overlay:	General Neighbourhood Suburban Activity Centre		
Subject Land:	27-35, 27-37 and 37 Countess Street, Paralowie SA 5108	77	
Contact Officer:	Karyn Brown		
Phone Number:	8406 8222		
Close Date:	Fri 15 November 2024		
My name*:	My phone number:		
My postal address*: PARALOW I	NORA DRIVE My email*: IE SA 5108		
Indicates mandatory informati	tion		
□ Isu	support the development support the development with some concerns (detail below) appose the development		
The specific reasons I belie	eve that planning consent should be granted/refused are:		

[attach additional pages as needed]



Note: In order for this submission to be valid, it must:

- · be in writing; and
- include the name and address of the person (or persons) who are making the representation; and
- · set out the particular reasons why planning consent should be granted or refused; and
- · comment only on the performance-based elements of the proposal.

Each person making a submission should indicate whether they wish to appear personally, or be represented by another party, in support of their submission. Please note that should you nominate to be heard in support of your representation, you will be required to attend a Council Assessment Panel meeting held at the Council offices, scheduled on the fourth Tuesday of each month at 6.30pm (unless otherwise advised).

I:	wish to be heard in support of my submission*
	do not wish to be heard in support of my submission
By:	☑ appearing personally
	being represented by the following person:

Signature:

Date: 07 11 2024

Return Address:

PO Box 8, SALISBURY SA 5108 or

Email:

representations@salisbury.sa. gov.au or

Complete online submission:

plan.sa.gov.au/have your say/notified developments/current notified developments

^{*}You may be contacted if you indicate that you wish to be heard by the relevant authority in support of your submission

We strongly object to the extension at Bethany Christian school for the following reasons.

Firstly we have a deep concern for the safety of ourselves, and everyone in the immediate surrounding area due to interactions I've had personally with people from the school as well as those I've heard of second hand from other residents in the neighbourhood.

The most alarming instance was being **followed to my home** after telling someone they were parked illegally.

I have been informed by Salisbury Council that their parking inspectors don't interact with people in person for safety reasons and yet me, my family and any visitors to my home are expected to deal with the ramifications of people who think the rules do not apply to them, especially considering the extended hours the school has said they would be using the proposed structure for.

Another issue is the traffic and parking. Our local streets are already clogged up all day with students parked, and the proposed development takes away the already limited existing parking spots on school grounds. That's not to mention drop off time and pick up time where parents not only congest the roads, but also carelessly park across driveways and illegally on corners causing several very near misses due to them blocking the sight of incoming traffic.

There are several sections of the streets painted with no parking yellow lines and they're already being routinely ignored, and now they're wanting to add to a school that is already imposing on surrounding residents due to lack of parking provided.

They speed down the streets over the speed limit, cut corners and litter on our our streets, our homes.

Another point of concern is the noise levels.

When there is a sports day, concert, fundraiser or other event held at

the school the noise from the school is very audible from my back garden and while I expect and am happy to put up with the noise during school hours and on occasions of a special event, I think it is most unfair to have to hear it every night and on Saturdays until 6pm, and that's just the time the sporting events are being suggested to finish, there's no judging how long people will take to filter out of the proposed development, not to mention how long they'll stand around for afterwards, talking whilst their children are running around screaming.

This is our families neighbourhood and I understand we now share it with a school, but the school shows no concern for the fact that they are also sharing space with peoples homes.

I have rung the school in the past to complain about noise, litter, and the behaviour of their students and not only are they not helpful, they're downright dismissive and rude.

The people who live in these surrounding streets deserve to use our own back gardens without the constant sound of screaming children or rowdy teenagers.

I am not an unreasonable person but the parents who park illegally don't care. They know they are in the wrong and yet they continue to do so.

They act like they are entitled to monopolise our streets, however I am sure the attitude would be different if it were their streets being crowded, their driveways blocked and their peace disturbed by unreasonable noise.

The residents have put up with enough and the council should think of those of us that have to live with this on a daily basis.

I shouldn't have to plan my mornings and afternoons around being in or out of the house by school hours just so my own street and home are accessible but I do. Thank you for your time and your consideration.


kepresentations

Representor 2 - Christine C Neill

Name	Christine C Neill
Address	36 CALOUNDRA DRIVE PARALOWIE SA, 5108 Australia
Submission Date	11/11/2024 04:07 PM
Submission Source	Over Counter
Late Submission	No
Would you like to talk to your representation at the decision-making hearing for this development?	Yes
My position is	I oppose the development
Reasons	

Attached Documents


24026923-Representation-CNeill-Recieved11thNov2024-9730568.pdf



REPRESENTATION ON APPLICATION – PERFORMANCE ASSESSED DEVELOPMENT

Planning, Development and Infrastructure Act 2016

Development Number	24026923				
Nature of Developmen	Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings.				
Zone/Sub-zone/Overl	General Neighbourhood Suburban Activity Centre				
Subject Land:	27-35, 27-37 and 37 Countess Street, Paralowie SA 5108				
Contact Officer:	Karyn Brown				
Phone Number:	8406 8222				
Close Date:	Fri 15 November 2024				
My postal address*: 36, Calound SH SIOS	My email*:				
Indicates mandatory info	mation				
My position is:	I support the development with some concerns (detail below)				
The specific reasons I	believe that planning consent should be quanted/refused are: o an industrial sized building being built in a resedential are, close to				
The specific reasons I 1. We object to homes and	believe that planning consent should be quanted/refused are: o an industrial sized building being built in a resedential are, close to the road.				
The specific reasons I We object to homes and We object to	believe that planning consent should be quanted/refused are: o an industrial sized building being built in a resedential are, close to				
The specific reasons I We object to homes and We object to homes and No extra parattract. The streets which cause they choose	believe that planning consent should be quanted/refused are: o an industrial sized building being built in a resedential are, close to the road: o extended week and weekend hours.				



Note: In order for this submission to be valid, it must:

- · be in writing; and
- include the name and address of the person (or persons) who are making the representation; and
- set out the particular reasons why planning consent should be granted or refused; and
- comment only on the performance-based elements of the proposal.

Each person making a submission should indicate whether they wish to appear personally, or be represented by another party, in support of their submission. Please note that should you nominate to be heard in support of your representation, you will be required to attend a Council Assessment Panel meeting held at the Council offices, scheduled on the fourth Tuesday of each month at 6.30pm (unless otherwise advised).

i.	wish to be heard in support of my submission*	
	do not wish to be heard in support of my submission	
By:	A appearing personally	
	being represented by the following person:	<u></u>
*You may be co	ntacted if you indicate that you wish to be heard by the relevant authority in support of your	r submission
Signature:	Date: It NOV	2024
Return Addres	PO Box 8, SALISBURY SA 5108 or	
Email:	representations@salisbury.sa. gov.au or	

Complete online submission:

plan.sa.gov.au/have your say/notified developments/current notified developments

kepresentations

Representor 3 - Andrew and Tina Green

Name	Andrew and Tina Green
Address	26 CALOUNDRA DRIVE PARALOWIE SA, 5108 Australia
Submission Date	13/11/2024 11:05 AM
Submission Source	Post
Late Submission	No
Would you like to talk to your representation at the decision-making hearing for this development?	Yes
My position is	I oppose the development
Reasons	

Attached Documents


24026923-Representation-AGreenAndTGreen-Recieved11thNov2024-9749607.pdf
24026923-Representation-AGreenAndTGreen-Recieved13Nov2024-9749782.pdf

UPLOACED to PLANSA AM - 13/1,

REPRESENTATION ON APPLICATION – PERFORMANCE ASSESSED DEVELOPMENT

Development Number:	24026923		
Nature of Development:	Additions to an existing educational establishment comprising the construction of a new indoor sports facility (one (1) indoor court and one (1) undercover outdoor court) with associated specialised learning areas and covered walkways linking to other school buildings.		
Zone/Sub-zone/Overlay:	General Neighbourhood Suburban Activity Centre		
Subject Land:	27-35, 27-37 and 37 Countess Street, Paralowie SA 5108		
Contact Officer:	Karyn Brown		
Phone Number:	8406 8222		
Close Date:	Fri 15 November 2024		
My postal address*: 26 Calbur Paralow Indicates mandatory informati			
	upport the development upport the development with some concerns (detail below) uppose the development		
☐ I su ☐ I op ☐ The specific reasons I belie	upport the development with some concerns (detail below)		

[attach additional pages as needed]



Note: In order for this submission to be valid, it must:

- · be in writing; and
- · include the name and address of the person (or persons) who are making the representation; and
- set out the particular reasons why planning consent should be granted or refused; and
- · comment only on the performance-based elements of the proposal.

Each person making a submission should indicate whether they wish to appear personally, or be represented by another party, in support of their submission. Please note that should you nominate to be heard in support of your representation, you will be required to attend a Council Assessment Panel meeting held at the Council offices, scheduled on the fourth Tuesday of each month at 6.30pm (unless otherwise advised).

1:	wish to be heard in support of my submission*
	do not wish to be heard in support of my submission
By:	appearing personally
	being represented by the following person:

Return Address:

PO Box 8, SALISBURY SA 5108 or

Email:

representations@salisbury.sa. gov.au or

Complete online submission:

plan.sa.gov.au/have your say/notified developments/current notified developments

^{*}You may be contacted if you indicate that you wish to be heard by the relevant authority in support of your submission

We strongly object to the extension at Bethany Christian school for the following reasons.

Firstly we have a deep concern for the safety of ourselves, and everyone in the immediate surrounding area due to interactions I've had personally with people from the school as well as those I've heard of second hand from other residents in the neighbourhood.

The most alarming instance was being **followed to my home** after telling someone they were parked illegally.

I have been informed by Salisbury Council that their parking inspectors don't interact with people in person for safety reasons and yet me, my family and any visitors to my home are expected to deal with the ramifications of people who think the rules do not apply to them, especially considering the extended hours the school has said they would be using the proposed structure for.

Another issue is the traffic and parking. Our local streets are already clogged up all day with students parked, and the proposed development takes away the already limited existing parking spots on school grounds. That's not to mention drop off time and pick up time where parents not only congest the roads, but also carelessly park across driveways and illegally on corners causing several very near misses due to them blocking the sight of incoming traffic.

There are several sections of the streets painted with no parking yellow lines and they're already being routinely ignored, and now they're wanting to add to a school that is already imposing on surrounding residents due to lack of parking provided.

They speed down the streets over the speed limit, cut corners and litter on our our streets, our homes.

Another point of concern is the noise levels.

When there is a sports day, concert, fundraiser or other event held at

the school the noise from the school is very audible from my back garden and while I expect and am happy to put up with the noise during school hours and on occasions of a special event, I think it is most unfair to have to hear it every night and on Saturdays until 6pm, and that's just the time the sporting events are being suggested to finish, there's no judging how long people will take to filter out of the proposed development, not to mention how long they'll stand around for afterwards, talking whilst their children are running around screaming.

This is our families neighbourhood and I understand we now share it with a school, but the school shows no concern for the fact that they are also sharing space with peoples homes.

I have rung the school in the past to complain about noise, litter, and the behaviour of their students and not only are they not helpful, they're downright dismissive and rude.

The people who live in these surrounding streets deserve to use our own back gardens without the constant sound of screaming children or rowdy teenagers.

I am not an unreasonable person but the parents who park illegally don't care. They know they are in the wrong and yet they continue to do so.

They act like they are entitled to monopolise our streets, however I am sure the attitude would be different if it were their streets being crowded, their driveways blocked and their peace disturbed by unreasonable noise.

The residents have put up with enough and the council should think of those of us that have to live with this on a daily basis.

I shouldn't have to plan my mornings and afternoons around being in or out of the house by school hours just so my own street and home are accessible but I do.

kepresentations

Representor 4 - Ben Bleby

Name	Ben Bleby
Address	17 Countess Street PARALOWIE SA, 5108 Australia
Submission Date	13/11/2024 05:05 PM
Submission Source	Online
Late Submission	No
Would you like to talk to your representation at the decision-making hearing for this development?	No
My position is	I support the development

Reasons

This development provides necessary infrastructure for the ongoing needs of Bethany Christian School to provide great education to students in and around the Paralowie community. The development is contained within the current boundaries of the school and will continue to operate the majority of the time in usual school hours. An excellent and necessary addition to the school.

Attached Documents

Appendix 3

Applicant's Response to Representations

Tim Ross

From: Tim Ross

Sent: Thursday, 21 November 2024 12:23 PM

To: Karyn Brown

Cc: Jeremy Graetz; Marc Gagliardi; Wendy Matear

Subject: RE: Representations Response

Attachments: PR 27283 - INDENTED PARKING BAY-NOTIFICATION PLAN.pdf

Karyn

We have reviewed the 3 letters against and one supporting for the proposed development.

In regard to the actual development, we can comment on the following:

- No carparking is lost for the development. (During construction carparking will be restricted but once complete the carparking will remain the same as it is today)
- Court usage is currently till around 6pm daylight permitting. This is typical for all outdoor courts. With
 the new indoor courts noise transmission will be contained within a building and will therefore improve
 the amenity of the local residences.
- 3) Industrial size. BELL has worked hard to break down the size and scale of the building at 8.5m it is similar to the height of 2 story house and matched the existing 2 storey buildings on site. The school was mindful of scale and chose not to achieve competition standard clearances which would have added another 1.5-2m to the building. The building is designed for primary school usage and only creates enclosed and sheltered court on the area of the school currently occupied with open/exposed courts.
- Carparking relates to students and teacher numbers these are not increasing with the proposed new building.

We cannot comment on the concern raised about safety as this is not linked to the proposed building.

Streets being clogged by student parking is not relevant to BCS as prep to year 6 kids do not drive. I believe the council is working with both Temple and Bethany to improve the drop and go around the school. Plan attached.

We cannot comment on speeding and litter as we do not believe these items are a product of the sports centre as it does not include a canteen or even vending machines.

We can confirm that the building has been designed to acoustically shield the neighbouring properties to minimise noise transmission but as the centre is currently only proposed for school usage this should be of a minor concern.

The School and BELL are happy to attend on the 17th of December to talk through any issues or objections about the proposed building and will happily follow directions from the Council to achieve an outcome that satisfies both the community and the schools needs.

Tim Ross

Principal/Architect

BELL Architecture

Level 1, 14 Ebenezer Place, Adelaide 5000 PO Box 3029 Rundle Mall SA 5000 **D** +61 08 8330 2814 **M** +61 403 536 546 **P** +61 8 8373 3870 **E** timross@bellare.com.au **W** bellare.com.au

BRISBANE SYDNEY MELBOURNE ADELAIDE PERTH

1

Page 122 Council Assessment Panel Agenda - 17 December 2024 8.1.1

Appendix 4

Extract of Planning and Design Code

P&D Code (in effect) Version 2024.18 10/10/2024

Address: 27 -35 COUNTESS ST PARALOWIE SA 5108

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

Zone

General Neighbourhood Suburban Activity Centre

Overlay

Airport Building Heights (Regulated) (All structures over 45 metres)

Affordable Housing Building Near Airfields

Defence Aviation Area (All structures over 45 metres)

Prescribed Wells Area Regulated and Significant Tree Stormwater Management Urban Tree Canopy

Local Variation (TNV)

Concept Plan (Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints)

Interface Height (Development should be constructed within a building envelope provided by a 30 or 45 degree plane, depending on orientation, measured 3m above natural ground at the boundary of an allotment)

Development Pathways

- General Neighbourhood
 - 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Air handling unit, air conditioning system or exhaust fan
- Brush fence
- Building alterations
- Building work on railway land
- Carport
- Outbuilding
- · Partial demolition of a building or structure
- Private bushfire shelter
- Shade sail
- · Solar photovoltaic panels (roof mounted)
- Swimming pool or spa pool and associated swimming pool safety features
- Verandah
- · Water tank (above ground)

Downloaded on 11/10/2024 Generated By Policy24 Page 1 of 124

P&D Code (in effect) Version 2024.18 10/10/2024

- · Water tank (underground)
- 2. Code Assessed Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Ancillary accommodation
- Carport
- Deck
- Detached dwelling
- · Dwelling addition
- Dwelling or residential flat building undertaken by:
 (a) the South Australian Housing Trust either individually or jointly with other persons or bodies

(b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

- · Land division
- Outbuilding
- · Replacement building
- Row dwelling
- · Semi-detached dwelling
- · Temporary accommodation in an area affected by bushfire
- Verandah
- 3. Code Assessed Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- · Ancillary accommodation
- Carport
- Deck
- Demolition
- · Detached dwelling
- Dwelling addition
- Dwelling or residential flat building undertaken by:

(a) the South Australian Housing Trust either individually or jointly with other persons or bodies or

(b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

- Fence
- Group dwelling
- Land division
- Outbuilding
- · Residential flat building
- Retaining wall
- Row dwelling
- Semi-detached dwelling
- · Tree-damaging activity
- Verandah
- 4. Impact Assessed Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Suburban Activity Centre

Downloaded on 11/10/2024

Generated By Policy24

Page 2 of 124

P&D Code (in effect) Version 2024.18 10/10/2024

1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Brush fence
- Building alterations
- · Building work on railway land
- · Consulting room
- Office
- · Partial demolition of a building or structure
- · Public service depot
- · Shade sail
- Shop
- · Solar photovoltaic panels (roof mounted)
- · Temporary public service depot
- · Water tank (above ground)
- · Water tank (underground)

2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Advertisement
- · Consulting room
- Office
- Replacement building
- Shop
- · Temporary accommodation in an area affected by bushfire

3. Code Assessed - Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Advertisement
- Consulting room
- Demolition
- Dwelling
- Fence
- · Land division
- Office
- Retaining wall
- Shop
- Store
- · Telecommunications facility
- Tree-damaging activity
- Verandah

4. Impact Assessed - Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Part 2 - Zones and Sub Zones

General Neighbourhood Zone

Downloaded on 11/10/2024 Generated By Policy24 Page 3 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/202

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome			
DO 1	Low-rise, low and medium-density housing that supports a range of needs and lifestyles located within easy reach of services and		
	facilities. Employment and community service uses contribute to making the neighbourhood a convenient place to live without		
	compromising residential amenity.		

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Land Use a	and Intensity		
PO 1.1	DTS/DPF 1.1		
Predominantly residential development with complementary non-residential uses that support an active, convenient, and walkable neighbourhood.	Development comprises one or more of the following: (a) Ancillary accommodation (b) Child care facility (c) Community facility (d) Consulting room (e) Dwelling (f) Educational facility (g) Office (h) Place of Worship (i) Recreation area (j) Residential flat building (k) Retirement facility (l) Shop (m) Student accommodation (n) Supported accommodation		
PO 1.2 Non-residential development located and designed to improve community accessibility to services, primarily in the form of: (a) small scale commercial uses such as offices, shops and consulting rooms (b) community services such as educational facilities, community centres, places of worship, child care facilities and other health and welfare services (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities (d) open space and recreation facilities.	DTS/DPF 1.2 None are applicable.		
PO 1.3 Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood. PO 1.4 Commercial activities improve community access to services are of a scale and type to maintain residential amenity.	DTS/DPF 1.3 None are applicable. DTS/DPF 1.4 A shop, consulting room or office (or any combination thereof) satisfies any one of the following: (a) it is located on the same allotment and in conjunction with a dwelling where all the following are satisfied: (i) does not exceed 50m² gross leasable floor area (ii) does not involve the display of goods in a window or about the dwelling or its curtilage		

Downloaded on 11/10/2024 Generated By Policy24 Page 4 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 it reinstates a former shop, consulting room or office in an existing building (or portion of a building) and satisfies one of the following: the building is a State or Local Heritage Place (ii) is in conjunction with a dwelling and there is no increase in the gross leasable floor area previously used for non-residential purposes is located more than 500m from an Activity Centre and satisfies one of the following: does not exceed 100m² gross leasable floor area (individually or combined, in a single building) where the site does not have a frontage to a State Maintained does not exceed 200m² gross leasable floor area (individually or combined, in a single building) where the site has a frontage to a State Maintained Road the development site abuts an Activity Centre and all the following are satisfied it does not exceed $200 m^2$ gross leasable floor area (individually or combined, in a single building) the proposed development will not result in a combined gross leasable floor area (existing and proposed) of all shops, consulting rooms and offices that abut the Activity Centre in this zone exceeding the lesser of the following: 50% of the existing gross leasable floor area within the Activity Centre 1000m². PO 1.5 DTS/DPF 1.5 Expansion of existing community services such as educational facilities, Alteration of or addition to existing educational facilities, community community facilities and child care facilities in a manner which facilities or child care facilities where all the following are satisfied: complements the scale of development envisaged by the desired outcome for the neighbourhood. set back at least 3m from any boundary shared with a building height not exceeding 1 building level the total floor area of the building not exceeding 150% of the total floor area prior to the addition/alteration off-street vehicular parking exists or will be provided in accordance with the rate(s) specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas to the nearest whole number Allotments/sites created for residential purposes are of suitable size Development will not result in more than 1 dwelling on an existing and dimension to accommodate the anticipated dwelling form and allotment remain compatible with the pattern of development in a low-rise and predominantly low-density neighbourhood, with higher densities close Allotments/sites for residential purposes accord with the following: to public open space, public transport stations and activity centres. **Dwelling Type** Minimum Minimum site/allotment area site/allotment per dwelling frontage Detached dwelling (not in a 9m where not 300m2 (exclusive of any on a battle-axe terrace arrangement) battle-axe allotment 'handle') 5m where on a battle-axe site Semi-detached dwelling 300m2

Downloaded on 11/10/2024 Generated By Policy24 Page 5 of 124

Policy24			P&D Co	de (in effect) Version 2	2024.18 10/10/2024
	dwelli	welling ng in a t gement)		250m2	7m (averaged)
		dwellin		300m2 (average, including common	15m (total)
		ng withi iilding	n a residential	areas) 300m2 (average, including common	15m (total)
				areas)	
PO2.2	DTS/DPI				
Development creating new allotments/sites in conjunction with retention of an existing dwelling ensures the site of the existing dwelling remains fit for purpose.	(a)	e area and			
	frontage requirements specified in General Neighbourhood Zone DTS/DPF 2.1 (b) if there is an existing dwelling on the allotment that will remain on the allotment after completion of the development, it will				
			ntravene: Private open	space requirements sp	ecified in Design in
		(ii)		Table 1 - Private Open S nicular parking exists in	
			the rate(s) sp Table 1 - Gen or Table 2 - 0	ecified in Transport, Acc leral Off-Street Car Park off-Street Car Parking Re kreas to the nearest who	ess and Parking ing Requirements quirements in
PO 2.3 Land division results in sites that are accessible and suitable for their	DTS/DPF 2.3 Division of land satisfies (a), (b) or (c): (a) reflects the site boundaries illustrated and approved in an existing development authorisation under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application videmed-to-satisfy dwellings on the proposed allotments				
intended purpose.					ne Development estructure Act
	(c)	satisfie (i)	s all of the foll No more tha	lowing: n 5 additional allotment	s are created
		(ii)	Each propose	ed allotment has a minir rontage of 9m	
		(iii)	Each propose (1-in-8)	ed allotment has a slope	less than 12.5%
		(iv)	subject land, base of the t	regulated trees on or w with the distance meas runk of the tree (or the he subject land	ured from the
		(v) (vi) (vii)	Vehicle acces proposed allo Areas DTS/DI located whol no more than	does not involve creation is from a public road care to the total care in a battle-axe constant of the total care in a battle-axe constant care to the total care in a battle-axe constant care to the total care	n be provided to al Design in Urban nd would be otment, or located ndary alignment
		(viii)	Each propose	ed allotment is of a size ontaining a rectangle 9m	
Site Co	verage				
PO 3.1 Building footprints allow sufficient space around buildings to limit visual impact, provide an attractive outlook and access to light and ventilation.	The de		ent does not r	esult in site coverage ex	ceeding 60%.
Building	g Height				
PO 4.1	DTS/DP	4.1			
Downloaded on 11/10/2024 Generated	By Polic	w24			Page 6 of 12

Downloaded on 11/10/2024 Generated By Policy24 Page 6 of 124

P&D Code (in effect) Version 2024.18 10/10/2024 olicy24 Buildings contribute to a low-rise suburban character. Building height (excluding garages, carports and outbuildings) no greater than 2 building levels and 9m and wall height that is no greater than 7m (not including a gable end). PO 5.1 DTS/DPF 5.1 Buildings are setback from primary street boundaries to contribute to Buildings setback from the primary street boundary in accordance with the existing/emerging pattern of street setbacks in the streetscape. **Development Context** Minimum setback There is an existing building on both The average setback of the abutting sites sharing the same street existing buildings on the frontage as the site of the proposed abutting sites minus 1m. building. There is an existing building on only one The setback of the existing abutting site sharing the same street building minus 1m. frontage as the site of the proposed building and the existing building is not on a corner site There is an existing building on only one Where the existing abutting site sharing the same street building shares the frontage as the site of the proposed same primary building and the existing building is on a street frontage corner site. the setback of the existing building Where the existing building has a different primary street frontage 5m There is no existing building on either of the abutting sites sharing the same street frontage as the site of the proposed building. For the purposes of DTS/DPF 5.1: (a) the setback of an existing building on an abutting site to the street boundary that it shares with the site of the proposed building is to be measured from the closest building wall to that street boundary at its closest point to the building wall and any existing projection from the building such as a verandah, porch, balcony, awning or bay window is not taken to form part of the building for the purposes of determining its setback any proposed projections such as a verandah, porch, balcony, awning or bay window may encroach not more than 1.5 metres into the minimum setback prescribed in the table Buildings are set back from secondary street boundaries to achieve Building walls are set back from the boundary of the allotment with a separation between building walls and public streets and contribute to secondary street frontage: a suburban streetscape character. at least 900mm if a building (except for ancillary buildings and structures) on any adjoining allotment is closer to the secondary street than 900mm, not less than the distance of that building from the boundary with the secondary street. Boundary Walls DTS/DPF 7.1 Except where the building is a dwelling and is located on a central site Walls on boundaries are limited in height and length to manage visual

Downloaded on 11/10/2024 Generated By Policy24 Page 7 of 124

8.1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 8 of 124

In relation to DTS/DPF 10.1, in instances where:

concept plan and DTS/DPF 10.1 is met.

one or more Concept Plan is returned, refer to Part 12 -Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. in instances where 'no value' is returned, there is no relevant

Policy24			P&D Code (in effect) Version	n 2024.18 10/10/20
Ancillary Buildin	gs and St	ructures		
PO 11.1	DTS/DPF	11.1		
Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the	Ancilla	y buildir	ngs:	
site or neighbouring properties.	(a)	are and	illary to a dwelling erected on the s	same site
	(b)		floor area not exceeding 60m2	
	(c)	situated	constructed, added to or altered so d:	o that any part is
		(i)	in front of any part of the building to which it is ancillary or	line of the dwelling
		(ii)	within 900mm of a boundary of th secondary street (if the land has b more roads)	
	(d)	(i)	ase of a garage or carport, the gara is set back at least 5.5m from the l primary street	
		(ii)	A. for dwellings of single built width or 50% of the site fro the lesser	ding level - 7m in
			for dwellings comprising to levels at the building line fi public street - 7m in width	
	(e)		ed on a boundary (not being a bou or secondary street), do not exceed	
		(i)	a longer wall or structure exists or and is situated on the same allotm	
		(ii)	the proposed wall or structure will same length of boundary as the ex or structure to the same or lesser	be built along the kisting adjacent wall
	(f)	bounda or struc	ed on a boundary of the allotment ary with a primary street or second ctures on the boundary will not exc of that boundary	ary street), all walls
	(g)	bounda an exist	be located within 3m of any other ary unless on an adjacent site on the ting wall of a building that would be posed wall or structure	at boundary there i
	(h)	have a	wall height or post height not excee	eding 3m above
	(i)	have a	ground level (and not including a g roof height where no part of the ro the natural ground level	
	(j)	if clad in	n sheet metal, is pre-colour treated ve colour	or painted in a non
	(k)	retains	a total area of soft landscaping in a chever is less:	ccordance with (i) o
	(i)	a total	area as determined by the followin	g table:
			ing site area (or in the case of ential flat building or group	Minimum percentage of
			ng(s), average site area) (m ²)	site
		<150		10%
		150-20	00	15%
		201-45	50	20%
		>450		25%

Downloaded on 11/10/2024 Generated By Policy24 Page 9 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	the amount of existing soft landscaping prior to the development occurring.
PO 11.2 Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements or result in over-development of the site.	DTS/DPF 11.2 Ancillary buildings and structures do not result in: (a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
PO 11.3 Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties.	Non-residential ancillary buildings and structures: (a) are ancillary and subordinate to an existing non-residential use on the same site (b) have a floor area not exceeding the following: Allotment size Floor area ≤500m2 60m2 >500m2 80m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the main building to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour.
- Advert	sements
PO 12.1	DTS/DPF 12.1
Advertisements identify the associated business activity, and do not detract from the residential character of the locality.	Advertisements relating to a lawful business activity associated with a residential use do not exceed 0.3m2 and mounted flush with a wall or fence.

Downloaded on 11/10/2024 Generated By Policy24 Page 10 of 124

P&D Code (in effect) Version 2024.18 10/10/2024

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

A relevant authority may determine that a variation to 1 or more corresponding exclusions prescribed in Column B is minor in nature and does not require notification.

(Colum	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	(Column B) None specified.
1.	is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of	None specified.
2.	All development undertaken by: (a) the South Australian Housing Trust either individually or jointly with other persons or bodies or (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.	 residential flat building(s) of 3 or more building levels the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
3.	Any development involving any of the following (or of any combination of any of the following): (a) ancillary accommodation (b) dwelling (c) dwelling addition (d) residential flat building (e) retirement facility (f) student accommodation (g) supported accommodation.	1. does not satisfy General Neighbourhood Zone DTS/DPF 4.1 or 2. involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a boundary with a primary street or secondary street or an excluded boundary) and: (a) the length of the proposed wall (or structure) exceeds 11.5m (other than where the proposed wall abuts an existing wall or structure of greater length on the adjoining allotment) or (b) the height of the proposed wall (or post height) exceeds 3m measured from the top of footings (other than where the proposed wall (or post) abuts an existing wall or structure of greater height on the adjoining allotment).
4.	Any development involving any of the following (or of any combination of any of the following): (a) consulting room (b) office	Except development that: does not satisfy any of the following: (a) General Neighbourhood Zone DTS/DPF 1,4

Downloaded on 11/10/2024 Generated By Policy24 Page 11 of 124

(c) chan		(b) General Neighbourhood Zone DTS/DPF 4.1
(c) shop.		to selective distribution come of store 4.1
		or
		involves a building wall (or structure) that is proposed to be situated on (or abut) an allotment boundary (not being a
		boundary with a primary street or secondary street or an
		excluded boundary) and:
		(a) the length of the proposed wall (or structure) exce
		11.5m (other than where the proposed wall abuts
		existing wall or structure of greater length on the
		adjoining allotment) or
		(b) the height of the proposed wall (or post height) ex
		3m measured from the top of footings (other than
		where the proposed wall (or post) abuts an existing
		or structure of greater height on the adjoining allotment).
		diotricity.
	involving any of the following (or of any	None specified.
	y of the following):	
(a) air handli fan	ng unit, air conditioning system or exhaust	
(b) carport		
(c) deck		
(d) fence		
(e) internal b	uilding works	
(f) land division	_	
(g) outbuildir	ng	
(h) pergola		
(i) private bu	shfire shelter	
(j) recreation	area	
(k) replacem	ent building	
(I) retaining v	vall	
(m) shade sa	il	
	tovoltaic panels (roof mounted)	
	g pool or spa pool and associated g pool safety features	
	y accommodation in an area affected by	
bushfire	,,	
(q) tree dam	aging activity	
(r) verandah		
(s) water tan	k.	
6 Alteration of or ad	dition to any development involving the	Except development that does not satisfy General Neighbourhood
	y combination of any of the following):	DTS/DPF 1.5.
(a) child care		
(b) communi	ity facility	
(c) education	al facility.	
	involving any of the following (or of any ny of the following) within the Tunnel	Except where not undertaken by the Crown, a Council or an essent infrastructure provider.
Protection Overla		The second section of the second section of the second section of the second section of the second section sec
(a) storage o	f materials, equipment or vehicles	
	temporary or permanent) over an area	
	g 100 square metres	
	y stockpiling of soil, gravel, rock or other aterial over an area exceeding 100 square	
metres	and an area and a sound to a square	
(c) excavatio	n or ground intruding activity at a depth	
	an 2.5 metres below the regulated surface	
level.		

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
8. Demolition.	Except any of the following:
	 the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building)
	the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
9. Railway line.	Except where located outside of a rail corridor or rail reserve.
Placement of Notices - Exemptions for P	erformance Assessed Development
None specified.	
Placement of Notices - Exemptions for R	estricted Development
None specified.	
-	

Suburban Activity Centre Zone

Assessment Provisions (AP)

Desired Outcome (DO)

		Desired Outcome
	DO 1	An active commercial precinct supporting neighbourhood-scale shopping, business, entertainment and recreation facilities to
ı		provide a focus for business and community life and most daily and weekly shopping needs of the community. Buildings and
ı		pedestrian areas create a high quality, activated public realm that is integrated with pedestrian and cycle networks and establish
1		well-defined connections to available public transport services.
1		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use	and Intensity
PO 1.1	DTS/DPF 1.1
Shops, office, entertainment, health and recreation related uses and other businesses that provide a range of goods and services to the surrounding neighbourhood and district.	Development comprises one or more of the following: (a) Advertisement (b) Child care facility (c) Cinema (d) Community facility (e) Consulting room (f) Dwelling (g) Educational facility (h) Emergency services facility (i) Hospital (j) Hotel (k) Indoor recreation facility (l) Library (m) Office (n) Place of worship (o) Recreation area (p) Residential flat building (q) Retail fuel outlet (r) Retirement Facility

Downloaded on 11/10/2024 Generated By Policy24 Page 13 of 124


Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(s) Shop (t) Supported Accommodation (u) Tourist accommodation.
PO 1.2 Residential development does not prejudice the operation of existing non-residential development and the long-term provision of services and facilities for wider community benefit.	DTS/DPF 1.2 None are applicable.
PO 1.3 Dwellings are developed only in conjunction with non-residential uses to support business, entertainment and recreational activities.	DTS/DPF 1.3 Dwellings are developed only in conjunction with non-residential uses and sited: (a) at upper levels of buildings with non-residential uses located at ground level or (b) behind non-residential uses on the same allotment.
PO 1.4 Where residential development is appropriate having regarding to other performance outcomes of the zone, residential development achieves medium to high densities.	DTS/DPF 1.4 None are applicable.
PO 1.5 Development sited and designed to achieve or maintain a vibrant and interesting streetscape within retail areas.	DTS/DPF 1.5 Any of the following: (a) shop, other than a bulky goods outlet with a gross leasable floor area more than 500m ² (b) cinema (c) hotel (d) licensed premises.
PO 1.6 Changes in the use of land encourage the efficient reuse of commercial premises to maintain and enhance vibrancy within activity centres.	DTS/DPF 1.6 A change of use to a shop, office, consulting room or any combination of these uses where all of the following are achieved: (a) the area to be occupied by the proposed development is in an existing building and is currently used as a shop, office, consulting room or any combination of these uses (b) if the proposed change of use is for a shop that primarily involves the handling and sale of foodstuffs, areas used for the storage and collection of refuse are sited at least 10m from the site of a dwelling (other than a dwelling directly associated with the proposed shop) (c) if the proposed change of use is for a shop that primarily involves heating and cooking of foodstuffs in a commercial kitchen and is within 30m of any neighbourhood-type zone boundary or a dwelling (other than a dwelling directly associated with the proposed shop), an exhaust duct and stack (chimney) exists or is capable of being installed for discharging exhaust emissions (d) if the change in use involves a gross leasable floor area greater than 250m² and has direct frontage to an arterial road, it achieves either (i) or (ii): (i) the primary vehicle access (being the access where the majority of vehicles access / egress the site of the proposed development) from a road that is not an arterial road (ii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared

Downloaded on 11/10/2024 Generated By Policy24 Page 14 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(e) off-street vehicular parking exists in accordance with the rate(s) specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas to the nearest whole number, except in any of the following circumstances: (i) the building is a local heritage place (ii) the required contribution will be made into a relevant car parking offset scheme (other than where a relevant contribution has previously been made) (iii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Built Form a	and Character
PO 2.1	DTS/DPF 2.1
Development complements adjacent development within the zone, and mitigates interface impacts on adjoining residential uses in neighbourhood-type zones through appropriate building siting, scale and design.	None are applicable.
PO 2.2	DTS/DPF 2.2
Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares.	None are applicable.
PO 2.3	DTS/DPF 2.3
Vehicular access points and car parks are coordinated and consolidated to enable the shared use of parking spaces.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development promotes the use of pedestrian and cyclist connections to centre facilities and services.	None are applicable.
Building heigh	nt and setbacks
PO 3,1	DTS/DPF 3.1
Building height is consistent with the form expressed in any relevant	Building height is:
Maximum Building Height (Levels) Technical and Numeric Variation layer and Maximum Building Height (Metres) Technical and Numeric Variation layers or is generally low rise to complement the established streetscape and local character.	(a) not greater than: (i) the following:
	(ii) in all other cases (i.e. there are blank fields for both maximum building height (metres) and maximum building height (levels)) - 3 building levels up to a height of 12m
	and
	(b) not less than:
	In relation to DTS/DPF 3.1, in instances where:
	(c) more than one value is returned in the same field: (i) for the purpose of DTS/DPF 3.1(a)(i), refer to the Maximum Building Height (Metres) Technical and Numeric Variation layer or Maximum Building Height (Levels) Technical and Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development

Downloaded on 11/10/2024 Generated By Policy24 Page 15 of 124

8.1.1



Downloaded on 11/10/2024 Generated By Policy24 Page 16 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 4.2	DTS/DPF 4.2.
Freestanding advertisements: (a) identify the associated business(es) (b) are of a size that is commensurate with the scale of the centre and the street frontage (c) avoid visual clutter (d) positively respond to the context without dominating the locality.	Freestanding advertisements: (a) do not exceed 8m in height, the adjacent building wall height, or the zone's height allowance (whichever is the lesser) (b) do not have a sign face that exceeds 6m2 per side.
Conce	pt Plans
PO 5.1	DTS/DPF 5:1
Development is compatible with the outcomes sought by any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning and Design Code to support the orderly development of land through staging of development and provision of infrastructure.	The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant: Description Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints In relation to DTS/DPF 5.1, in instances where: (a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. (b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 5.1 is met.

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

A relevant authority may determine that a variation to 1 or more corresponding exclusions prescribed in Column B is minor in nature and does not require notification.

Class	of Development	Exceptions
(Colui	mn A)	(Column B)
1.	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	None specified.
2.	Any kind of development where the site of the development is not adjacent land to a site (or land) used for residential purposes in a neighbourhood-type zone.	Except any of the following: 1. the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) 2. the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
3.	Any development involving any of the following (or of any combination of any of the following):	Except development that does not satisfy any of the following:

Downloaded on 11/10/2024 Generated By Policy24 Page 17 of 124

8.1.1

icy2	4	P&D Code (in effect) Version 2024.18 10/10/2
	(a) advertisement	 Suburban Activity Centre Zone DTS/DPF 3.1
	(b) child care facility	Suburban Activity Centre Zone DTS/DPF 3.2.
	(c) cinema	
	(d) community facility	
	(e) consulting room	
	(f) dwelling located above a non-residential building	
	level	
	(g) indoor recreation facility	
	(h) library	
	(i) office	
	(j) place of worship	
	(k) service trade premises	
	(l) shop	
	(m) temporary public service depot	
	(n) tourist accommodation.	
4.	Any development involving any of the following (or of any combination of any of the following):	None specified.
	(a) air handling unit, air conditioning system or exhaust	
	fan	
	(b) carport	
	(c) deck	
	(d) fence	
	(e) internal building works	
	(f) land division	
	(g) outbuilding	
	(h) pergola	
	(i) private bushfire shelter	
	(j) recreation area	
	(k) replacement building	
	(l) retaining wall	
	(m) shade sail	
	(n) solar photovoltaic panels (roof mounted)	
	(o) swimming pool or spa pool and associated swimming pool safety features	
	(p) temporary accommodation in an area affected by	
	bushfire	
	(q) tree damaging activity	
	(r) verandah	
	(s) water tank.	
5.	Any development involving any of the following (or of any combination of any of the following) within the Tunnel	Except where not undertaken by the Crown, a Council or an essential infrastructure provider.
	Protection Overlay:	
	(a) storage of materials, equipment or vehicles	
	(whether temporary or permanent) over an area exceeding 100 square metres	
	(b) temporary stockpiling of soil, gravel, rock or other	
	natural material over an area exceeding 100 square	
	metres	
	(c) excavation or ground intruding activity at a depth	
	greater than 2.5 metres below the regulated surface	
	level.	
c	Demolition.	Except any of the following:
6. D	Demondon.	exception of the rollowing.
		1. the demolition (or partial demolition) of a State or Local Herita
		Place (other than an excluded building)
		Place (other than an excluded building)the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).

Downloaded on 11/10/2024 Generated By Policy24 Page 18 of 124

P&D Code (in effect) Version 2024.18 10/10/2024		
Except where located outside of a rail corridor or rail reserve.		
Placement of Notices - Exemptions for Performance Assessed Development		
Placement of Notices - Exemptions for Restricted Development		

Part 3 - Overlays

Affordable Housing Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Affordable housing is integrated with residential and mixed use development.	
DO 2	Affordable housing caters for a variety of household structures.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Division
DTS/DPF 1.1
Development results in 0-19 additional allotments / dwellings.
DTS/DPF 1.2
Development comprising 20 or more dwellings / or residential allotments includes a minimum of 15% affordable housing except where:
 (a) it can be demonstrated that any shortfall in affordable housing has been provided in a previous stage of development or (b) it can be demonstrated that any shortfall in affordable housing will be accommodated in a subsequent stage or stages of development.
DTS/DPF 1.3
None are applicable.
and Character
DTS/DPF 2.1
None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 19 of 124

8.1.1

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 Affordable Housing Incentives PO 3.1 DTS/DPE 3.1 To support the provision of affordable housing, minimum allotment The minimum site area specified for a dwelling can be reduced by up to 20%, or the maximum density per hectare increased by up to 20%, sizes may be reduced below the minimum allotment size specified in a where it is to be used to accommodate affordable housing except zone while providing allotments of a suitable size and dimension to where the development is located within the Character Area Overlay or accommodate dwellings with a high standard of occupant amenity. Historic Area Overlay. DTS/DPF 3.2 To support the provision of affordable housing, building heights may be Where a building incorporates dwellings above ground level and increased above the maximum specified in a zone. includes at least 15% affordable housing, the maximum building height specified in any relevant zone policy can be increased by 1 building level in the: (a) Business Neighbourhood Zone (b) City Living Zone (c) Established Neighbourhood Zone (d) General Neighbourhood Zone (e) Hills Neighbourhood Zone (f) Housing Diversity Neighbourhood Zone (g) Neighbourhood Zone (h) Master Planned Neighbourhood Zone (i) Master Planned Renewal Zone (j) Master Planned Township Zone (k) Rural Neighbourhood Zone (I) Suburban Business Zone (m) Suburban Neighbourhood Zone (n) Township Neighbourhood Zone (o) Township Zone (p) Urban Renewal Neighbourhood Zone (q) Waterfront Neighbourhood Zone and up to 30% in any other zone, except where: the development is located within the Character Area Overlay or Historic Area Overlay other height incentives already apply to the development. Movement and Car Parking Dwellings constituting affordable housing are provided with car parking Sufficient car parking is provided to meet the needs of occupants of in accordance with the following: affordable housing. 0.3 carparks per dwelling within a building which incorporates dwellings located above ground level within either: 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service(2) (ii) is within 400 metres of a bus interchange(1) (iii) is within 400 metres of an O-Bahn interchange(1) (iv) is within 400 metres of a passenger rail station(1) is within 400 metres of a passenger tram station(1) is within 400 metres of the Adelaide Parklands. (b) 1 carpark per dwelling for any other dwelling.

Downloaded on 11/10/2024 Generated By Policy24 Page 20 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	[NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except where the applicant for the development is the South Australian Housing Authority (or an agent acting on behalf of the South Australian Housing Authority), residential development or land division (other than an excluded land division): (a) that comprises 20 or more dwellings or residential allotments and is described in the application documentation as intending to provide affordable housing or (b) that is described in the application documentation as intending to provide affordable housing and the applicant is seeking to access one or more of the planning concessions outlined in the Affordable Housing Overlay DTS/DPF 3.1, 3.2 or 4.1 or (c) that is described in the application documentation as intending to include affordable housing of any number of dwellings or residential allotments	Minister responsible for administering the South Australian Housing Trust Act 1995.	To provide direction on the conditions required to secure the provision of dwellings or allotments for affordable housing.	Development of a class to which Schedule 9 clause 3 item 20 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Airport Building Heights (Regulated) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built Form	
PO 1.1	DTS/DPF 1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 21 of 124

Page 146 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Building height does not pose a hazard to the operation of a certified or registered aerodrome.	Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2	DTS/DPF 1.2
Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	Development does not include exhaust stacks.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development: building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter		
	landing sites through management of non-residential lighting, turbulence and activities that may attract or result in the		
	congregation of wildlife.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	Development: (a) primarily or wholly for residential purposes (b) for non-residential purposes that does not incorporate outdoor floodlighting.

Downloaded on 11/10/2024 Generated By Policy24 Page 22 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
PO 1.2 Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	DTS/DPF 1.2 All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft: (a) food packing/processing plant (b) horticulture (c) intensive animal husbandry (d) showground (e) waste management facility (f) waste transfer station (g) wetland (h) wildlife sanctuary.
PO 1.3 Buildings are adequately separated from runways and other take-off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	DTS/DPF 1.3 The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operations of Defence Aviation Areas.	DTS/DPF 1.1 Building height does not exceed the relevant height specified by the Defence Aviation Area Overlay.
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	DTS/DPF 1.2 Development does not include exhaust stacks.

Downloaded on 11/10/2024 Generated By Policy24 Page 23 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome			
DO 1	Sustainable water use in prescribed wells areas.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 All development, but in particular involving any of the following: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry	DTS/DPF 1.1 Development satisfies either of the following: (a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or
(e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	(b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commerical forestry.	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations

Downloaded on 11/10/2024 Generated By Policy24 Page 24 of 124

Page 149 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024	4.18 10/10/2024
licence under Part 8 Division 6 of the Landscape South Australia Act 2019.		

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.			

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retention	on and Health
PO 1.1		DTS/DPF 1.1
Regula	ted trees are retained where they:	None are applicable.
'	make an important visual contribution to local character and amenity	
(b)	are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or	
(c)	provide an important habitat for native fauna.	
PO 1.2		DTS/DPF 1.2
Signific	ant trees are retained where they:	None are applicable.
(a)	make an important contribution to the character or amenity of the local area	
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
(c)	represent an important habitat for native fauna	
(d)	are part of a wildlife corridor of a remnant area of native vegetation	
(e)	are important to the maintenance of biodiversity in the local environment	
/6	and / or form a notable visual element to the landscape of the local	
(1)	area.	
PO 1.3		DTS/DPF 1.3
	damaging activity not in connection with other development s (a) and (b):	None are applicable.
(a)	tron damaging activity is only undertaken to	
(6)	tree damaging activity is only undertaken to: (i) remove a diseased tree where its life expectancy is short	
	(ii) mitigate an unacceptable risk to public or private safety due to limb drop or the like	
	(iii) rectify or prevent extensive damage to a building of value as comprising any of the following:	
	a Local Heritage Place	
	B. a State Heritage Place	<u> </u>

Downloaded on 11/10/2024 Generated By Policy24 Page 25 of 124

Policy	24		P&D Code (in effect) Version 2024.18 10/10/2024
		C. a substantial building of value	
	(iv)	within 20m of an existing residential, tourist accommodation or other habitable building from	
	(v)	bushfire treat disease or otherwise in the general interests of the health of the tree and / or	
	(vi)	maintain the aesthetic appearance and structural integrity of the tree	
(b)	unless	tion to a significant tree, tree-damaging activity is avoided sall reasonable remedial treatments and measures have determined to be ineffective.	
PO 1.4			DTS/DPF 1.4
	-	ng activity in connection with other development efollowing:	None are applicable.
(a) (b)	accord develo in the option	emmodates the reasonable development of land in dance with the relevant zone or subzone where such opment might not otherwise be possible case of a significant tree, all reasonable development is and design solutions have been considered to prevent antial tree-damaging activity occurring.	
		Ground work	affecting trees
PO 2.1			DTS/DPF 2:1
unduly sealing	y compr	I significant trees, including their root systems, are not omised by excavation and / or filling of land, or the faces within the vicinity of the tree to support their health.	None are applicable.
		Land D	Division
PO 3.1			DTS/DPF3.1
subsec	quent d	results in an allotment configuration that enables its evelopment and the retention of regulated and es as far as is reasonably practicable.	there are no regulated or significant trees located within or adjacent to the plan of division or the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Stormwater Management Overlay

Downloaded on 11/10/2024 Generated By Policy24 Page 26 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development incorporates water sensitive urban design techniques to capture and re-use stormwater.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

	Performance Outcome	Deem	ned-to-Sat	isfv Criteria /	Designated Perform	ance Feature
PO 1.1		DTS/DPF		<u>, </u>	_	
	ntial development is designed to capture and re-use stormwater maximise conservation of water resources manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded manage stormwater runoff quality.	DTS/DPF Residen dwelling residen	1.1 intial develo gs, or less ti tial flat buil includes ra (i) co (ii) co or (iii) co wa gri (iv) wi 1 (v) wh dial	pment comprise han 5 group dwing: ainwater tank sonnected to at least of the same dwelling o	east: In to a detached dwelling arrangement), semi- or row dwelling, 60% of the rown of th	etached or row ithin a org (not in a detached of the roof area of area d water outlets 200m ² aundry cold ites of 200m ² or dance with Table
			dia de incorporat site's impe	ameter slow rel tention compo		ttom of the
					Site perviousness ≥35%: N/A	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory
Doumlanded on 11/10/2024	Congrated By Policy24	D	27 of 124

Page 152 City of Salisbury

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024		
			Reference
None	None	None	None

Urban Tree Canopy Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Residential development preserves and enhances urban tree canopy through the planting of new trees and retention of existing	
	mature trees where practicable.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-	to-Satisfy Crite	ria / Designate	d Peri	formance Feature
PO 1.1	DTS/DPF 1.1				
Trees are planted or retained to contribute to an urban tree canopy.	Tree planting is provided in accordance with the following:				
	Site size pe	Site Size per arreining (iii)		Tree size* and number required per dwelling	
	<450	<450		1 small tree	
	450-800		1 medium tre	ee or 2	small trees
	>800		1 large tree of small trees	1 large tree or 2 medium trees or 4 small trees	
	*refer Table	1 Tree Size			
	Table 1 Tree Size				
	Tree size	Mature height (minimum)	Mature spread (minimum)	withi	rea around tree n development site mum)
	Small	4 m	2m		² and min. nsion of 1.5m
	Medium	6 m	4 m		² and min. nsion of 2m
	Large	12 m	8m		² and min. nsion of 4m
	required to retained on C of Table 2	be planted in D the subject land , and are not a s	S/DPF 1.1 wher that meet the c pecies identified	e existi riteria I in Reg	number of trees ing tree(s) are in Columns A, B and gulation 3F(4)(b) of ieral) Regulations
Table 2 Tree Discounts					
	Retained tree height	Retained tree	Retained so area aroun within		Discount applied (Column D)
	(Column A)	(Column B)	developme	nt	,

Downloaded on 11/10/2024 Generated By Policy24 Page 28 of 124

Policy24		P&D Code	(in effect) Version	2024.18 10/10/2024
			site (Column C)	
	4-6m	2-4m	10m ² and min. dimension of 1.5m	2 small trees (or 1 medium tree)
	6-12m	4-8m	30m ² and min. dimension of 3m	2 medium trees (or 4 small trees)
	>12m	>8m	60m ² and min. dimension of 6m	2 large trees (or 4 medium trees, or 8 small trees)
	accordance w under section 2016, provide satisfied. For Development	ith a relevant off-s 197 of the Planni d the provisions a the purposes of se and Infrastructure		hed by the Minister nd Infrastructure Act f that scheme are Planning,
	Development	and Infrastructure	e Act 2016, an appli	

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Appearance		

Downloaded on 11/10/2024 Generated By Policy24 Page 29 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
PO 1.1	DTS/DPF 1.1	
PO 1.1 Advertisements are compatible and integrated with the design of the building and/or land they are located on.	DTS/DPF 1.1 Advertisements attached to a building satisfy all of the following: (a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building (c) where they are not flush with a wall: (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure	
	if attached to a two-storey building: A. has no part located above the finished floor level of the second storey of the building B. does not protrude beyond the outer limits of any verandah structure below C. does not have a sign face that exceeds 1m2 per side.	
	(d) if located below canopy level, are flush with a wall (e) if located at canopy level, are in the form of a fascia sign (f) if located above a canopy: (i) are flush with a wall (ii) do not have any part rising above parapet height (iii) are not attached to the roof of the building. (g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building (i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.	
PO 1.2 Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	DTS/DPF 1.2 Where development comprises an advertising hoarding, the supporting structure is: (a) concealed by the associated advertisement and decorative detailing or (b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.	
PO 1.3 Advertising does not encroach on public land or the land of an adjacent allotment.	DTS/DPF 1.3 Advertisements and/or advertising hoardings are contained within the boundaries of the site.	
PO 1.4 Where possible, advertisements on public land are integrated with existing structures and infrastructure.	DTS/DPF 1.4 Advertisements on public land that meet at least one of the following: (a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.	
PO 1.5 Advertisements and/or advertising hoardings are of a scale and size	DTS/DPF 1.5 None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 30 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
appropriate to the character of the locality.	
Proliferation of	
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
PO 2.2 Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	DTS/DPF 2.2 Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3 Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	DTS/DPF 2.3 Advertisements satisfy all of the following: (a) are attached to a building (b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached (c) do not result in more than one sign per occupancy that is not flush with a wall.
Advertisin	g Content
PO 3.1 Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	DTS/DPF 3.1 Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.
Amenity	Impacts
PO 4.1 Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	DTS/DPF 4.1 Advertisements do not incorporate any illumination.
Saf	ety
PO 5.1 Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	DTS/DPF 5.1 Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2	DTS/DPF 5.2
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
Po 5.3 Advertisements and/or advertising hoardings do not create a hazard to drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	Advertisements satisfy all of the following: (a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Allotment Boundary Grand Reserve
PO 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.	DTS/DPF 5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.

Downloaded on 11/10/2024 Generated By Policy24 Page 31 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 5.5 Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	UTS/DPF 5.5 Where the advertisement or advertising hoarding is: (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m.
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Siting and Design			
PO 1.1	DTS/DPF 1.1		
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.		
PO 1,2	DTS/DPF 1.2		
Animal keeping and horse keeping is located and managed to minimise	None are applicable.		
the potential transmission of disease to other operations where animals are kept.			
Horse Keeping			
PO 2.1	DTS/DPF 2.1		
Water from stable wash-down areas is directed to appropriate	None are applicable.		
absorption areas and/or drainage pits to minimise pollution of land and water.			
1			

Downloaded on 11/10/2024 Generated By Policy24 Page 32 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
PO 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.
PO 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
PO 2,5	DTS/DPF 2,5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Ker	nnels
PO 3.1 Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	DTS/DPF3.1 The floors of kennels satisfy all of the following: (a) are constructed of impervious concrete (b) are designed to be self-draining when washed down.
PO 3.2 Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	DTS/DPF 3.2 Kennels are sited 500m or more from the nearest sensitive receiver or land in other ownership.
(a) adopting appropriate separation distances(b) orientating openings away from sensitive receivers.	
PO 3.3 Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	DTS/DPF3.3 Kennels are sited in association with a permanent dwelling on the land.
Wa	istes
PO 4.1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
PO 4.2	DTS/DPF-4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

Downloaded on 11/10/2024 Generated By Policy24 Page 33 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Desired Outcome (DO)

Desired Outcome	
DO 1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable
	sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Aquaculture
PO 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following:
	(a) 200m or more from a sensitive receiver in other ownership (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers or The development is the subject of an aquaculture lease and/or licence
	(as applicable) granted under the Aquaculture Act 2001.
PO 1.2 Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	DTS/DPF 1.2 None are applicable.
PO 1.3	DTS/DPF1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
PO 1.6	DTS/DPF 1.6
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.7	DTS/DPF1.7
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.
Marine Based	d Aquaculture
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
(a) creeks and estuaries (b) wetlands (c) significant seagrass and mangrove communities (d) marine habitats and ecosystems.	

Downloaded on 11/10/2024 Generated By Policy24 Page 34 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 2.2	DTS/DPF2.2
Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 2.3	DTS/DPF2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	The development does not include toilet facilities located over water.
PO 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark
	or
	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
(a) areas of high public use	
 areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports 	
(c) areas of outstanding visual or environmental value (d) areas of high tourism value	
(d) areas of high tourism value (e) areas of important regional or state economic activity, including	
commercial ports, wharfs and jetties	
(f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and	None are applicable.
obstruction to the natural processes of the coastal and marine environment.	
PO 2.7	DTS/DPF2.7
Marine aquaculture is designed to be as unobtrusive as practicable by incorporating measures such as:	None are applicable.
(a) using feed hoppers painted in subdued colours and suspending	
them as close as possible to the surface of the water (b) positioning structures to protrude the minimum distance	
practicable above the surface of the water	
platforms unless necessary to exclude predators and protected species from interacting with the farming structures	
and/or stock inside the cages, or for safety reasons (d) positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
PO 2.8	DTS/DPF 2.8
Access, launching and maintenance facilities utilise existing established	The development utilises existing established roads, tracks, ramps
roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.	and/or paths (as applicable) to access the sea.
PO 2.9	DTS/DPF 2.9
Access, launching and maintenance facilities are developed as common	The development utilises existing established roads, tracks, ramps
user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.	and/or paths (as applicable) to access the sea.
PO 2.10	DTS/DPF 2.10
Downloaded on 11/10/2024 Generated	By Policy24 Page 35 of 124

Downloaded on 11/10/2024 Generated By Policy24 Page 35 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> .	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i> .
PO 2.11	DTS/DPF.2.11
Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by:	The development does not include any onshore facilities in conjunction with a proposal for marine aquaculture.
(a) being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape	
(b) making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable	
(c) incorporating appropriate waste treatment and disposal.	
Navigation	and Safety
PO 3.1	DTS/DPF 3.1
Marine aquaculture sites are suitably marked to maintain navigational safety.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 3.2	DTS/DPF 3.2
Marine aquaculture is sited to provide adequate separation between farms for safe navigation.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
Environmenta	al Management
PO 4.1	DTS/DPF-4.1
Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.	None are applicable.
PO 4.2	DTS/DPF 4.2
Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.	None are applicable.
PO 4.3	DTS/DPF 4.3
Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.	None are applicable.
PO 4.4	DTS/DPF 4.4
Aquaculture operations incorporate measures for the removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste to prevent pollution of waters, wetlands, or the nearby coastline.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.	

Downloaded on 11/10/2024 Generated By Policy24 Page 36 of 124

Policy24

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Odour a	and Noise
PO 1.1	DTS/DPF1.1
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.
PO 1.2	DTS/DPF 1.2
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.
PO 1,4	DTS/DPF 1,4
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.
PO 1.5	DTS/DPF 1.5
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.
Water	Quality
PO 2.1	DTS/DPF 2.1
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.
PO 2.2	DTS/DPF 2.2
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.
PO 2.3	DTS/DPF 2.3
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.
PO 2.4	DTS/DPF 2.4
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.
Wastewat	er Irrigation
PO 3.1	DTS/DPF3.1
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.
PO 3.2	DTS/DPF 3.2.
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
We are the second of the secon	

Downloaded on 11/10/2024 Generated By Policy24 Page 37 of 124

Policy2	24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 3.3		DTS/DPF 3.3
	ge production wastewater is not irrigated onto areas that pose lue risk to the environment or amenity such as:	None are applicable.
(a)	waterlogged areas	
(b)	land within 50m of a creek, swamp or domestic or stock water bore	
(c)	land subject to flooding	
(d)	steeply sloping land	
(e)	rocky or highly permeable soil overlaying an unconfined aquifer.	

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting an	nd Design
PO 1.1 Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	DTS/DPF 1.1 Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers: (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility (b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility (c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more.
Buffers and	Landscaping
PO 2.1	DTS/DPF 2.1
Bulk handling and storage facilities incorporate a buffer area for the	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 38 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	
PO 2.2	DTS/DPF 2.2
Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	None are applicable.
Access at	nd Parking
PO 3.1 Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	DTS/DPF 3.1 Roadways and vehicle parking areas are sealed with an all-weather surface.
Slipways, Wharv	res and Pontoons
PO 4.1	DTS/DPF-4.1
Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	None are applicable.

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO	1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	One of the following is satisfied: a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996 there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

Design

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 11/10/2024 Generated By Policy24 Page 39 of 124

Page 164 Council Assessment Panel Agenda - 17 December 2024 Performance Outcom

Policy24

Development is: $contextual\ -\ by\ considering,\ recognising\ and\ carefully\ responding\ to\ its\ natural\ surroundings\ or\ built\ environment\ and$ positively contributes to the character of the immediate area durable - fit for purpose, adaptable and long lasting

inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors

P&D Code (in effect) Version 2024.18 10/10/2024

sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature			
All development				
External A	sppearance			
PO 1,1	DTS/DPF 1.1			
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.			
PO 1.2	DTS/DPF 1.2			
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.			
PO 1.3	DTS/DPF 1.3			
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.			
PO 1.4	DTS/DPF 1.4			
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.			
(a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces				
(b) screening rooftop plant and equipment from view				
(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.				
PO 1.5	DTS/DPF 1.5			
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.	None are applicable.			
Sa	fety			
PO 2.1	DTS/DPF 2.1			
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.			
PO 2.2	DTS/DPF 2.2			
Development is designed to differentiate public, communal and private	None are applicable.			

Downloaded on 11/10/2024 Generated By Policy24 Page 40 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
areas.	
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
Lands	ccaping
PO 3.1	DTS/DPF3.1
Soft landscaping and tree planting is incorporated to:	None are applicable.
 (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. 	
PO 3.2	DTS/DPF 3.2.
Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	None are applicable.
Environmenta	al Performance
PO 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.
PO 4,3	DTS/DPF 4.3
Buildings incorporate climate-responsive techniques and features such	
as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens	sitive Design
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological	DTS/DPF 5.1
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs.	DTS/DPF 5.1
shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs.	oitive Design DTS/DPF 5.1 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 41 of 124

P&D Code (in effect) Version 2024.18 10/10/2024

Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.			
	Appearance			
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	DTS/DPF7.1 None are applicable.			
PO 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.			
PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	DTS/DPF7.3 None are applicable.			
PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	DTS/DPF 7.4 None are applicable.			
PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	DTS/DPF 7.5 None are applicable.			
PO 7.6 Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	DTS/DPF 7.6 None are applicable.			
PO 7.7 Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	DTS/DPF 7.7 None are applicable.			
Earthworks an	nd sloping land			
PO 8.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	DTS/DPF8.1 Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m			
	(c) a total combined excavation and filling vertical height of 2m or more.			

Downloaded on 11/10/2024 Generated By Policy24 Page 42 of 124

	P&D Code (in effect) Version 2024.18 10/10/2024		
PO 8.2	DTS/DPF 8.2		
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):		
🔾	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway		
	(b) are constructed with an all-weather trafficable surface.		
PO 8.3	DTS/DPF8.3		
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.		
 do not contribute to the instability of embankments and cuttings 			
(b) provide level transition areas for the safe movement of people and goods to and from the development			
(c) are designed to integrate with the natural topography of the land.			
PO 8,4	DTS/DPF 8.4		
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.		
PO 8.5	DTS/DPF 8.5		
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.		
Fences a	nd Walls		
PO 9.1	DTS/DPF 9.1		
Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.		
PO 9.2	DTS/DPF 9.2		
	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.		
Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.		
from public roads and public open space to minimise visual impacts.			
from public roads and public open space to minimise visual impacts.	low side of a retaining wall.		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy	low side of a retaining wall. (in building 3 storeys or less)		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy PO 10.1 Development mitigates direct overlooking from upper level windows to	low side of a retaining wall. (In building 3 storeys or less) DTS/DPF 10.1 Upper level windows facing side or rear boundaries shared with a		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy PO 10.1 Development mitigates direct overlooking from upper level windows to	low side of a retaining wall. (in building 3 storeys or less) DTS/DPF 10.1 Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy PO 10.1 Development mitigates direct overlooking from upper level windows to	low side of a retaining wall. (In building 3 storeys or less) DTS/DPF 10.1 Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy PO 10.1 Development mitigates direct overlooking from upper level windows to	low side of a retaining wall. (In building 3 storeys or less) DTS/DPF10.1 Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than		
from public roads and public open space to minimise visual impacts. Overlooking / Visual Privacy PO 10.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	low side of a retaining wall. (in building 3 storeys or less) DTS/DPF10.1 Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.		

Downloaded on 11/10/2024 Generated By Policy24 Page 43 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
All Residentia	l development
	passive surveillance
PO 11.1 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street: includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m
	(b) has an aggregate window area of at least 2m ² facing the primary street.
PO 11.2 Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	DTS/DPF 11.2 Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook a	nd amenity
PO 12.1 Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.
PO 12.2 Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	DTS/DPF 12.2 None are applicable.
Ancillary D	evelopment
PO 13.1	DTS/DPF13.1
Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.	Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser

Downloaded on 11/10/2024 Generated By Policy24 Page 44 of 124

Policy24			P&D Code (in effect) Version	2024.18 10/10/2024
	(e)		ed on a boundary (not being a bound or secondary street), do not exceed a a longer wall or structure exists on t and is situated on the same allotme	length of 11.5m
		(ii)	and the proposed wall or structure will b same length of boundary as the exis or structure to the same or lesser e	e built along the sting adjacent wall
	(f)	bound or stru	ted on a boundary of the allotment (n ary with a primary street or secondar ctures on the boundary will not exce of that boundary	y street), all walls
	(g)	bounda an exis	be located within 3m of any other w ary unless on an adjacent site on that ting wall of a building that would be a posed wall or structure	boundary there is
	(h)	natural	wall height or post height not exceed ground level (and not including a gab	ole end)
	(i) (j)	above	roof height where no part of the root the natural ground level	
	(k)	reflecti	n sheet metal, is pre-colour treated o ve colour a total area of soft landscaping in acc	
			chever is less: a total area as determined by the fo	
			Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	Minimum percentage of site
			<150	10%
			150-200	15%
			201-450	20%
			>450	25%
		(ii)	the amount of existing soft landscap development occurring.	oing prior to the
	(1)	Produc	ion to ancillary accommodation in the tive Rural Landscape Zone, or Rural I within 20m of an existing dwelling.	
PO 13.2	DTS/DP	13.2		
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	Ancilla (a)	less pri	ngs and structures do not result in: vate open space than specified in De - Private Open Space	sign in Urban Areas
	(b)	Parking	-site car parking than specified in Tra g Table 1 - General Off-Street Car Par e 2 - Off-Street Car Parking Requirem	king Requirements
PO 13.3	DTS/DP	13.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	the sa	ne site a		
	(a)	from th allotme or		an adjoining
	(b)		at least 12m from the nearest habit djoining allotment.	able room located
PO 13.4	DTS/DP	13.4		
Downloaded on 11/10/2024 Generated	By Polic	y24		Page 45 of 124

8.1.1

olicv24 Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties.

P&D Code (in effect) Version 2024.18 10/10/2024

Non-residential ancillary buildings and structures:

- (a) are ancillary and subordinate to an existing non-residential use
- (b) have a floor area not exceeding the following:

Allotment size	Floor area
≤500m2	60m2
>500m2	80m2

- (c) are not constructed, added to or altered so that any part is situated:
 - (i) in front of any part of the building line of the main building to which it is ancillary
 - (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
- (d) in the case of a garage or carport, the garage or carport:
 - (i) is set back at least 5.5m from the boundary of the primary street
- (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m
 - (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary
 - (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
- (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary
- (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure
- (h) have a wall height (or post height) not exceeding 3m (and not including a gable end)
- have a roof height where no part of the roof is more than 5m above the natural ground level
- if clad in sheet metal, is pre-colour treated or painted in a nonreflective colour.

Garage appearance DTS/DPF 14.1 Garaging is designed to not detract from the streetscape or Garages and carports facing a street: appearance of a dwelling are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling are set back at least 5.5m from the boundary of the primary (c) have a garage door / opening not exceeding 7m in width have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. Massing DTS/DPF 15.1 The visual mass of larger buildings is reduced when viewed from None are applicable adjoining allotments or public streets. **Dwelling additions** PO 16.1 DTS / DPF 16.1


Downloaded on 11/10/2024 Generated By Policy24 Page 46 of 124 8.1.1

Policy24			F	P&D Code (in effect) Version 2024.18 10/10/202
Dwelling additions are sited and designed to not detract from the	Dwelling additions:			
streetscape or amenity of adjoining properties and do not impede on- site functional requirements.	(a) are not constructed, added to or altered so that an situated closer to a public street (b) do not result in:			
		(i)		vation exceeding a vertical height of 1m
		(ii)		g exceeding a vertical height of 1m
		(iii)	2m c	al combined excavation and filling vertical height o or more
		(iv)	1 - Pi	Private Open Space than specified in Design Table rivate Open Space
		(v)	and Requ	on-site parking than specified in Transport Access Parking Table 1 - General Off-Street Car Parking Jirements or Table 2 - Off-Street Car Parking Jirements in Designated Areas
		(vi)	uppe unle:	er level windows facing side or rear boundaries ss:
			A.	they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or
			В.	have sill heights greater than or equal to 1.5m above finished floor level or
			C.	incorporate screening to a height of 1.5m above finished floor level
		(vii)	level max	des of balconies or terraces on upper building s are permanently obscured by screening with a imum 25% transparency/openings fixed to a mum height of:
			A.	1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land
			B.	 7m above finished floor level in all other cases.
Private O	pen Spac	e		
PO 17.1	DTS/DPI	17.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.		open s Open s		s provided in accordance with Design Table 1 -
Water Sens	itive Des	ign		
PO 18.1	DTS/DPI	18.1		
Residential development creating a common driveway / access includes stormwater management systems that minimise the	Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater ru			
discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system,	_			
watercourses or other water bodies.	(a) (b) (c)	60 per	cent r	reduction in average annual total suspended solids reduction in average annual total phosphorus reduction in average annual total nitrogen.
PO 18.2	DTS/DPI	18.2		
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak	l .	pment dwelling		ng a common driveway / access that services 5 or

Downloaded on 11/10/2024 Generated By Policy24 Page 47 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	(a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or
	captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and (b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.
Car parking access	and manoeuvrability
PO 19.1	DTS/DPF 19.1
Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):
	(a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m
	(b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 19.2	DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	(a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m
PO 19.3	DTS/DPF 19.3
Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
PO 19.4	DTS/DPF 19.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street	Vehicle access to designated car parking spaces satisfy (a) or (b):
infrastructure or street trees.	(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed: (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads (ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle	Driveways are designed and sited so that:

Downloaded on 11/10/2024 Generated By Policy24 Page 48 of 124



Downloaded on 11/10/2024 Generated By Policy24 Page 49 of 124

Policy24	P&D Code (in	effect) Version 2024.18 10/10/2024			
		n the building and ground level is consistent with the building.			
Group dwelling, residential flat bu	ildings and battle-axe development				
Am	enity				
PO 22.1	DTS/DPF 22.1				
,	Dwellings have a minimum internal floor area in accordance with the following table:				
	Number of bedrooms	Minimum internal floor area			
	Studio	35m ²			
	1 bedroom	50m ²			
	2 bedroom	65m ²			
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom			
PO 22.2	DTS/DPF 22.2				
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.				
PO 22.3	DTS/DPF 22.3				
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.				
PO 22.4	DTS/DPF 22.4				
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in arrangement.	the form of a battle-axe			
Communal	Open Space				
PO 23.1	DTS/DPF 23.1				
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.				
PO 23.2	DTS/DPF 23.2				
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporate metres.	es a minimum dimension of 5			
PO 23.3	DTS/DPF 23.3				
Communal open space is designed and sited to:	None are applicable.				
be conveniently accessed by the dwellings which it services have regard to acoustic, safety, security and wind effects.					
PO 23.4	DTS/DPF 23.4				
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.				
PO 23.5	DTS/DPF 23.5				
Communal open space is designed and sited to:	None are applicable.				
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings					
Downloaded on 11/10/2024 Generated	By Policy24	Page 50 of 124			

Downloaded on 11/10/2024 Generated By Policy24 Page 50 of 124

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
 in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 	
Carparking, access a	and manoeuvrability
PO 24.1	DTS/DPF 24.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements: (a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 24.2	DTS/DPF 24.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 24.3	DTS/DPF 24.3
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 24.4 Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	DTS/DPF 24.4 Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.
PO 24.5	DTS/DPF 24.5
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 24.6	DTS/DPF 24.6
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft Land	dscaping
PO 25.1	DTS/DPF 25.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 25.2	DTS/DPF 25.2
Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding
	along the perimeter of a passing point).

Downloaded on 11/10/2024 Generated By Policy24 Page 51 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
PO 26.1	DTS/DPF 26,1
Provision is made for suitable mailbox facilities close to the major	None are applicable.
pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	
nature of accommodation and mobility of occupants.	
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material	None are applicable.
storage facilities which are:	None are applicable.
 (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. 	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from	Dedicated waste and recyclable material storage areas are located at
dwellings.	least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street,	None are applicable.
provision is made for on-site waste collection, designed to	
accommodate the safe and convenient access, egress and movement of waste collection vehicles.	
PO 26.6	DTS/DPF 26.6
Services including gas and water meters are conveniently located and	None are applicable.
screened from public view.	
Supported accommodation	on and retirement facilities
Siting and C	Configuration
PO 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people	None are applicable.
with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	
Movement	and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and	None are applicable.
movement for residents by providing:	
(a) ground-level access or lifted access to all units	
(b) level entry porches, ramps, paths, driveways, passenger	
loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places	
(c) car parks with gradients no steeper than 1-in-40 and of	
sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	
(d) kerb ramps at pedestrian crossing points.	
Communal	Open Space
PO 29.1	DTS/DPF 29.1
Development is designed to provide attractive, convenient and	None are applicable.
comfortable indoor and outdoor communal areas to be used by residents and visitors.	
PO 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open	None are applicable.
space which is designed and sited to meet the recreation and amenity	itoric di c applicable.
needs of residents.	

Downloaded on 11/10/2024 Generated By Policy24 Page 52 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 29.3	DTS/DPF:29.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4	DTS/DPF 29.4
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services(b) have regard to acoustic, safety, security and wind effects.	
PO 29.5	DTS/DPF 29.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 29.6	DTS/DPF 29.6
Communal open space is designed and sited to:	None are applicable.
 (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 	
Site Facilities	Waste Storage
PO 30.1	DTS/DPF30.1
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	None are applicable.
PO 30.2	DTS/DPF:30.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 30.3 Provision is made for suitable external clothes drying facilities.	DTS/DPF30.3 None are applicable.
PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.	None are applicable.
PO 30.5	DTS/DPF 30.5
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 30,6	DTS/DPF:30,6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
PO 30.7	DTS/DPF30.7
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
	tial development
	sitive Design
PO 31.1 Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	DTS/DPF31.1 None are applicable.
PO 31.2	DTS/DPF 31.2
10012	VISIOTE 31.2
hounloaded on 11/10/2024 Constant	Pur Policy 24 Page 53 of 134

Downloaded on 11/10/2024 Generated By Policy24 Page 53 of 124

P&D Code (in effect) Version 2024.18 10/10/2024 Policv24 Water discharged from a development site is of a physical, chemical None are applicable. and biological condition equivalent to or better than its pre-developed Wash-down and Waste Loading and Unloading PO 32.1 DTS/DPF 32.1 Areas for activities including loading and unloading, storage of waste None are applicable. refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or equipment are: designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area designed to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme a holding tank and its subsequent removal off-site on a regular basis. Design and Siting DTS/DPF 33.1 Decks are designed and sited to: Decks: complement the associated building form where ancillary to a dwelling: minimise impacts on the streetscape through siting behind the are not constructed, added to or altered so that any building line of the principal building (unless on a significant part is situated: allotment or open space) in front of any part of the building line of the dwelling to which it is ancillary minimise cut and fill and overall massing when viewed from adjacent land. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (ii) are set back at least 900mm from side or rear allotment boundaries (iii) when attached to the dwelling, has a finished floor level consistent with the finished ground floor level of the where associated with a residential use, retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (A) or (B), whichever is less: A. a total area is determined by the following Site area (or in the case Minimum of residential flat percentage of building or group site dwelling(s), average site area) (m²) 10% 150-200 15% >200-450 20% >450 25%

Downloaded on 11/10/2024 Generated By Policy24 Page 54 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	the amount of existing soft landscaping prior to the development occurring.
	(b) where in association with a non-residential use: (i) are set back at least 2 metres from the boundary of an allotment used for residential purposes. (ii) are set back at least 2 metres from a public road. (iii) have a floor area not exceeding 25m ² (c) in all cases, has a finished floor level not exceeding 1 metre above natural ground level at any point.
PO 33.2 Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	DTS/DPF33.2 Decks with a finished floor level/s 500mm or more above natural ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s.
PO 33.3 Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	DTS/DPF33.3 Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m ² : 24m ² located behind the building line. (b) Site area ≥ 301m ² : 60m ² located behind the building line. Minimum directly accessible from a living room: 16m ² / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): $4m^2$ with a minimum dimension 1.8m One bedroom: $8m^2$ with a minimum dimension 2.1m Two bedroom dwelling: $11m^2$ with a minimum dimension 2.4m Three + bedroom dwelling: $15m^2$ with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Design in Urban Areas

Downloaded on 11/10/2024 Generated By Policy24 Page 55 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome				
DO 1	Devel	opment is:			
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality			
	(b)	durable - fit for purpose, adaptable and long lasting			
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors			
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.			

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome

Performance Outcome All Deve	Deemed-to-Satisfy Criteria / Designated Performance Feature lopment		
	ppearance		
PO 1.1 Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	DTS/DPF 1.1 None are applicable.		
PO 1.2 Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	DTS/DPF 1.2 None are applicable.		
PO 1.3 Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	DTS/DPF 1.3 None are applicable.		
PO 1.4 Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces (b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	DTS/DPF 1.4 Development does not incorporate any structures that protrude beyond the roofline.		
PO 1.5 The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.	DTS/DPF 1.5 None are applicable.		
Sa	fety		
PO 2.1	DTS/DPF 2.1		

Downloaded on 11/10/2024 Generated By Policy24 Page 56 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
l sed	
PO 3.1	DTS/DPF 3.1
Soft landscaping and tree planting are incorporated to:	None are applicable.
(a) minimise heat absorption and reflection	
(b) maximise shade and shelter	
(c) maximise stormwater infiltration	
(d) enhance the appearance of land and streetscapes.	
Environmenta	l Performance
PO 4.1	DTS/DPF-4.1
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common	DTS/DPF-4.1
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental	DTS/DPF 4.1 None are applicable.
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on	DTS/DPF-4.1 None are applicable. DTS/DPF-4.2
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable.
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF4.1 None are applicable. DTS/DPF4.2 None are applicable. DTS/DPF4.3 None are applicable.
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3 None are applicable.
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater	DTS/DPF-4.1 None are applicable. DTS/DPF-4.2 None are applicable. DTS/DPF-4.3 None are applicable. itive Design DTS/DPF-5.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting:	DTS/DPF-4.1 None are applicable. DTS/DPF-4.2 None are applicable. DTS/DPF-4.3 None are applicable. itive Design DTS/DPF-5.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3 None are applicable.
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater the depth and directional flow of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3 None are applicable.
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces. PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sens PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater the depth and directional flow of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 None are applicable. DTS/DPF 4.3 None are applicable. itive Design DTS/DPF 5.1 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 57 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024		
used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.		
	g appearance		
PO 7.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.		
PO 7.2 Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.		
PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	DTS/DPF7.3 None are applicable.		
PO 7.4 Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	DTS/DPF7.4 Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.		
PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	DTS/DPF 7.5 Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of: (a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.		
PO 7.6 Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	DTS/DPF 7.6 None are applicable.		
PO 7.7 Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	DTS/DPF 7.7 None are applicable.		
Earthworks a	nd sloping land		
PO 8.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	DTS/DPF 8.1 Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.		

Downloaded on 11/10/2024 Generated By Policy24 Page 58 of 124

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024			
PO 8.2	DTS/DPF 8.2.			
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):			
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway			
	(b) are constructed with an all-weather trafficable surface.			
PO 8.3	DTS/DPF 8.3			
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.			
(a) do not contribute to the instability of embankments and cuttings				
 (b) provide level transition areas for the safe movement of people and goods to and from the development 				
(c) are designed to integrate with the natural topography of the land.				
PO 8.4	DTS/DPF 8.4			
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.			
PO 8.5	DTS/DPF 8.5			
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.			
Fences :	and walls			
PO 9.1	DTS/DPF 9.1			
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.			
PO 9.2	DTS/DPF 9.2			
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.			
Overlooking / Visual Pr	ivacy (low rise buildings)			
PO 10.1	DTS/DPF 10.1			
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone:			
neighbourhood-type zones.	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm			
	(b) have sill heights greater than or equal to 1.5m above finished			
	floor level (c) incorporate screening with a maximum of 25% openings,			
	permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.			
PO 10.2	DTS/DPF 10.2			
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in	One of the following is satisfied:			
neighbourhood type zones.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace			
	or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:			

Downloaded on 11/10/2024 Generated By Policy24 Page 59 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024			
	1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or 1.7m above finished floor level in all other cases			
Site Facilities / Waste Storage (exclud	ling low rise residential development)			
PO 11.1	DTS/DPF 11.1			
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.			
PO 11.2	DTS/DPF 11.2			
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.			
PO 11.3	DTS/DPF 11.3			
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.			
PO 11.4	DTS/DPF 11.4			
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.			
PO 11.5	DTS/DPF11.5			
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.			
All Development - M	edium and High Rise			
External A	ppearance			
PO 12.1	DTS/DPF 12.1			
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.			
PO 12.2	DTS/DPF 12.2			
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.			
PO 12.3	DTS/DPF 12.3			
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.			
PO 12.4	DTS/DPF 12.4			
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.			
PO 12.5	DTS/DPF 12.5			
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	ge well to minimise Buildings utilise a combination of the following external materials finishes:			
	(a) masonry			
	(b) natural stone			
	(c) pre-finished materials that minimise staining, discolouring or deterioration.			
PO 12.6	DTS/DPF 12.6			
Street-facing building elevations are designed to provide attractive, high	Building street frontages incorporate:			
quality and pedestrian-friendly street frontages.	43			
	(a) active uses such as shops or offices			
	(b) prominent entry areas for multi-storey buildings (where it is a common entry)			
ownloaded on 11/10/2024 Generated	By Policy24 Page 60 of 124			

Downloaded on 11/10/2024 Generated By Policy24 Page 60 of 124

Policy24		P&D Code (in	effect) Version	2024.18 10/10/202	
	(d) areas of	e rooms of dwellin communal public onsistent with the	realm with public		
PO 12.7 Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	DTS/DPF12.7 Entrances to multi-storey buildings are: (a) oriented towards the street (b) clearly visible and easily identifiable from the street and vehicle parking areas (c) designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses (d) designed to provide shelter, a sense of personal address and transitional space around the entry (e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors (f) designed to avoid the creation of potential areas of entrapment.				
PO 12.8 Building services, plant and mechanical equipment are screened from the public realm.	None are applica	able.			
Lands	scaping				
PO 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	that accommod	e a 4m by 4m deep ates a medium to l ont property bound	arge tree, except	where no building	
PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporate trees at not less than the following rates, except in a location or zone where full site coverage is desired.				
	Site area	Minimum deep soil area	Minimum dimension	Tree / deep soil zones	
	<300 m ²	10 m ²	1.5m	1 small tree / 10 m ²	
	300-1500 m ²	7% site area	3m	1 medium tree / 30 m ²	
	>1500 m ²	7% site area	6m	1 large or medium tree / 60 m ²	
	Tree size and site area definitions				
	Small tree	4-6m mature height and 2-4m canopy spread			
	Medium tree	6-12m mature height and 4-8m canopy spread			
	Large tree	12m mature height and >8m canopy spread		opy spread	
	Site area	The total area for development site, not average area per dwelling		ite, not average	
DO 12.2	DECEMBER 42.2				
PO 13.3 Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applica	able.			
PO 13.4	DTS/DPF 13.4				
ownloaded on 11/10/2024 Generated	By Policy24			Page 61 of 12	

Downloaded on 11/10/2024 Generated By Policy24 Page 61 of 124

Policy24 P&D Code (in effect) Version 2024.18 1				
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.				
Enviror	mental			
PO 14.1	DTS/DPF14.1			
Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	None are applicable.			
PO 14.2	DTS/DPF 14.2			
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.	None are applicable.			
PO 14.3	DTS/DPF 14.3			
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as:	None are applicable.			
(a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street (b) substantial verandahs around a building to deflect downward				
travelling wind flows over pedestrian areas (c) the placement of buildings and use of setbacks to deflect the wind at ground level				
 (d) avoiding tall shear elevations that create windy conditions at street level. 				
Car P	arking			
PO 15.1	DTS/DPF15.1			
Multi-level vehicle parking structures are designed to contribute to active street frontages and complement neighbouring buildings.	Multi-level vehicle parking structures within buildings:			
active street frontages and complement neighbouring buildings.	(a) provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages			
	 incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings. 			
PO 15.2	DTS/DPF 15.2			
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.			
Overlooking/	Visual Privacy			
PO 16.1	DTS/DPF 16.1			
Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:	None are applicable.			
appropriate site layout and building orientation off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms				

Downloaded on 11/10/2024 Generated By Policy24 Page 62 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202		
 screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity. 			
All residentia	ll development		
	d passive surveillance		
PO 17.1	DTS/DPF 17.1		
Dwellings incorporate windows facing primary street frontages to	Each dwelling with a frontage to a public street:		
encourage passive surveillance and make a positive contribution to the streetscape.	 (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street. 		
PO 17.2	DTS/DPF 17.2		
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.		
Outlook a	and Amenity		
PO 18.1	DTS/DPF 18.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.		
PO 18.2 Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	DTS/DPF18.2 None are applicable.		
Ancillary D	Pevelopment		
PO 19.1	DTS/DPF 19.1		
Residential ancillary buildings are sited and designed to not detract	Ancillary buildings:		
from the streetscape or appearance of primary residential buildings on the site or neighbouring properties.	(a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2		
and an analysis of the first state of the first sta	(c) are not constructed, added to or altered so that any part is situated:		
	(i) in front of any part of the building line of the dwelling to which it is ancillary or		
	(ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)		
	(d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street		
	 when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is 		
	B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width		
	(e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:		
	 a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary 		

Downloaded on 11/10/2024 Generated By Policy24 Page 63 of 124

Policy24		(ii)	P&D Code (in effect) Version 2 and the proposed wall or structure will be same length of boundary as the exist or structure to the same or lesser ex	e built along the ting adjacent wall	
		(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all v or structures on the boundary will not exceed 45% of the length of that boundary			
	(g)	will not bound an exis	be located within 3m of any other wa ary unless on an adjacent site on that ting wall of a building that would be ac posed wall or structure	boundary there is	
	(h)	have a	, wall height or post height not exceedi ground level (and not including a gab		
	(i)		roof height where no part of the roof the natural ground level	is more than 5m	
	(j)		n sheet metal, is pre-colour treated or ve colour	painted in a non-	
	(k)		a total area of soft landscaping in acc chever is less:	ordance with (i) or	
		(i)	a total area as determined by the fol Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	owing table: Minimum percentage of site	
			<150	10%	
			150-200	15%	
			201-450	20%	
			>450	25%	
		(ii)	the amount of existing soft landscap development occurring.	ing prior to the	
	(1)	Produc	ion to ancillary accommodation in the tive Rural Landscape Zone, or Rural H I within 20m of an existing dwelling.		
PO 19.2	DTS/DPF	19.2			
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking		_	ngs and structures do not result in:		
requirements or result in over-development of the site.	(a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space				
	(b)	Parking	-site car parking than specified in Trar g Table 1 - General Off-Street Car Park e 2 - Off-Street Car Parking Requirem	ing Requirements	
PO 19.3	DTS/DPF	19.3			
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	1	mp and ne site a	or filtration system is ancillary to a dv ond is:	velling erected on	
and a second sec	(a) (b)	from the allotme or located	ed in a solid acoustic structure that is less to nearest habitable room located on ent and the structure that is less than the sease thabitate in the sease that is sease that it is seas	an adjoining	
PO 19.4	DTC/DC				
Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties.		sidentia are an	I ancillary buildings and structures: cillary and subordinate to an existing a same site	non-residential use	
Downloaded on 11/10/2024 Generated	D. Delle		Junic Site	Page 64 of 12	

Downloaded on 11/10/2024 Generated By Policy24 Page 64 of 124

8.1.1

olicy24 P&D Code (in effect) Version 2024.18 10/10/20				
	(b) have a floor area not exceeding the following:			
	Allotment size Floor area ≤500m2 60m2			
	≤500m2 60m2 >500m2 80m2			
	(c) are not constructed, added to or altered so that any part is			
	situated: (i) in front of any part of the building line of the main building to which it is ancillary			
	or (ii) within 900mm of a boundary of the allotment with a			
	secondary street (if the land has boundaries on two or more roads)			
	(d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street			
	 (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: 			
	 a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary 			
	 the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 			
	(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary			
	(g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure			
	 (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) 			
	(i) have a roof height where no part of the roof is more than 5m above the natural ground level			
	 (j) if clad in sheet metal, is pre-colour treated or painted in a non- reflective colour. 			
Residential Devel	opment - Low Rise			
External a	ppearance			
PO 20.1	DTS/DPF 20.1			
Garaging is designed to not detract from the streetscape or	Garages and carports facing a street:			
appearance of a dwelling.	(a) are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling			
	(b) are set back at least 5.5m from the boundary of the primary street			
	(c) have a garage door / opening width not exceeding 7m			
	(d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.			
PO 20.2	DTS/DPF 20.2			
Dwelling elevations facing public streets and common driveways make	Each dwelling includes at least 3 of the following design features within			
a positive contribution to the streetscape and the appearance of common driveway areas.	the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway:			
	(a) a minimum of 30% of the building wall is set back an additional 300mm from the building line			
	(b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall			
	(d) a verandah projects at least 1m from the building wall			


Downloaded on 11/10/2024 Generated By Policy24 Page 65 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 20.3	DTS/DPF 20.3
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable
Private O	pen Space
PO 21.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	DTS/DPF 21.1 Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
PO 21.2 Private open space is positioned to provide convenient access from internal living areas.	DTS/DPF 21.2 Private open space is directly accessible from a habitable room.
Lands	ccaping
Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes.	Residential development incorporates soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b): (a) a total area for the entire development site, including any common property, as determined by the following table: Site area (or in the case of residential flat building or group dwelling(s), average site area) (m²) 4150 10% 1596 2000 2596 (b) at least 30% of any land between the primary street boundary and the primary building line.
Car parking, access	and manoeuvrability
PO 23.1 Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	DTS/DPF 23.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side):

Downloaded on 11/10/2024 Generated By Policy24 Page 66 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 23.2 Uncovered car parking space are of dimensions to be functional, accessible and convenient.	DTS/DPF.23.2 Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 23.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking.	DTS/DPF 23.3 Driveways and access points satisfy (a) or (b): (a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site (b) sites with a frontage to a public road greater than 10m; (i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site; (ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m.
PO 23.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	DTS/DPF-23.4 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 23.5 Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	DTS/DPF 23.5 Driveways are designed and sited so that: (a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping

Downloaded on 11/10/2024 Generated By Policy24 Page 67 of 124



Downloaded on 11/10/2024 Generated By Policy24 Page 68 of 124

olicy24 P&D Code (in effect) Version 2024.18 10/10/2	
	(b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and High Rise (including serviced apartments)	
Outlook and	Visual Privacy
PO 26.1	DTS/DPF 26.1
Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space.	Buildings:
	(a) provide a habitable room at ground or first level with a window facing toward the street
	(b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.
PO 26.2	DTS/DPF 26.2
The visual privacy of ground level dwellings within multi-level buildings is protected.	The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.
Private C	pen Space
PO 27.1	DTS/DPF 27.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
Residential amenity	in multi-level buildings
PO 28.1	DTS/DPF 28.1
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where
separated from those of other dwellings and accommodation to	there is a direct line of sight between them and 3m or more from a
provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	side or rear property boundary.
PO 28.2	DTS/DPF 28.2
Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:	Balconies utilise one or a combination of the following design elements:
(a) respond to daylight, wind, and acoustic conditions to maximise	(a) sun screens
comfort and provide visual privacy (b) allow views and casual surveillance of the street while providing	(b) pergolas (c) louvres
for safety and visual privacy of nearby living spaces and private	(d) green facades
outdoor areas.	(e) openable walls.
PO 28.3	DTS/DPF 28.3
Balconies are of sufficient size and depth to accommodate outdoor	Balconies open directly from a habitable room and incorporate a
seating and promote indoor / outdoor living.	minimum dimension of 2m.
PO 28.4	DTS/DPF 28,4
Dwellings are provided with sufficient space for storage to meet likely	Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at
occupant needs.	least 50% or more of the storage volume to be provided within the dwelling:
	(a) studio: not less than 6m ³
	(b) 1 bedroom dwelling / apartment: not less than 8m ³
	(c) 2 bedroom dwelling / apartment: not less than 10m ³
	(d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
PO 28.5	DTS/DPF 28.5
Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a reasonable	Light wells:
living amenity is provided.	(a) are not used as the primary source of outlook for living rooms

Downloaded on 11/10/2024 Generated By Policy24 Page 69 of 124

Policy24	P&D Code (in	effect) Version 2024.18 10/10/2024
	(b) up to 18m in height have a i 3m, or 6m if overlooked by	minimum horizontal dimension of
		minimum horizontal dimension of
PO 28.6	DTS/DPF 28.6	
Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	None are applicable.	
PO 28.7	DTS/DPF 28.7	
Dwellings are designed so that internal structural columns correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable.	None are applicable.	
Dwelling Co	onfiguration	
PO 29.1	DTS/DPF 29.1	
Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	Buildings containing in excess of 10 each of the following:	dwellings provide at least one of
contribute to modaling distributy.	(a) studio (where there is no se (b) 1 bedroom dwelling / aparts 50m ²	eparate bedroom) ment with a floor area of at least
		ment with a floor area of at least
PO 29.2	DTS/DPF 29.2	
Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	None are applicable.	
Commo	on Areas	
PO 30.1	DTS/DPF30.1	
The size of lifts, lobbies and corridors is sufficient to accommodate	Common corridor or circulation are	as:
movement of bicycles, strollers, mobility aids and visitor waiting areas.	(a) have a minimum ceiling hei	ght of 2.7m
	(b) provide access to no more t	han 8 dwellings
	(c) incorporate a wider section corridors exceed 12m in ler	at apartment entries where the ngth from a core.
Group Dwellings, Residential Flat Bi	uildings and Battle axe Development	
Am	enity	
PO 31.1	DTS/DPF 31.1	
Dwellings are of a suitable size to provide a high standard of amenity for occupants.	Dwellings have a minimum internal following table:	floor area in accordance with the
	Number of bedrooms	Minimum internal floor area
	Studio	35m ²
	1 bedroom	50m ²
	2 bedroom	65m ²
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom

Downloaded on 11/10/2024 Generated By Policy24 Page 70 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 31.2	DTS/DPF 31.2
The orientation and siting of buildings minimises impacts on the	None are applicable.
amenity, outlook and privacy of occupants and neighbours.	
PO 31.3	DTS/DPF:31.3
Development maximises the number of dwellings that face public open	None are applicable.
space and public streets and limits dwellings oriented towards	
adjoining properties.	
PO 31.4	DTS/DPF31.4
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.
	Open Space
PO 32.1	DTS/DPF32.1
Private open space provision may be substituted for communal open	None are applicable.
space which is designed and sited to meet the recreation and amenity	The die application
needs of residents.	
PO 32.2	DTS/DPF.32.2
Communal open space is of sufficient size and dimensions to cater for	Communal open space incorporates a minimum dimension of 5 metres.
group recreation. PO 32.3	DTS/DPF 32.3
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services	
(b) have regard to acoustic, safety, security and wind effects.	
PO 32.4	DTS/DPF 32.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 32.5	DTS/DPF32.5
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise	
overlooking into habitable room windows or onto the useable	
private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by	
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Constitution of the consti	1
	and manoeuvrability
PO 33.1	DTS/DPF33.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the
and provision of our street visitor parking.	following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)
	(b) minimum car park length of 5.4m where a vehicle can enter or
	exit a space directly
	(c) minimum carpark length of 6m for an intermediate space
	located between two other parking spaces or to an end obstruction where the parking is indented.
PO 33.2	DTS/DPF 33.2
	Access to group dwellings or dwellings within a residential flat building
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to	is provided via a single common driveway.
public safety and walkability.	
PO 33.3	DTS/DPF 33.3
Residential driveways that service more than one dwelling are	Driveways that service more than 1 dwelling or a dwelling on a battle-
designed to allow safe and convenient movement.	axe site:
I	I

Downloaded on 11/10/2024 Generated By Policy24 Page 71 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 33.4 Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	DTS/DPF33.4 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 33.5 Dwellings are adequately separated from common driveways and manoeuvring areas.	DTS/DPF33.5 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft lan	dscaping
PO 34.1 Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	DTS/DPF34.1 Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 34.2 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	DTS/DPF 34.2 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	/ Waste Storage
PO 35.1 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	DTS/DPF35.1 None are applicable.
PO 35.2 Provision is made for suitable external clothes drying facilities.	DTS/DPF 35.2 None are applicable.
PO 35.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point.	DTS/DPF35.3 None are applicable.
PO 35.4 Waste and recyclable material storage areas are located away from dwellings.	DTS/DPF35.4 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 35.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	DTS/DPF 35.5 None are applicable.
ownloaded on 11/10/2024 Generated	By Policy24 Page 72 of 12

Downloaded on 11/10/2024 Generated By Policy24 Page 72 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202-
PO 35.6	DTS/DPF35.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Water sensitiv	e urban design
PO 36.1	DTS/DPF36.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
PO 36.2	DTS/DPF.36.2
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Supported Accommodation	on and retirement facilities
Siting, Configur	ation and Design
PO 37.1	DTS/DPF37.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
PO 37.2	DTS/DPF:37.2
Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in place.	None are applicable.
Movement	
	and Access
PO 38.1	DTS/DPF38.1
PO 38.1 Development is designed to support safe and convenient access and	DTS/DPF38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF38.1 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF38.1 None are applicable. Open Space
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2 None are applicable. DTS/DPF39.3 Communal open space incorporates a minimum dimension of 5

Downloaded on 11/10/2024 Generated By Policy24 Page 73 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
 (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. 	
PO 39.5	DTS/DPF39.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
 in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings 	
 in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 	
Site Facilities /	Waste Storage
PO 40.1	DTS/DPF 40,1
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.	None are applicable.
PO-40.2	DTS/DPF 40.2
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 40.3	DTS/DPF 40.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 40.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	DTS/DPF 40.4 None are applicable.
PO 40.5 Waste and recyclable material storage areas are located away from dwellings.	DTS/DPF-40.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 40.6	DTS/DPF 40.6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
PO 40.7	DTS/DPF 40.7
Services, including gas and water meters, are conveniently located and screened from public view.	None are applicable.
Student Acc	ommodation
PO 41.1	DTS/DPF 41.1
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction.	Student accommodation provides: (a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including: (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m³ for every 2 dwellings or students

Downloaded on 11/10/2024 Generated By Policy24 Page 74 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	 (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students.
PO 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event	DTS/DPF 41.2 None are applicable.
it is no longer required for student housing.	
All non-residen	ial development
Water Sens	itive Design
PO 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	DTS/DPF 42.1 None are applicable.
PO 42.2	DTS/DPF 42.2
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.
Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	None are applicable.
	Loading and Unloading
PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	Loading and Unloading DTS/DPF 43.1 None are applicable.
PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	DTS/DPF43.1 None are applicable.
PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	DTS/DPF-43.1
PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	DTS/DPF43.1 None are applicable. evelopment
PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	DTS/DPF 43.1 None are applicable. evelopment e and Access

Downloaded on 11/10/2024 Generated By Policy24 Page 75 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 the primary street can support access by emergency and regular service vehicles (such as waste collection) it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management (d) safety of pedestrians or vehicle movement is maintained any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares. Design and Siting PO 45.1 DTS/DPF 45.1 Decks are designed and sited to: Decks: where ancillary to a dwelling: complement the associated building form minimise impacts on the streetscape through siting behind the are not constructed, added to or altered so that any building line of the principal building (unless on a significant part is situated: allotment or open space) in front of any part of the building line of the minimise cut and fill and overall massing when viewed from dwelling to which it is ancillary adjacent land. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (ii) are set back at least 900mm from side or rear allotment boundaries when attached to the dwelling, has a finished floor level consistent with the finished ground floor level of the where associated with a residential use, retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (A) or (B), whichever is less: a total area is determined by the following table: Site area (or in the case of residential flat percentage of building or group site dwelling(s), average site area) (m²) <150 10% 150-200 15% >200-450 20% >450 25% the amount of existing soft landscaping prior to the development occurring. where in association with a non-residential use: (i) are set back at least 2 metres from the boundary of an allotment used for residential purposes are set back at least 2 metres from a public road. have a floor area not exceeding 25m² in all cases, has a finished floor level not exceeding 1 metre above natural ground level at any point. PO 45.2 DTS/DPF 45.2

Downloaded on 11/10/2024 Generated By Policy24 Page 76 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	Decks with a finished floor level/s 500mm or more above natural ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s.
PO 45.3	DTS/DPF 45.3
Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.

Table 1 - Private Open Space

Dwelling Type	Dwelling / Site	Minimum Rate
	Configuration	
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m²: 24m² located behind the building line. (b) Site area ≥ 301m²: 60m² located behind the building line. Minimum directly accessible from a living room: 16m² / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate	Dwellings at ground level:	15m ² / minimum dimension 3m
above ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m ² / minimum dimension 1.8m
	One bedroom dwelling	8m ² / minimum dimension 2.1m
	Two bedroom dwelling	11m ² / minimum dimension 2.4m
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the	

Downloaded on 11/10/2024 Generated By Policy24 Page 77 of 124

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Si	ting	
PO 1.1	DTS/DPF 1.1	
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).	
PO 1.3	DTS/DPF 1.3	
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
Water P	rotection	
PO 2.1	DTS/DPF 2.1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources.	(a) do not involve cultivation (excluding spot cultivation) in drainage lines (b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer)	
	(c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole (with no direct connection to an aquifer).	
Fire Mai	nagement	
PO 3.1	DTS/DPF 3.1	
Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.	Commercial forestry plantations provide:	
	(a) 7m or more wide external boundary firebreaks for plantations of 40ha or less	
	(b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha	
	20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.	
	Note: Firebreaks prescribed above (as well as access tracks) may be included within the setback buffer distances prescribed by other policies of the Code.	
PO 3.2	DTS/DPF 3.2	
Commercial forestry plantations incorporate appropriate fire	Commercial forestry plantation fire management access tracks:	
management access tracks.	(a) are incorporated within all firebreaks	

Downloaded on 11/10/2024 Generated By Policy24 Page 78 of 124

Policy24	P&D C	ode (in effec	t) Version 2024.18 10/10/2024
	(c) are aligned to provi they are a no throu signposted and pro fighting vehicles	ide straight th igh access trac ovide suitable	ical clearance of 4m or more rough access at junctions, or if ck are appropriately turnaround areas for fire- s of 40ha or less in area.
Power-line	Clearances		
PO 4.1 Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	, ,	nan 6m meet	rating trees with an expected the clearance requirements
	Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

The Housing Renewal General Development Policies are only applicable to dwellings or residential flat building undertaken by:

- (a) the South Australian Housing Trust either individually or jointly with other persons or bodies
- (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

Desired Outcome (DO)

	Desired Outcome
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing
	options and tenures to enhance the residential amenity of the local area.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	nd Intensity
PO 1.1	DTS/DPF 1.1
Residential development provides a range of housing choices.	Development comprises one or more of the following:
	(a) detached dwellings (b) semi-detached dwellings (c) row dwellings

Downloaded on 11/10/2024 Generated By Policy24 Page 79 of 124

Page 204 Council Assessment Panel Agenda - 17 December 2024

P&D Code (in effect) Version 2024.18 10/10/202
(d) group dwellings
(e) residential flat buildings.
DTS/DPF 1.2
None are applicable.
and the second
Height
DTS/DPF 2.1
Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m
(not including a gable end).
DTS/DPF 2.2
None are applicable.
eet Setback
DTS/DPF3.1
Buildings are no closer to the primary street (excluding any balcony,
verandah, porch, awning or similar structure) than 3m.
reet Setback
DTS/DPF 4.1
Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.
another war a secondary street writings.
ry Walls
DTS/DPF 5.1
DTS/DPF 5.1 Except where the dwelling is located on a central site within a row
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls
Except where the dwelling is located on a central site within a row
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not:
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not:
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land. DTS/DPF 5.2 Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land. DTS/DPF5.2 Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.
Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land. DTS/DPF 5.2 Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.

Downloaded on 11/10/2024 Generated By Policy24 Page 80 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
r oney24	from side boundaries in accordance with the following:
 (a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours. 	(a) where the wall height does not exceed 3m - at least 900mm (b) for a wall that is not south facing and the wall height exceeds 3m - at least 900mm from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings (c) for a wall that is south facing and the wall height exceeds 3m - at least 1.9m from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings.
Rear Boung	Jary Setback
PO 7.1	DTS/DPF 7.1
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:
separation between dwellings in a way that contributes to a suburban character access to natural light and ventilation for neighbours private open space space for landscaping and vegetation.	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.
Buildings ele	evation design
PO 8.1	DTS/DPF 8.1
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 8.2 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street
PO 8.3	DTS/DPF 8.3
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable.
PO 8.4	DTS/DPF 8.4
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable.
PO 8.5	DTS/DPF 8.5

Downloaded on 11/10/2024 Generated By Policy24 Page 81 of 124

Policy24			P&D Code (in effect) Version 2024.18 10/10/202
Entrances to multi-s	torey buildings are:		None are applicable.
(b) visible and	wards the street easily identifiable from th include a common mail		
		Outlook a	nd amenity
PO 9.1 Living rooms have a amenity for occupa	n external outlook to pro	ovide a high standard of	DTS/DPF 9.1 A living room of a dwelling incorporates a window with an external outlook towards the street frontage or private open space.
areas, common acco	rated or shielded from a ess areas and vehicle pa ise and artificial light intr	. *	DTS/DPF 9.2. None are applicable.
		Private O	pen Space
PO 10.2 Private open space internal living areas.	positioned to provide co	nvenient access from	PO 10.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.
		e with the following table:	DTS/DPF 10.2 At least 50% of the required area of private open space is accessible from a habitable room.
Dwelling Type	Dwelling / Site Configuration	Minimum Rate	
Dwelling (at ground level)	3	Total area: 24m ² located behind the building line Minimum adjacent to a living room: 16m ² with a minimum dimension 3m	
Dwelling (above ground level)	Studio	4m ² / minimum dimension 1.8m	
	One bedroom dwelling	8m ² / minimum dimension 2.1m	
	Two bedroom dwelling	11m ² / minimum dimension 2.4m	
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m	
PO 10.3 Private open space	is positioned and design	ed to:	DTS/DPF 10.3 None are applicable.
occupants; (b) take advant	able outdoor space that age of desirable orientat define public and private	ion and vistas; and	
		Visual	privacy
	_	rom upper level windows to adjoining residential uses.	Upper level windows facing side or rear boundaries shared with another residential allotment/site satisfy one of the following:

Downloaded on 11/10/2024 Generated By Policy24 Page 82 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5m above the finished floor.
PO 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses.	One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
! Lands	caping
PO 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes.	DTS/DPF 12.1 Residential development incorporates pervious areas for soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b): (a) a total area as determined by the following table: Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m2) percentage of site
Water Sens	itive Design
PO 13.1 Residential development is designed to capture and use stormwater to: (a) maximise efficient use of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	DTS/DPF 13.1 None are applicable.
Residential development is designed to capture and use stormwater to: (a) maximise efficient use of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	
Residential development is designed to capture and use stormwater to: (a) maximise efficient use of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 83 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential parking spaces enclosed by fencing, walls or other obstructions with the following internal dimensions (separate from any waste storage area):
	(a) single parking spaces: (i) a minimum length of 5.4m (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m
	(b) double parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.5m (iii) minimum garage door width of 2.4m per space.
PO 14.3 Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	DTS/DPF 14.3 Uncovered car parking spaces have:
	(a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 14.4 Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	DTS/DPF 14.4 Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.
PO 14.5 Residential flat buildings provide dedicated areas for bicycle parking	DTS/DPF 14.5 Residential flat buildings provide one bicycle parking space per dwelling.
Ov	ershadowing
PO 15.1	
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour between 9am and 3pm on 21 June.	vith
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour	of None are applicable.
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour	Waste DTS/DPF 16.1
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour between 9am and 3pm on 21 June. PO 16.1 Provision is made for the convenient storage of waste bins in a located the storage of waste bins in a located the convenient storage of waste bins in a l	Waste DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour between 9am and 3pm on 21 June. PO 16.1 Provision is made for the convenient storage of waste bins in a located the storage of waste bins in a located the convenient storage of waste bins in a l	Waste DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated residential buildings receive direct sunlight for a minimum of 2 hour between 9am and 3pm on 21 June. PO 16.1 Provision is made for the convenient storage of waste bins in a locat screened from public view. PO 16.2 Residential flat buildings provide a dedicated area for the on-site	Waste DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
Development minimises overshadowing of the private open spaces adjoining land by ensuring that ground level open space associated or residential buildings receive direct sunlight for a minimum of 2 hour between 9am and 3pm on 21 June. PO 16.1 Provision is made for the convenient storage of waste bins in a locat screened from public view. PO 16.2 Residential flat buildings provide a dedicated area for the on-site storage of waste which is: (a) easily and safely accessible for residents and for collection	Mone are applicable. Waste DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street. DTS/DPF 16.2 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 84 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Vehicle	: Access
PO 17.1	DTS/DPF 17.1
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	None are applicable.
PO 17.2	DTS/DPF17.2
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street	Vehicle access to designated car parking spaces satisfy (a) or (b):
infrastructure or street trees.	 is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed, is set back:
	 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	 (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance
	(iii) 6m or more from the tangent point of an intersection of 2 or more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	(a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping (b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram:
	O° STREET BOUNDARY CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110° OFF THE STREET BOUNDARY 110° STREET BOUNDARY

Downloaded on 11/10/2024 Generated By Policy24 Page 85 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202-
	(c) if located to provide access from an alley, lane or right of way the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site.
PO 17.4 Driveways and access points are designed and distributed to optimise the provision of on-street parking.	DTS/DPF 17.4 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 17.5 Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	DTS/DPF17.5 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 17.6 Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	DTS/DPF 17.6 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn man
PO 17.7 Dwellings are adequately separated from common driveways and manoeuvring areas.	DTS/DPF17.7 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Sto	rage
PO 18.1 Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	DTS/DPF 18.1 Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:
	(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
Earth	works
PO 19.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	DTS/DPF 19.1 The development does not involve: (a) excavation exceeding a vertical height of 1m
	or (b) filling exceeding a vertical height of 1m or (c) a total combined excavation and filling vertical height
	exceeding 2m.
Service connection	s and infrastructure
PO 20.1	DTS/DPF 20.1
Dwellings are provided with appropriate service connections and	The site and building:

Downloaded on 11/10/2024 Generated By Policy24 Page 86 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
infrastructure.	 (a) have the ability to be connected to a permanent potable water supply (b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011 (c) have the ability to be connected to electricity supply (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996.
Site cont	amination
PO 21.1	DTS/DPF 21.1
Land that is suitable for sensitive land uses to provide a safe environment.	Development satisfies (a), (b), (c) or (d):
CHAROLING	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a <u>more sensitive use</u>
	(c) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> does not exist (as demonstrated in a <u>site contamination declaration form</u>)
	(d) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	 a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that
	<u>site contamination</u> does not exist (or no longer exists) at the land or
	the land is suitable for the proposed use or range of uses (without the need for any further remediation) or
	C. where <u>remediation</u> is, or remains, necessary for the proposed use (or range of uses), <u>remediation work</u> has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and (ii) no other <u>class 1 activity</u> or <u>class 2 activity</u> has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a <u>site</u> contamination declaration form).

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that

Downloaded on 11/10/2024 Generated By Policy24 Page 87 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes
	and residential amenity.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	General
PO 1.1	DTS/DPF1.1
Development is located and designed to minimise hazard or	None are applicable.
nuisance to adjacent development and land uses.	
	Visual Amenity
PG 24	•
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by: (a) utilising features of the natural landscape to obscure views where practicable (b) siting development below ridgelines where practicable (c) avoiding visually sensitive and significant landscapes (d) using materials and finishes with low-reflectivity and colours that complement the surroundings (e) using existing vegetation to screen buildings (f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily	DTS/DPF2.1 None are applicable.
accommodate sensitive receivers. PO 2.2 Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	DTS/DPF 2.2 None are applicable.
PO 2.3 Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	DTS/DPF 2.3 None are applicable.
	Rehabilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
н	lazard Management
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	None are applicable.
PO 4.2	DTS/DPF-4.2
Facilities for energy generation, power storage and transmission are separated as far as practicable from dwellings, tourist accommodation and frequently visited public places	None are applicable.
ownloaded on 11/10/2024 Ger	nerated By Policy24 Page 88 of 12/

Downloaded on 11/10/2024 Generated By Policy24 Page 88 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(such as viewing platforms / lookouts) to reduce risks to public	
safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy	None are applicable.
facilities by providing appropriate access tracks, safety	
equipment and water tanks and establishing cleared areas	
around substations, battery storage and operations	
compounds.	
Electricity Infrastr	ucture and Battery Storage Facilities
PO 5.1	DTS/DPF 5.1
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.
(a) siting utilities and services:	
(i) on areas already cleared of native vegetation	
(ii) where there is minimal interference or	
disturbance to existing native vegetation or biodiversity	
(b) grouping utility buildings and structures with non- residential development, where practicable.	
PO 5.2	DTS/DPF5.2
Electricity supply (excluding transmission lines) serving new	None are applicable.
development in urban areas and townships installed	
underground, excluding lines having a capacity exceeding or	
equal to 33kV.	
PO 5.3	DTS/DPF 5.3
Battery storage facilities are co-located with substation	None are applicable.
infrastructure where practicable to minimise the development footprint and reduce environmental impacts.	
Telec	ommunication Facilities
PO 6.1	DTS/DPF-6.1
The proliferation of telecommunications facilities in the form of	None are applicable.
towers/monopoles in any one locality is managed, where	
technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on	
visual amenity,	
,	
PO 6.2	DTS/DPF 6.2
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and	None are applicable.
mitigate impacts on visual amenity.	
,	
PO 6.3	DTS/DPF-6.3
Telecommunications facilities, particularly towers/monopoles,	None are applicable.
are located and sized to mitigate visual impacts by the following	income appropries
methods:	
(4)	
(a) where technically feasible, incorporating the facility within an existing structure that may serve another	
purpose	
or all of the following:	
I	

Downloaded on 11/10/2024 Generated By Policy24 Page 89 of 124

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/202									
using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services using materials and finishes that complement the environment screening using landscaping and vegetation, particularly for equipment shelters and huts.										
Renewable Energy Facilities										
PO 7.1 Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	DTS/DPF 7.1 None are applicable.									
Renewable	e Energy Facilities (Wind Farm)									
Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	DTS/DPF 8.1 Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation									
PO 8.2 The visual impact of wind turbine generators on natural landscapes is managed by:	DTS/DPF 8.2 None are applicable.									
designing wind turbine generators to be uniform in colour, size and shape coordinating blade rotation and direction mounting wind turbine generators on tubular towers as opposed to lattice towers.										
PO 8.3 Wind turbine generators and ancillary development minimise potential for bird and bat strike.	DTS/DPF 8.3 None are applicable.									
PO 8.4 Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	DTS/DPF 8.4 No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.									
PO 8.5 Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	DTS/DPF 8.5 None are applicable.									
Renewable Energy Facilities (Solar Power)										
PO 9.1 Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	DTS/DPF 9.1 None are applicable.									
Downloaded on 11/10/2024 Ge	nerated By Policy24 Page 90 of 12									

Downloaded on 11/10/2024 Generated By Policy24 Page 90 of 124

Policy24		P&D	Code (in e	ffect) Version 2	2024.18 10/10/202	
PO 9.2	DTS/DPF 9.2					
Ground mounted solar power facilities allow for movement of wildlife by:	None are applicable.					
 incorporating wildlife corridors and habitat refuges avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility. 						
PO 9.3	DTS/DPF 9.3					
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:					
	Generation Capacity	Approximate size of array	Setback from adjoining land boundary	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹	
	50MW>	80ha+	30m	500m	2km	
	10MW<50MW	16ha-<80ha	25m	500m	1.5km	
	5MW<10MW	8ha to <16ha	20m	500m	1km	
	1MW<5MW	1.6ha to <8ha	15m	500m	500m	
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m	
	<100kW	<0.5ha	5m	500m	25m	
	Notes: 1. Does not apply when the site of the proposed ground mounted solar power facility is located within one of these zones.					
PO 9.4 Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.	frontages and boundaries ing non-host dwellings,					
Hydropower	/ Pumped Hydropower Facilities					
PO 10.1	DTS/DPF 10.1					
Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	None are applicable.					
PO 10.2 Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	DTS/DPF 10.2 None are applicable.					
PO 10.3 Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water	DTS/DPF 10.3 None are applicable.					

Downloaded on 11/10/2024 Generated By Policy24 Page 91 of 124

olicy24 P&D Code (in effect) Version 2024.18 10/10/203		
sources subject to such processes, now or in the future.		
	Water Supply	
PO 11.1 Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use. PO 11.2. Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	DTS/DPF11.1 Development is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the on-going requirements of the development. DTS/DPF11.2 A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use	
	(b) connected to the roof drainage system of the dwelling.	
w	Vastewater Services	
Po 12.1 Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate on-site service is provided to meet the ongoing requirements of the intended use in accordance with the following: (a) It is wholly located and contained within the allotment of the development it will service (b) In areas where there is a high risk of contamination of surface, ground, or marine water resources from onsite disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm. PO 12.2 Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste	DTS/DPF 12.1 Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011. DTS/DPF 12.2 Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.	
systems and minimise risks to human health and the environment.	emporary Facilities	
PO 13.1	DTS/DPF 13.1	
In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary onsite waste storage enclosure to minimise the incidence of wind-blown litter.	A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.	
PO 13.2 Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.	DTS/DPF 13.2 None are applicable.	

Intensive Animal Husbandry and Dairies

Downloaded on 11/10/2024 Generated By Policy24 Page 92 of 124

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting and Design		
PO 1.1	DTS/DPF 1.1	
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.	
PO 1.5	DTS/DPF 1.5	
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.	
Wa	oste	
PO 2.1	DTS/DPF 2.1	
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.	
(a) avoid attracting and harbouring vermin (b) avoid polluting water resources (c) be located outside 1% AEP flood event areas.		
Soil and Wat	er Protection	
PO 3.1	DTS/DPF3.1	
To avoid environmental harm and adverse effects on water resources,	Intensive animal husbandry operations are set back:	

Downloaded on 11/10/2024 Generated By Policy24 Page 93 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
intensive animal husbandry operations are appropriately set back from: (a) public water supply reservoirs (b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies.	(a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher stream) (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.	
PO 3.2 Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities that: (a) have sufficient capacity to hold effluent and runoff from the operations on site (b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.	DTS/DPF3.2 None are applicable.	

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Crite	eria / Designated Performance Feature
General Land U	se Compatibility	
PO 1,1	DTS/DPF 1.1	
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.	
Hours of	Operation	
PO 2.1	DTS/DPF 2.1	
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers)	Development operating with	hin the following hours:
or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:	Class of Development	Hours of operation
	Consulting room	7am to 9pm, Monday to Friday
(a) the nature of the development (b) measures to mitigate off-site impacts		8am to 5pm, Saturday

Downloaded on 11/10/2024 Generated By Policy24 Page 94 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
the extent to which the development is desired in the zone measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	Office 7am to 9pm, Monday to Friday 8am to 5pm, Saturday Shop, other than any one or combination of the following: 8am to 5pm, Saturday and Sunday (a) restaurant (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone
Oversh	adowing
PO 3.1	DTS/DPF 3.1
Overshadowing of habitable room windows of adjacent residential land uses in: a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.
PO 3.2 Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.
PO 3.3	DTS/DPF3.3
Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	None are applicable.
PO 3.4	DTS/DPF 3.4
Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	None are applicable.
Activities Generatin	g Noise or Vibration
PO 4.1 Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF4.1 Noise that affects sensitive receivers achieves the relevant Environment Protection (Commercial and Industrial Noise) Policy criteria.
PO 4.2 Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed	DTS/DPF-4.2 None are applicable.
ownloaded on 11/10/2024 Generated	By Policy24 Page 95 of

Downloaded on 11/10/2024 Generated By Policy24 Page 95 of 124

Policy2	24	P&D Code (in effect) Version 2024.18 10/10/20
	ed to not unreasonably impact the amenity of adjacent sensitive	
	ers (or lawfully approved sensitive receivers) and zones primarily	
	ed to accommodate sensitive receivers due to noise and	
	on by adopting techniques including:	
(a)	locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers	
(b)	when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers	
(c)	housing plant and equipment within an enclosed structure or acoustic enclosure	
(d)	providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.	
PO 4.3		DTS/DPF 4.3
system	plant and equipment in the form of pumps and/or filtration as for a swimming pool or spa are positioned and/or housed to	The pump and/or filtration system ancillary to a dwelling erected on the same site is:
	use unreasonable noise nuisance to adjacent sensitive receivers fully approved sensitive receivers).	(a) enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment or
		(b) located at least 12m from the nearest habitable room locate on an adjoining allotment.
PO 4.4		DTS/DPF 4.4
External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.		Adjacent land is used for residential purposes.
PO 4.5		DTS/DPF 4.5
garder unreas	or areas associated with licensed premises (such as beer as or dining areas) are designed and/or sited to not cause sonable noise impact on existing adjacent sensitive receivers (or y approved sensitive receivers).	None are applicable.
PO 4.6		DTS/DPF 4.6
when r	pment incorporating music achieves suitable acoustic amenity measured at the boundary of an adjacent sensitive receiver (or	Development incorporating music includes noise attenuation measures that will achieve the following noise levels;
	y approved sensitive receiver) or zone primarily intended to modate sensitive receivers.	Assessment location Music noise level
		Externally at the nearest Less than 8dB above the level of
		existing or envisaged noise sensitive location background noise (L _{90,15min}) in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)
	Air Q	Quality
PO 5.1	· · · · · · · · · · · · · · · · · · ·	DTS/DPF5.1
Development with the potential to emit harmful or nuisance-		None are applicable.
genera prever sensiti	spring with the potential to emit harmful or misance- string air pollution incorporates air pollution control measures to at harm to human health or unreasonably impact the amenity of ve receivers (or lawfully approved sensitive receivers) within the vand zones primarily intended to accommodate sensitive	rone are applicable.
receive	, ,	
PO 5.2		DTS/DPF 5.2.
restau advers	pment that includes chimneys or exhaust flues (including cafes, rants and fast food outlets) is designed to minimise nuisance or se health impacts to sensitive receivers (or lawfully approved we receivers) by:	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 96 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
(a) incorporating appropriate treatment technology before exhaust emissions are released	
(b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.	
Light	Spill
PO 6.1	DTS/DPF 6.1
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
PO 6.2	DTS/DPF 6.2.
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Reflect	tivity / Glare
PO 7.1	DTS/DPF 7.1
Development is designed and comprised of materials and finishes that	None are applicable.
do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and microclimatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	
Electrical In	nterference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably	The building or structure:
diminish or result in the loss of existing communication services due to electrical interference.	(a) is no greater than 10m in height, measured from existing ground level or (b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative
	service is available via a different fixed transmitter or cable.
Interface with	Rural Activities
PO 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.2	DTS/DPF 9.2
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.3	DTS/DPF 9.3
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.
PO 9.4	DTS/DPF 9.4
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a sit used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.
PO 9.5	DTS/DPF 9.5
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the	Sensitive receivers are located away from the boundary of a site user for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following:

Downloaded on 11/10/2024 Generated By Policy24 Page 97 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
potential for extended hours of operation) and do not prejudice the continued operation of these activities.	(a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility (b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day (c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a	
	total on-site storage capacity not exceeding 1000 cubic metres (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.	
PO 9.6 Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	DTS/DPF.9.6 None are applicable.	
PO 9.7 Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	DTS/DPF 9.7 None are applicable.	
Interface with Mines and Qua	rries (Rural and Remote Areas)	
PO 10.1 Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	DTS/DPF 10.1 Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .	

Land Division

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Land division:		
	 (a) creates allotments with the appropriate dimensions and shape for their intended use (b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features (d) facilitates solar access through allotment orientation (e) creates a compact urban form that supports active travel, walkability and the use of public transport (f) avoids areas of high natural hazard risk. 		
	arous areas or ingrithered tributed a fish.		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All land division	

Downloaded on 11/10/2024 Generated By Policy24 Page 98 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Allotment o	configuration
PO 1.1	DTS/DPF 1,1
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b):
	(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.
PO 1.2	DTS/DPF 1.2
Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	None are applicable.
Design a	and Layout
PO 2.1	DTS/DPF 2.1
Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	None are applicable.
PO 2.2	DTS/DPF 2.2
Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	None are applicable.
PO 2.3	DTS/DPF 2.3
Land division maximises the number of allotments that face public open space and public streets.	None are applicable.
PO 2.4	DTS/DPF 2.4
Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	None are applicable.
PO 2.5	DTS/DPF 2.5
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
PO 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
PO 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads a	nd Access
PO 3.1	DTS/DPF 3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
PO 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Ownloaded on 11/10/2024 Generated	By Policy24 Page 99 of 12

Downloaded on 11/10/2024 Generated By Policy24 Page 99 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Land division does not impede access to publicly owned open space and/or recreation facilities.	None are applicable.
PO 3.4	DTS/DPF3.4
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7	DTS/DPF3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.9	DTS/DPF 3.9
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
PO 3.10	DTS/DPF3.10
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrast	ructure
PO 4.1	DTS/DPF 4.1
PO 4.1 Land division incorporates public utility services within road reserves or	DTS/DPF-4.1
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of	DTS/DPF 4.1 None are applicable.
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment. PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards. DTS/DPF 4.3 Development is not built on, or encroaches within, an area that is or will
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment. PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards. DTS/DPF 4.3 Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment. PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. PO 4.4 Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks	DTS/DPF 4.1 None are applicable. DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards. DTS/DPF 4.3 Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.1 Land division incorporates public utility services within road reserves or dedicated easements. PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment. PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. PO 4.4 Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	DTS/DPF-4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards. DTS/DPF-4.3 Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system. DTS/DPF-4.4 None are applicable.

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 4.6	DTS/DPF 4.6
Constructed wetland systems, including associated detention and	None are applicable.
retention basins, are sited and designed to function as a landscape	
feature.	
Minor Land Division	(Under 20 Allotments)
Oper	Space
PO 5.1	DTS/DPF 5.1
Land division proposing an additional allotment under 1 hectare	None are applicable.
provides or supports the provision of open space.	
Solar O	rientation
PO 6.1	DTS/DPF 6.1
Land division for residential purposes facilitates solar access through	None are applicable.
allotment orientation.	
Water Sen:	sitive Design
PO 7.1	DTS/DPF7.1
Land division creating a new road or common driveway includes	None are applicable.
stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter	
and other contaminants to the stormwater system, watercourses or	
other water bodies.	
PO 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and	None are applicable.
duration of stormwater discharges from the site to ensure that the	
development does not increase the peak flows in downstream systems.	
	Development
PO 8.1 Battle-axe development appropriately responds to the existing	DTS/DPF 8.1 Allotments are not in the form of a battle-axe arrangement.
neighbourhood context.	Allocations are not in the form of a battle-axe arrangement.
PO 8.2	DTS/DPF 8.2
Battle-axe development designed to allow safe and convenient movement.	The handle of a battle-axe development:
	(a) has a minimum width of 4m
	or
	(b) where more than 2 all atments are prepared a minimum width
	(b) where more than 3 allotments are proposed, a minimum width of 5.5m.
BO 8 2	of 5.5m.
PO 8.3 Battle-axe allotments and/or common land are of a suitable size and	of 5.5m.
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre	of 5.5m.
Battle-axe allotments and/or common land are of a suitable size and	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre.
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b):
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management. Major Land Divisi	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management. Major Land Division Oper	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. PO 8.4 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management. Major Land Divisi	of 5.5m. DTS/DPF 8.3 Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. DTS/DPF 8.4 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).

Downloaded on 11/10/2024 Generated By Policy24 Page 101 of 124

of open space to improve residential amenity and provide urban heat amelioration. P0 92 Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation. P0 93 Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities. Water Sensitive Design P0 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. P0 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, little and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation DTS/DPF 10.1 None are applicable. DTS/DPF 10.2 None are applicable. DTS/DPF 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation. PO 9.3 Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities. Water Sensitive Design PO 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended sollds, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation DTS/DPF 10.2 None are applicable. DTS/DPF 10.2 None are applicable. Solar Orientation DTS/DPF 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment		
passive recreational use considering gradient and potential for inundation. PO 9.3 Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities. Water Sensitive Design PO 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	PO 9.2	DTS/DPF 9.2.
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities. Water Sensitive Design PO 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	passive recreational use considering gradient and potential for	None are applicable.
Water Sensitive Design PO 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	PO 9.3	DTS/DPF 9.3
PO 10.1 Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	,	None are applicable.
Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	Water Sens	itive Design
management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. PO 10.2 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	PO 10.1	DTS/DPF 10.1
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream	None are applicable.
management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. Solar Orientation PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	PO 10.2	DTS/DPF 10.2
PO 11.1 Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water	None are applicable.
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment	Solar Or	ientation
facilitates solar access through allotment orientation and allotment	PO 11.1	DTS/DPF 11.1
	facilitates solar access through allotment orientation and allotment	None are applicable.

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation	and Safety
PO 1.1	DTS/DPF 1.1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
PO 1.2	DTS/DPF 1.2

Downloaded on 11/10/2024 Generated By Policy24 Page 102 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
PO 1.3 Navigation and access channels are not impaired by marinas and onwater structures.	DTS/DPF 1.3 None are applicable.
PO 1.4 Commercial shipping lanes are not impaired by marinas and on-water structures.	DTS/DPF 1.4 Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5 Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	DTS/DPF 1.5 On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points.
PO 1.6 Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	DTS/DPF 1.6 None are applicable.
Environment	tal Protection
PO 2.1 Development is sited and designed to facilitate water circulation and exchange.	DTS/DPF 2.1 None are applicable.

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome
Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity,
gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

1 -
ole.
ble.
ık

Downloaded on 11/10/2024 Generated By Policy24 Page 103 of 124

Page 228 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 2.1	DTS/DPF 2.1
Open space and recreation facilities address adjacent public roads to	None are applicable.
optimise pedestrian access and visibility.	Note are applicable.
PO 2.2	DTS/DPF 2.2
Open space and recreation facilities incorporate park furniture, shaded	None are applicable.
areas and resting places.	
PO 2.3	DTS/DPF 2.3
Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities.	None are applicable.
Pedestrians	and Cyclists
PO 3.1	DTS/DPF 3.1
Open space incorporates:	None are applicable.
	and a company of
(a) pedestrian and cycle linkages to other open spaces, centres,	
schools and public transport nodes; (b) safe crossing points where pedestrian routes intersect the	
 (b) safe crossing points where pedestrian routes intersect the road network; 	
(c) easily identified access points.	
Usal	bility
PO 4.1	DTS/DPF-4.1
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.
	d Security
PO 5.1	DTS/DPF 5.1
Open space is overlooked by housing, commercial or other	None are applicable.
development to provide casual surveillance where possible.	Trone are applicable.
PO 5.2	DTS/DPF 5.2
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.
PO 5.3	DTS/DPF5.3
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to	None are applicable.
mínimise potential entrapment.	
PO 5.5	DTS/DPF.5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly	None are applicable.
defined, adequately lit routes with observable entries and exits.	
Sign	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and	None are applicable.
recreation facilities to provide clear orientation to major points of	
interest such as the location of public toilets, telephones, safe routes, park activities and the like.	
Puildings an	d Structures

Downloaded on 11/10/2024 Generated By Policy24 Page 104 of 124

DOD 0 - 1 // - // - 0004 40 40/40/0004
P&D Code (in effect) Version 2024.18 10/10/2024
DTS/DPF 7.1
None are applicable.
DTS/DPF 7.2
None are applicable.
DTS/DPF 7.3
None are applicable.
DTS/DPF 7.4
None are applicable.
dscaping
DTS/DPF 8.1
None are applicable.
DTS/DPF 8.2
None are applicable.
DTS/DPF 8.3
None are applicable.
DTS/DPF 8.4
None are applicable.

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to
	a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres: (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 105 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	
PO 1.2	DTS/DPF 1.2
Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities: (a) that support the needs of local residents and workers, particularly in underserviced locations (b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	None are applicable.

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
PO 1.1	DTS/DPF 1.1	
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.	
Water Quality		
PO 2.1	DTS/DPF 2:1	
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.	
Separation Treatments,	Buffers and Landscaping	
PO 3.1	DTS/DPF 3.1	
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable,	
PO 3.2	DTS/DPF 3.2.	
Resource extraction activities are screened from view from adjacent	None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 106 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
land by perimeter landscaping and/or mounding.	

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
SCHOLLER GOOD	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form)
	(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	 a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that-
	site contamination does not exist (or no longer exists) at the land
	B. the land is suitable for the proposed use or range of uses (without the need for any furthe remediation)
	or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

Tourism Development

Downloaded on 11/10/2024 Generated By Policy24 Page 107 of 124

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor
	economy.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Gen	eral
PO 1.1	DTS/DPF 1.1
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.
(a) it supports immersive natural experiences (b) it showcases South Australia's landscapes and produce (c) its events and functions are connected to local food, wine and nature.	
PO 1.2	DTS/DPF 1.2
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.
Caravan and	Tourist Parks
PO 2.1	DTS/DPF 2.1
Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	None are applicable.
PO 2.2	DTS/DPF 2.2.
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.
PO 2.3	DTS/DPF 2.3
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.
PO 2.4	DTS/DPF 2.4
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.
PO 2.5	DTS/DPF 2.5
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.
PO 2.6	DTS/DPF 2.6
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.
Tourist accommodation in areas constituted u	under the National Parks and Wildlife Act 1972
PO 3.1	DTS/DPF3.1
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 108 of 124

Policy2	24	P&D Code (in effect) Version 2024.18 10/10/2024
vegeta	tion lost through bushfire).	
PO 3.2		DTS/DPF3.2
Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.		None are applicable.
PO 3.3		DTS/DPF 3.3
access where	accommodation and recreational facilities, including associated ways and ancillary structures, are located on cleared (other than cleared as a result of bushfire) or degraded areas or where nmental improvements can be achieved.	None are applicable.
PO 3.4		DTS/DPF 3.4
	accommodation is designed to prevent conversion to private ags through:	None are applicable.
(a)	comprising a minimum of 10 accommodation units	
(b)	clustering separated individual accommodation units	
(c)	being of a size unsuitable for a private dwelling	
(d)	ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.	

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all
	users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Movement Systems	
PO 1,1	DTS/DPF 1,1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 109 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202	
potential conflict.		
PO 1.4 Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	DTS/DPF 1.4 All vehicle manoeuvring occurs onsite.	
Sigh	tlines	
PO 2.1 Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	DTS/DPF 2.1 None are applicable.	
PO 2.2 Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	DTS/DPF 2.2 None are applicable.	
Vehicle	Access	
PO 3.1 Safe and convenient access minimises impact or interruption on the operation of public roads.	DTS/DPF 3.1 The access is: (a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or (b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.	
PO 3.2 Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	DTS/DPF 3.2 None are applicable.	
PO 3.3 Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	DTS/DPF 3.3 None are applicable.	
PO 3.4 Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	DTS/DPF3.4 None are applicable.	
PO 3.5 Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	DTS/DPF 3.5 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.	

Downloaded on 11/10/2024 Generated By Policy24 Page 110 of 124

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.
PO 3.7	DTS/DPF 3.7
Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.
PO 3.8 Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	DTS/DPF 3.8 None are applicable.
PO 3.9	DTS/DPF 3.9
Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	None are applicable.
Access for People	e with Disabilities
PO 4.1 Development is sited and designed to provide safe, dignified and	or with Disabilities DTS/DPF 4.1 None are applicable.
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	DTS/DPF 4.1 None are applicable.
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	DTS/DPF 4.1 None are applicable. rking Rates
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability. Vehicle Parking PO 5.1 Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	DTS/DPF 4.1 None are applicable. Pring Rates DTS/DPF 5.1 Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund.
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability. Vehicle Parking Po 5.1 Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	DTS/DPF 4.1 None are applicable. Pring Rates DTS/DPF 5.1 Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund.
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability. Vehicle Parking PO 5.1 Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	DTS/DPF 4.1 None are applicable. rking Rates DTS/DPF 5.1 Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund.

Downloaded on 11/10/2024 Generated By Policy24 Page 111 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
and landscaped, screen fenced, and the like.	
PO 6.3	DTS/DPF 6.3
Vehicle parking areas are designed to provide opportunity for	None are applicable.
integration and shared-use of adjacent car parking areas to reduce the	
total extent of vehicle parking areas and access points.	
PO 6.4	DTS/DPF 6.4
Pedestrian linkages between parking areas and the development are	None are applicable.
provided and are safe and convenient.	
PO 6.5	DTS/DPF 6.5
Vehicle parking areas that are likely to be used during non-daylight	None are applicable.
hours are provided with sufficient lighting to entry and exit points to	
ensure clear visibility to users.	
PO 6.6	DTS/DPF 6.6
Loading areas and designated parking spaces for service vehicles are	Loading areas and designated parking spaces are wholly located within
provided within the boundary of the site.	the site.
PO 6.7	DTS/DPF 6.7
On-site visitor parking spaces are sited and designed to be accessible to	None are applicable.
all visitors at all times.	
Undercroft and Below Ground (Garaging and Parking of Vehicles
PO 7.1	DTS/DPF7,1
Undercroft and below ground garaging of vehicles is designed to	None are applicable.
enable safe entry and exit from the site without compromising	
pedestrian or cyclist safety or causing conflict with other vehicles.	
Internal Roads and Parking Areas in Reside	ential Parks and Caravan and Tourist Parks
PO 8.1	DTS/DPF 8.1
Internal road and vehicle parking areas are surfaced to prevent dust	None are applicable.
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	
becoming a nuisance to park residents and occupants.	None are applicable.
becoming a nuisance to park residents and occupants. PO 8.2	None are applicable. DTS/DPF8.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable. DTS/DPF8.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport,
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport,
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property	None are applicable. DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2 None are applicable.
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft. PO 9.3 Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and	DTS/DPF 9.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2 None are applicable.
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft. PO 9.3 Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a	DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2 None are applicable.
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft. PO 9.3 Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and	DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2 None are applicable.
becoming a nuisance to park residents and occupants. PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. Bicycle Parking in PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft. PO 9.3 Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	DTS/DPF 8.2 None are applicable. Designated Areas DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. DTS/DPF 9.2 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 112 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2		
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:	
	Corner Cut- Off Area Allotment Boundary Allotment Boundary Road Reserve	
Heavy Veh	sicle Parking	
PO 11.1	DTS/DPF11.1	
Heavy vehicle parking and access is designed and sited so that the	Heavy vehicle parking occurs in accordance with the following:	
activity does not result in nuisance to adjoining neighbours as a result of dust, fumes, vibration, odour or potentially hazardous loads.	(a) the site is not located within a Neighbourhood-type zone (except a Rural Living Zone) (b) the site is a minimum of 0.4 ha	
	(c) where the site is 2 ha or more, no more than 2 vehicles exceeding 3,000 kilograms each (and trailers) are to be parked on the allotment at any time (d) where the site is between 0.4 ha and 2 ha, only one vehicle	
	exceeding 3,000 kilograms (and one trailer) are to be parking on the allotment at any time	
	(e) the vehicle parking area achieves the following setbacks: (i) behind the building line or 30m, whichever is greater	
	(ii) 20m from the secondary street if it is a State Maintained Road	
	(iii) 10m from the secondary street if it is a local road (iv) 10m from side and rear boundaries	
	(f) parking and access areas (including internal driveways) should be sealed or have a surface that can be treated and maintained to minimise dust and mud nuisance	
	(g) does not include refrigerated trailers or vehicles	
	(h) vehicles only enter and exit the property in accordance with the following hours: (i) Monday to Saturday 6:00am and 9:30pm	
	(i) Monday to Saturday 6:00am and 9:30pm (ii) Sunday and public holidays between 9:30 am and 7:00 pm	
	the handling or trans-shipment of freight is not carried out on the property.	
PO 11.2	DTS/DPF11.2	
Heavy vehicle parking ensures that vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular	Heavy vehicles:	
traffic.	(a) can enter and exit the site in a forward direction; and (b) operate within the statutory mass and dimension limited for General Access Vehicles (as prescribed by the National Heavy Vehicle Regulator).	
PO 11.3	DTS/DPF11.3	
Heavy vehicle parking is screened through siting behind buildings, screening, landscaping or the like to obscure views from adjoining properties and public roads.	None are applicable.	

Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Downloaded on 11/10/2024 Generated By Policy24 Page 113 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
Group Dwelling	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 or 2 bedrooms (including rooms capable of being used
	as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Residential Flat Building	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as
Residential Flat Building	a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves
Row Dwelling where vehicle access is from the primary street	3 or more dwellings. Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being
Semi-Detached Dwelling	used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supporte	d Accommodation
Retirement facility	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
Residential Dev	elopment (Other)
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation	0.3 spaces per bed.
Workers' accommodation	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
	urist
Caravan and tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
Tourist	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation other than a caravan and tourist park	1 car parking space per accommodation unit / guest room.
Comme	rcial Uses

Downloaded on 11/10/2024 Generated By Policy24 Page 114 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Auction room/ depot	1 space per 100m2 of building floor area plus an additional 2 spaces.
Automotive collision repair	3 spaces per service bay.
Motor repair station	3 spaces per service bay.
Office	For a call centre, 8 spaces per 100m2 of gross leasable floor area
	In all other cases, 4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
	1 space per 100m2 of outdoor area used for display purposes
Shop (no commercial kitchen)	Space per 100m2 of outdoor area used for display purposes. S.5 spaces per 100m2 of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
	5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Shop (in the form of a bulky goods outlet) Shop (in the form of a restaurant or involving a commercial kitchen)	2.5 spaces per 100m2 of gross leasable floor area. Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Community	and Civic Uses
Community facility	For a library, 4 spaces per 100m2 of total floor area.
	For a hall/meeting hall, 0.2 spaces per seat.
	In all other cases, 10 spaces per 100m2 of total floor area.
Educational facility	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Place of worship	1 space for every 3 visitor seats.
Child care facility	For a child care centre, 0.25 spaces per child
	In all other cases, 1 per employee plus 0.25 per child (drop off/pick up bays).
Health Re	lated Uses
Consulting room	4 spaces per consulting room excluding ancillary facilities.
Hospital	4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
Recreational and	Intertainment Uses
Cinema complex Concert hall / theatre	0.2 spaces per seat. 0.2 spaces per seat.
Hotel	1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
Douglanded on 11/10/2024 Constraint	Dy Daliny 24 Dago 11E of 12M

Downloaded on 11/10/2024 Generated By Policy24 Page 115 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/202	
	Industry/Employment Uses	
Fuel depot	1.5 spaces per 100m2 total floor area	
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.	
Industry	1.5 spaces per 100m2 of total floor area.	
Store	0.5 spaces per 100m2 of total floor area.	
Timber yard	1.5 spaces per 100m2 of total floor area	
	1 space per 100m2 of outdoor area used for display purposes.	
Warehouse	0.5 spaces per 100m2 total floor area.	
Other Uses		
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.	
Radio or Television Station	5 spaces per 100m2 of total building floor area.	

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column.

Class of Development	Car Pari	king Rate	Designated Areas
	type, then the overall car park	es more than one development ling rate will be taken to be the s for each development type. Maximum number of spaces	
	Developme	ent generally	
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is:	Capital City Zone City Main Street Zone
		1 space for each dwelling with a total floor area less than 75 square metres	City Riverbank Zone Adelaide Park Lands Zone
		2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres	Business Neighbourhood Zone (within the City of Adelaide)
		3 spaces for each dwelling with a total floor area greater than 150 square metres.	The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct
		Residential flat building or Residential component of a multi- storey building: 1 visitor space for each 6 dwellings.	Subzone of the Community Facilities Zone
	Non-residenti	al development	
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	5 spaces per 100m2 of gross leasable floor area.	City Living Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	6 spaces per 100m2 of gross leasable floor area.	Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham
			Strategic Innovation Zone outside the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public

Downloaded on 11/10/2024 Generated By Policy24 Page 116 of 124

Policy24		P&D Code (in e	effect) Version 2024.18 10/10/2024
			transit area
			Suburban Activity Centre Zone when the site is also in a high frequency public transit area
			Suburban Business Zone when the site is also in a high frequency public transit area
			Business Neighbourhood Zone outside of the City of Adelaide when the site is also in a high frequency public transit area
			Suburban Main Street Zone when the site is also in a high frequency public transit area
			Urban Activity Centre Zone
Non-residential development excluding tourist accommodation	3 spaces per 100 square metres of gross leasable floor area	3 spaces per 100 square metres of gross leasable floor area	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
	1.5 spaces per 100 square metres of gross leasable floor area above ground floor level other than for a shop		
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4	City Living Zone
	every 5 bedrooms over 100 bedrooms	bedrooms over 100 bedrooms	Urban Activity Centre Zone when the site is also in a high frequency public transit area
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
	Pacidantial d	development	
Residential component of a multi- storey building	Dwelling with no separate bedroom -0.25 spaces per dwelling		City Living Zone
Storey bulleting	1 bedroom dwelling - 0.75 spaces per dwelling		Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham
	2 bedroom dwelling - 1 space per dwelling		Strategic Innovation Zone outside
	3 or more bedroom dwelling - 1.25 spaces per dwelling		the City of Burnside, City of Marion or City of Mitcham when the site is
	0.25 spaces per dwelling for visitor parking.		also in a high frequency public transit area
			Urban Activity Centre Zone when the site is also in a high frequency public transit area
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
Downloaded on 11/10/2024	Generated		Page 117 of 124

Downloaded on 11/10/2024 Generated By Policy24 Page 117 of 124

Policy24		P&D Code (in	effect) Version 2024.18 10/10/2024
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
			(except for Bowden, Brompton or
			Hindmarsh)
Residential component of a multi-	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
storey building			Bowden, Brompton or Hindmarsh)
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling	None specified.	City Living Zone
	1 bedroom dwelling - 0.75 spaces		Urban Activity Centre Zone when
	per dwelling		the site is also in a high frequency
			public transit area
	2 bedroom dwelling - 1 space per dwelling		Urban Corridor (Boulevard) Zone
	3 or more bedroom dwelling - 1.25 spaces per dwelling		Urban Corridor (Business) Zone
	0.25 spaces per dwelling for visitor		Urban Corridor (Living) Zone
	parking.		Urban Corridor (Main Street) Zone
			Urban Neighbourhood
			Zone (except for Bowden,
			Brompton or Hindmarsh)
Residential flat building	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
nessection not boilding.	one per oriental	Trone specified	Bowden, Brompton or Hindmarsh)
Detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
Pour divalling	0.75 per desalling	Nonconsified	Bowden, Brompton or Hindmarsh)
Row dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Semi-detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
			Bowden, Brompton or Hindmarsh)

Table 3 - Off-Street Bicycle Parking Requirements

 $The \ bicycle\ parking\ rates\ apply\ within\ designated\ areas\ located\ within\ parts\ of\ the\ State\ identified\ in\ the\ Schedule\ to\ Table\ 3.$

Class of Development	Bicycle Parking Rate
	Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Consulting room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.
Educational facility	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.

Downloaded on 11/10/2024 Generated By Policy24 Page 118 of 124

	P&D Code (in effect) Version 2024.18 10/10/2024		
	For tertiary education - 1 space per 20 employees plus 1 space per 10 full time students.		
Hospital	1 space per 15 beds plus 1 space per 30 beds for visitors.		
Indoor recreation facility	pace per 4 employees plus 1 space per 200m2 of gross leasable floor area for visitors.		
Licensed Premises	1 per 20 employees, plus 1 per 60 square metres total floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 square metres lounge and beer garden floor area, plus 1 per 60 square metres dining floor area, plus 1 per 40 square metres gaming room floor area.		
Office	1 space for every 200m2 of gross leasable floor area plus 2 spaces plus 1 space per 1000m2 of gross leasable floor area for visitors		
Child care facility	1 space per 20 full time employees plus 1 space per 40 full time children.		
Recreation area	1 per 1500 spectator seats for employees plus 1 per 25	0 visitor and customers.	
Residential flat building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.		
Residential component of a multi-storey building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.		
Shop		is 1 space for every 600m2 of gross leasable floor area for customers.	
Tourist	1 space for every 20 employees plus 2 for the first 40 ro	oms and 1 for every additional 40 rooms for visitors.	
accommodation Schedule to	Decimented Associated	Delevent next of the Chate	
Table 3	Designated Area	Relevant part of the State	
a constituti the late			
		The bicycle parking rate applies to a designated area located in a relevant part of the State described below.	
	All zones		
	All zones Business Neighbourhood Zone	a relevant part of the State described below.	
		a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone	a relevant part of the State described below. City of Adelaide	
	Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone	a relevant part of the State described below. City of Adelaide	

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.

Downloaded on 11/10/2024 Generated By Policy24 Page 119 of 124

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Sit	ing
PO 1.1	DTS/DPF 1.1
Waste treatment and management facilities incorporate separation	None are applicable.
distances and attenuation measures within the site between waste	
operations areas (including all closed, operating and future cells) and	
sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	
on-site impacts non-moise, all and dast cinissions.	
Soil and Wat	er Protection
PO 2.1	DTS/DPF 2.1
Soil, groundwater and surface water are protected from contamination	None are applicable.
from waste treatment and management facilities through measures	
such as:	
(a) containing potential groundwater and surface water	
contaminants within waste operations areas	
(b) diverting clean stormwater away from waste operations areas and potentially contaminated areas	
(c) providing a leachate barrier between waste operations areas	
and underlying soil and groundwater.	
PO 2.2	DTS/DPF 2.2
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.
environmental narm and adverse enects on water resources.	Daliks.
PO 2.3	DTS/DPF 2.3
Wastewater lagoons are designed and sited to:	None are applicable.
(2)	
(a) avoid intersecting underground waters; (b) avoid inundation by flood waters:	
(b) avoid inundation by flood waters; (c) ensure lagoon contents do not overflow;	
(d) include a liner designed to prevent leakage.	
, ,	
PO 2.4	DTS/DPF 2.4
Waste operations areas of landfills and organic waste processing	Waste operations areas are set back 100m or more from watercourse
facilities are set back from watercourses to minimise adverse impacts on water resources.	banks.
on water resources.	
Amo	enity
PO 3.1	DTS/DPF 3.1
Waste treatment and management facilities are screened, located and	None are applicable.
designed to minimise adverse visual impacts on amenity.	
PO 3.2	DTS/DPF3.2
Access routes to waste treatment and management facilities via	None are applicable.
residential streets is avoided.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	DECEMBER 2
PO 3.3	DTS/DPF3.3
Litter control measures minimise the incidence of windblown litter.	None are applicable.
PO 3.4	DTS/DPF 3.4
Waste treatment and management facilities are designed to minimise	None are applicable.
adverse impacts on both the site and surrounding areas from weed	
and vermin infestation.	
	ress

Downloaded on 11/10/2024 Generated By Policy24 Page 120 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 4.1	DTS/DPF-4.1
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.
PO 4.2	DTS/DPF 4.2
Suitable access for emergency vehicles is provided to and within waste	None are applicable.
treatment or management sites.	
Fencing a	nd Security
PO 5.1	DTS/DPF.5.1
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.
Lar	dfill
PO 6.1	DTS/DPF 6.1
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.
PO 6.2	DTS/DPF 6.2
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.
PO 6.3	DTS/DPF 6.3
Landfill facilities are located on land that is not subject to land slip.	None are applicable.
PO 6.4	DTS/DPF 6.4
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Organic Waste Pr	ocessing Facilities
PO 7.1	DTS/DPF 7.1
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.
PO 7.2	DTS/DPF 7.2
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.
PO 7.3	DTS/DPF 7.3
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.
PO 7.4	DTS/DPF 7.4
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.
PO 7.5	DTS/DPF 7.5
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Major Wastewater	Treatment Facilities
PO 8.1	DTS/DPF8.1
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	None are applicable.
PO 8.2	DTS/DPF 8.2
•	

Downloaded on 11/10/2024 Generated By Policy24 Page 121 of 124

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)


Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

Part 12 - Concept Plans

Playford

Concept Plan 81 Edinburgh Defence Airfield Lighting Constraints

Downloaded on 11/10/2024 Generated By Policy24 Page 122 of 124



Downloaded on 11/10/2024 Generated By Policy24 Page 123 of 124

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

No criteria applies to this land use. Please check the definition of the land use for further detail.

Downloaded on 11/10/2024 Generated By Policy24 Page 124 of 124

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Address: 37 COUNTESS ST PARALOWIE SA 5108

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

Zone

Suburban Activity Centre

Overlay

Airport Building Heights (Regulated) (All structures over 45 metres)

Affordable Housing Building Near Airfields

Defence Aviation Area (All structures over 45 metres)

Hazards (Flooding - General) Prescribed Wells Area Regulated and Significant Tree Stormwater Management Urban Tree Canopy

Local Variation (TNV)

Concept Plan (Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints)

Interface Height (Development should be constructed within a building envelope provided by a 30 or 45 degree plane, depending on orientation, measured 3m above natural ground at the boundary of an allotment)

Development Pathways

- Suburban Activity Centre
 - 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Brush fence
- · Building alterations
- · Building work on railway land
- Consulting room
- Office
- Partial demolition of a building or structure
- · Public service depot
- Shade sail
- Shop
- · Solar photovoltaic panels (roof mounted)
- Temporary public service depot
- Water tank (above ground)
- · Water tank (underground)

Downloaded on 11/10/2024 Generated By Policy24

Page 1 of 114

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Advertisement
- · Consulting room
- Office
- Shop
- · Temporary accommodation in an area affected by bushfire
- 3. Code Assessed Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Advertisement
- Consulting room
- Demolition
- Dwelling
- Fence
- · Land division
- Office
- · Retaining wall
- Shop
- Store
- · Telecommunications facility
- · Tree-damaging activity
- Verandah
- 4. Impact Assessed Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Part 2 - Zones and Sub Zones

Suburban Activity Centre Zone

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	An active commercial precinct supporting neighbourhood-scale shopping, business, entertainment and recreation facilities to	
	provide a focus for business and community life and most daily and weekly shopping needs of the community. Buildings and	
	pedestrian areas create a high quality, activated public realm that is integrated with pedestrian and cycle networks and establish	
	well-defined connections to available public transport services.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	and Intensity
	1

Downloaded on 11/10/2024 Generated By Policy24 Page 2 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 1.1	DTS/DPF 1.1
Shops, office, entertainment, health and recreation related uses and other businesses that provide a range of goods and services to the surrounding neighbourhood and district.	Development comprises one or more of the following: (a) Advertisement (b) Child care facility (c) Cinema (d) Community facility (e) Consulting room (f) Dwelling (g) Educational facility (h) Emergency services facility (i) Hospital (j) Hotel (k) Indoor recreation facility (l) Library (m) Office (n) Place of worship (o) Recreation area (p) Residential flat building (q) Retail fuel outlet (r) Retirement Facility (s) Shop (t) Supported Accommodation (u) Tourist accommodation.
PO 1.2 Residential development does not prejudice the operation of existing non-residential development and the long-term provision of services	DTS/DPF 1.2 None are applicable.
and facilities for wider community benefit.	
PO 1.3 Dwellings are developed only in conjunction with non-residential uses to support business, entertainment and recreational activities.	DTS/DPF 1.3 Dwellings are developed only in conjunction with non-residential uses and sited:
	(a) at upper levels of buildings with non-residential uses located at ground level or (b) behind non-residential uses on the same allotment.
PO 1.4	DTS/DPF 1.4
Where residential development is appropriate having regarding to other performance outcomes of the zone, residential development achieves medium to high densities.	None are applicable.
PO 1.5	DTS/DPF 1.5
Development sited and designed to achieve or maintain a vibrant and interesting streetscape within retail areas.	Any of the following: (a) shop, other than a bulky goods outlet with a gross leasable
	floor area more than 500m ²
	(b) cinema (c) hotel
	(d) licensed premises.
PO 1.6	DTS/DPF 1.6
Changes in the use of land encourage the efficient reuse of commercial premises to maintain and enhance vibrancy within activity centres.	A change of use to a shop, office, consulting room or any combination of these uses where all of the following are achieved:
	(a) the area to be occupied by the proposed development is in an existing building and is currently used as a shop, office, consulting room or any combination of these uses

Downloaded on 11/10/2024 Generated By Policy24 Page 3 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	 (b) if the proposed change of use is for a shop that primarily involves the handling and sale of foodstuffs, areas used for the storage and collection of refuse are sited at least 10m from the site of a dwelling (other than a dwelling directly associated with the proposed shop) (c) if the proposed change of use is for a shop that primarily involves heating and cooking of foodstuffs in a commercial kitchen and is within 30m of any neighbourhood-type zone boundary or a dwelling (other than a dwelling directly associated with the proposed shop), an exhaust duct and stack (chimney) exists or is capable of being installed for discharging exhaust emissions
	(d) if the change in use involves a gross leasable floor area greater than 250m ² and has direct frontage to an arterial road, it achieves either (i) or (ii):
	(i) the primary vehicle access (being the access where the majority of vehicles access / egress the site of the proposed development) from a road that is not an arterial road
	(ii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared
	(e) off-street vehicular parking exists in accordance with the rate(s) specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas to the nearest whole number, except in any of the following circumstances:
	 (i) the building is a local heritage place (ii) the required contribution will be made into a relevant car parking offset scheme (other than where a relevant contribution has previously been made)
	(iii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Ruilt Form a	nd Character
PO 2.1	DTS/DPF 2.1
Development complements adjacent development within the zone, and mitigates interface impacts on adjoining residential uses in neighbourhood-type zones through appropriate building siting, scale and design.	None are applicable.
PO 2.2 Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares.	DTS/DPF 2.2 None are applicable.
PO 2.3 Vehicular access points and car parks are coordinated and consolidated to enable the shared use of parking spaces.	DTS/DPF 2.3 None are applicable.
PO 2.4 Development promotes the use of pedestrian and cyclist connections to centre facilities and services.	DTS/DPF 2.4 None are applicable.
Building heigh	nt and setbacks
PO 3.1	DTS/DPF 3.1

Downloaded on 11/10/2024 Generated By Policy24 Page 4 of 114

P&D Code (in effect) Version 2024.18 10/10/2024

Building height is consistent with the form expressed in any relevant Maximum Building Height (Levels) Technical and Numeric Variation layer and Maximum Building Height (Metres) Technical and Numeric Variation layers or is generally low rise to complement the established streetscape and local character. Building height is:

- (a) not greater than:
 - (i) the following:
 - iii in all other cases (i.e. there are blank fields for both maximum building height (metres) and maximum building height (levels)) - 3 building levels up to a height of 12m

and

(b) not less than:

In relation to DTS/DPF 3.1, in instances where:

- (c) more than one value is returned in the same field:
 - for the purpose of DTS/DPF 3.1(a)(i), refer to the Maximum Building Height (Metres) Technical and Numeric Variation layer or Maximum Building Height (Levels) Technical and Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development
 - (ii) for the purpose of DTS/DPF 3.1(b) refer to the Minimum Building Height (Levels) Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development
- (d) only one value is returned for DTS/DPF 3.1(a)(i), (i.e. there is one blank field), then the relevant height in metres or building levels applies with no criteria for the other
- (e) no value is returned for DTS/DPF 3.1(b), (ie there is a blank field), then there is no minimum building height and DTS/DPF 3.1(b) is met.

PO 3.2


Buildings mitigate visual impacts of building massing on residential development within a neighbourhood-type zone.

DTS/DPF 3.2

Interface Height

Buildings constructed within a building envelope provided by a:

(a) 45 degree plane measured from a height of 3 metres above natural ground level at the boundary of the allotment where abutting a residential use, or where the allotment is separated by a road less than 6.5 metres in width measured from the residential allotment boundary, within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a southern boundary):



(b) in relation to a southern boundary, 30 degree plane grading north, measured from a height of 3m above natural ground at the boundary of an allotment used for residential purposes within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a street boundary):

Downloaded on 11/10/2024 Generated By Policy24 Page 5 of 114

olicy24 P&D Code (in effect) Version 2024.18 10/10/2024 DTS/DPF 3.3 Buildings on an allotment fronting a road that is not a State maintained None are applicable. road, and where land on the opposite side of the road is within a neighbourhood-type zone, provides an orderly transition to the built form scale envisaged in the adjacent zone to complement the streetscape character PO 4.1 DTS/DPF 4.1 Advertisements are sited and designed to achieve an overall None are applicable. consistency of appearance along individual street frontages. DTS/DPF 4.2 Freestanding advertisements: Freestanding advertisements: (a) do not exceed 8m in height, the adjacent building wall height, (a) identify the associated business(es) or the zone's height allowance (whichever is the lesser) (b) are of a size that is commensurate with the scale of the centre do not have a sign face that exceeds 6m2 per side. and the street frontage (c) avoid visual clutter (d) positively respond to the context without dominating the locality. DTS/DPF 5.1 Development is compatible with the outcomes sought by any relevant The site of the development is wholly located outside any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning Concept Plan boundary. The following Concept Plans are relevant: and Design Code to support the orderly development of land through Description staging of development and provision of infrastructure. Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints In relation to DTS/DPF 5.1, in instances where: one or more Concept Plan is returned, refer to Part 12 -Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 5.1 is met.

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Downloaded on 11/10/2024 Generated By Policy24 Page 6 of 114

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

A relevant authority may determine that a variation to 1 or more corresponding exclusions prescribed in Column B is minor in nature and does not require notification.

Class	of Development	Exceptions
(Colun	nn A)	(Column B)
1.	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	None specified.
2.	Any kind of development where the site of the development is not adjacent land to a site (or land) used for residential purposes in a neighbourhood-type zone.	Except any of the following: 1. the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) 2. the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
3.	Any development involving any of the following (or of any combination of any of the following): (a) advertisement (b) child care facility (c) cinema (d) community facility (e) consulting room (f) dwelling located above a non-residential building level (g) indoor recreation facility (h) library (i) office (j) place of worship (k) service trade premises (l) shop (m) temporary public service depot (n) tourist accommodation.	Except development that does not satisfy any of the following: 1. Suburban Activity Centre Zone DTS/DPF 3.1 2. Suburban Activity Centre Zone DTS/DPF 3.2.
4.	Any development involving any of the following (or of any combination of any of the following): (a) air handling unit, air conditioning system or exhaust fan (b) carport (c) deck (d) fence (e) internal building works (f) land division (g) outbuilding (h) pergola (i) private bushfire shelter (j) recreation area (k) replacement building (l) retaining wall (m) shade sail (n) solar photovoltaic panels (roof mounted) (o) swimming pool or spa pool and associated swimming pool safety features	None specified.

Downloaded on 11/10/2024 Generated By Policy24 Page 7 of 114

Policy24		P&D Code (in effect) Version 2024.18 10/10/2024
(q) (r)	temporary accommodation in an area affected by bushfire tree damaging activity verandah water tank.	
combin Protect (a) (b)	velopment involving any of the following (or of any nation of any of the following) within the Tunnel tion Overlay: storage of materials, equipment or vehicles (whether temporary or permanent) over an area exceeding 100 square metres temporary stockpiling of soil, gravel, rock or other natural material over an area exceeding 100 square metres excavation or ground intruding activity at a depth greater than 2.5 metres below the regulated surface level.	Except where not undertaken by the Crown, a Council or an essential infrastructure provider.
6. Demolii	tion.	Except any of the following: 1. the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) 2. the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
7. Railway	line.	Except where located outside of a rail corridor or rail reserve.
Placement of N	Notices - Exemptions for Performance Assessed Develo	ppment
None specified		
Placement of N	Notices - Exemptions for Restricted Development	
None specified	l.	

Part 3 - Overlays

Affordable Housing Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Affordable housing is integrated with residential and mixed use development.
DO 2	Affordable housing caters for a variety of household structures.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
---------------------	---

Downloaded on 11/10/2024 Generated By Policy24 Page 8 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Land	Division
PO 1.1	DTS/DPF 1.1
Development comprising 20 or more dwellings / allotments incorporates affordable housing.	Development results in 0-19 additional allotments / dwellings.
PO 1.2	DTS/DPF 1.2
Development comprising 20 or more dwellings or residential allotments provides housing suited to a range of incomes including households with low to moderate incomes.	Development comprising 20 or more dwellings / or residential allotments includes a minimum of 15% affordable housing except where:
	(a) it can be demonstrated that any shortfall in affordable housing has been provided in a previous stage of development or
	 it can be demonstrated that any shortfall in affordable housing will be accommodated in a subsequent stage or stages of development.
PO 1.3	DTS/DPF 1.3
Affordable housing is distributed throughout the development to avoid an overconcentration.	None are applicable.
Built Form a	and Character
PO 2.1	DTS/DPF 2.1
Affordable housing is designed to complement the design and character of residential development within the locality.	None are applicable.
Affordable Ho	using Incentives
PO 3.1	DTS/DPF3.1
To support the provision of affordable housing, minimum allotment sizes may be reduced below the minimum allotment size specified in a zone while providing allotments of a suitable size and dimension to accommodate dwellings with a high standard of occupant amenity.	The minimum site area specified for a dwelling can be reduced by up to 20%, or the maximum density per hectare increased by up to 20%, where it is to be used to accommodate affordable housing except where the development is located within the Character Area Overlay of Historic Area Overlay.
PO 3.2	DTS/DPF 3.2
To support the provision of affordable housing, building heights may be increased above the maximum specified in a zone.	Where a building incorporates dwellings above ground level and includes at least 15% affordable housing, the maximum building heigh specified in any relevant zone policy can be increased by 1 building level in the:
	(a) Business Neighbourhood Zone
	(b) City Living Zone
	(c) Established Neighbourhood Zone
	(d) General Neighbourhood Zone
	(e) Hills Neighbourhood Zone (f) Housing Diversity Neighbourhood Zone
	(g) Neighbourhood Zone
	(h) Master Planned Neighbourhood Zone
	(i) Master Planned Renewal Zone
	(j) Master Planned Township Zone
	(k) Rural Neighbourhood Zone
	(I) Suburban Business Zone (m) Suburban Neighbourhood Zone
	(n) Township Neighbourhood Zone
	(o) Township Zone
	(p) Urban Renewal Neighbourhood Zone
	(q) Waterfront Neighbourhood Zone
	and up to 30% in any other zone, except where:
	(a) the development is located within the Character Area Overlay or Historic Area Overlay or
Downloaded on 11/10/2024 Generated	By Policy 24 Page 9 of 111

Downloaded on 11/10/2024 Generated By Policy24 Page 9 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(b) other height incentives already apply to the development.
Movement as	nd Car Parking
PO 4.1 Sufficient car parking is provided to meet the needs of occupants of affordable housing.	DTS/DPF 4.1 Dwellings constituting affordable housing are provided with car parking in accordance with the following: (a) 0.3 carparks per dwelling within a building which incorporates dwellings located above ground level within either: (i) 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service ⁽²⁾ (ii) is within 400 metres of a bus interchange ⁽¹⁾
	(iii) is within 400 metres of an O-Bahn interchange ⁽¹⁾ (iv) is within 400 metres of a passenger rail station ⁽¹⁾ (v) is within 400 metres of a passenger tram station ⁽¹⁾ (vi) is within 400 metres of the Adelaide Parklands. or (b) 1 carpark per dwelling for any other dwelling.
	[NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except where the applicant for the development is the South Australian Housing Authority (or an agent acting on behalf of the South Australian Housing Authority), residential development or land division (other than an excluded land division): (a) that comprises 20 or more dwellings or residential allotments and is described in the application documentation as intending to provide affordable housing or (b) that is described in the application documentation as intending to provide affordable housing and the applicant is seeking to access one or more of the planning concessions outlined in the Affordable Housing Overlay DTS/DPF 3.1, 3.2 or 4.1 or (c) that is described in the application documentation as intending to include affordable housing of any number of dwellings or residential allotments	Minister responsible for administering the South Australian Housing Trust Act 1995.	To provide direction on the conditions required to secure the provision of dwellings or allotments for affordable housing.	Development of a class to which Schedule 9 clause 3 item 20 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Airport Building Heights (Regulated) Overlay

Downloaded on 11/10/2024 Generated By Policy24 Page 10 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operation of a certified or registered aerodrome.	DTS/DPF 1.1 Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	DTS/DPF 1.2 Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
 (a) building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay (b) building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay. 	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 11/10/2024 Generated By Policy24 Page 11 of 114

Page 260 Council Assessment Panel Agenda - 17 December 2024

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

	Desired Outcome
DO 1	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter
	landing sites through management of non-residential lighting, turbulence and activities that may attract or result in the
	congregation of wildlife.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
PO 1.1	DTS/DPF 1.1	
Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.		
PO 1.2 Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft: (a) food packing/processing plant (b) horticulture (c) intensive animal husbandry (d) showground (e) waste management facility (f) waste transfer station (g) wetland (h) wildlife sanctuary.	
PO 1.3 Buildings are adequately separated from runways and other take-off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	DTS/DPF 1.3 The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

Downloaded on 11/10/2024 Generated By Policy24 Page 12 of 114

olicy24 P&D Code (in effect) Version 2024.18 10/10/2024

Desired Outcome (DO)

Desired Outcome		
DO 1	Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Built	Form
PO 1.1 Building height does not pose a hazard to the operations of Defence Aviation Areas.	DTS/DPF 1.1 Building height does not exceed the relevant height specified by the Defence Aviation Area Overlay.
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	DTS/DPF 1.2 Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Hazards (Flooding - General) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Impacts on people, property, infrastructure and the environment from general flood risk are minimised through the appropriate	
	siting and design of development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Flood Resilience			
PO 2.1	DTS/DPF 2.1		
Development is sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished ground and floor level not less than: In instances where no finished floor level value is specified, a building incorporates a finished floor level at least 300mm above the height of a		
	1% AEP flood event.		
Land	d Use		
PO 1.1	DTS/DPF 1.1		
Buildings housing vulnerable people, community services facilities, key infrastructure and emergency services are sited away from flood areas enable uninterrupted operation of services and reduce likelihood of	Child care facilities, educational facilities, retirement and supported accommodation, emergency services facilities, hospitals and prisons located outside the 1% AEP flood event.		

Downloaded on 11/10/2024 Generated By Policy24 Page 13 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/20	
entrapment.		
Environmen	tal Protection	
PO 3.1	DTS/DPF 3.1	
Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building during a 1% AEP flood event to avoid potential environmental harm.	Development involving the storage or disposal of hazardous materials is wholly located outside of the 1% AEP flood plain or flow path.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Sustainable water use in prescribed wells areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 All development, but in particular involving any of the following:	DTS/DPF 1.1 Development satisfies either of the following:
(a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	 (a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
---------------------------------	---------------	---------------------	------------------------

Downloaded on 11/10/2024 Generated By Policy24 Page 14 of 114

Policy24		P&D Code (in effect) Version	1 2024.18 10/10/2024
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry. Commercial forestry that requires a forest water licence under Part 8 Division 6 of the Landscape South Australia Act 2019.	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.			

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retention	on and Health
PO 1.1		DTS/DPF 1.1
Regula	ted trees are retained where they:	None are applicable.
(a)	make an important visual contribution to local character and amenity	
(b)	are indigenous to the local area and listed under the <i>National</i> Parks and Wildlife Act 1972 as a rare or endangered native species and / or	
(c)	provide an important habitat for native fauna.	
PO 1.2		DTS/DPF 1.2.
Signific	ant trees are retained where they:	None are applicable.
(a)	make an important contribution to the character or amenity of the local area	
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
(c)	represent an important habitat for native fauna	
(d)	are part of a wildlife corridor of a remnant area of native vegetation	
(e)	are important to the maintenance of biodiversity in the local environment and / or	
(f)	form a notable visual element to the landscape of the local area.	

Downloaded on 11/10/2024 Generated By Policy24 Page 15 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 PO 1.3 DTS/DPF 1.3 None are applicable. A tree damaging activity not in connection with other development tree damaging activity is only undertaken to: remove a diseased tree where its life expectancy is (iii) mitigate an unacceptable risk to public or private safety rectify or prevent extensive damage to a building of value as comprising any of the following: A. a Local Heritage Place B. a State Heritage Place a substantial building of value and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist accommodation or other habitable building from bushfire treat disease or otherwise in the general interests of the health of the tree and / or (vi) maintain the aesthetic appearance and structural integrity of the tree in relation to a significant tree, tree-damaging activity is avoided unless all reasonable remedial treatments and measures have been determined to be ineffective. DTS/DPF 1.4 A tree-damaging activity in connection with other development None are applicable. satisfies all the following: it accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible in the case of a significant tree, all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring. Ground work affecting trees PO 2.1 DTS/DPF 2.1 Regulated and significant trees, including their root systems, are not None are applicable. unduly compromised by excavation and / or filling of land, or the sealing of surfaces within the vicinity of the tree to support their retention and health. DTS/DPF 3.1 Land division results in an allotment configuration that enables its Land division where: subsequent development and the retention of regulated and there are no regulated or significant trees located within or significant trees as far as is reasonably practicable adjacent to the plan of division the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.

Procedural Matters (PM) - Referrals

Downloaded on 11/10/2024 Generated By Policy24 Page 16 of 114

olicy24 P&D Code (in effect) Version 2024.18 10/10/202

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Stormwater Management Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development incorporates water sensitive urban design techniques to capture and re-use stormwater.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

PO 1.1 DTS/DPF 1.1		Performance Outcome	D <u>e</u> e	med-to-	Satisfy Criteria /	Designated Performa	nce Feature
to: (a) maximise conservation of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage stormwater runoff quality. (a) includes rainwater tank storage: (i) connected to at least: A. in relation to a detached dwelling (not in a battle-axe arrangement), semi-detached dwelling or row dwelling, 60% of the roof area (ii) connected to either a toilet, laundry cold water our or hot water service for sites less than 200m² connected to one toilet and either the laundry cold water outlets or hot water service for sites of 200 greater (iv) with a minimum total capacity in accordance with 1 (v) where detention is required, includes a 20-25 mm diameter slow release orifice at the bottom of the detention component of the tank (b) incorporates dwelling roof area comprising at least 80% of site's impervious area Table 1: Rainwater Tank Site size Minimum (m²) retention detention volume (Litres) (Litres)	PO 1.1				,	· ·	
(a) maximise conservation of water resources manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded manage stormwater runoff quality. (a) includes rainwater tank storage: (i) connected to at least: A. in relation to a detached dwelling (not in a battle-axe arrangement), semi-detached dwelling or row dwelling, 60% of the roof area (ii) connected to either a toilet, laundry cold water out or hot water service for sites less than 200m² (iii) connected to one toilet and either the laundry cold water outlets or hot water service for sites of 200 greater (iv) with a minimum total capacity in accordance with 1 (v) where detention is required, includes a 20-25 mm diameter slow release orifice at the bottom of the detention component of the tank (b) incorporates dwelling roof area comprising at least 80% of site's impervious area Table 1: Rainwater Tank Site size (iii) connected to at least: A. in relation to a detached dwelling (not in a battle-axe arrangement), semi-detached of dwelli	1.	ntial development is designed to capture and re-use stormwater					
	(a) (b)	manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded	residen (a) (b)	tial flat brincludes (i) (iii)	rainwater tank stonnected to at let A. in relation battle-axe dwelling of in all other connected to eith or hot water service connected to one water outlets or higher than a minimum to a	torage: teast: It to a detached dwelling arrangement), semi- or row dwelling, 60% or cases, 80% of the ro er a toilet, laundry col ice for sites less than a toilet and either the latest water service for so otal capacity in accord is required, includes a ease orifice at the both and of the tank of area comprising at latest and either the latest and ease orifice at the both and of the tank of area comprising at latest and either the late	ng (not in a detached if the roof area of area d water outlets 200m ² aundry cold ites of 200m ² or dance with Table
>401 4000 Site perviousness				>401	4000	≥30%: N/A	

Downloaded on 11/10/2024 Generated By Policy24 Page 17 of 114

Policy24		P&D Code (i	n effect) Version 202	4.18 10/10/2024
			<35%: 1000 Site perviousness ≥35%: N/A	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Urban Tree Canopy Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1 Residential development preserves and enhances urban tree canopy through the planting of new trees and retention of existi				
	mature trees where practicable.			

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deeme	d-to-Satisfy Crite	eria / Designate	d Performance Feature		
PO 1.1	DTS/DPF 1.1					
Trees are planted or retained to contribute to an urban tree canopy.	Tree plantin	Tree planting is provided in accordance with the following:				
	Site size per dwelling (m²) Tree size* and dwelling					
	<450		1 small tree			
	450-800		1 medium tr	ee or 2 small trees		
	>800		1 large tree of small trees	or 2 medium trees or 4		
	*refer Table	e 1 Tree Size				
	Table 1 Tre					
	Tree size	Mature height (minimum)	Mature spread (minimum)	Soil area around tree within development site (minimum)		
	Small	4 m	2m	10m ² and min. dimension of 1.5m		
	Medium	6 m	4 m	30m ² and min. dimension of 2m		
	Large	12 m	8m	60m ² and min. dimension of 4m		

Downloaded on 11/10/2024 Generated By Policy24 Page 18 of 114

Policy24		P&D Code	(in effect) Version	2024.18 10/10/2024		
	The discount in Column D of Table 2 discounts the number of trees required to be planted in DTS/DPF 1.1 where existing tree(s) are retained on the subject land that meet the criteria in Columns A, B ar C of Table 2, and are not a species identified in Regulation 3F(4)(b) of the Planning Development and Infrastructure (General) Regulations 2017. Table 2 Tree Discounts					
	Retained tree height (Column A)	Retained tree spread (Column B)	Retained soil area around tree within development site (Column C)	Discount applied (Column D)		
	4-6m	2-4m	10m ² and min. dimension of 1.5m	2 small trees (or 1 medium tree)		
	6-12m	4-8m	30m ² and min. dimension of 3m	2 medium trees (or 4 small trees)		
	>12m	>8m	60m ² and min. dimension of 6m	2 large trees (or 4 medium trees, or 8 small trees)		
	Note: In order to satisfy DTS/DPF 1.1, payment may be made in accordance with a relevant off-set scheme established by the Minis under section 197 of the Planning, Development and Infrastructure 2016, provided the provisions and requirements of that scheme are satisfied. For the purposes of section 102(4) of the Planning, Development and Infrastructure Act 2016, an applicant may elect for any of the matters in DTS/DPF 1.1 to be reserved.					

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Downloaded on 11/10/2024 Generated By Policy24 Page 19 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/202

Desired Outcome (DO)

Desired Outcome	
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public,
	limited in number to avoid clutter, and do not create hazard.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Арре	arance
PO 1,1	DTS/DPF 1,1
Advertisements are compatible and integrated with the design of the building and/or land they are located on.	Advertisements attached to a building satisfy all of the following:
and the state of t	(a) are not located in a Neighbourhood-type zone
	(b) where they are flush with a wall:
	(i) if located at canopy level, are in the form of a fascia sign
	(ii) if located above canopy level:
	 A. do not have any part rising above parapet height
	B. are not attached to the roof of the building
	(c) where they are not flush with a wall:
	 if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure
	(ii) if attached to a two-storey building:
	A. has no part located above the finished floor level of the second storey of the building
	 does not protrude beyond the outer limits of any verandah structure below
	C. does not have a sign face that exceeds 1m2 per side.
	(d) if located below canopy level, are flush with a wall
	(e) if located at canopy level, are in the form of a fascia sign
	(f) if located above a canopy:
	(i) are flush with a wall
	(ii) do not have any part rising above parapet height
	(iii) are not attached to the roof of the building.
	(g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure
	(h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building
	(i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.
PO 1.2	DTS/DPF 1.2.
Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	Where development comprises an advertising hoarding, the supporting structure is:
	(a) concealed by the associated advertisement and decorative detailing
	or (b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.
 	

Downloaded on 11/10/2024 Generated By Policy24 Page 20 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 1.3	DTS/DPF 1.3
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1,4	DTS/DPF 1.4
Where possible, advertisements on public land are integrated with	Advertisements on public land that meet at least one of the following:
existing structures and infrastructure.	(a) achieves Advertisements DTS/DPF 1.1
	(b) are integrated with a bus shelter.
PO 1.5	DTS/DPF 1.5
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.
Proliferation of	f Advertisements
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
PO 2.2	DTS/DPF 2.2
Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3	DTS/DPF 2.3
Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	Advertisements satisfy all of the following:
avoid visual citites and distributess.	(a) are attached to a building
	(b) other than in a Neighbourhood-type zone, where they are
	flush with a wall, cover no more than 15% of the building facade to which they are attached
	(c) do not result in more than one sign per occupancy that is not flush with a wall.
Advertisi	ng Content
PO 3.1	DTS/DPF3.1
Advertisements are limited to information relating to the lawful use of	Advertisements contain information limited to a lawful existing or
land they are located on to assist in the ready identification of the	proposed activity or activities on the same site as the advertisement.
activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	
Amenit	y Impacts
PO 4.1	DTS/DPF-4.1
Light spill from advertisement illumination does not unreasonably	Advertisements do not incorporate any illumination.
compromise the amenity of sensitive receivers.	
Sa	fety
PO 5.1	DTS/DPF.5.1
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2	DTS/DPF 5.2
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
PO 5.3	DTS/DPF 5.3
Advertisements and/or advertising hoardings do not create a hazard to	Advertisements satisfy all of the following:

Downloaded on 11/10/2024 Generated By Policy24 Page 21 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
 drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings. 	(a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Allotment Boundary Road Reserve
PO 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.	DTS/DPF5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.
PO 5.5 Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	DTS/DPF5.5 Where the advertisement or advertising hoarding is: (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m.
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature

Downloaded on 11/10/2024 Generated By Policy24 Page 22 of 114

olicy24 P&D Code (in effect) Version 2024.18 10/10/20		
Siting and Design		
PO 1.1	DTS/DPF 1.1	
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.	
Horse	Keeping	
PO 2.1	DTS/DPF 2.1	
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Stables, horse shelters or associated yards are sited appropriate	Stables, horse shelters and associated yards are sited in accordance	
distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	with all of the following:	
ownership to avoid adverse impacts from dust, erosion and ododi.	(a) 30m or more from any sensitive receivers (existing or	
	approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership,	
	30m or more from the boundary of that allotment.	
PO 2.3	DTS/DPF 2.3	
All areas accessible to horses are separated from septic tank effluent	Septic tank effluent disposal areas are enclosed with a horse-proof	
disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	barrier such as a fence to exclude horses from this area.	
PO 2.4	DTS/DPF 2.4	
To minimise environmental harm and adverse impacts on water	Stables, horse shelters and associated yards are set back 50m or more	
resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	from a watercourse.	
PO 2.5	DTS/DPF 2.5	
Stables, horse shelters and associated yards are located on slopes that	Stables, horse shelters and associated yards are not located on land	
are stable to minimise the risk of soil erosion and water runoff.	with a slope greater than 10% (1-in-10).	
Ker	nels	
PO 3.1	DTS/DPF 3.1	
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following:	
regular dearning.	(a) are constructed of impervious concrete	
	(b) are designed to be self-draining when washed down.	
PO 3.2	DTS/DPF 3.2	
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.	
(a) adopting appropriate separation distances		
(b) orientating openings away from sensitive receivers.		
PO 3.3	DTS/DPF3.3	
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.	
Wa	stes	
PO 4.1	DTS/DPF 4.1	
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to	None are applicable.	
3	Pv Policy24 Page 23 of 114	

Downloaded on 11/10/2024 Generated By Policy24 Page 23 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
minimise attracting and harbouring vermin.	
PO 4.2	DTS/DPF 4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land-based	Aquaculture
PO 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following: (a) 200m or more from a sensitive receiver in other ownership (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers
	or
	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.2	DTS/DPF 1.2
Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	None are applicable.
PO 1.3	DTS/DPF 1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
PO 1.6	DTS/DPF 1.6

Downloaded on 11/10/2024 Generated By Policy24 Page 24 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.7	DTS/DPF 1.7
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.
Marine Based	d Aquaculture
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
(a) creeks and estuaries (b) wetlands (c) significant seagrass and mangrove communities (d) marine habitats and ecosystems.	
PO 2.2	DTS/DPF 2.2
Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	The development does not include toilet facilities located over water.
PO 2.4	DTS/DPF2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark
	or
	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
(a) areas of high public use (b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports (c) areas of outstanding visual or environmental value	
(d) areas of high tourism value (e) areas of important regional or state economic activity, including commercial ports, wharfs and jetties (f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment.	None are applicable.
PO 2.7	DTS/DPF 2.7
Marine aquaculture is designed to be as unobtrusive as practicable by incorporating measures such as:	None are applicable.
using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water positioning structures to protrude the minimum distance practicable above the surface of the water	

Downloaded on 11/10/2024 Generated By Policy24 Page 25 of 114

Policy24		P&D Code (in effect) Version 2024.18 10/10/2024
(c) avoiding the use of shelters and struplatforms unless necessary to excluprotected species from interacting vand/or stock inside the cages, or for ossitioning racks, floats and other factors.	de predators and vith the farming structures safety reasons rm structures in	
unobtrusive locations landward from	n the shoreline.	
PO 2.8		DTS/DPF 2.8
Access, launching and maintenance facilities roads, tracks, ramps and paths to or from the minimise environmental and amenity impac	e sea where possible to	The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea.
PO 2.9		DTS/DPF 2.9
Access, launching and maintenance facilities user facilities and are co-located where pracimpacts on coastal areas.		The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea.
PO 2.10		DTS/DPF 2.10
Marine aquaculture is sited to minimise pote protect the integrity of, reserves under the Act 1972.		Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i> .
PO 2.11		DTS/DPF 2.11
Onshore storage, cooling and processing factors coastline and its visual amenity by:	ilities do not impair the	The development does not include any onshore facilities in conjunction with a proposal for marine aquaculture.
(a) being sited, designed, landscaped ar overall bulk and appearance of build coastal landscape (b) making provision for appropriately s vehicular access arrangements, incluvehicular access arrangements as fa (c) incorporating appropriate waste treations.	lings and complement the ited and designed uding using existing r as practicable	
	Navigation	and Safety
PO 3.1		DTS/DPF 3.1
Marine aquaculture sites are suitably marke safety.	d to maintain navigational	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 3.2		DTS/DPF 3.2
Marine aquaculture is sited to provide adequate farms for safe navigation.	uate separation between	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
	Environmenta	l Management
PO 4.1		DTS/DPF 4.1
Marine aquaculture is maintained to preven wildlife, including breeding grounds and hab mammals and terrestrial fauna, especially n	itats of native marine	None are applicable.
PO 4.2		DTS/DPF 4.2
Marine aquaculture is designed to facilitate of structures in the case of emergency such and altered water flows.		None are applicable.
PO 4.3		DTS/DPF 4.3
Marine aquaculture provides for progressive disturbed areas ahead of, or upon, decomm		None are applicable.
PO 4.4		DTS/DPF 4.4
Aquaculture operations incorporate measur disposal of litter, disused material, shells, de and animal waste to prevent pollution of wa	bris, detritus, dead animals	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.

Downloaded on 11/10/2024 Generated By Policy24 Page 26 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
nearby coastline.	

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Odour and Noise		
PO 1.1	DTS/DPF 1.1	
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.	
PO 1.2	DTS/DPF 1.2.	
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.	
PO 1.5	DTS/DPF 1.5	
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.	
Water	Quality	
PO 2.1	DTS/DPF 2.1	
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.	
PO 2.2	DTS/DPF 2.2	
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.	
PO 2.3	DTS/DPF 2.3	
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment	None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 27 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
system to manage potential environmental impacts.	
PO 2.4	DTS/DPF 2.4
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.
Wastewate	er Irrigation
PO 3.1	DTS/DPF 3.1
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.
PO 3.2	DTS/DPF 3.2
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
PO 3.3	DTS/DPF 3.3
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as:	None are applicable.
(a) waterlogged areas	
(b) land within 50m of a creek, swamp or domestic or stock water bore	
(c) land subject to flooding	
(d) steeply sloping land	
 rocky or highly permeable soil overlaying an unconfined aquifer. 	

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting and Design		
PO 1.1 Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	DTS/DPF 1.1 Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers:	

Downloaded on 11/10/2024 Generated By Policy24 Page 28 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	 (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility (b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility (c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more.
Buffers and	Landscaping
PO 2.1 Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	DTS/DPF 2.1 None are applicable.
PO 2.2 Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	DTS/DPF 2.2 None are applicable.
Access ar	nd Parking
PO 3.1 Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	DTS/DPF3.1 Roadways and vehicle parking areas are sealed with an all-weather surface.
Slipways, Wharv	es and Pontoons
PO 4.1 Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	DTS/DPF4.1 None are applicable.

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 29 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	One of the following is satisfied: a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996 there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

Design

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Development is:	
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	(b)	durable – fit for purpose, adaptable and long lasting
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All deve	lopment	
External Appearance		
PO 1.1	DTS/DPF 1.1	
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.	
(a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces		

Downloaded on 11/10/2024 Generated By Policy24 Page 30 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	
PO 1.5	DTS/DPF 1.5
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.	None are applicable.
Sa	fety
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.
Lands	caping
PO 3.1	DTS/DPF3.1
Soft landscaping and tree planting is incorporated to:	None are applicable.
(a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity.	
PO 3.2	DTS/DPF3.2
Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	None are applicable.
Environmenta	al Performance
PO 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 31 of 114

less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result less on-site car parking than that specified in Transport, Acces and Parking Table 1 - General Off-Street Car Parking	Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandaris and shading structure, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. Water Sensitive Design PD 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (d) the quality and function of natural springs. Onsite Waste Treatment Systems PD 6.1 Onsite Waste Treatment Systems Discorer 5.1 None are applicable. Streement Systems Discorer 6.1 (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as private open space or result (a) encroach within an area used as privat	mechanical systems, such as heating and cooling.	
Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the depth and directional flow of surface water and groundwater (d) the quality and function of natural springs. (b) the depth and directional flow of surface water and groundwater (d) the quality and function of natural springs. (c) TSDPF 6.1 Effluent disposal drainage areas do not: used for, private open space, driveways or car parking. (d) encroach within an area used as private open space (fireways) or car parking. (e) encroach within an area used for on-site car parking on result less private open space (fireways) (e) encroach within an area used for on-site car parking or result less on-site car parking than that specified in Transport. Acce and Parking Table 1 - General Off-Street Car Parking Requirement in Designated Areas. (a) Immiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding limiting protrusion above finished ground level (c) limiting the width of openings and integrating them into the building structure. (b) Street level to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. (c) StDPF 7.2 (d) None are applicable. (d) StDPF 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. (d) DTSDPF 7.5 (d) StDPF 7.5 (d) StDPF 7.5 (d) StDPF 7.5 (d) None are applicable.	Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green	
Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. Onsite Waste Teatment Systems	Water Sen:	sitive Design
Consider Waster Treatment Systems Discording to could be reasonably foreseen to be used for, private open space, driveways or car parking. Discording to could be reasonably foreseen to be used for, private open space, driveways or car parking. One of the county of the count	Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and	
DOSIDPF 6.1 Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking. Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a se driveway (c) encroach within an area used for on-site car parking or result less on-site car parking than that specified in Transport, Acce and Parking Table 1 - General Off-Street Car Parking Requirement for Designated Areas. Carparking Appearance The Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure. PO 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	l	
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking. (a) encroach within an area used as private open space or result less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result less on-site car parking that specified in Transport, Acce and Parking Table 1 - General Off-Street Car Parking Requirement sor Table 2 - Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirement in Designated Areas. DTS:OFF 7.1 None are applicable. DTS:OFF 7.2 None are applicable. DTS:OFF 7.3 None are applicable. DTS:OFF 7.4 None are applicable. DTS:OFF 7.5 None are applicable.	On-site Waste Ti	reatment Systems
DTS/OPF 7.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (imiting the width of openings and integrating them into the building structure. DTS/OPF 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. DTS/OPF 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open	Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure. PO 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	Carparking	Appearance
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. DTS/DPF7.3 None are applicable. DTS/DPF7.3 None are applicable. DTS/DPF7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. DTS/DPF7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the	
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed	
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public None are applicable. DTS/DPF 7.5 None are applicable.	Safe, legible, direct and accessible pedestrian connections are provided	
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	Street level vehicle parking areas incorporate tree planting to provide	
	Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public	

Downloaded on 11/10/2024 Generated By Policy24 Page 32 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7 Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	DTS/DPF 7.7 None are applicable.
Earthworks a	nd sloping land
PO 8.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	DTS/DPF8.1 Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2 Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	DTS/DPF 8.2 Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b): (a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway (b) are constructed with an all-weather trafficable surface.
Po 8.3 Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development (c) are designed to integrate with the natural topography of the land.	DTS/DPF 8.3 None are applicable.
PO 8.4 Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	DTS/DPF 8.4 None are applicable.
PO 8.5 Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	DTS/DPF 8.5 None are applicable.
Fences	and Walls
PO 9.1 Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	DTS/DPF 9.1 None are applicable.
PO 9.2 Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	DTS/DPF 9.2. A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Privacy	(in building 3 storeys or less)
PO 10.1 Development mitigates direct overlooking from upper level windows to	DTS/DPF 10.1 Upper level windows facing side or rear boundaries shared with a

Downloaded on 11/10/2024 Generated By Policy24 Page 33 of 114

residential allotment/site satisfy one of the following:
(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm
(b) have sill heights greater than or equal to 1.5m above finished floor level
(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
DTS/DPF 10.2
d One of the following is satisfied:
(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or
(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
tial development
nd passive surveillance
a DTS/DPF 11.1 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street.
DTS/DPF11.2
Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
and amenity
DTS/DPF12.1
A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.
DTS/DPF 12.2
None are applicable.
Development
DTS/DPF 13.1 Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated:
n a

Downloaded on 11/10/2024 Generated By Policy24 Page 34 of 114

Policy24			P&D Code (in effect) Version 2	024.18 10/10/2024
		t	n front of any part of the building lin to which it is ancillary	e of the dwelling
		(ii) y	or within 900mm of a boundary of the a secondary street (if the land has bou more roads)	
	(d)	(i) i:	se of a garage or carport, the garage s set back at least 5.5m from the bo primary street when facing a primary street or seco	undary of the
			A. for dwellings of single buildin width or 50% of the site from the lesser	g level - 7m in
			B. for dwellings comprising two levels at the building line from public street - 7m in width	
	(e)		d on a boundary (not being a bound secondary street), do not exceed a	
		ā	a longer wall or structure exists on the and is situated on the same allotmen and	
		S	the proposed wall or structure will be same length of boundary as the exist or structure to the same or lesser ex	ing adjacent wall
	(f)	boundar or struct	d on a boundary of the allotment (no ry with a primary street or secondary cures on the boundary will not excee of that boundary	street), all walls
	(g)	will not b boundar an existir	pe located within 3m of any other wa y unless on an adjacent site on that in ng wall of a building that would be ac losed wall or structure	boundary there is
	(h) (i)	natural g	vall height or post height not exceedi ground level (and not including a gab oof height where no part of the roof	e end)
	(j)	above th if clad in	e natural ground level sheet metal, is pre-colour treated or	
	(k)		e colour I total area of soft landscaping in acci hever is less:	ordance with (i) or
			a total area as determined by the fol	
			Dwelling site area (or in the case of residential flat building or	Minimum percentage of
			group dwelling(s), average site area) (m ²)	site
			<150	10%
			150-200	15%
			201-450	20%
			>450	25%
			the amount of existing soft landscapi development occurring.	ng prior to the
	(1)	Producti	on to ancillary accommodation in the ve Rural Landscape Zone, or Rural H within 20m of an existing dwelling.	
PO 13.2	DTS/DPF	13.2		

Downloaded on 11/10/2024 Generated By Policy24 Page 35 of 114

requirements and do not result in over-development of the site. Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. PO 13.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment. (b) located at least 12m from the nearest habitable room located on an adjoining allotment. DTSDPF13.4 Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties. DTSDPF13.4 Non-residential ancillary buildings and structures: (a) are ancillary and subordinate to an existing non-residential use on the same site (b) have a floor area and exceeding the following:	requirements such as private open space provision or car parking	 (a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated
Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the size of the development, or the amenity of neighbouring properties. A	Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not	The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located
reflective colour. Garage appearance	Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of	(a) are ancillary and subordinate to an existing non-residential use on the same site (b) have a floor area not exceeding the following: Allotment size Floor area 5500m2 650m2 >500m2 80m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the main building to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level

Downloaded on 11/10/2024 Generated By Policy24 Page 36 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2
Garaging is designed to not detract from the streetscape or	Garages and carports facing a street:
appearance of a dwelling.	(a) are situated so that no part of the garage or carport is in from of any part of the building line of the dwelling
	 are set back at least 5.5m from the boundary of the primary street
	(c) have a garage door / opening not exceeding 7m in width
	(d) have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.
	levels at the building line fronting the same public street.
	assing
PO 15.1 The visual mass of larger buildings is reduced when viewed from	DTS/DPF 15.1 None are applicable
adjoining allotments or public streets.	Notice are applicable
Dwelling	g additions
PO 16.1	DTS / DPF 16.1
Dwelling additions are sited and designed to not detract from the	Dwelling additions:
streetscape or amenity of adjoining properties and do not impede on- site functional requirements.	(a) are not constructed, added to or altered so that any part is situated closer to a public street
	(b) do not result in:
	(i) excavation exceeding a vertical height of 1m
	(ii) filling exceeding a vertical height of 1m (iii) a total combined excavation and filling vertical height
	2m or more
	(iv) less Private Open Space than specified in Design Tab 1 - Private Open Space
	 (v) less on-site parking than specified in Transport Acces and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas
	(vi) upper level windows facing side or rear boundaries unless:
	A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed of not capable of being opened more than 200mm or
	B. have sill heights greater than or equal to 1.5r above finished floor level or
	C. incorporate screening to a height of 1.5m above finished floor level
	 (vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: A. 1.5m above finished floor level where the balcony is located at least 15 metres from th
	nearest habitable window of a dwelling on adjacent land
	1.7m above finished floor level in all other cases.
Private O	Open Space
PO 17.1	DTS/DPF 17.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.
Water Con-	nsitive Design

Downloaded on 11/10/2024 Generated By Policy24 Page 37 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
PO 18.1 Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	DTS/DPF 18.1 Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen.	
PO 18.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	DTS/DPF 18.2 Development creating a common driveway / access that services 5 or more dwellings: (a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and (b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.	
Car parking, access PO 19.1 Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	and manoeuvrability DTS/DPF 19.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.	
PO 19.2 Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	DTS/DPF 19.2 Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m	
PO 19.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking.	DTS/DPF 19.3 Driveways and access points on sites with a frontage to a public road 10m or less have a width between 3.0 and 3.2 metres measured at property boundary and are the only access point provided on the sit	
PO 19.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	DTS/DPF 19.4 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed:	

Downloaded on 11/10/2024 Generated By Policy24 Page 38 of 114

olicy24	P&D Code (in effect) Version 2024.18 10/10/2
	(i) is set back 6m or more from the tangent point of an intersection of 2 or more roads
	(ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing
	 does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
20 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle	Driveways are designed and sited so that:
novements from the public road to on-site parking spaces.	 (a) the gradient of the driveway does not exceed a grade of 1 in and includes transitions to ensure a maximum grade change 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping (b) the centreline of the driveway has an angle of no less than 7 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram:
	CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110° OFF THE STREET BOUNDARY
	O° STREET BOUNDARY
	(c) if located to provide access from an alley, lane or right of way the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site
20 19.6 Oriveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontagon-street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
Waste	storage
20 20.1	DTS/DPF 20.1

Downloaded on 11/10/2024 Generated By Policy24 Page 39 of 114

Policy24	P&D Code (in	effect) Version 2024.18 10/10/2024
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.	
Design of Transp	ortable Dwellings	
PO 21.1 The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.		n the building and ground level is consistent with the building.
	ildings and battle-axe development	
PO 22.1 Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	DTS/DPF 22.1 Dwellings have a minimum internal following table:	floor area in accordance with the
	Number of bedrooms	Minimum internal floor area
	Studio	35m ²
	1 bedroom	50m ²
	2 bedroom	65m ²
	3+ bedrooms	80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom
PO 22.2. The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	DTS/DPF22.2 None are applicable.	
PO 22.3 Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	DTS/DPF 22.3 None are applicable.	
PO 22.4 Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	DTS/DPF22.4 Dwelling sites/allotments are not in the form of a battle-axe arrangement.	
Communal	Open Space	
PO 23.1 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	DTS/DPF 23.1 None are applicable.	
PO 23.2 Communal open space is of sufficient size and dimensions to cater for group recreation.	DTS/DPF 23.2 Communal open space incorporates a minimum dimension of 5 metres.	
PO 23.3 Communal open space is designed and sited to: (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.	DTS/DPF 23.3 None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 40 of 114

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
PO 23.4	DTS/DPF.23.4	
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.	
PO 23.5	DTS/DPF 23.5	
Communal open space is designed and sited to:	None are applicable.	
 in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 		
Carparking, access	and manoeuvrability	
PO 24.1	DTS/DPF.24.1	
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:	
	(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.	
PO 24.2 The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	DTS/DPF.24.2 Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.	
PO 24.3	DTS/DPF.24.3	
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:	
	(a) have a minimum width of 3m	
	(b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street	
	(ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.	
PO 24.4	DTS/DPF 24.4	
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.	
PO 24.5	DTS/DPF 24.5	
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.	
PO 24.6	DTS/DPF 24.6	
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.	
Soft Lan	dscaping	
PO 25,1	DTS/DPF 25,1	
Soft landscaping is provided between dwellings and common driveways	Other than where located directly in front of a garage or a building	

Downloaded on 11/10/2024 Generated By Policy24 Page 41 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
areas.	between a dwelling and common driveway.
PO 25.2 Soft landscaping is provided that improves the appearance of common driveways.	DTS/DPF 25.2 Where a common driveway is located directly adjacent the side or rea boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities	/ Waste Storage
PO 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 26.3	DTS/DPF.26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
 (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. 	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 26.6	DTS/DPF 26.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Supported accommodati	on and retirement facilities
Siting and G	Configuration
PO 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Movement	and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
(a) ground-level access or lifted access to all units	
 (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places 	
 (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. 	
Communal	Open Space
PO 29.1	DTS/DPF 29.1
cumlanded on 11/10/2021	Pu Policu24 Page 42 of

Downloaded on 11/10/2024 Generated By Policy24 Page 42 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
PO 29.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	DTS/DPF.29.2 None are applicable.
PO 29.3 Communal open space is of sufficient size and dimensions to cater for group recreation.	DTS/DPF 29.3 Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4 Communal open space is designed and sited to:	DTS/DPF 29.4 None are applicable.
be conveniently accessed by the dwellings which it services have regard to acoustic, safety, security and wind effects.	
PO 29.5 Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	DTS/DPF 29.5 None are applicable.
PO 29.6 Communal open space is designed and sited to: (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	DTS/DPF 29.6 None are applicable.
habitable rooms to facilitate passive surveillance.	
Site Facilities	Waste Storage
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	Waste Storage DTS/DPF 30.1 None are applicable.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles,	DTS/DPF30.1
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the	DTS/DPF30.1 None are applicable. DTS/DPF30.2
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from dwellings. PO 30.6 Provision is made for on-site waste collection where 10 or more bins	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DTS/DPF30.6

Downloaded on 11/10/2024 Generated By Policy24 Page 43 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
All non-reside	ntial development
Water Se	nsitive Design
PO 31.1	DTS/DPF 31.1
Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.
PO 31.2	DTS/DPF.31.2
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.
Wash-down and Was	te Loading and Unloading
PO 32.1	DTS/DPF32.1
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or equipment are	None are applicable.
 designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off 	
 (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of 	
wastewater from the wash-down area (d) designed to drain wastewater to either:	
 a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme 	
or (ii) a holding tank and its subsequent removal off-site on a regular basis.	
	Decks
Design	and Siting
PO 33.1	DTS/DPF:33.1
Decks are designed and sited to:	Decks:
 (a) complement the associated building form (b) minimise impacts on the streetscape through siting behind the building line of the principal building (unless on a significant allotment or open space) 	(a) where ancillary to a dwelling: (i) are not constructed, added to or altered so that any part is situated: A. in front of any part of the building line of the
(c) minimise cut and fill and overall massing when viewed from adjacent land.	or B. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
	(ii) are set back at least 900mm from side or rear allotment boundaries
	(iii) when attached to the dwelling, has a finished floor level consistent with the finished ground floor level of the dwelling
	(iv) where associated with a residential use, retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (A) or (B), whichever is less:
	A. a total area is determined by the following table: Site area (or in the case of residential flat building or percentage of

Downloaded on 11/10/2024 Generated By Policy24 Page 44 of 114

Policy24	P&	D Code (in effect) Version	2024.18 10/10/202
		group dwelling(s), average site area) (m ²)	site
		<150	10%
		150-200	15%
		>200-450	20%
		>450	25%
	8.	the amount of existing soft la the development occurring.	andscaping prior to
	(i) are set allotme (ii) are set (iii) have a	iation with a non-residential uback at least 2 metres from tent used for residential purpoback at least 2 metres from a floor area not exceeding 25m s a finished floor level not excerding level at any point.	the boundary of an isses. In public road.
PO 33.2	DTS/DPF 33.2		
Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	Decks with a finished floor level/s 500mm or more above natural ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s.		
PO 33.3	DTS/DPF 33.3		
Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	parking for the primary Transport, Access and	ercial purposes do not result i y use of the subject land than Parking Table 1 - General Off- e 2 - Off-Street Car Parking Re	specified in Street Car Parking

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m ² : 24m ² located behind the building line. (b) Site area ≥ 301m ² : 60m ² located behind the building line. Minimum directly accessible from a living room: 16m ² / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): 4m ² with a minimum dimension 1.8m One bedroom: 8m ² with a minimum dimension 2.1m Two bedroom dwelling: 11m ² with a minimum dimension 2.4m Three + bedroom dwelling: 15m ² with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Downloaded on 11/10/2024 Generated By Policy24 Page 45 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Design in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome			
DO 1	O 1 Development is:		
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality	
	(b)	durable - fit for purpose, adaptable and long lasting	
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors	
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All Deve	elopment	
External Appearance		
PO 1.1	DTS/DPF 1.1	
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.	
 (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces 		
(b) screening rooftop plant and equipment from view		
(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.		
PO 1.5	DTS/DPF 1.5	
The negative visual impact of outdoor storage, waste management,	None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 46 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
loading and service areas is minimised by integrating them into the	
building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of	
development contemplated in the relevant zone.	
Sa	fety
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the	None are applicable.
public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	
PO 2.2	DTS/DPF 2.2.
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of	None are applicable.
residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of	
the building at night.	
Land	scaping
PO 3.1	DTS/DPF 3.1
Soft landscaping and tree planting are incorporated to:	None are applicable.
(a) minimise heat absorption and reflection	
(b) maximise shade and shelter	
(c) maximise stormwater infiltration	
(d) enhance the appearance of land and streetscapes.	
Environment	al Performance
PO 4.1	DTS/DPF-4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common	None are applicable.
areas and open spaces.	
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental	None are applicable.
performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	
PO 4.3	DTS/DPF 4.3
Buildings incorporate climate responsive techniques and features such	None are applicable.
as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green	
walls, green roofs and photovoltaic cells.	
Water Sen:	sitive Design
PO 5.1	DTS/DPF 5.1
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.
(a) the quantity and quality of surface water and groundwater	

Downloaded on 11/10/2024 Generated By Policy24 Page 47 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
(b) the depth and directional flow of surface water and groundwater	
(c) the quality and function of natural springs.	
On-site Waste Tre	
PO 6.1 Dedicated on site offluent disposal areas do not include any areas to be	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open	Emuent disposal dramage areas do not.
space, driveways or car parking.	 encroach within an area used as private open space or result less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space
	(b) use an area also used as a driveway
	(c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requiremen in Designated Areas.
Car parking .	appearance
PO 7.1	DTS/DPF7.1
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.
PO 7.2	DTS/DPF 7.2
Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.
PO 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
PO 7.4	DTS/DPF 7.4
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy o 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1n
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of: (a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.
PO 7.6	DTS/DPF7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks an	d sloping land
PO 8.1	DTS/DPF 8.1
ownloaded on 11/10/2024 Generated B	By Policy24 Page 48 of 1

Downloaded on 11/10/2024 Generated By Policy24 Page 48 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural	Development does not involve any of the following:
topography.	(a) excavation exceeding a vertical height of 1m
	(b) filling exceeding a vertical height of 1m
	(c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2.
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway
	(b) are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
(a) do not contribute to the instability of embankments and cuttings	
(b) provide level transition areas for the safe movement of people and goods to and from the development	
(c) are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.
Fences	and walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.
PO 9.2	DTS/DPF 9.2
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Pr	ivacy (low rise buildings)
PO 10.1	DTS/DPF 10.1
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone:
neighbourhood-type zones.	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm
	(b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
PO 10.2	DTS/DPF 10.2

Downloaded on 11/10/2024 Generated By Policy24 Page 49 of 114

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	One of the following is satisfied:
neighbourhood type zones.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace
	(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:
	1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land
	or (ii) 1.7m above finished floor level in all other cases
Site Facilities / Waste Storage (exclud	ling low rise residential development)
PO 11.1	DTS/DPF 11,1
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.
PO 11.2	DTS/DPF 11.2
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.
PO 11.3	DTS/DPF11.3
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.
PO 11.4	DTS/DPF11.4
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.
PO 11.5	DTS/DPF 11.5
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.
All Development - N	ledium and High Rise
External A	ppearance
PO 12.1	DTS/DPF 12.1
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.
PO 12.2	DTS/DPF 12.2
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.
PO 12.3	DTS/DPF 12.3
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.
PO 12.4	DTS/DPF 12.4
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.
PO 12.5	DTS/DPF 12.5
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:
	(a) masonry (b) natural stone

Downloaded on 11/10/2024 Generated By Policy24 Page 50 of 114

Policy24		P&D Code (in	effect) Version	2024.18 10/10/202
	(c) pre-finis deterior	hed materials that ation.	minimise staininį	g, discolouring or
PO 12.6	DTS/DPF 12.6			
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	Building street fi	ontages incorpora	ite:	
		es such as shops o		
	commor	,,	-	dings (where it is a
	4.00	e rooms of dwelling		ant avrila a libra
		communal public r onsistent with the z		
PO 12.7	DTS/DPF 12.7			
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to mu	lti-storey buildings	are:	
·		towards the stree		
	parking	areas		e street and vehicl
		d to be prominent, f there are no activ		
	(d) designed	to provide shelter	r, a sense of pers	
	(e) located	nal space around t as close as practica	ble to the lift and	
		nise the need for lo	-	
	entrapm	d to avoid the creat ent.	ion or potential a	ireas oi
PO 12.8	DTS/DPF 12.8			
Building services, plant and mechanical equipment are screened from the public realm.	None are applica	able.		
Lands	caping			
PO 13.1	caping DTS/DPF 13.1			
	DTS/DPF 13.1	e a 4m by 4m deep	soil space in fro	nt of the building
PO 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size	DTS/DPF 13.1 Buildings provid that accommoda	ates a medium to la	arge tree, except	
PO 13.1 Development facing a street provides a well landscaped area that	DTS/DPF 13.1 Buildings provid that accommoda		arge tree, except	
PO 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and	DTS/DPF 13.1 Buildings provid that accommoda	ates a medium to la	arge tree, except	nt of the building where no building
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide	DTS/DPF 13.1 Buildings provid that accommod- setback from fro DTS/DPF 13.2 Multi-storey dev	ates a medium to lo ont property bound elopment provides	arge tree, except Jaries is desired. s deep soil zones	where no building
PO 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall	DTS/DPF 13.1 Buildings provid that accommod setback from fro	ates a medium to la ent property bound elopment provides than the following	arge tree, except Jaries is desired. s deep soil zones rates, except in a	where no building
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide	DTS/DPF 13.1 Buildings provid that accommodi- setback from fro DTS/DPF 13.2 Multi-storey dev trees at not less where full site co	etes a medium to la ent property bound elopment provides than the following overage is desired.	arge tree, except daries is desired. s deep soil zones rates, except in a	where no building and incorporates location or zone
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod setback from fro	ates a medium to la ent property bound elopment provides than the following	arge tree, except daries is desired. s deep soil zones rates, except in a	where no building
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommodi- setback from fro DTS/DPF 13.2 Multi-storey dev trees at not less where full site co	elopment provides than the following overage is desired. Minimum deep	arge tree, except daries is desired. s deep soil zones rates, except in a	and incorporates location or zone Tree / deep soll zones 1 small tree /
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod setback from from the setback fro	elopment provides than the following overage is desired. Minimum deep soil area	arge tree, except faries is desired. s deep soil zones rates, except in a Minimum dimension	and incorporates location or zone Tree / deep soil zones
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod setback from from the setback fro	elopment provides than the following overage is desired. Minimum deep soil area	arge tree, except faries is desired. s deep soil zones rates, except in a Minimum dimension	and incorporates location or zone Tree / deep soll zones 1 small tree / 10 m ² 1 medium tree
PO 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod setback from from the setback fro	elopment provides than the following overage is desired. Minimum deep soil area	arge tree, except daries is desired. s deep soil zones rates, except in a Minimum dimension	and incorporates location or zone Tree / deep soll zones 1 small tree / 10 m ²
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod setback from from the setback fro	elopment provides than the following overage is desired. Minimum deep soil area	arge tree, except daries is desired. s deep soil zones rates, except in a Minimum dimension	and incorporates location or zone Tree / deep soll zones 1 small tree / 10 m ² 1 medium tree / 30 m ² 1 large or
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod: setback from from the setback from from from from from from from from	elopment provides than the following overage is desired. Minimum deep soil area 10 m ²	arge tree, except daries is desired. s deep soil zones rates, except in a dimension 1.5m	and incorporates location or zone Tree / deep soil zones 1 small tree / 10 m ² 1 medium tree / 30 m ² 1 large or medium tree /
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommod: setback from from the setback from from from from from from from from	elopment provides than the following overage is desired. Minimum deep soil area 10 m ²	arge tree, except daries is desired. s deep soil zones rates, except in a dimension 1.5m	and incorporates location or zone Tree / deep soil zones 1 small tree / 10 m ² 1 medium tree / 30 m ² 1 large or
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommodisetback from from the setback from from from from from from from from	elopment provides than the following overage is desired. Minimum deep soil area 10 m ² 7% site area	arge tree, except daries is desired. desired desired desired. desired desired desired. desired desired. Minimum dimension 1.5m 3m	and incorporates location or zone Tree / deep soll zones 1 small tree / 10 m ² 1 medium tree / 30 m ² 1 large or medium tree / 60 m ²
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommodisetback from from the setback from from from from from from from from	elopment provides than the following overage is desired. Minimum deep soil area 10 m ² 7% site area 7% site area	arge tree, except faries is desired. s deep soil zones rates, except in a dimension 1.5m 3m 6m	and incorporates location or zone Tree / deep soil zones 1 small tree / 10 m² 1 medium tree / 30 m² 1 large or medium tree / 60 m²
Po 13.1 Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings. PO 13.2 Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	DTS/DPF 13.1 Buildings provid that accommodisetback from from the setback from from from from from from from from	elopment provides than the following overage is desired. Minimum deep soil area 10 m ² 7% site area	arge tree, except faries is desired. s deep soil zones rates, except in a dimension 1.5m 3m 6m	and incorporates location or zone Tree / deep soil zones 1 small tree / 10 m² 1 medium tree / 30 m² 1 large or medium tree / 60 m²

Downloaded on 11/10/2024 Generated By Policy24 Page 51 of 114

Policy24		P&D Code (in effect) Version 2024.18 10/10/202
	Site area	The total area for development site, not average
		area per dwelling
PO 13.3	DTS/DPF 13.3	
Deep soil zones with access to natural light are provided to assist in	None are applicat	ble.
maintaining vegetation health.		
PO 13.4	DTS/DPF 13.4	
Unless separated by a public road or reserve, development sites	Building elements	of 3 or more building levels in height are set back at
adjacent to any zone that has a primary purpose of accommodating	least 6m from a z	one boundary in which a deep soil zone area is
low-rise residential development incorporate a deep soil zone along	incorporated.	
the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building		
levels in height.		
Enviror	imental	
PO 14.1	DTS/DPF 14,1	
Development minimises detrimental micro-climatic impacts on	None are applicat	ble.
adjacent land and buildings.		
PO 14.2	DTS/DPF 14.2	
Development incorporates sustainable design techniques and features	None are applicat	ble.
such as window orientation, eaves and shading structures, water		
harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere		
on site), green roofs and photovoltaic cells.		
PO 14.3	DTS/DPF 14.3	
Development of 5 or more building levels, or 21m or more in height (as	None are applicat	ble.
measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts		
of wind through measures such as:		
(a) a podium at the base of a tall tower and aligned with the street		
to deflect wind away from the street		
 substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas 		
(c) the placement of buildings and use of setbacks to deflect the		
wind at ground level		
(d) avoiding tall shear elevations that create windy conditions at		
street level.		
Car Pa	arking	
PO 15.1	DTS/DPF 15.1	
Multi-level vehicle parking structures are designed to contribute to	Multi-level vehicle	parking structures within buildings:
active street frontages and complement neighbouring buildings.		and uses such as commercial, retail or other non-car
		ses along ground floor street frontages
		te facade treatments in building elevations facing or street frontages that are sufficiently enclosed and
		o complement adjacent buildings.
PO 15.2	DTS/DPF 15.2	
Multi-level vehicle parking structures within buildings complement the	None are applicat	ole.
surrounding built form in terms of height, massing and scale.		
Overlooking/	Visual Privacy	
PO 16.1	DTS/DPF 16.1	
Development mitigates direct overlooking of habitable rooms and	None are applicab	le.
private open spaces of adjacent residential uses in neighbourhood-type		
zones through measures such as:		
I The state of the		

Downloaded on 11/10/2024 Generated By Policy24 Page 52 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(a) appropriate site layout and building orientation	
(b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight	
(c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms	
(d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity.	
All residentia	l development
Front elevations an	d passive surveillance
PO 17.1	DTS/DPF-17.1
Dwellings incorporate windows facing primary street frontages to	Each dwelling with a frontage to a public street:
encourage passive surveillance and make a positive contribution to the	
streetscape.	(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m
	(b) has an aggregate window area of at least 2m ² facing the primary street.
PO 17.2	DTS/DPF 17.2
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook a	nd Amenity
PO 18.1	DTS/DPF 18.1
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.
PO 18.2	DTS/DPF 18.2
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.
Ancillary C	revelopment
PO 19,1	DTS/DPF 19.1
	Ancillary buildings:
Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on	(a) are ancillary to a dwelling erected on the same site
the site or neighbouring properties.	(b) have a floor area not exceeding 60m2
	(c) are not constructed, added to or altered so that any part is
	situated: (i) in front of any part of the building line of the dwelling to which it is ancillary
	or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or
	more roads)
	(i) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street
	(ii) when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser
	B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width

Downloaded on 11/10/2024 Generated By Policy24 Page 53 of 114

Policy24			P&D Code (in effect) Version	2024.18 10/10/2024
	(e)		ted on a boundary (not being a bound or secondary street), do not exceed a : a longer wall or structure exists on t and is situated on the same allotme and the proposed wall or structure will b same length of boundary as the exis or structure to the same or lesser e	the adjacent site int boundary be built along the sting adjacent wall
	(f)	bound or stru	ted on a boundary of the allotment (r lary with a primary street or secondar ictures on the boundary will not exce- of that boundary	not being a ry street), all walls
	(g)	bound an exis	t be located within 3m of any other w ary unless on an adjacent site on that sting wall of a building that would be a oposed wall or structure	boundary there is
	(h) (i)	natura	wall height or post height not exceed I ground level (and not including a gat roof height where no part of the roo	ole end)
	(i)	above if clad	the natural ground level in sheet metal, is pre-colour treated o	
	(k)	retains (ii), wh	ive colour s a total area of soft landscaping in acc ichever is less:	3.0
		(i)	a total area as determined by the for Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	1
			<150 150-200	10% 15%
			201-450	20%
		(ii)	the amount of existing soft landscap development occurring.	
	(1)	Produc	tion to ancillary accommodation in the ctive Rural Landscape Zone, or Rural I d within 20m of an existing dwelling.	
PO 19.2 Ancillary buildings and structures do not impede on-site functional	DTS/DP		ings and structures do not result in:	
requirements such as private open space provision, car parking requirements or result in over-development of the site.	(a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space			
	(b)	Parkin	n-site car parking than specified in Tra g Table 1 - General Off-Street Car Par le 2 - Off-Street Car Parking Requirem	king Requirements
PO 19.3	DTS/DP	F 19.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.		me site a	I/or filtration system is ancillary to a d and is: ed in a solid acoustic structure that is	
		from the allotm or	he nearest habitable room located on ent	an adjoining
	(b)	on an	d at least 12m from the nearest habit adjoining allotment.	
Downloaded on 11/10/2024 Generated	Do Dalie	N. 25 v.		Page 54 of 11

Downloaded on 11/10/2024 Generated By Policy24 Page 54 of 114

P&D Code (in effect) Version 2024.18 10/10/2024 olicy24 DTS/DPF 19.4 Buildings and structures that are ancillary to an existing non-residential Non-residential ancillary buildings and structures: use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of (a) are ancillary and subordinate to an existing non-residential use neighbouring properties. (b) have a floor area not exceeding the following: Allotment size Floor area ≤500m2 60m2 >500m2 80m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the main building to which it is ancillary within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: is set back at least 5.5m from the boundary of the primary street (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) have a roof height where no part of the roof is more than 5m above the natural ground level if clad in sheet metal, is pre-colour treated or painted in a non-External appearance PO 20.1 DTS/DPF 20.1 Garaging is designed to not detract from the streetscape or Garages and carports facing a street: appearance of a dwelling are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling (b) are set back at least 5.5m from the boundary of the primary (c) have a garage door / opening width not exceeding 7m have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. Dwelling elevations facing public streets and common driveways make Each dwelling includes at least 3 of the following design features within a positive contribution to the streetscape and the appearance of the building elevation facing a primary street, and at least 2 of the common driveway areas. following design features within the building elevation facing any other public road (other than a laneway) or a common driveway:


Downloaded on 11/10/2024 Generated By Policy24 Page 55 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	 (a) a minimum of 30% of the building wall is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 20.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF 20.3 None are applicable
Private Q	pen Space
PO 21.1	DTS/DPF 21.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
PO 21.2	DTS/DPF 21.2
Private open space is positioned to provide convenient access from internal living areas.	Private open space is directly accessible from a habitable room.
Lands	scaping
PO 22:1	DTS/DPF 22.1
Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection	Residential development incorporates soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b)
(b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity	(a) a total area for the entire development site, including any common property, as determined by the following table:
(d) enhance the appearance of land and streetscapes.	Site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²) Minimum percentage of site
	<150 10%
	150-200 15%
	>200-450
	>450 25%
	(b) at least 30% of any land between the primary street boundary and the primary building line.
Car parking, access	and manoeuvrability
PO 23.1	DTS/DPF 23.1
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):

Downloaded on 11/10/2024 Generated By Policy24 Page 56 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m
	(b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 23.2 Uncovered car parking space are of dimensions to be functional, accessible and convenient.	DTS/DPF 23.2 Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 23.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking.	DTS/DPF 23.3 Driveways and access points satisfy (a) or (b): (a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site (b) sites with a frontage to a public road greater than 10m: (i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site; (ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m.
Po 23.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 23.5 Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	DTS/DPF 23.5 Driveways are designed and sited so that: (a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping

Downloaded on 11/10/2024 Generated By Policy24 Page 57 of 114



Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and	High Rise (including serviced apartments)
Outlook and	Visual Privacy
PO 26.1	DTS/DPF 26.1
Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space.	Buildings:
public, communal or private open space.	(a) provide a habitable room at ground or first level with a window
	facing toward the street (b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.
PO 26.2	DTS/DPF 26.2
The visual privacy of ground level dwellings within multi-level buildings	The finished floor level of ground level dwellings in multi-storey
is protected.	developments is raised by up to 1.2m.
Private O	pen Space
PO 27.1	DTS/DPF 27.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space.
Residential amenity i	n multi-level buildings
PO 28.1	DTS/DPF 28.1
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary.
PO 28.2	DTS/DPF 28.2
Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:	Balconies utilise one or a combination of the following design elements:
(a) respond to daylight, wind, and acoustic conditions to maximise	(a) sun screens
comfort and provide visual privacy	(b) pergolas
 (b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private 	(c) louvres (d) green facades
outdoor areas.	(e) openable walls.
PO 28.3 Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	DTS/DPF.28.3 Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.
PO 28.4	DTS/DPF 28.4
Dwellings are provided with sufficient space for storage to meet likely occupant needs.	Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling:
	(a) studio: not less than 6m ³
	(b) 1 bedroom dwelling / apartment: not less than 8m ³
	(c) 2 bedroom dwelling / apartment: not less than 10m ³
	(d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
PO 28.5	DTS/DPF 28.5
Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a reasonable	Light wells:
living amenity is provided.	(a) are not used as the primary source of outlook for living rooms

Downloaded on 11/10/2024 Generated By Policy24 Page 59 of 114

Downloaded on 11/10/2024 Generated By Policy24 Page 60 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 31.2	DTS/DPF31.2
The orientation and siting of buildings minimises impacts on the	None are applicable.
amenity, outlook and privacy of occupants and neighbours.	
PO 31.3	DTS/DPF/31.3
Development maximises the number of dwellings that face public open	None are applicable.
space and public streets and limits dwellings oriented towards adjoining properties.	
adjoining properties.	
PO 31.4	DTS/DPF31.4
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.
	Open Space
PO 32.1	DTS/DPF.32.1
Private open space provision may be substituted for communal open	None are applicable.
space which is designed and sited to meet the recreation and amenity	
needs of residents.	
PO 32.2	DTS/DPF32.2
Communal open space is of sufficient size and dimensions to cater for	Communal open space incorporates a minimum dimension of 5 metres.
group recreation.	DTC/005 33 3
PO 32.3	DTS/DPF32.3
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services	
(b) have regard to acoustic, safety, security and wind effects.	
PO 32.4	DTS/DPF32.4
Communal open space contains landscaping and facilities that are	None are applicable.
functional, attractive and encourage recreational use. PO 32.5	DTS/DPF 32.5
Communal open space is designed and sited to:	None are applicable.
Community open space is designed and steed to.	and the second s
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable	
private open space of other dwellings	
(b) in relation to ground floor communal space, be overlooked by	
habitable rooms to facilitate passive surveillance.	
Car parking, access	and manoeuvrability
PO 33.1	DTS/DPF:33,1
Driveways and access points are designed and distributed to optimise	Where on-street parking is available directly adjacent the site, on-street
the provision of on-street visitor parking.	parking is retained adjacent the subject site in accordance with the
	following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwelling
	(rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space
	located between two other parking spaces or to an end obstruction where the parking is indented.
	oost sector. The state pointing to indefined.
PO 33.2	DTS/DPF33.2
The number of vehicular access points onto public roads is minimised	Access to group dwellings or dwellings within a residential flat building
to reduce interruption of the footpath and positively contribute to public safety and walkability.	is provided via a single common driveway.
p	
PO 33.3	DTS/DPF33.3
Residential driveways that service more than one dwelling are	Driveways that service more than 1 dwelling or a dwelling on a battle-
designed to allow safe and convenient movement.	axe site:
•	

Downloaded on 11/10/2024 Generated By Policy24 Page 61 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(a) have a minimum width of 3m
	(b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street
	(ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 33.4	DTS/DPF 33.4
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 33.5	DTS/DPFi33,5
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft land	dscaping
PO 34.1	DTS/DPF 34,1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 34.2	DTS/DPF:34.2
Battle-axe or common driveways incorporate landscaping and	Battle-axe or common driveways satisfy (a) and (b):
permeability to improve appearance and assist in stormwater management.	(a) are constructed of a minimum of 50% permeable or porous material
	(b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	Waste Storage
PO 35.1	DTS/DPF:35.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 35.2	DTS/DPF.35.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 35.3	DTS/DPF 35.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
located away, or screened, from public view, and conveniently located in proximity to dwellings and the waste collection point.	
PO 35.4	DTS/DPF35.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 35.5	DTS/DPF 35.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
Downloaded on 11/10/2024 Generated	By Policy24 Page 62 of 114

Downloaded on 11/10/2024 Generated By Policy24 Page 62 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
PO 35.6	DTS/DPF35.6
Services including gas and water meters are conveniently located and	None are applicable.
screened from public view.	
Water sensitiv	e urban design
PO 36.1	DTS/DPF36.1
Residential development creating a common driveway / access	None are applicable.
includes stormwater management systems that minimise the	
discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system,	
watercourses or other water bodies.	
PO 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access	None are applicable.
includes a stormwater management system designed to mitigate peak	
flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the	
peak flows in downstream systems.	
Supported Accommodation	on and retirement facilities
Siting, Configur	ation and Design
PO 37.1	DTS/DPF 37.1
Supported accommodation and housing for aged persons and people	None are applicable.
with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	
PO 37.2.	DTS/DPF:37.2
Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in	None are applicable.
place. Movement	and Access
PO 38.1	DTS/DPF38.1
Development is designed to support safe and convenient access and	None are applicable.
movement for residents by providing:	
(a) ground-level access or lifted access to all units	
(b) level entry porches, ramps, paths, driveways, passenger	
loading areas and areas adjacent to footpaths that allow for the	
loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of	
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability	
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of	
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	Open Space
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	Open Space DTS/DPF 39.1
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and	
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal	DTS/DPF 39.1
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by	DTS/DPF 39.1
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open	DTS/DPF 39.1 None are applicable.
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2	DTS/DPF 39.1 None are applicable. DTS/DPF 39.2
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity	DTS/DPF 39.1 None are applicable. DTS/DPF 39.2
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	DTS/DPF 39.1 None are applicable. DTS/DPF 39.2 None are applicable.
passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents. PO 39.3 Communal open space is of sufficient size and dimensions to cater for	DTS/DPF 39.1 None are applicable. DTS/DPF 39.2 None are applicable. DTS/DPF 39.3 Communal open space incorporates a minimum dimension of 5

Downloaded on 11/10/2024 Generated By Policy24 Page 63 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
 (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. 	
PO 39.5	DTS/DPF39.5
Communal open space contains landscaping and facilities that are	None are applicable.
functional, attractive and encourage recreational use.	
PO 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
 in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings 	
 in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. 	
Site Facilities	/ Waste Storage
PO 40,1	DTS/DPF 40,1
Development is designed to provide storage areas for personal items	None are applicable.
and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.	
PO 40.2	DTS/DPF 40.2
Provision is made for suitable mailbox facilities close to the major	None are applicable.
pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	
PO 40.3	DTS/DPF 40.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 40.4	DTS/DPF 40.4
Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	None are applicable.
PO 40.5	DTS/DPF 40.5
Waste and recyclable material storage areas are located away from	Dedicated waste and recyclable material storage areas are located at
dwellings.	least 3m from any habitable room window.
PO 40.6	DTS/DPF 40.6
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.
PO 40.7	DTS/DPF 40.7
Services, including gas and water meters, are conveniently located and	None are applicable.
screened from public view.	
	commodation
PO 41.1	DTS/DPF 41.1
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an	Student accommodation provides:
internal layout and facilities that are designed to provide sufficient	(a) a range of living options to meet a variety of accommodation
space and amenity for the requirements of student life and promote	needs, such as one-bedroom, two-bedroom and disability access units
social interaction.	(b) common or shared facilities to enable a more efficient use of
	space, including:
	shared cooking, laundry and external drying facilities internal and external communal and private open
	space provided in accordance with Design in Urban Areas Table 1 - Private Open Space
	(iii) common storage facilities at the rate of 8m ³ for every
	2 dwellings or students

Downloaded on 11/10/2024 Generated By Policy24 Page 64 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	 (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students.
PO 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	DTS/DPF 41.2 None are applicable.
All non-resident	ial development
Water Sens	itive Design
PO 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	DTS/DPF.42.1 None are applicable.
PO 42.2 Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	DTS/DPF42.2 None are applicable.
PO 42.3 Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	DTS/DPF42.3 None are applicable.
Wash-down and Waste	Loading and Unloading
Po 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	DTS/DPF-43.1 None are applicable.
Laneway D	evelopment
Infrastructu	re and Access
PO 44.1 Development with a primary street comprising a laneway, alley, lane, right of way or similar minor thoroughfare only occurs where:	DTS/DPF 44.1 Development with a primary street frontage that is not an alley, lane, right of way or similar public thoroughfare.

Downloaded on 11/10/2024 Generated By Policy24 Page 65 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 the primary street can support access by emergency and regular service vehicles (such as waste collection) it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management (d) safety of pedestrians or vehicle movement is maintained any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares. Design and Siting PO 45.1 DTS/DPF 45.1 Decks are designed and sited to: Decks: where ancillary to a dwelling: complement the associated building form minimise impacts on the streetscape through siting behind the are not constructed, added to or altered so that any building line of the principal building (unless on a significant part is situated: allotment or open space) in front of any part of the building line of the minimise cut and fill and overall massing when viewed from dwelling to which it is ancillary adjacent land. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (ii) are set back at least 900mm from side or rear allotment boundaries when attached to the dwelling, has a finished floor level consistent with the finished ground floor level of the where associated with a residential use, retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (A) or (B), whichever is less: a total area is determined by the following Site area (or in the case of residential flat building or percentage of group dwelling(s), site average site area) (m²) <150 10% 150-200 15% >200-450 20% >450 25% the amount of existing soft landscaping prior to the development occurring. (b) where in association with a non-residential use: are set back at least 2 metres from the boundary of an allotment used for residential purposes are set back at least 2 metres from a public road. have a floor area not exceeding 25m2 in all cases, has a finished floor level not exceeding 1 metre above natural ground level at any point. Decks are designed and sited to minimise direct overlooking of Decks with a finished floor level/s 500mm or more above natural

Downloaded on 11/10/2024 Generated By Policy24 Page 66 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s.
PO 45.3	DTS/DPF 45.3
Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.

Table 1 - Private Open Space

Dwelling Type	Dwelling / Site	Minimum Rate
	Configuration	
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m ² : 24m ² located behind the building line. (b) Site area ≥ 301m ² : 60m ² located behind the building line. Minimum directly accessible from a living room: 16m ² / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate	Dwellings at ground level:	15m ² / minimum dimension 3m
above ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m ² / minimum dimension 1.8m
	One bedroom dwelling	8m ² / minimum dimension 2.1m
	Two bedroom dwelling	11 m ² / mínímum dimension 2.4 m
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the
	environment, transport networks, surrounding land uses and landscapes.

Downloaded on 11/10/2024 Generated By Policy24 Page 67 of 114

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Si	ting
PO 1.1	DTS/DPF 1.1
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).
PO 1.3	DTS/DPF 1.3
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.
Water P	Protection
PO 2.1	DTS/DPF 2:1
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.
PO 2.2	DTS/DPF 2.2
Appropriate siting, layout and design measures are adopted to	Commercial forestry plantations:
minimise the impact of commercial forestry plantations on surface water resources.	(a) do not involve cultivation (excluding spot cultivation) in drainage lines
	(b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer)
	(c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole (with no direct connection to an aquifer).
Fire Mai	nagement
PO 3.1	DTS/DPF 3.1
Commercial forestry plantations incorporate appropriate firebreaks	Commercial forestry plantations provide:
and fire management design elements.	(a) 7m or more wide external boundary firebreaks for plantations of 40ha or less
	(b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha
	(c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.
	Note: Firebreaks prescribed above (as well as access tracks) may be included within the setback buffer distances prescribed by other policies of the Code.
PO 3.2	DTS/DPF3.2
Commercial forestry plantations incorporate appropriate fire management access tracks.	Commercial forestry plantation fire management access tracks:
monogeneric access cracks.	(a) are incorporated within all firebreaks (b) are 7m or more wide with a vertical clearance of 4m or more

Downloaded on 11/10/2024 Generated By Policy24 Page 68 of 114

Policy24	P&D Co	ode (in effect	t) Version 2024.18 10/10/2024
	they are a no through signposted and pro- fighting vehicles	gh access trac vide suitable t	rough access at junctions, or if ck are appropriately turnaround areas for fire- s of 40ha or less in area.
Power-line	Clearances		
PO 4.1 Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	, ,	an 6m meet 1	rating trees with an expected the clearance requirements
	Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

The Housing Renewal General Development Policies are only applicable to dwellings or residential flat building undertaken by:

- the South Australian Housing Trust either individually or jointly with other persons or bodies
- (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

Desired Outcome (DO)

	Desired Outcome
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	nd Intensity
PO 1.1	DTS/DPF 1.1
Residential development provides a range of housing choices.	Development comprises one or more of the following:
	(a) detached dwellings
	(b) semi-detached dwellings
	(c) row dwellings
T .	(d) group dwellings

Downloaded on 11/10/2024 Generated By Policy24 Page 69 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(e) residential flat buildings.
PO 1.2	DTS/DPF1.2
Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	None are applicable.
Buildin	g Height
PO 2.1	DTS/DPF 2.1
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).
PO 2.2	DTS/DPF 2.2.
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.
Primary Str	eet Setback
PO 3.1	DTS/DPF 3.1
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.
Secondary S	treet Setback
PO 4.1	DTS/DPF-4.1
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.
Bounda	ary Walls
PO 5.1	DTS/DPF 5.1
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.
PO 5.2	DTS/DPF5.2
Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.	Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.
Side Bound	Jary Setback
PO 6.1	DTS/DPF 6.1
Buildings are set back from side boundaries to provide:	Other than walls located on a side boundary, buildings are set back

Downloaded on 11/10/2024 Generated By Policy24 Page 70 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
 (a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours. Rear Bound	from side boundaries in accordance with the following: (a) where the wall height does not exceed 3m - at least 900mm (b) for a wall that is not south facing and the wall height exceeds 3m - at least 900mm from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings (c) for a wall that is south facing and the wall height exceeds 3m - at least 1.9m from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings.
PO 7.1	DTS/DPF 7.1
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:
(a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours (c) private open space (d) space for landscaping and vegetation.	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.
Buildings ele	vation design
PO 8.1 Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas.	DTS/DPF8.1 Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 8.2 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	DTS/DPF8.2 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street
PO 8.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF8.3 None are applicable.
PO 8.4 Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	DTS/DPF 8.4 None are applicable.
PO 8.5	DTS/DPF 8.5

Downloaded on 11/10/2024 Generated By Policy24 Page 71 of 114

8.1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 72 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	 (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5m above the finished floor.
PO 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses.	DTS/DPF 11.2 One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases
Lands	scaping
Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes.	Residential development incorporates pervious areas for soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b): (a) a total area as determined by the following table: Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m2) Site 10% 200 15% 20% 2450 25% 25% (b) at least 30% of land between the road boundary and the building line.
Water Sen:	sitive Design
PO 13.1 Residential development is designed to capture and use stormwater to: (a) maximise efficient use of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	DTS/DPF 13.1 None are applicable.
Car P	Parking
PO 14.1 On-site car parking is provided to meet the anticipated demand of residents, with less on-site parking in areas in close proximity to public transport.	On-site car parking is provided at the following rates per dwelling: (a) 2 or fewer bedrooms - 1 car parking space (b) 3 or more bedrooms - 2 car parking spaces.
PO 14.2	DTS/DPF 14.2

Downloaded on 11/10/2024 Generated By Policy24 Page 73 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential parking spaces enclosed by fencing, walls or other obstructions with the following internal dimensions (separate from any waste storage area): (a) single parking spaces:
	(i) a minimum length of 5.4m (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m
	(b) double parking spaces (side by side): (i) a minimum length of 5,4m (ii) a minimum width of 5.5m (iii) minimum garage door width of 2,4m per space.
PO 14.3	DTS/DPF 14.3
Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m
	(b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 14.4 Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	DTS/DPF 14.4 Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.
PO 14.5	DTS/DPF14.5
Residential flat buildings provide dedicated areas for bicycle parking.	Residential flat buildings provide one bicycle parking space per dwelling.
Overst	adowing
PO 15.1	DTS/DPF 15.1
Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	None are applicable.
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	aste
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. W PO 16.1 Provision is made for the convenient storage of waste bins in a location	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. W PO 16.1 Provision is made for the convenient storage of waste bins in a location	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. WPO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view.	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. WPO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view. PO 16.2 Residential flat buildings provide a dedicated area for the on-site storage of waste which is: (a) easily and safely accessible for residents and for collection vehicles	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. WPO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view. PO 16.2 Residential flat buildings provide a dedicated area for the on-site storage of waste which is: (a) easily and safely accessible for residents and for collection	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.

Downloaded on 11/10/2024 Generated By Policy24 Page 74 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Vehicle	: Access
PO 17.1	DTS/DPF 17.1
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	None are applicable.
PO 17.2	DTS/DPF 17.2
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b):
	(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed, is set back:
	 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	 (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance
	(iii) 6m or more from the tangent point of an intersection of 2 or more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	(a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping (b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following
	diagram: CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110° OFF THE STREET BOUNDARY
	70° 110°
	DRIVEWAY
	0° STREET BOUNDARY
	ROAD

Downloaded on 11/10/2024 Generated By Policy24 Page 75 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(c) if located to provide access from an alley, lane or right of way the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site.
PO 17.4 Driveways and access points are designed and distributed to optimise the provision of on-street parking.	DTS/DPF 17.4 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 17.5 Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	DTS/DPF 17.5 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 17.6 Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	DTS/DPF 17.6 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn man
PO 17.7 Dwellings are adequately separated from common driveways and manoeuvring areas.	DTS/DPF 17.7 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Sto	rrage
PO 18.1 Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	DTS/DPF 18.1 Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:
	(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
Earth	nworks
PO 19.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural	DTS/DPF 19.1 The development does not involve: (a) excavation exceeding a vertical height of 1m
topography.	or (b) filling exceeding a vertical height of 1m or
	(c) a total combined excavation and filling vertical height exceeding 2m.
	is and infrastructure
PO 20.1 Dwellings are provided with appropriate service connections and	DTS/DPF 20.1 The site and building:

Downloaded on 11/10/2024 Generated By Policy24 Page 76 of 114

Policy24			P8	RD Code (in effect) Version 2024.18 10/10/2024
infrastructure.	(b) h w H (c) h (d) h (a)	upply lave the vastewa lealth Al lave the lave the and pre vould n	e abilit ater sy ct 2011 e abilit e abilit essure	y to be connected to a permanent potable water y to be connected to a sewerage system, or a stem approved under the South Australian Public y to be connected to electricity supply y to be connected to an adequate water supply) for fire-fighting purposes contrary to the Regulations prescribed for the ection 86 of the Electricity Act 1996.
PO 21.1	DTS/DPF 21	1,1		
Land that is suitable for sensitive land uses to provide a safe environment.			atisfies	(a), (b), (c) or (d):
				ve a change in the use of land
				nge in the use of land that does not constitute a ore sensitive use
	(c) in	nvolves and at v	a cha which :	nge in the use of land to a <u>more sensitive use</u> on site contamination does not exist (as I in a <u>site contamination declaration form</u>)
	la d	and at v lemons	which ; strated	nge in the use of land to a <u>more sensitive use</u> on site contamination exists, or may exist (as lin a site contamination declaration form), and of the following:
			under	contamination audit report has been prepared Part 10A of the <i>Environment Protection Act 1993</i> in on to the land within the previous 5 years which that
			A.	<u>site contamination</u> does not exist (or no longer exists) at the land or
			В.	the land is suitable for the proposed use or range of uses (without the need for any further <u>remediation</u>) or
			Ċ.	where <u>remediation</u> is, or remains, necessary for the proposed use (or range of uses), <u>remediation work</u> has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
		(ii)	place of	ner <u>class 1 activity</u> or <u>class 2 activity</u> has taken at the land since the preparation of the site mination audit report (as demonstrated in a <u>site</u> mination declaration form).

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that

Downloaded on 11/10/2024 Generated By Policy24 Page 77 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes
	and residential amenity.
1	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	General
PO 1.1	DTS/DPF 1.1
Development is located and designed to minimise hazard or	None are applicable.
nuisance to adjacent development and land uses.	
	Visual Amenity
PO 2.1	DTS/DPF 2.1
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by:	None are applicable.
(a) utilising features of the natural landscape to obscure views where practicable	
(b) siting development below ridgelines where practicable	
(c) avoiding visually sensitive and significant landscapes (d) using materials and finishes with low-reflectivity and	
colours that complement the surroundings (e) using existing vegetation to screen buildings	
(f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	
PO 2.2	DTS/DPF 2.2
Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	None are applicable.
PO 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
	Rehabilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
н	azard Management
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	None are applicable.
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are separated as far as practicable from dwellings, tourist accommodation and frequently visited public places	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 78 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(such as viewing platforms / lookouts) to reduce risks to public safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy facilities by providing appropriate access tracks, safety equipment and water tanks and establishing cleared areas around substations, battery storage and operations compounds.	None are applicable.
Electricity Infrastru	acture and Battery Storage Facilities
PO 5.1	DTS/DPF 5.1
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.
(a) siting utilities and services: (i) on areas already cleared of native vegetation (ii) where there is minimal interference or disturbance to existing native vegetation or biodiversity	
(b) grouping utility buildings and structures with non- residential development, where practicable.	
PO 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new development in urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.	None are applicable.
PO 5.3	DTS/DPF 5.3
Battery storage facilities are co-located with substation infrastructure where practicable to minimise the development footprint and reduce environmental impacts.	None are applicable.
Teleco	ommunication Facilities
PO 6.1	DTS/DPF 6.1
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity.	None are applicable.
PO 6.2	DTS/DPF 6.2
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	None are applicable.
PO 6.3	DTS/DPF 6.3
Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	None are applicable.
 where technically feasible, incorporating the facility within an existing structure that may serve another purpose or all of the following: 	
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services	

Downloaded on 11/10/2024 Generated By Policy24 Page 79 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
using materials and finishes that complement the environment screening using landscaping and vegetation, particularly for equipment shelters and huts.	
Rene	wable Energy Facilities
PO 7.1	DTS/DPF 7.1
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.
Renewable	Energy Facilities (Wind Farm)
PO 8.1	DTS/DPF 8.1
Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone
	(iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation
PO 8.2	DTS/DPF 8.2
The visual impact of wind turbine generators on natural landscapes is managed by: (a) designing wind turbine generators to be uniform in colour, size and shape (b) coordinating blade rotation and direction (c) mounting wind turbine generators on tubular towers as opposed to lattice towers.	None are applicable.
PO 8.3	DTS/DPF 8.3
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applicable.
PO 8.4	DTS/DPF 8.4
Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.
PO.8.5 Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	DTS/DPF 8.5 None are applicable.
Renewable	Energy Facilities (Solar Power)
PO 9.1 Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	DTS/DPF 9.1 None are applicable.
PO 9.2 Ground mounted solar power facilities allow for movement of	DTS/DPF 9.2 None are applicable.
wildlife by:	none ore applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 80 of 114

Policy2	24		P&D	Code (in e	ffect) Version 2	2024.18 10/10/202
(a)	incorporating wildlife corridors and habitat refuges					
(b)	avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably					
	compromising the security of the facility.					
PO 9.3		DTS/DPF 9.3				
separa	ty impacts of solar power facilities are minimised through tion from conservation areas and sensitive receivers in ownership.	Ground mounte conservation are criteria:				
		Generation Capacity	Approximate size of array	Setback from adjoining land boundary	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹
		50MW>	80ha+	30m	500m	2km
		10MW<50MW	16ha-<80ha	25m	500m	1.5km
		5MW<10MW	8ha to <16ha	20m	500m	1km
		1MW<5MW 100kW<1MW	1.6ha to <8ha 0.5ha<1.6ha	15m 10m	500m 500m	500m
		<100kW	<0.5ha	5m	500m	25m
		Notes:	40.5110	3111	300111	25111
					osed ground mo	unted solar powe
within adjace balanc	d mounted solar power facilities incorporate landscaping setbacks from adjacent road frontages and boundaries of nt allotments accommodating non-host dwellings, where ed with infrastructure access and bushfire safety erations.	DTS/DPF 9.4 None are applicable.				
	Hydropower /	Pumped Hydropow	er Facilities			
PO 10.1		DTS/DPF 10.1				
	power / pumped hydropower facility storage is designed	None are applic	able			
- P	perated to minimise the risk of storage dam failure.		able.			
PO 10.2	rerated to minimise the risk of storage dam failure.	DTS/DPF 10.2	able.			
PO 10.2 Hydror and op evapor appror	power / pumped hydropower facility storage is designed because to minimise water loss through increased station or system leakage, with the incorporation of priate liners, dam covers, operational measures or ion systems.					
PO 10.2 Hydror and op evapor appror	power / pumped hydropower facility storage is designed perated to minimise water loss through increased ration or system leakage, with the incorporation of priate liners, dam covers, operational measures or	DTS/DPF 10.2				
PO 10.2 Hydrog and op evapor approg detecti PO 10.3 Hydrog former contan	power / pumped hydropower facility storage is designed perated to minimise water loss through increased ration or system leakage, with the incorporation of priate liners, dam covers, operational measures or	DTS/DPF 10.2 None are applic	able.			
PO 10.2 Hydrog and op evapor approg detecti PO 10.3 Hydrog former contan	power / pumped hydropower facility storage is designed berated to minimise water loss through increased ration or system leakage, with the incorporation of priate liners, dam covers, operational measures or ion systems. Dower / pumped hydropower facilities on existing or mine sites minimise environmental impacts from site nination, including from mine operations or water	DTS/DPF 10.2 None are applic DTS/DPF 10.3	able.			

Downloaded on 11/10/2024 Generated By Policy24 Page 81 of 114

8.1.1

	P&D Code (in effect) Version 2024.18 10/10/202
Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use.	Development is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the on-going requirements of the development.
PO 11.2 Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	DTS/DPF 11.2 A dwelling is connected, or will be connected, to a reticulated water scheme o mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling.
W	/astewater Services
PO 12.1	DTS/DPF 12.1
Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate onsite service is provided to meet the ongoing requirements of the intended use in accordance with the following: (a) it is wholly located and contained within the allotment of the development it will service (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from onsite disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm,	Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of th development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011.
PO 12.2	DTS/DPF 12.2
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.
т	emporary Facilities
PO 13.1	DTS/DPF 13.1
in rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary onsite waste storage enclosure to minimise the incidence of wind-blown litter.	A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.
PO 13.2	DTS/DPF 13.2
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, aydown, storage, access roads and worker amenity areas) are	None are applicable.

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 11/10/2024 Generated By Policy24 Page 82 of 114

olicy24 P&D Code (in effect) Version 2024.18 10/10

	Desired Outcome
DO 1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers
	and in a manner that minimises their adverse effects on amenity and the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	nd Design
PO 1.1	DTS/DPF 1.1
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.
PO 1.2 Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	DTS/DPF 1.2 None are applicable.
PO 1.3 Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	DTS/DPF 1.3 None are applicable.
PO 1.4 Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	DTS/DPF 1.4 Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.
PO 1.5	DTS/DPF 1.5
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.
w	aste
PO 2.1	DTS/DPF 2.1
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.
(a) avoid attracting and harbouring vermin (b) avoid polluting water resources (c) be located outside 1% AEP flood event areas.	
Soil and Wa	ter Protection
PO 3.1	DTS/DPF 3.1
To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations are appropriately set back from: (a) public water supply reservoirs (b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies.	Intensive animal husbandry operations are set back: (a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher stream) (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.
PO 3.2 Intensive animal husbandry operations and dairies incorporate	DTS/DPF 3.2 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 83 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
appropriately designed effluent and run-off facilities that: (a) have sufficient capacity to hold effluent and runoff from the operations on site (b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.	

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Crit	eria / Designated Performance Feature
General Land U	se Compatibility	
PO 1.1	DTS/DPF 1.1	
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.	
Hours of	Operation	
PO 2.1	DTS/DPF 2.1	
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers)	Development operating wit	
or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:	Class of Development	Hours of operation
or operation having regard to.	Consulting room	7am to 9pm, Monday to Friday
(a) the nature of the development (b) measures to mitigate off-site impacts		8am to 5pm, Saturday
(c) the extent to which the development is desired in the zone	Office	7am to 9pm, Monday to Friday
(d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.		8am to 5pm, Saturday
	Shop, other than any one	7am to 9pm, Monday to Friday
	or combination of the following:	8am to 5pm, Saturday and Sunday
	(a) restaurant	

Downloaded on 11/10/2024 Generated By Policy24 Page 84 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone
Oversh	adowing
PO 3.1 Overshadowing of habitable room windows of adjacent residential land uses in: a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	DTS/DPF3.1 North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.
PO 3.2 Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	DTS/DPF3.2 Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.
PO 3.3 Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	DTS/DPF3.3 None are applicable.
PO 3.4 Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	DTS/DPF 3.4 None are applicable.
Activities Generatin	g Noise or Vibration
PO 4.1 Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF.4.1 Noise that affects sensitive receivers achieves the relevant Environment Protection (Commercial and Industrial Noise) Policy criteria.
PO 4.2 Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including: (a) locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers	DTS/DPF 4.2 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 85 of 114

	P&D Co	ode (in effect) Version 2024.18 10/10/202
 (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers (c) housing plant and equipment within an enclosed structure or acoustic enclosure (d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone. 		
PO 4.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers).	the same site is: (a) enclosed in a solid a the nearest habitab or	system ancillary to a dwelling erected on acoustic structure located at least 5m from le room located on an adjoining allotment in from the nearest habitable room located iment.
PO 4.4 External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.	DTS/DPF 4.4 Adjacent land is used for re	sidential purposes.
PO 4.5 Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF 4.5 None are applicable.	
PO 4.6 Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers.	Development incorporating measures that will achieve to Assessment location Externally at the nearest existing or envisaged noise sensitive location	music includes noise attenuation he following noise levels: Music noise level Less than 8dB above the level of background noise (L90,15min) in any octave band of the sound spectrum
		(LOCT10,15 < LOCT90,15 + 8dB)
Air Q	puality	(LOCT10,15 < LOCT90,15 + 8dB)
PO 5.1 Development with the potential to emit harmful or nuisance- generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	puality DTS/DPF5.1 None are applicable.	(LOCT10,15 < LOCT90,15 + 8dB)
PO 5.1 Development with the potential to emit harmful or nuisance- generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive	DTS/DPF 5.1	(LOCT10,15 < LOCT90,15 + 8dB)
Development with the potential to emit harmful or nuisance- generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers. PO 5.2 Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by: (a) incorporating appropriate treatment technology before exhaust emissions are released (b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.	DTS/DPF 5.1 None are applicable. DTS/DPF 5.2	(LOCT10,15 < LOCT90,15 + 8dB)

Downloaded on 11/10/2024 Generated By Policy24 Page 86 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.	
PO 6.2	DTS/DPF 6.2	
External lighting is not hazardous to motorists and cyclists.	None are applicable.	
Solar Reflec	tivity / Glare	
PO 7.1	DTS/DPF 7.1	
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and microclimatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.	
Electrical I	nterference	
PO 8.1	DTS/DPF8.1	
Development in rural and remote areas does not unreasonably	The building or structure:	
diminish or result in the loss of existing communication services due to electrical interference.	(a) is no greater than 10m in height, measured from existing ground level or	
	(b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable.	
Interface with	Rural Activities	
PO 9.1	DTS/DPF 9.1	
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.	
PO 9.2	DTS/DPF 9.2	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.	
PO 9.3	DTS/DPF 9.3	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.	
PO 9.4	DTS/DPF 9.4	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.	
PO 9.5	DTS/DPF 9.5	
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following: (a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility (b) 300m or more, where it involves the handling of agricultural	
	crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day	

Downloaded on 11/10/2024 Generated By Policy24 Page 87 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.
PO 9.6	DTS/DPF 9.6
Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.
PO 9.7	DTS/DPF 9.7
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.
Interface with Mines and Qua	rries (Rural and Remote Areas)
PO 10.1	DTS/DPF 10.1
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .

Land Division

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Land division:		
	 (a) creates allotments with the appropriate dimensions and shape for their intended use (b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure (c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features (d) facilitates solar access through allotment orientation (e) creates a compact urban form that supports active travel, walkability and the use of public transport (f) avoids areas of high natural hazard risk. 		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All land division		
Allotment configuration		
PO 1.1	DTS/DPF 1.1	
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b):	

Downloaded on 11/10/2024 Generated By Policy24 Page 88 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2020
	(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.
PO 1.2	DTS/DPF 1.2
Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	None are applicable.
Design at	nd Layout
PO 2.1	DTS/DPF 2.1
Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	None are applicable.
PO 2.2	DTS/DPF 2,2
Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	None are applicable.
PO 2.3	DTS/DPF 2.3
Land division maximises the number of allotments that face public open space and public streets.	None are applicable.
PO 2.4	DTS/DPF 2.4
Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	None are applicable.
PO 2.5	DTS/DPF 2.5
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
PO 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
PO 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
PO 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads ar	nd Access
PO 3.1	DTS/DPF3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
PO 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
	22002243
PO 3.3	DTS/DPF 3.3
PO 3.3 Land division does not impede access to publicly owned open space and/or recreation facilities.	DTS/DPF3.3 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 89 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7	DTS/DPF 3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.9	DTS/DPF 3.9
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
PO 3.10	DTS/DPF3.10
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrast	ructure
PO 4.1	DTS/DPF-4.1
Land division incorporates public utility services within road reserves or dedicated easements.	None are applicable.
PO 4.2	DTS/DPF 4.2.
Waste water, sewage and other effluent is capable of being disposed of	Each allotment can be connected to:
from each allotment without risk to public health or the environment.	a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.
PO 4.3	DTS/DPF 4.3
Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.4	DTS/DPF 4.4
Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.
PO 4.5	DTS/DPF 4.5
Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	None are applicable.
PO 4.6	DTS/DPF 4.6
Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape	None are applicable.
Downloaded on 11/10/2024 Generated	Pu Policy24 Page 90 of 114

Downloaded on 11/10/2024 Generated By Policy24 Page 90 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
feature.	
Minor Land Division	(Under 20 Allotments)
Open	Space
PO 5.1	DTS/DPF5.1
Land division proposing an additional allotment under 1 hectare	None are applicable.
provides or supports the provision of open space.	
Solar Or	ientation
PO 6,1	DTS/DPF 6,1
Land division for residential purposes facilitates solar access through	None are applicable.
allotment orientation.	
Water Sens	itive Design
PO 7.1	DTS/DPF7.1
Land division creating a new road or common driveway includes	None are applicable.
stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter	
and other contaminants to the stormwater system, watercourses or	
other water bodies.	
PO 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and	None are applicable.
duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream	
systems.	
Rattle-Axe	Development
PO 8.1	DTS/DPF 8.1
Battle-axe development appropriately responds to the existing neighbourhood context.	Allotments are not in the form of a battle-axe arrangement.
PO 8.2	DTS/DPF 8.2.
Battle-axe development designed to allow safe and convenient movement.	The handle of a battle-axe development:
	(a) has a minimum width of 4m
	or (b) where more than 3 allotments are proposed, a minimum width
	of 5.5m.
PO 8.3	DTS/DPF 8.3
Battle-axe allotments and/or common land are of a suitable size and	Battle-axe development allows a B85 passenger vehicle to enter and exit
dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	parking spaces in no more than a three-point turn manoeuvre.
P0 8.4	DTS/DPF 8.4
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	Battle-axe or common driveways satisfy (a) and (b):
management.	(a) are constructed of a minimum of 50% permeable or porous
	material (b) where the driveway is located directly adjacent the side or rear
	boundary of the site, soft landscaping with a minimum
	dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Major Land Divisi	on (20+ Allotments)
	Space
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas	None are applicable.
of open space to improve residential amenity and provide urban heat amelioration.	
aneiloration.	
PO 9.2	DTS/DPF 9.2

Downloaded on 11/10/2024 Generated By Policy24 Page 91 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
	itive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.2.	DTS/DPF 10.2
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar Or	ientation
PO 11.1	DTS/DPF 11.1
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and
	navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation and Safety	
PO 1.1	DTS/DPF 1.:1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
PO 1.2	DTS/DPF 1.2
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
PO 1.3	DTS/DPF 1.3

Downloaded on 11/10/2024 Generated By Policy24 Page 92 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Navigation and access channels are not impaired by marinas and onwater structures.	None are applicable.
PO 1.4 Commercial shipping lanes are not impaired by marinas and on-water structures.	DTS/DPF 1.4 Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5 Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	DTS/DPF 1.5 On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points.
PO 1.6 Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	DTS/DPF 1.6 None are applicable.
Environment	tal Protection
PO 2.1 Development is sited and designed to facilitate water circulation and exchange.	DTS/DPF 2.1 None are applicable.

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and	
	local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity,	
	gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose	
	of that open space.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
PO 1.1	DTS/DPF 1.1	
Recreation facilities are compatible with surrounding land uses and activities.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Open space areas include natural or landscaped areas using locally indigenous plant species and large trees.	None are applicable.	
Design and Siting		
PO 2.1	DTS/DPF 2.1	
Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.	None are applicable.	
	'	

Downloaded on 11/10/2024 Generated By Policy24 Page 93 of 114

Page 342 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 2.2	DTS/DPF 2.2
Open space and recreation facilities incorporate park furniture, shaded	None are applicable.
areas and resting places.	
PO 2.3	DTS/DPF 2.3
Open space and recreation facilities link habitats, wildlife corridors and	None are applicable.
existing open spaces and recreation facilities.	
Pedestrians	s and Cyclists
PO:3.1	DTS/DPF 3.1
Open space incorporates:	None are applicable.
 pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes; 	
 (b) safe crossing points where pedestrian routes intersect the road network; 	
(c) easily identified access points.	
Usa	bility
PO 4.1	DTS/DPF 4:1
Land allocated for open space is suitable for its intended active and	None are applicable.
passive recreational use taking into consideration its gradient and potential for inundation.	
	d Security
PO 5.1	DTS/DPF 5.1
Open space is overlooked by housing, commercial or other	None are applicable.
development to provide casual surveillance where possible.	
PO 5.2	DTS/DPF 5.2.
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.
PO 5.3	DTS/DPF5.3
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to	None are applicable.
minimise potential entrapment.	
PO 5.5	DTS/DPF.5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.
	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.
	Structures
PO 7.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.
Downloaded on 11/10/2024 Generated	By Policy24 Page 94 of 11:

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
PO 7.2	DTS/DPF 7.2	
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.	
PO 7.3	DTS/DPF7.3	
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.	
PO 7.4	DTS/DPF 7.4	
Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve.	None are applicable.	
Landscaping		
PO 8.1	DTS/DPF 8.1	
Open space and recreation facilities provide for the planting and retention of large trees and vegetation.	None are applicable.	
PO 8.2	DTS/DPF 8.2.	
Landscaping in open space and recreation facilities provides shade and windbreaks: (a) along cyclist and pedestrian routes; (b) around picnic and barbecue areas; (c) in car parking areas.	None are applicable.	
PO 8.3	DTS/DPF 8.3	
Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.	None are applicable.	
PO 8.4	DTS/DPF 8.4	
Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable.	None are applicable.	

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to	
	a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.	

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres: (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings (c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 95 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 1.2	DTS/DPF 1.2
Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities: (a) that support the needs of local residents and workers, particularly in underserviced locations (b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	None are applicable.

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	nd Intensity
PO 1,1	DTS/DPF 1.1
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.
PO 1.2	DTS/DPF 1.2
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.
Water	Quality
PO 2.1	DTS/DPF 2.1
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.
Separation Treatments,	Buffers and Landscaping
PO 3.1	DTS/DPF 3.1
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.
PO 3,2	DTS/DPF 3,2
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 96 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form)
	(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	 a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that-
	A. site contamination does not exist (or no longer exists) at the land
	or
	 the land is suitable for the proposed use or range of uses (without the need for any further remediation)
	or
	C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

Tourism Development

Assessment Provisions (AP)

Downloaded on 11/10/2024 Generated By Policy24 Page 97 of 114

P&D Code (in effect) Version 2024.18 10/10/2024

Desired Outcome (DO)

Desired Outcome		
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor	
	economy.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
General			
PO 1,1	DTS/DPF 1.1		
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.		
it supports immersive natural experiences it showcases South Australia's landscapes and produce its events and functions are connected to local food, wine and nature.			
PO 1.2	DTS/DPF 1.2.		
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.		
Caravan and	Tourist Parks		
PO 2.1	DTS/DPF 2.1		
Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	None are applicable.		
PO 2.2	DTS/DPF 2.2		
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.		
PO 2.3	DTS/DPF 2.3		
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.		
PO 2.4	DTS/DPF 2.4		
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.		
PO 2.5	DTS/DPF 2.5		
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.		
PO 2.6	DTS/DPF 2.6		
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.		
Tourist accommodation in areas constituted to	under the National Parks and Wildlife Act 1972		
PO 3.1	DTS/DPF 3.1		
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	None are applicable.		
PO 3.2	DTS/DPF3.2		
Tourist accommodation is sited and designed in a manner that is	None are applicable.		

Downloaded on 11/10/2024 Generated By Policy24 Page 98 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.	
PO 3.3 Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved.	DTS/DPF3.3 None are applicable.
PO 3.4 Tourist accommodation is designed to prevent conversion to private dwellings through: (a) comprising a minimum of 10 accommodation units (b) clustering separated individual accommodation units (c) being of a size unsuitable for a private dwelling (d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.	DTS/DPF 3.4 None are applicable.

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all
	users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Movemen	nt Systems
PO 1.1	DTS/DPF 1.1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.
PO 1.4	DTS/DPF 1.4
Development is sited and designed so that loading, unloading and	All vehicle manoeuvring occurs onsite.

Downloaded on 11/10/2024 Generated By Policy24 Page 99 of 114

Page 348 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	
Sight	lines
PO 2.1 Sightlines at intersections, pedestrian and cycle crossings, and	DTS/DPF 2.1 None are applicable.
crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	
PO 2.2 Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	DTS/DPF2.2 None are applicable.
Vehicle	Access
PO 3.1	DTS/DPF 3.1
Safe and convenient access minimises impact or interruption on the	The access is:
operation of public roads.	(a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or
	(b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.
PO 3.2 Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	DTS/DPF3.2 None are applicable.
PO 3.3 Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	DTS/DPF3.3 None are applicable.
PO 3.4 Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	DTS/DPF 3.4 None are applicable.
PO 3.5 Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 3.6 Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	DTS/DPF3.6 Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided

Downloaded on 11/10/2024 Generated By Policy24 Page 100 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/202-
	(b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.
PO 3.7 Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	DTS/DPF 3.7 Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.
PO 3.8 Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	DTS/DPF 3.8 None are applicable.
PO 3.9 Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	DTS/DPF 3.9 None are applicable.
Access for Peopl	e with Disabilities
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	DTS/DPF 4.1 None are applicable.
Vehicle Pa	rking Rates
PO 5.1 Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund.
Vehicle Pa	rking Areas
PO 6.1 Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.	DTS/DPF 6.1
PO 6.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.	DTS/DPF 6.2 None are applicable.
PO 6.3 Vehicle parking areas are designed to provide opportunity for	DTS/DPF 6.3 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 101 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.	
PO 6.4	DTS/DPF 6.4
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.
PO 6.5	DTS/DPF 6.5
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.
PO 6.6 Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	DTS/DPF 6.6 Loading areas and designated parking spaces are wholly located within the site.
PO 6.7	DTS/DPF 6.7
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.
Undercroft and Below Ground	Garaging and Parking of Vehicles
PO 7.1	DTS/DPF 7.1
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.	None are applicable.
Internal Roads and Parking Areas in Resid	ential Parks and Caravan and Tourist Parks
PO 8.1	DTS/DPF 8.1
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.
PO 8.2	DTS/DPF 8.2
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.
Bicycle Parking in	Designated Areas
PO 9.1	DTS/DPF 9.1
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.
PO 9.2	DTS/DPF 9.2
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.
PO 9.3	DTS/DPF 9.3
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	None are applicable.
Corner	Cut-Offs
PO 10.1	DTS/DPF 10.1
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:
	•

Downloaded on 11/10/2024 Generated By Policy24 Page 102 of 114




Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)

Downloaded on 11/10/2024 Generated By Policy24 Page 103 of 114

P&D Code (in effect) Version 2024.18 10/10	
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
Group Dwelling	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	Dwelling with 1 or 2 bedrooms (including rooms capable of being used a a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
Row Dwelling where vehicle access is not from the primary street (i.e.	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as
rear-loaded)	a bedroom) - 1 space per dwelling. Dwelling with 3 or more bedrooms (including rooms capable of being
Semi-Detached Dwelling	used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supporte	d Accommodation
Retirement facility	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
	elopment (Other)
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
Student assemmedation	0.2 spaces per dwelling for visitor parking.
Student accommodation Workers' accommodation	0.3 spaces per bed. 0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
BURDAN ERRORE ERRORE	urist
Caravan and tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation other than a caravan and tourist park	1 car parking space per accommodation unit / guest room.
Comme	rcial Uses

Downloaded on 11/10/2024 Generated By Policy24 Page 104 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Auction room/ depot	1 space per 100m2 of building floor area plus an additional 2 spaces.
Automotive collision repair	3 spaces per service bay.
Motor repair station	3 spaces per service bay.
Office	For a call centre, 8 spaces per 100m2 of gross leasable floor area
	In all other cases, 4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
Shop (no commercial kitchen)	space per 100m2 of outdoor area used for display purposes. S.5 spaces per 100m2 of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Shop (in the form of a bulky goods outlet)	5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared. 2.5 spaces per 100m2 of gross leasable floor area.
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away
	component with no drive-through) - 0.4 spaces per seat. Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles
	measured from the pick-up point. Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Community	and Civic Uses
Community facility	For a library, 4 spaces per 100m2 of total floor area.
	For a hall/meeting hall, 0.2 spaces per seat.
	In all other cases, 10 spaces per 100m2 of total floor area.
Educational facility	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Place of worship	1 space for every 3 visitor seats.
Child care facility	For a child care centre, 0.25 spaces per child
	In all other cases, 1 per employee plus 0.25 per child (drop off/pick up bays).
	alared these
	elated Uses
Consulting room Hospital	4 spaces per consulting room excluding ancillary facilities. 4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
Recreational and	Entertainment Uses
Cinema complex	0.2 spaces per seat.
Concert hall / theatre	0.2 spaces per seat.
Hotel	1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
Downloaded on 11/10/2024 Generated	I By Policy24 Page 105 of 114

Downloaded on 11/10/2024 Generated By Policy24 Page 105 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	Industry/Employment Uses
Fuel depot	1.5 spaces per 100m2 total floor area
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.
Industry	1.5 spaces per 100m2 of total floor area.
Store	0.5 spaces per 100m2 of total floor area.
Timber yard	1.5 spaces per 100m2 of total floor area
	1 space per 100m2 of outdoor area used for display purposes.
Warehouse	0.5 spaces per 100m2 total floor area.
	Other Uses
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.
Radio or Television Station	5 spaces per 100m2 of total building floor area.

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column.

Class of Development	Car Park	king Rate	Designated Areas
	then the overall car parking rate	more than one development type, will be taken to be the sum of the ach development type. Maximum number of spaces	
		ent generally	
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is: 1 space for each dwelling with a total floor area less than 75 square metres 2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres 3 spaces for each dwelling with a total floor area greater than 150 square metres. Residential flat building or	Capital City Zone City Main Street Zone City Riverbank Zone Adelaide Park Lands Zone Business Neighbourhood Zone (within the City of Adelaide) The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community
	Non-residenti.	Residential component of a multi- storey building: 1 visitor space for each 6 dwellings.	Facilities Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	5 spaces per 100m2 of gross leasable floor area.	City Living Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	6 spaces per 100m2 of gross leasable floor area.	Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham Strategic Innovation Zone outside the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public

Downloaded on 11/10/2024 Generated By Policy24 Page 106 of 114

Policy24		P&D Code (in o	effect) Version 2024.18 10/10/2024
			transit area
			Suburban Activity Centre Zone when the site is also in a high frequency public transit area
			Suburban Business Zone when the site is also in a high frequency public transit area
			Business Neighbourhood Zone outside of the City of Adelaide when the site is also in a high frequency public transit area
			Suburban Main Street Zone when the site is also in a high frequency public transit area
			Urban Activity Centre Zone
Non-residential development excluding tourist accommodation	3 spaces per 100 square metres of gross leasable floor area	3 spaces per 100 square metres of gross leasable floor area	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
	1.5 spaces per 100 square metres of gross leasable floor area above ground floor level other than for a shop		
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	City Living Zone Urban Activity Centre Zone when the site is also in a high frequency public transit area Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Residential component of a multi-	Dwelling with no separate bedroom	None specified.	City Living Zone
storey building	-0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling		Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham
	2 bedroom dwelling - 1 space per dwelling		Strategic Innovation Zone outside
	3 or more bedroom dwelling - 1.25 spaces per dwelling		the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public
	0.25 spaces per dwelling for visitor parking.		Urban Activity Centre Zone when the site is also in a high frequency public transit area
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
Downloaded on 11/10/2024	Generated	By Policy24	Page 107 of 114

Downloaded on 11/10/2024 Generated By Policy24 Page 107 of 114

Policy24		P&D Code (in	effect) Version 2024.18 10/10/2024
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
			(except for Bowden, Brompton or
			Hindmarsh)
Residential component of a multi-	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
storey building			Bowden, Brompton or Hindmarsh)
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling	None specified.	City Living Zone
	1 bedroom dwelling - 0.75 spaces		Urban Activity Centre Zone when
	per dwelling		the site is also in a high frequency
			public transit area
	2 bedroom dwelling - 1 space per dwelling		Urban Corridor (Boulevard) Zone
	3 or more bedroom dwelling - 1.25 spaces per dwelling		Urban Corridor (Business) Zone
	0.25 spaces per dwelling for visitor		Urban Corridor (Living) Zone
	parking.		Urban Corridor (Main Street) Zone
			Urban Neighbourhood
			Zone (except for Bowden,
			Brompton or Hindmarsh)
Residential flat building	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
nessection not building	one per oriental	Trone specified	Bowden, Brompton or Hindmarsh)
Detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
Pour divalling	0.75 per desalling	None energified	Bowden, Brompton or Hindmarsh)
Row dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Semi-detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in
			Bowden, Brompton or Hindmarsh)

Table 3 - Off-Street Bicycle Parking Requirements

 $The \ bicycle\ parking\ rates\ apply\ within\ designated\ areas\ located\ within\ parts\ of\ the\ State\ identified\ in\ the\ Schedule\ to\ Table\ 3.$

Class of Development	Bicycle Parking Rate
	Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Consulting room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.
Educational facility	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.

Downloaded on 11/10/2024 Generated By Policy24 Page 108 of 114

or tertiary education - 1 space per 20 employees plus 1	
	space per 10 full time students
space per 15 beds plus 1 space per 30 beds for visitors	
space per 4 employees plus 1 space per 200m2 of gros	
, , , , , , , , , , , , , , , , , , , ,	
	per 60 square metres dining floor area, plus 1 per 40 square metres
aming room floor area.	per so square med es anning noor area, plas i per so square med es
	2 spaces plus 1 space per 1000m2 of gross leasable floor area for visitors.
space per 20 full time employees plus 1 space per 40 fu	ill time children.
ner 1500 spectator seats for employees plus 1 per 250	visitor and customers
per 1300 spectator seats for employees plus 1 per 230	visitor and customers.
	nts with a total floor area less than 150 square metres, 2 for every dwelling
	are metres, plus 1 for every 10 dwellings for visitors, and in all other cases
space for every 4 dwellings for residents plus 1 for ever	y 10 dwellings for visitors.
Vithin the City of Adelaide 1 for every dwelling for reside	nts with a total floor area less than 150 square metres, 2 for every dwelling
or residents with a total floor area greater than 150 squ	are metres, plus 1 for every 10 dwellings for visitors, and in all other cases
space for every 4 dwellings for residents plus 1 space for	or every 10 dwellings for visitors.
	1 ((00-2 - (
space for every 20 employees plast for the most for	
Designated Area	Relevant part of the State
	The bicycle parking rate applies to a designated area located in a
	relevant part of the State described below.
All zonos	City of Adelaide
All Zones	City of Adelaide
Business Neighbourhood Zone	Metropolitan Adelaide
Strategic Innovation Zone	
Suburban Activity Centre Zone	
Suburban Rusiness Zone	
Suburban Main Street Zone	
Urban Activity Centre Zone	
Urban Corridor (Boulevard) Zone	
Urban Corridor (Business) Zone	
Urban Corridor (Living) Zone	
Urban Corridor (Main Street) Zone	
Urban Neighbourhood Zone	
	per 20 employees, plus 1 per 60 square metres total floquare metres lounge and beer garden floor area, plus 1 aming room floor area. space for every 200m2 of gross leasable floor area plus space per 20 full time employees plus 1 space per 40 full per 1500 spectator seats for employees plus 1 per 250 fithin the City of Adelaide 1 for every dwelling for reside or residents with a total floor area greater than 150 squispace for every 4 dwellings for residents plus 1 for every fithin the City of Adelaide 1 for every dwelling for residents with a total floor area greater than 150 squispace for every 4 dwellings for residents plus 1 space for residents with a total floor area greater than 150 squispace for every 4 dwellings for residents plus 1 space for space for every 300m2 of gross leasable floor area plus space for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 20 employees plus 2 for the first 40 roccomposes for every 40 for eve

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.

Downloaded on 11/10/2024 Generated By Policy24 Page 109 of 114

Policv24

P&D Code (in effect) Version 2024.18 10/10/2024

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Sit	ing
PO 1.1	DTS/DPF 1.1
Waste treatment and management facilities incorporate separation	None are applicable.
distances and attenuation measures within the site between waste	
operations areas (including all closed, operating and future cells) and	
sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	
on site impacts it of the dast climbsons.	
Soil and Wat	er Protection
PO 2.1	DTS/DPF 2.1
Soil, groundwater and surface water are protected from contamination	None are applicable.
from waste treatment and management facilities through measures	
such as:	
(a) containing potential groundwater and surface water	
contaminants within waste operations areas	
(b) diverting clean stormwater away from waste operations areas and potentially contaminated areas	
(c) providing a leachate barrier between waste operations areas	
and underlying soil and groundwater.	
PO 2.2	DTS/DPF 2.2
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.
environmental narm and adverse effects off water resources.	Daliks.
PO 2.3	DTS/DPF 2.3
Wastewater lagoons are designed and sited to:	None are applicable.
(a) avoid intersecting underground waters:	
(a) avoid intersecting underground waters; (b) avoid inundation by flood waters;	
(c) ensure lagoon contents do not overflow;	
(d) include a liner designed to prevent leakage.	
PO 2.4	DTS/DPF 2.4
Waste operations areas of landfills and organic waste processing	Waste operations areas are set back 100m or more from watercourse banks.
facilities are set back from watercourses to minimise adverse impacts on water resources.	Danks.
Am	enity
PO 3.1	DTS/DPF 3.1
Waste treatment and management facilities are screened, located and	None are applicable.
designed to minimise adverse visual impacts on amenity.	
PO 3.2	DTS/DPF 3.2
Access routes to waste treatment and management facilities via	None are applicable.
residential streets is avoided.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
PO 3.3	DTS/DPF 3.3
Litter control measures minimise the incidence of windblown litter.	None are applicable.
PO 3.4	DTS/DPF 3.4
Waste treatment and management facilities are designed to minimise	None are applicable.
adverse impacts on both the site and surrounding areas from weed	
and vermin infestation.	
ACC	cess

Downloaded on 11/10/2024 Generated By Policy24 Page 110 of 114

	P&D Code (in effect) Version 2024.18 10/10/2024
PO 4.1	DTS/DPF 4.1
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.
PO 4.2	DTS/DPF 4.2.
Suitable access for emergency vehicles is provided to and within waste	None are applicable.
treatment or management sites.	
Fencing a	nd Security
PO 5.1	DTS/DPF 5.1
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.
Lar	dfill
PO 6.1	DTS/DPF 6.1
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.
PO 6.2	DTS/DPF 6.2.
Landfill facilities are separated from areas of environmental	Landfill facilities are set back 250m or more from a public open space
significance and land used for public recreation and enjoyment.	reserve, forest reserve, national park or Conservation Zone.
PO 6.3	DTS/DPF6.3
Landfill facilities are located on land that is not subject to land slip.	None are applicable.
PO 6.4	DTS/DPF 6.4
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Organic Waste Pr	ocessing Facilities
PO 7.1	DTS/DPF 7.1
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.
avoid potential environment harm.	the coastal high water mark.
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip.	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable.
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities separated from areas subject to flooding.	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable. DTS/DPF7.5 Organic waste processing facilities are set back 500m or more from
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities separated from areas subject to flooding.	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable. DTS/DPF7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities separated from areas subject to flooding.	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable. DTS/DPF7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities separated from areas subject to flooding. Major Wastewater PO 8.1 Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable. DTS/DPF7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Treatment Facilities DTS/DPF8.1
avoid potential environment harm. PO 7.2 Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. PO 7.3 Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. PO 7.4 Organic waste processing facilities are located on land that is not subject to land slip. PO 7.5 Organic waste processing facilities separated from areas subject to flooding. Major Wastewater PO 8.1 Major wastewater treatment and disposal systems, including lagoons,	the coastal high water mark. DTS/DPF7.2 None are applicable. DTS/DPF7.3 Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. DTS/DPF7.4 None are applicable. DTS/DPF7.5 Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. Treatment Facilities DTS/DPF8.1

Downloaded on 11/10/2024 Generated By Policy24 Page 111 of 114

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.


Part 12 - Concept Plans

Playford

Concept Plan 81 Edinburgh Defence Airfield Lighting Constraints

Downloaded on 11/10/2024 Generated By Policy24 Page 112 of 114





Downloaded on 11/10/2024 Generated By Policy24 Page 113 of 114

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

No criteria applies to this land use. Please check the definition of the land use for further detail.

Downloaded on 11/10/2024 Generated By Policy24 Page 114 of 114

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Address: 27 -37 COUNTESS ST PARALOWIE SA 5108

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

Zone

Suburban Activity Centre

Overlay

Airport Building Heights (Regulated) (All structures over 45 metres)

Building Near Airfields

Defence Aviation Area (All structures over 45 metres)

Hazards (Flooding - General) Prescribed Wells Area Regulated and Significant Tree

Local Variation (TNV)

Concept Plan (Concept Plan 81 - Edinburgh Defence Airfield Lighting Constraints)

Interface Height (Development should be constructed within a building envelope provided by a 30 or 45 degree plane,

depending on orientation, measured 3m above natural ground at the boundary of an allotment)

Development Pathways

- Suburban Activity Centre
 - 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- · Brush fence
- **Building alterations**
- Building work on railway land
- Consulting room
- Office
- · Partial demolition of a building or structure
- · Public service depot
- · Shade sail
- Shop
- · Solar photovoltaic panels (roof mounted)
- · Temporary public service depot
- · Water tank (above ground)
- Water tank (underground)

Downloaded on 11/10/2024 Generated By Policy24 Page 1 of 109

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Advertisement
- Consulting room
- Office
- Shop
- · Temporary accommodation in an area affected by bushfire
- 3. Code Assessed Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Advertisement
- · Consulting room
- Demolition
- Dwelling
- Fence
- · Land division
- Office
- · Retaining wall
- Short
- Store
- · Telecommunications facility
- · Tree-damaging activity
- Verandah
- 4. Impact Assessed Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Part 2 - Zones and Sub Zones

Suburban Activity Centre Zone

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	An active commercial precinct supporting neighbourhood-scale shopping, business, entertainment and recreation facilities to provide a focus for business and community life and most daily and weekly shopping needs of the community. Buildings and pedestrian areas create a high quality, activated public realm that is integrated with pedestrian and cycle networks and establish well-defined connections to available public transport services.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use and Intensity		
PO 1.1		DTS/DPF 1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 2 of 109

Page 365 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Shops, office, entertainment, health and recreation related uses and	Development comprises one or more of the following:
other businesses that provide a range of goods and services to the	, ,
surrounding neighbourhood and district.	(a) Advertisement
	(b) Child care facility
	(c) Cinema
	(d) Community facility (e) Consulting room
	(f) Dwelling
	(g) Educational facility
	(h) Emergency services facility
	(i) Hospital
	(j) Hotel
	(k) Indoor recreation facility
	(I) Library
	(m) Office
	(n) Place of worship
	(o) Recreation area
	(p) Residential flat building (q) Retail fuel outlet
	(r) Retirement Facility
	(s) Shop
	(t) Supported Accommodation
	(u) Tourist accommodation.
PO 1.2	DTS/DPF 1.2
Residential development does not prejudice the operation of existing	None are applicable.
non-residential development and the long-term provision of services and facilities for wider community benefit.	
and radiates for wider community benefit.	
PO 1,3	DTS/DPF 1.3
Dwellings are developed only in conjunction with non-residential uses	Dwellings are developed only in conjunction with non-residential uses
to support business, entertainment and recreational activities.	and sited:
	(a) at upper levels of buildings with non-residential uses located at
	ground level
	or
	(b) behind non-residential uses on the same allotment.
PO 1.4	DTS/DPF 1.4
Where residential development is appropriate having regarding to	None are applicable.
other performance outcomes of the zone, residential development	,,
achieves medium to high densities.	
PO 1,5	DTS/DPF 1.5
Development sited and designed to achieve or maintain a vibrant and	Any of the following:
interesting streetscape within retail areas.	
	(a) shop, other than a bulky goods outlet with a gross leasable
	floor area more than 500m ²
	(b) cinema
	(c) hotel
	(d) licensed premises.
PO 1.6	DTS/DPF 1,6
Changes in the use of land encourage the efficient reuse of	A change of use to a shop, office, consulting room or any combination
commercial premises to maintain and enhance vibrancy within activity	of these uses where all of the following are achieved:
centres.	(a) the cost to be expected by the cost of development to
	 (a) the area to be occupied by the proposed development is in an existing building and is currently used as a shop, office,
	consulting room or any combination of these uses

Downloaded on 11/10/2024 Generated By Policy24 Page 3 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	 (b) if the proposed change of use is for a shop that primarily involves the handling and sale of foodstuffs, areas used for the storage and collection of refuse are sited at least 10m from the site of a dwelling (other than a dwelling directly associated with the proposed shop) (c) if the proposed change of use is for a shop that primarily involves heating and cooking of foodstuffs in a commercial kitchen and is within 30m of any neighbourhood-type zone boundary or a dwelling (other than a dwelling directly associated with the proposed shop), an exhaust duct and stack (chimney) exists or is capable of being installed for discharging exhaust emissions (d) if the change in use involves a gross leasable floor area greater than 250m² and has direct frontage to an arterial road, it achieves either (i) or (ii): (i) the primary vehicle access (being the access where the majority of vehicles access / egress the site of the proposed development) from a road that is not an arterial road (ii) the development is located on a site that operates as an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared (e) off-street vehicular parking exists in accordance with the rate(s) specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas to the nearest whole number, except in any of the following circumstances: (i) the building is a local heritage place (ii) the required contribution will be made into a relevant car parking offset scheme (other than where a relevant contribution has previously been made) (iii) the development is located on a site that operates as
Built Form a	and Character
PO 2.1 Development complements adjacent development within the zone, and mitigates interface impacts on adjoining residential uses in neighbourhood-type zones through appropriate building siting, scale and design.	DTS/DPF 2.1 None are applicable.
PO 2.2 Buildings are sited and designed to create pedestrian, vehicular, open space and visual linkages between the various built-form elements within the zone and adjoining main roads and thoroughfares.	DTS/DPF 2.2 None are applicable.
PO 2.3 Vehicular access points and car parks are coordinated and consolidated to enable the shared use of parking spaces.	DTS/DPF 2.3 None are applicable.
PO 2.4 Development promotes the use of pedestrian and cyclist connections to centre facilities and services.	DTS/DPF 2.4 None are applicable.
Building heigh	nt and setbacks
PO 3.1	DTS/DPF 3.1

Downloaded on 11/10/2024 Generated By Policy24 Page 4 of 109

P&D Code (in effect) Version 2024.18 10/10/2024

Building height is consistent with the form expressed in any relevant Maximum Building Height (Levels) Technical and Numeric Variation layer and Maximum Building Height (Metres) Technical and Numeric Variation layers or is generally low rise to complement the established streetscape and local character. Building height is:

- (a) not greater than:
 - (i) the following:
 - (ii) in all other cases (i.e. there are blank fields for both maximum building height (metres) and maximum building height (levels)) - 3 building levels up to a height of 12m

and

(b) not less than:

In relation to DTS/DPF 3.1, in instances where:

- (c) more than one value is returned in the same field:
 - for the purpose of DTS/DPF 3.1(a)(i), refer to the Maximum Building Height (Metres) Technical and Numeric Variation layer or Maximum Building Height (Levels) Technical and Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development
 - (ii) for the purpose of DTS/DPF 3.1(b) refer to the Minimum Building Height (Levels) Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development
- (d) only one value is returned for DTS/DPF 3.1(a)(i), (i.e. there is one blank field), then the relevant height in metres or building levels applies with no criteria for the other
- (e) no value is returned for DTS/DPF 3.1(b), (ie there is a blank field), then there is no minimum building height and DTS/DPF 3.1(b) is met.

PO 3.2


Buildings mitigate visual impacts of building massing on residential development within a neighbourhood-type zone.

DTS/DPF 3.2

Interface Height

Buildings constructed within a building envelope provided by a:

(a) 45 degree plane measured from a height of 3 metres above natural ground level at the boundary of the allotment where abutting a residential use, or where the allotment is separated by a road less than 6.5 metres in width measured from the residential allotment boundary, within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a southern boundary):



(b) in relation to a southern boundary, 30 degree plane grading north, measured from a height of 3m above natural ground at the boundary of an allotment used for residential purposes within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a street boundary):

Downloaded on 11/10/2024 Generated By Policy24 Page 5 of 109




Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Downloaded on 11/10/2024 Generated By Policy24 Page 6 of 109

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

A relevant authority may determine that a variation to 1 or more corresponding exclusions prescribed in Column B is minor in nature and does not require notification.

		Exceptions (Column B)
2.	Any kind of development where the site of the development is not adjacent land to a site (or land) used for residential purposes in a neighbourhood-type zone.	Except any of the following: 1. the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) 2. the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
3.	Any development involving any of the following (or of any combination of any of the following): (a) advertisement (b) child care facility (c) cinema (d) community facility (e) consulting room (f) dwelling located above a non-residential building level (g) indoor recreation facility (h) library (i) office (j) place of worship (k) service trade premises (l) shop (m) temporary public service depot (n) tourist accommodation.	Except development that does not satisfy any of the following: 1. Suburban Activity Centre Zone DTS/DPF 3.1 2. Suburban Activity Centre Zone DTS/DPF 3.2.
4.	Any development involving any of the following (or of any combination of any of the following): (a) air handling unit, air conditioning system or exhaust fan (b) carport (c) deck (d) fence (e) internal building works (f) land division (g) outbuilding (h) pergola (i) private bushfire shelter (j) recreation area (k) replacement building (l) retaining wall (m) shade sail (n) solar photovoltaic panels (roof mounted) (o) swimming pool or spa pool and associated swimming pool safety features	None specified.

Downloaded on 11/10/2024

Generated By Policy24

Page 7 of 109

(p)	temporary accommodation in an area affected by bushfire	
(q)	tree damaging activity	
(r)	verandah	
(s)	water tank.	
combi Protec	velopment involving any of the following (or of any nation of any of the following) within the Tunnel tion Overlay:	Except where not undertaken by the Crown, a Council or an essential infrastructure provider.
(a)	storage of materials, equipment or vehicles (whether temporary or permanent) over an area exceeding 100 square metres	
(b)	temporary stockpiling of soil, gravel, rock or other natural material over an area exceeding 100 square metres	
(c)	excavation or ground intruding activity at a depth greater than 2.5 metres below the regulated surface level.	
6. Demol	ition.	Except any of the following: 1. the demolition (or partial demolition) of a State or Local Herita;
		Place (other than an excluded building) 2. the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building).
7. Railway	y line.	Except where located outside of a rail corridor or rail reserve.
acement of l	Notices - Exemptions for Performance Assessed Develo	opment
one specified	d.	
· .		
acement of	Notices - Exemptions for Restricted Development	

Part 3 - Overlays

Airport Building Heights (Regulated) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of	
	registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Built Form		
	1	

Downloaded on 11/10/2024 Generated By Policy24 Page 8 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 1.1	DTS/DPF 1.1
Building height does not pose a hazard to the operation of a certified or registered aerodrome.	Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
PO 1.2	DTS/DPF 1.2.
Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	Development does not include exhaust stacks.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
any of the following classes of development: building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.	The airport-operator company for the relevant airport within the meaning of the Airports Act 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the Airports Act 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

Building Near Airfields Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter	
	landing sites through management of non-residential lighting, turbulence and activities that may attract or result in the	
	congregation of wildlife.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	Development: (a) primarily or wholly for residential purposes (b) for non-residential purposes that does not incorporate outdoor floodlighting.

Downloaded on 11/10/2024 Generated By Policy24 Page 9 of 109

Policy24 P&D Code (in effect) Version 2024.18 10	
PO 1.2	DTS/DPF 1.2
Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft: (a) food packing/processing plant (b) horticulture (c) intensive animal husbandry (d) showground (e) waste management facility (f) waste transfer station (g) wetland (h) wildlife sanctuary.
PO 1.3	DTS/DPF 1.3
Buildings are adequately separated from runways and other take-off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	The distance from any part of a runway centreline to the closest point o the building is not less than 35 times the building height.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

•	ilass of Development / Activity	Referral Body		Statutory Reference
١	lone	None	None	None

Defence Aviation Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
Management of potential impacts of buildings on the operational and safety requirements of Defence Aviation Areas.		
V		

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Built Form			
PO 1.1 Building height does not pose a hazard to the operations of Defence Aviation Areas.	DTS/DPF 1.1 Building height does not exceed the relevant height specified by the Defence Aviation Area Overlay.		
PO 1.2 Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with Defence Aviation Areas.	DTS/DPF 1.2 Development does not include exhaust stacks.		

Downloaded on 11/10/2024 Generated By Policy24 Page 10 of 109

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Hazards (Flooding - General) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
1	Impacts on people, property, infrastructure and the environment from general flood risk are minimised through the appropriate siting and design of development.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Flood Ro	esilience
PO 2.1	DTS/DPF 2.1
Development is sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished ground and floor level not less than:
	In instances where no finished floor level value is specified, a building incorporates a finished floor level at least 300mm above the height of a 1% AEP flood event.
Land	l Use
PO 1,1	DTS/DPF 1,1
Buildings housing vulnerable people, community services facilities, key infrastructure and emergency services are sited away from flood areas enable uninterrupted operation of services and reduce likelihood of entrapment.	Child care facilities, educational facilities, retirement and supported accommodation, emergency services facilities, hospitals and prisons located outside the 1% AEP flood event.
Environment	tal Protection
PO 3.1	DTS/DPF3.1
Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building during a 1% AEP flood event to avoid potential environmental harm.	Development involving the storage or disposal of hazardous materials is wholly located outside of the 1% AEP flood plain or flow path.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	 Statutory Reference

Downloaded on 11/10/2024 Generated By Policy24 Page 11 of 109

Page 374 Council Assessment Panel Agenda - 17 December 2024

Policy24 P&D Code (in effect) Versi		rsion 2024.18 10/10/2024	
None	None	None	None

Prescribed Wells Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Sustainable water use in prescribed wells areas.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 All development, but in particular involving any of the following: (a) horticulture (b) activities requiring irrigation	DTS/DPF 1.1 Development satisfies either of the following: (a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the
 (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry 	proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.
has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry. Commercial forestry that requires a forest water licence under Part 8 Division 6 of the Landscape South	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Developmen of a class to which Schedule 9 clause 3 item 13 of the Planning, Developmen and Infrastructur (General) Regulations 2017 applies.

Regulated and Significant Tree Overlay

Downloaded on 11/10/2024 Generated By Policy24 Page 12 of 109

Policy24

P&D Code (in effect) Version 2024.18 10/10/2024

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.	

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retention	on and Health
PO 1.1		DTS/DPF 1.1
Regula	ted trees are retained where they:	None are applicable.
(a)	make an important visual contribution to local character and amenity	
(b)	are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or	
(c)	provide an important habitat for native fauna.	
PO 1.2		DTS/DPF 1.2.
Signific	ant trees are retained where they:	None are applicable.
(a)	make an important contribution to the character or amenity of the local area	
(b)	are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species	
(c)	represent an important habitat for native fauna	
(d)	are part of a wildlife corridor of a remnant area of native vegetation	
(e)	are important to the maintenance of biodiversity in the local environment	
16	and / or form a notable visual element to the landscape of the local	
(1)	area.	
PO 1.3		DTS/DPF 1.3
A tree	damaging activity not in connection with other development	None are applicable.
satisfie	s (a) and (b):	
(a)	tree damaging activity is only undertaken to:	
	(i) remove a diseased tree where its life expectancy is short	
	(ii) mitigate an unacceptable risk to public or private safety due to limb drop or the like	
	(iii) rectify or prevent extensive damage to a building of value as comprising any of the following:	
	A. a Local Heritage Place	
	B. a State Heritage Place	
	C. a substantial building of value	

Downloaded on 11/10/2024 Generated By Policy24 Page 13 of 109

Policy2	24		P&D Code (in effect) Version 2024.18 10/10/2024
	(iv)	and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist	
		accommodation or other habitable building from bushfire	
	(v)	treat disease or otherwise in the general interests of the health of the tree and / or	
	(vi)	maintain the aesthetic appearance and structural integrity of the tree	
(b)	unless	tion to a significant tree, tree-damaging activity is avoided all reasonable remedial treatments and measures have determined to be ineffective.	
PO 1.4			DTS/DPF 1.4
	_	ng activity in connection with other development efollowing:	None are applicable.
(a)	accord	mmodates the reasonable development of land in Jance with the relevant zone or subzone where such opment might not otherwise be possible	
(b)	option	case of a significant tree, all reasonable development is and design solutions have been considered to prevent intial tree-damaging activity occurring.	
		Ground work	affecting trees
PO 2.1			DTS/DPF 2.1
unduly sealing	compr	I significant trees, including their root systems, are not omised by excavation and / or filling of land, or the aces within the vicinity of the tree to support their health.	None are applicable.
recite	on and		
		Land D	
PO 3.1			DTS/DPF3.1
		results in an allotment configuration that enables its evelopment and the retention of regulated and	Land division where:
		es as far as is reasonably practicable.	there are no regulated or significant trees located within or adjacent to the plan of division or
			(b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body		Statutory Reference
None	None	None	None

Part 4 - General Development Policies

Downloaded on 11/10/2024 Generated By Policy24 Page 14 of 109

P&D Code (in effect) Version 2024.18 10/10/2024

Policy24

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Appe	arance
PO 1.1	DTS/DPF 1.1
Advertisements are compatible and integrated with the design of the building and/or land they are located on.	Advertisements attached to a building satisfy all of the following: (a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building
	(c) where they are not flush with a wall: (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (ii) if attached to a two-storey building: A. has no part located above the finished floor level of the second storey of the building B. does not protrude beyond the outer limits of any verandah structure below C. does not have a sign face that exceeds 1m2 per side.
	(d) if located below canopy level, are flush with a wall (e) if located at canopy level, are in the form of a fascia sign (f) if located above a canopy: (i) are flush with a wall (ii) do not have any part rising above parapet height (iii) are not attached to the roof of the building. (g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building (i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.
201.2	DTS/DPF 1.2

Downloaded on 11/10/2024 Generated By Policy24 Page 15 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	Where development comprises an advertising hoarding, the supporting structure is:
	(a) concealed by the associated advertisement and decorative detailing or
	(b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.
PO 1.3	DTS/DPF 1.3
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1.4	DTS/DPF 1.4
Where possible, advertisements on public land are integrated with existing structures and infrastructure.	Advertisements on public land that meet at least one of the following:
	(a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.
PO 1.5	DTS/DPF 1.5
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.
Proliferation of	f Advertisements
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
PO 2.2	DTS/DPF 2.2
Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3	DTS/DPF 2.3
Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	Advertisements satisfy all of the following:
	(a) are attached to a building (b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached
	(c) do not result in more than one sign per occupancy that is not flush with a wall.
Advertisi	ng Content
PO 3.1	DTS/DPF 3.1
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.
contributes to visual clutter and untidiness.	
Amenity	y impacts
PO 4.1	DTS/DPF-4.1
Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	Advertisements do not incorporate any illumination.
Sa	fety
PO 5.1	DTS/DPF 5.1
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2	DTS/DPF 5.2
ounlanded on 11/10/2024 Congreted	Py Policy 24 Page 16 of 100

Downloaded on 11/10/2024 Generated By Policy24 Page 16 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
PO 5.3 Advertisements and/or advertising hoardings do not create a hazard to drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	DTS/DPF 5.3 Advertisements satisfy all of the following: (a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Allotment Boundary Road Reserve
PO 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high. PO 5.5	DTS/DPF5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more. DTS/DPF5.5
Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	(a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m.
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.	

Downloaded on 11/10/2024 Generated By Policy24 Page 17 of 109

P&D Code (in effect) Version 2024.18 10/10/2024

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting ar	nd Design
PO 1.1	DTS/DPF 1.1
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2.
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.
Horse	Keeping
PO 2.1	DTS/DPF 2:1
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
PO 2.2	DTS/DPF 2.2.
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or
	approved) on land in other ownership (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
PO 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.
PO 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
PO 2.5	DTS/DPF 2.5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Ker	nels
PO 3.1	DTS/DPF3.1
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following:
	(a) are constructed of impervious concrete (b) are designed to be self-draining when washed down.
PO 3.2	DTS/DPF3.2
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
adopting appropriate separation distances orientating openings away from sensitive receivers.	
PO 3.3	DTS/DPF3.3
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.

Downloaded on 11/10/2024 Generated By Policy24 Page 18 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Wa	stes
PO 4.1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
PO 4.2	DTS/DPF-4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

Aquaculture

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land-based	Aquaculture
PO 1.1 Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	DTS/DPF1.1 Land-based aquaculture and associated components are located to satisfy all of the following: (a) 200m or more from a sensitive receiver in other ownership (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers or The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.2 Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	DTS/DPF 1.2 None are applicable.
PO 1.3 Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	DTS/DPF 1.3 The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 1.4 Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	DTS/DPF 1.4 The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 1.5 Land-based aquaculture and associated components, including intake	DTS/DPF 1.5 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 19 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
and discharge pipes, are designed to minimise the need to traverse	
sensitive areas to minimise impact on the natural environment.	
PO 1,6	DTS/DPF 1.6
	The development is the subject of an aquaculture lease and/or licence
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	(as applicable) granted under the Aquaculture Act 2001.
PO 1.7	DTS/DPF 1.7
Storage areas associated with aquaculture activity are integrated with	None are applicable.
the use of the land and sited and designed to minimise their visual	
impact on the surrounding environment.	
	d Aquaculture
PO 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
(a) creeks and estuaries (b) wetlands	
(c) significant seagrass and mangrove communities	
(d) marine habitats and ecosystems.	
PO 2.2	DTS/DPF 2.2
Marine aquaculture is sited in areas with adequate water current to	The development is the subject of an aquaculture lease and/or licence
disperse sediments and dissolve particulate wastes to prevent the	(as applicable) granted under the Aquaculture Act 2001.
build-up of waste that may cause environmental harm.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human	The development does not include toilet facilities located over water.
waste on the site, on any adjacent land or into nearby waters.	
PO 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an	Marine aquaculture development is located 100m or more seaward of
appropriate distance seaward of the high water mark.	the high water mark
	or
	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere	None are applicable.
with:	
(a) areas of high public use	
(b) areas, including beaches, used for recreational activities such	
as swimming, fishing, skiing, sailing and other water sports	
(c) areas of outstanding visual or environmental value	
(d) areas of high tourism value	
 areas of important regional or state economic activity, including commercial ports, wharfs and jetties 	
(f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and	None are applicable.
obstruction to the natural processes of the coastal and marine	
environment.	
PO 2.7	DTS/DPF 2.7
Marine aquaculture is designed to be as unobtrusive as practicable by	None are applicable.
incorporating measures such as:	
Downloaded on 11/10/2024 Generated	By Policy24 Page 20 of 109

Downloaded on 11/10/2024 Generated By Policy24 Page 20 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(a) using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water (b) positioning structures to protrude the minimum distance practicable above the surface of the water (c) avoiding the use of shelters and structures above cages and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons (d) positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
PO 2.8 Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.	DTS/DPF 2.8 The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea.
PO 2.9 Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.	DTS/DPF 2.9 The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea.
PO 2.10 Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> .	DTS/DPF 2.10 Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i>
Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by: (a) being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape (b) making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable (c) incorporating appropriate waste treatment and disposal.	DTs/DPF 2.11 The development does not include any onshore facilities in conjunction with a proposal for marine aquaculture.
Navigation	n and Safety
PO 3.1 Marine aquaculture sites are suitably marked to maintain navigational safety.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
PO 3.2 Marine aquaculture is sited to provide adequate separation between farms for safe navigation.	DTS/DPF 3.2 The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> .
Environment	al Management
PO 4.1 Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.	DTS/DPF 4.1 None are applicable.
PO 4.2 Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.	DTS/DPF 4.2 None are applicable.
PO 4.3 Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.	DTS/DPF 4.3 None are applicable.
PO 4.4	DTS/DPF 4.4

Downloaded on 11/10/2024 Generated By Policy24 Page 21 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Aquaculture operations incorporate measures for the removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste to prevent pollution of waters, wetlands, or the nearby coastline.	The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001.

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Odour a	and Noise	
PO 1.1	DTS/DPF 1.1	
Beverage production activities are designed and sited to minimise	None are applicable.	
odour impacts on rural amenity.		
PO 1.2	DTS/DPF 1.2	
Beverage production activities are designed and sited to minimise	None are applicable.	
noise impacts on sensitive receivers.		
PO 1.3	DTS/DPF 1.3	
Fermentation, distillation, manufacturing, storage, packaging and	None are applicable,	
bottling activities occur within enclosed buildings to improve the visual		
appearance within a locality and manage noise associated with these activities.		
octation.		
PO 1.4	DTS/DPF 1.4	
Breweries are designed to minimise odours emitted during boiling and	Brew kettles are fitted with a vapour condenser.	
fermentation stages of production.		
PO 1.5	DTS/DPF 1.5	
Beverage production solid wastes are stored in a manner that	Solid waste from beverage production is collected and stored in sealed	
minimises odour impacts on sensitive receivers in other ownership.	containers and removed from the site within 48 hours.	
Water Quality		
PO 2.1	DTS/DPF 2:1	
Beverage production wastewater management systems (including	Wastewater management systems are set back 50m or more from the	
wastewater irrigation) are set back from watercourses to minimise	banks of watercourses and bores.	
adverse impacts on water resources.		
PO 2.2	DTS/DPF 2.2.	
The storage or disposal of chemicals or hazardous substances is	None are applicable.	
undertaken in a manner to prevent pollution of water resources.		
PO 2.3	DTS/DPF 2.3	

Downloaded on 11/10/2024 Generated By Policy24 Page 22 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.
PO 2.4 Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	DTS/DPF 2.4 None are applicable.
Wastewate	er Irrigation
PO 3.1 Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	DTS/DPF 3.1 None are applicable.
PO 3.2 Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	DTS/DPF 3.2 Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
PO 3.3 Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as: (a) waterlogged areas (b) land within 50m of a creek, swamp or domestic or stock water bore (c) land subject to flooding (d) steeply sloping land (e) rocky or highly permeable soil overlaying an unconfined aquifer.	DTS/DPF3.3 None are applicable.

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting and Design	
PO 1.1 Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	DTS/DPF 1.1 Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers:

Downloaded on 11/10/2024 Generated By Policy24 Page 23 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
	 (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility (b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility (c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more. 	
Buffers and Landscaping		
PO 2.1 Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	DTS/DPF 2.1 None are applicable.	
PO 2.2 Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	DTS/DPF 2.2. None are applicable.	
Access an	nd Parking	
PO 3.1 Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	DTS/DPF 3.1 Roadways and vehicle parking areas are sealed with an all-weather surface.	
Slipways, Wharv	es and Pontoons	
PO 4.1 Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	DTS/DPF 4.1 None are applicable.	

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 24 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	(a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996 (b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

Design

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Develo	opment is:
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	(b)	durable – fit for purpose, adaptable and long lasting
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
All deve	lopment	
External Appearance		
PO 1.1	DTS/DPF 1.1	
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.	
(a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces		

Downloaded on 11/10/2024 Generated By Policy24 Page 25 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	
PO 1.5 The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.	DTS/DPF 1.5 None are applicable.
Sa	fety
PO 2.1 Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	DTS/DPF 2.1 None are applicable.
PO 2.2 Development is designed to differentiate public, communal and private areas.	DTS/DPF 2.2 None are applicable.
PO 2.3 Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	DTS/DPF 2.3 None are applicable.
PO 2.4 Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	DTS/DPF 2.4 None are applicable.
PO 2.5 Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	DTS/DPF 2.5 None are applicable.
Lands	caping
PO 3.1 Soft landscaping and tree planting is incorporated to:	DTS/DPF 3.1 None are applicable.
(a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity.	
PO 3.2 Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	DTS/DPF 3.2 None are applicable.
	l Performance
PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	DTS/DPF-4.1 None are applicable.
PO 4.2 Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on	DTS/DPF 4.2 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 26 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
mechanical systems, such as heating and cooling.		
PO 4.3 Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF 4.3 None are applicable.	
Water Sen	sitive Design	
PO 5.1 Development is sited and designed to maintain natural hydrological systems without negatively impacting: (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater	DTS/DPF 5.1 None are applicable.	
(c) the quality and function of natural springs.		
On-site Waste T	reatment Systems	
Po 6.1 Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	DTS/DPF 6.1 Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.	
Carparking	Appearance	
PO 7.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	DTS/DPF 7.1 None are applicable.	
PO 7.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.	
PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	DTS/DPF 7.3 None are applicable.	
PO 7.4 Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	DTS/DPF 7.4 None are applicable.	
PO 7.5 Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	DTS/DPF 7.5 None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 27 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks a	nd sloping land
PO 8.1	DTS/DPF 8.1
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural	Development does not involve any of the following:
topography.	(a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m
	(b) filling exceeding a vertical height of 1m
	(c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
in 8).	do not have a gradient exceeding 25% (1-in-4) at any point along the driveway are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
(a) do not contribute to the instability of embankments and cuttings	
(b) provide level transition areas for the safe movement of people and goods to and from the development	
(c) are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.
Fences	and Walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls are of sufficient height to maintain	None are applicable.
privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	
PO 9.2	DTS/DPF 9.2
Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Privacy	(in building 3 storeys or less)
PO 10.1	DTS/DPF 10.1
Development mitigates direct overlooking from upper level windows to	Upper level windows facing side or rear boundaries shared with a

Downloaded on 11/10/2024 Generated By Policy24 Page 28 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024		
habitable rooms and private open spaces of adjoining residential uses.	residential allotment/site satisfy one of the following:		
	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm		
	(b) have sill heights greater than or equal to 1.5m above finished floor level		
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.		
PO 10.2	DTS/DPF10.2		
Development mitigates direct overlooking from balconies, terraces and	One of the following is satisfied:		
decks to habitable rooms and private open space of adjoining residential uses.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or		
	(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases		
All Residentia	al development		
Front elevations and	d passive surveillance		
PO 11.1 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	DTS/DPF 11.1 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street.		
PO 11.2	DTS/DPF 11.2		
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.		
Outlook a	ind amenity		
PO 12.1	DTS/DPF 12.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.		
PO 12.2	DTS/DPF 12.2		
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.		
Ancillary D	evelopment		
PO 13.1 Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.	DTS/DPF 13.1 Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2. (c) are not constructed, added to or altered so that any part is situated:		

Downloaded on 11/10/2024 Generated By Policy24 Page 29 of 109

Policy24		P&D Code (in effect) Version 2024.18 10/10/20
		(i) in front of any part of the building line of the dwelling to which it is ancillary
		or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
	(d)	in the case of a garage or carport, the garage or carport: i) is set back at least 5.5m from the boundary of the primary street
		(ii) when facing a primary street or secondary street, has total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser B. for dwellings comprising two or more building levels at the building line fronting the same
		public street - 7m in width
	(e)	if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:
		 a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and
		(ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	(f)	if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary
	(g)	will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abou the proposed wall or structure
	(h)	have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)
	(i)	have a roof height where no part of the roof is more than 5m above the natural ground level
	(j)	if clad in sheet metal, is pre-colour treated or painted in a non- reflective colour
	(k)	retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less:
		(i) a total area as determined by the following table: Dwelling site area (or in the case Minimum
		of residential flat building or percentage of group dwelling(s), average site area) (m ²)
		<150 10%
		150-200 15%
		201-450 20%
		>450 25%
		(ii) the amount of existing soft landscaping prior to the development occurring.
	(1)	in relation to ancillary accommodation in the Rural Zone, Productive Rural Landscape Zone, or Rural Horticulture Zone, located within 20m of an existing dwelling.
PO 13.2	DTS/DP	PF13.2

Downloaded on 11/10/2024 Generated By Policy24 Page 30 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	Ancillary buildings and structures do not result in:
PO 13.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	DTS/DPF 13.3 The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment.
Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties.	Non-residential ancillary buildings and structures: (a) are ancillary and subordinate to an existing non-residential use on the same site (b) have a floor area not exceeding the following: Allotment size
Garage a	reflective colour. ppearance
PO 14.1	DTS/DPF 14,1

Downloaded on 11/10/2024 Generated By Policy24 Page 31 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Garaging is designed to not detract from the streetscape or	Garages and carports facing a street:
appearance of a dwelling.	are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling are set back at least 5.5m from the boundary of the primary.
	(b) are set back at least 5.5m from the boundary of the primary street
	(c) have a garage door / opening not exceeding 7m in width
	(d) have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.
Mas	sing
PO 15.1	DTS/DPF 15.1
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable
Dwelling	additions
PO 16.1	DTS / DPF 16.1
Dwelling additions are sited and designed to not detract from the	Dwelling additions:
streetscape or amenity of adjoining properties and do not impede on- site functional requirements.	(a) are not constructed, added to or altered so that any part is
	situated closer to a public street
	do not result in: (i) excavation exceeding a vertical height of 1m
	(ii) filling exceeding a vertical height of 1m
	(iii) a total combined excavation and filling vertical height of 2m or more
	(iv) less Private Open Space than specified in Design Table 1 - Private Open Space
	 (v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas
	 (vi) upper level windows facing side or rear boundaries unless;
	A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or
	 have sill heights greater than or equal to 1.5m above finished floor level or
	 incorporate screening to a height of 1.5m above finished floor level
	(vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:
	 A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land
	1.7m above finished floor level in all other cases.
Private O _l	pen Space
PO 17.1	DTS/DPF 17.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.
Water Sens	itive Design

Downloaded on 11/10/2024 Generated By Policy24 Page 32 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 18.1	DTS/DPF 18.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus
	(c) 45 per cent reduction in average annual total nitrogen.
PO 18.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	DTS/DPF 18.2 Development creating a common driveway / access that services 5 or more dwellings: (a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and (b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.
Car parking, access	and manoeuvrability
PO 19.1 Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	DTS/DPF 19.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m
PO 19.2	(iii) minimum garage door width of 2.4m per space. DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	(a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m
PO 19.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking.	DTS/DPF 19.3 Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
PO 19.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	DTS/DPF 19.4 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed:

Downloaded on 11/10/2024 Generated By Policy24 Page 33 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
	 is set back 6m or more from the tangent point of an intersection of 2 or more roads
	(ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing
	(iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
	 (a) the gradient of the driveway does not exceed a grade of 1 in a and includes transitions to ensure a maximum grade change 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping (b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram:
	CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110° OFF THE STREET BOUNDARY
	TO° 110° STREET BOUNDARY ROAD (c) if located to provide access from an alley, lane or right of way
	(c) if located to provide access from an alley, lane or right of way the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site
PO 19.6	DTS/DPF 19.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage on-street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)
	 (b) minimum car park length of 5.4m where a vehicle can enter of exit a space directly (c) minimum carpark length of 6m for an intermediate space
	located between two other parking spaces or to an end
	obstruction where the parking is indented.
Waste:	obstruction where the parking is indented.

Downloaded on 11/10/2024 Generated By Policy24 Page 34 of 109

Provision is made for the adequate and convenient storage of waste					
bine in a location corooned from publiculous	rovision is made for the adequate and convenient storage of waste None are applicable.				
bins in a location screened from public view.					
Design of Trans	portable Dwellings				
PO 21.1	DTS/DPF 21.1				
The sub-floor space beneath transportable buildings is enclosed to give	Buildings satisfy (a) or (b):	Buildings satisfy (a) or (b):			
the appearance of a permanent structure.	(a) are not transportable or				
		n the building and ground level is consistent with the building.			
Group dwelling, residential flat bu	uildings and battle-axe development				
Ап	enity				
PO 22.1	DTS/DPF 22.1				
Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	Dwellings have a minimum internal following table:	floor area in accordance with the			
	Number of bedrooms	Minimum internal floor area			
	Studio	35m ²			
	1 bedroom	50m ²			
	2 bedroom	65m ²			
	3+ bedrooms	80m ² and any dwelling over 3			
		bedrooms provides an additional			
		15m ² for every additional bedroom			
PO 22.2	DTS/DPF 22.2				
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.				
PO 22.3	DTS/DPF 22.3				
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.				
PO 22.4	DTS/DPF 22.4				
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.				
	l Open Space				
PO 23.1	DTS/DPF 23.1				
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.				
PO 23.2	DTS/DPF 23.2				
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporate metres.	es a minimum dimension of 5			
PO 23.3	DTS/DPF 23.3				
Communal open space is designed and sited to:	None are applicable.				
 (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. 					

Downloaded on 11/10/2024 Generated By Policy24 Page 35 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 23.4	DTS/DPF 23.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 23.5	DTS/DPF 23.5
Communal open space is designed and sited to:	None are applicable.
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Carparking, access	and manoeuvrability
PO 24.1	DTS/DPF:24.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 24.2 The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	DTS/DPF 24.2 Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 24.3 Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	DTS/DPF 24.3 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 24.4	DTS/DPF 24.4
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.
PO 24.5 Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	DTS/DPF 24.5 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 24.6	DTS/DPF.24.6
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft Lar	rdscaping
PO 25.1	DTS/DPF 25,1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided

Downloaded on 11/10/2024 Generated By Policy24 Page 36 of 109

The provision is made for suitable material clothes drying facilities. The provision is made for suitable material clothes drying facilities. The provision is made for suitable household waste and recyclable material storage areas are located away from located away, or screened, from public view, and conveniently located for method the safe and conveniently collected from the street, collection by other storage areas are located away from located away from located away, or screened, from public view, and conveniently collected from the street, collection point. The provision is made for suitable naterial storage areas are located away from located away, or screened, from public view, and conveniently located in proximity to dwellings and the waste collection point. The provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection point. The provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection by the safe and convenient access, egress and movement of waste collection by the safe and convenient access, egress and movement of waste collection by the safe and convenient access, egress and movement of waste collection by the safe and convenient access, egress and movement of material storage areas are located and and supported accommodation and retirement facilities. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access OTSOPP 26.1 None are applicable. The provision is made for suitable material storage areas are located at and access and areas adjuctor to foreign the site of the safe and convenient access and movement of residents by providing. (a) ground-level access or lifted access to all units (b) level entry porches, ramps, parts, grieveays, passenger loading areas and areas adjuctor t	Policy24	P&D Code (in effect) Version 2024.18 10/10/202
Sork landscaping is provided that improves the appearance of common driveways. Since facilities with a military of the site, soft landscaping with a minimum dimension of this provided between the driveway and site boundary (excluding along the perimeter of a passing point). Since facilities / Waste Storage Po 26.1 Provision is made for suitable mailbox facilities close to the major pedestrain entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 26.2 Provision is made for suitable external clothes drying facilities. PO 26.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away or screened, from public view, and (b) conveniently located in provimity to diveilings and the waste collection point. PO 26.4 Waste and recyclable material storage areas are located away from dwellings. DISCOPT 26.2 DISCOPT 26.3 None are applicable. DISCOPT 26.4 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DISCOPT 26.5 None are applicable. DISCOPT 26.5 None are applicable. DISCOPT 26.6 None are applicable. DISCOPT 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access DISCOPT 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access DISCOPT 27.1 None are applicable.	areas.	between a dwelling and common driveway.
Provision is made for suitable mailbox facilities close to the major nature of accommodation and mobility of occupants. DTS:DFF 26.1 None are applicable. DTS:DFF 26.2 DTS:DFF 26.2 None are applicable. DTS:DFF 26.3 None are applicable. DTS:DFF 26.4 Dedicated away, or screened, from public view, and (o) conveniently located in proximity to dwellings and the waste collection point. DZ:DFF 26.4 DES:DFF 26.4 DES:DFF 26.5 DTS:DFF 26.5 None are applicable. DTS:DFF 26.5 None are applicable. DTS:DFF 26.6 DTS:DFF 26.6 None are applicable. DTS:DFF 26.5 None are applicable. DTS:DFF 26.6	PO 25.2 Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding
Provision is made for suitable mailbox facilities close to the major nature of accommodation and mobility of occupants. DTS:DFF 26.1 None are applicable. DTS:DFF 26.2 DTS:DFF 26.2 None are applicable. DTS:DFF 26.3 None are applicable. DTS:DFF 26.4 Dedicated away, or screened, from public view, and (o) conveniently located in proximity to dwellings and the waste collection point. DZ:DFF 26.4 DES:DFF 26.4 DES:DFF 26.5 DTS:DFF 26.5 None are applicable. DTS:DFF 26.5 None are applicable. DTS:DFF 26.6 DTS:DFF 26.6 None are applicable. DTS:DFF 26.5 None are applicable. DTS:DFF 26.6	Site Facilities	
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. Po 262 Provision is made for suitable external clothes drying facilities. Po 263 Provision is made for suitable external clothes drying facilities. Po 264 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. Po 264 Waste and recyclable material storage areas are located away from dwellings. Po 265 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. Po 266 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and fourising for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access Po 281 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manneeuvability (d) kerb ramps at pedestrian crossing points.		
Provision is made for suitable external clothes drying facilities. Po 26.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) Iocated away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. Po 26.4 Waste and recyclable material storage areas are located away from dwellings. Po 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. Po 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access DTS/DPF 2.6. None are applicable. DTS/DPF 2.6.6 None are applicable. DTS/DPF 2.6.6 None are applicable. DTS/DPF 2.6.6 None are applicable. DTS/DPF 2.6.1 None are applicable. DTS/DPF 2.1 None are applicable.	Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	
PO 26.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and collection point. PO 26.4 Waste and recyclable material storage areas are located away from dewellings. PO 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PO 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access DTS/DPF 2.1 None are applicable. DTS/DPF 2.1 None are applicable. DTS/DPF 2.6 None are applicable. DTS/DPF 2.1 None are applicable. DTS/DPF 2.1 None are applicable. OTS/DPF 2.1 None are applicable.	PO 26.2	DTS/DPF 26.2
Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. PO 26.4 Waste and recyclable material storage areas are located away from dwellings. PO 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PO 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to fostpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	Provision is made for suitable external clothes drying facilities.	None are applicable.
(a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. PD 26.4 Waste and recyclable material storage areas are located away from dwellings. PD 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PD 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PD 28.1 Development is designed to support safe and convenient access and movement for residents by providing. (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to forbushts that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair mannecuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	PO 26.3	DTS/DPF 26.3
(b) conveniently located in proximity to dwellings and the waste collection point. PD 26.4 Waste and recyclable material storage areas are located away from dwellings. PD 26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PD 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
Waste and recyclable material storage areas are located away from dwellings. Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DTS/DPF26.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PO 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and retirement facilities Siting and Configuration DTS/DPF26.6 None are applicable. TOS/DPF27.1 None are applicable. DTS/DPF28.1 None are applicable. OTS/DPF28.1 One are applicable.	(b) conveniently located in proximity to dwellings and the waste	
dwellings. least 3m from any habitable room window.	PO 26.4	DTS/DPF 26.4
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. PO 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and retirement facilities Siting and Configuration DTS/DPF 27.1 None are applicable. PO 27.1 Supported accommodation and retirement facilities Siting and Configuration DTS/DPF 27.1 None are applicable. DTS/DPF 27.1 None are applicable. STOPP 27.1 None are applicable. DTS/DPF 27.1 None are applicable. Communal Open Space	Waste and recyclable material storage areas are located away from dwellings.	
provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. DTS/DPF 26.6 Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and retirement facilities Siting and Configuration PO 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	PO 26.5	DTS/DPF 26.5
Services including gas and water meters are conveniently located and screened from public view. Supported accommodation and retirement facilities Siting and Configuration PO 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. None are applicable. DTS/DPF 28.1 None are applicable. OTS/DPF 28.1 None are applicable.	Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
Supported accommodation and retirement facilities Siting and Configuration PO 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	PO 26.6	DTS/DPF 26.6
Siting and Configuration PO 27.1 Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. DTS/DPF 28.1 None are applicable. None are applicable. Communal Open Space	Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. DTS/DPF 28.1 None are applicable. None are applicable. Ocommunal Open Space	Supported accommodati	on and retirement facilities
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	Siting and 0	Configuration
with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. Movement and Access PO 28.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	PO 27.1	DTS/DPF 27.1
Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. DTS/DPF 28.1 None are applicable. OTS/DPF 28.1 None are applicable.	Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	Movemen	t and Access
movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	PO 28.1	DTS/DPF 28.1
(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal Open Space	Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
	(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability	
	Communal	Open Space
	PO 29.1	DTS/DPF 29.1

Downloaded on 11/10/2024 Generated By Policy24 Page 37 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
PO 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 29.3	DTS/DPF 29.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4	DT5/DPF 29,4
Communal open space is designed and sited to:	None are applicable.
be conveniently accessed by the dwellings which it services have regard to acoustic, safety, security and wind effects.	
PO 29.5	DTS/DPF 29.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 29.6	DTS/DPF 29.6
Communal open space is designed and sited to:	None are applicable.
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
,	
·	Waste Storage
Site Facilities	DTS/DPF30.1
Site Facilities	
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles,	DTS/DPF30.1
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	DTS/DPF.30.1 None are applicable.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the	DTS/DPF30.1 None are applicable. DTS/DPF30.2
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from dwellings.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from dwellings. PO 30.6 Provision is made for on-site waste collection where 10 or more bins	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DTS/DPF30.6
PO 30.1 Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles. PO 30.2 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. PO 30.3 Provision is made for suitable external clothes drying facilities. PO 30.4 Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. PO 30.5 Waste and recyclable material storage areas are located away from dwellings. PO 30.6 Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	DTS/DPF30.1 None are applicable. DTS/DPF30.2 None are applicable. DTS/DPF30.3 None are applicable. DTS/DPF30.4 None are applicable. DTS/DPF30.5 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. DTS/DPF30.6 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 38 of 109

Policy24				Р&	D Code (in effect) Version 2024.18 10/10/2024
	All non-resident	ial develo	pment		
	Water Sens	itive Desi	gn		
PO 31.1		DTS/DPF	31.1		
	significant risk of export of litter, oil or inagement systems designed to ormwater.	None a	ire appli	icable.	
PO 31.2		DTS/DPF	31.2		
	opment site is of a physical, chemical ent to or better than its pre-developed	None a	ire appl	cable.	
	Wash-down and Waste	Loading	and Unio	ading	
PO 32.1		DTS/DPF	32.1		
refuse bins in commercial and in	ding and unloading, storage of waste ndustrial development or wash-down ehicles, vessels, plant or equipment are:	None a	ire appl	icable.	
within a bunded and roo external surface stormy					
collection	us material to facilitate wastewater rent 'splash-out' or 'over-spray' of ash-down area				
coalescing plate to a sewer, priva Management So	rice such as a sediment trap and oil separator with subsequent disposal ate or Community Wastewater				
or (ii) a holding tank a regular basis.	nd its subsequent removal off-site on a				
	De	cks			
	Design a	nd Siting			
PO 33.1		DTS/DPF	33.1		
Decks are designed and sited to	E.	Decks:			
(a) complement the associa	ated building form	(a)	where	ancillary	to a dwelling:
	e streetscape through siting behind the cipal building (unless on a significant e)		(i)		t constructed, added to or altered so that any situated: in front of any part of the building line of the
(c) minimise cut and fill and adjacent land.	d overall massing when viewed from			В.	dwelling to which it is ancillary or within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
			(ii)	allotme	back at least 900mm from side or rear ent boundaries
			(iii)		ntached to the dwelling, has a finished floor leve ent with the finished ground floor level of the Ig
			(iv)	area of site, ind dimens whiche	associated with a residential use, retains a total foft landscaping for the entire development cluding any common property, with a minimum sion of 700mm in accordance with (A) or (B), ever is less:
				A.	a total area is determined by the following table: Site area (or in the case of residential flat building or percentage of

Downloaded on 11/10/2024 Generated By Policy24 Page 39 of 109

Policy24	P8	D Code (in effect) Version	2024.18 10/10/202
		group dwelling(s), average site area) (m ²)	site
		<150 150-200	10%
		>200-450	20%
		>450	25%
	В.	the amount of existing soft I the development occurring.	andscaping prior to
	(i) are set allotm (ii) are set (iii) have a	ciation with a non-residential uses to back at least 2 metres from the track at least 2 metres from a stack at least 2 metres from a floor area not exceeding 25m and a finished floor level not except at any point.	the boundary of an oses. a public road.
PO 33.2	DTS/DPF 33,2		
Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	ground level facing sid use in a neighbourhoo maximum of 25% tran	loor level/s 500mm or more a e or rear boundaries shared v d-type zone incorporate scree sparency/openings, permane not less than 1.5 m above th	vith a residential ening with a ently fixed to the
PO 33.3	DTS/DPF 33.3		
Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	parking for the primar Transport, Access and	ercial purposes do not result i y use of the subject land than Parking Table 1 - General Off- e 2 - Off-Street Car Parking Re	specified in Street Car Parking

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area: (a) Site area <301m²: 24m² located behind the building line. (b) Site area ≥ 301m²: 60m² located behind the building line. Minimum directly accessible from a living room: 16m² / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): 4m ² with a minimum dimension 1.8m One bedroom: 8m ² with a minimum dimension 2.1m Two bedroom dwelling: 11m ² with a minimum dimension 2.4m Three + bedroom dwelling: 15m ² with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Downloaded on 11/10/2024 Generated By Policy24 Page 40 of 109

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Design in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO)

1			Desired Outcome
	DO 1	Development is:	
		(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality
1		(b)	durable - fit for purpose, adaptable and long lasting
		(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
		(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature			
All Deve	elopment			
External Appearance				
PO 1.1	DTS/DPF 1.1			
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.			
PO 1.2	DTS/DPF 1.2			
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.			
PO 1.3	DTS/DPF 1.3			
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.			
PO 1.4	DTS/DPF 1.4			
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.			
 (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces 				
(b) screening rooftop plant and equipment from view				
(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.				
PO 1.5	DTS/DPF 1.5			
The negative visual impact of outdoor storage, waste management,	None are applicable.			

Downloaded on 11/10/2024 Generated By Policy24 Page 41 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
loading and service areas is minimised by integrating them into the	
building design and screening them from public view (such as fencing,	
landscaping and built form), taking into account the form of	
development contemplated in the relevant zone.	
Sa	fety
PO 2.1	DTS/DPF 2:1
Development maximises opportunities for passive surveillance of the	None are applicable.
public realm by providing clear lines of sight, appropriate lighting and	
the use of visually permeable screening wherever practicable.	
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private	None are applicable.
areas.	
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from	None are applicable.
public street frontages and vehicle parking areas.	Notice are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
passive surveillance of the adjacent public realm.	
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of	None are applicable.
residential buildings) and non-residential land uses at street level,	
maximise passive surveillance from the public realm to the inside of the building at night.	
the building acting it.	
Lands	scaping
PO 3.1	DTS/DPF3.1
Soft landscaping and tree planting are incorporated to:	None are applicable.
(a) minimise heat absorption and reflection	
(b) maximise shade and shelter	
(c) maximise stormwater infiltration	
(d) enhance the appearance of land and streetscapes.	
Environment	al Performance
PO 4.1	DTS/DPF.4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common	None are applicable.
areas and open spaces.	
DO 42	DTF (DDF 4.2
PO 4.2 Puildings are sited and designed to maximise passive environmental	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on	None are applicable.
mechanical systems, such as heating and cooling.	
PO 4.3	DTS/DPF-4.3
Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and	None are applicable.
shading structures, water harvesting, at ground landscaping, green	
walls, green roofs and photovoltaic cells.	
	ritiva Darian
	sitive Design
P0.5.1 Development is sited and designed to maintain natural hydrological	DTS/DPF5.1
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.
(a) the quantity and quality of surface water and groundwater	
Constant	Pur Policy 24 Page 42 of 400

Downloaded on 11/10/2024 Generated By Policy24 Page 42 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
(b) the depth and directional flow of surface water and groundwater	
(c) the quality and function of natural springs.	
On-site Waste Tro	eatment Systems
PO 6.1	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be	Effluent disposal drainage areas do not:
used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	 (a) encroach within an area used as private open space or result less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirement in Designated Areas.
Car parking	appearance
PO 7.1	DTS/DPF 7.1
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure.	None are applicable.
PO 7.2	DTS/DPF 7.2
Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.
PO 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
PO 7.4	DTS/DPF 7.4
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy o 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1n
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of: (a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks an	d sloping land

Downloaded on 11/10/2024 Generated By Policy24 Page 43 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling averaging a vertical height of 1m
	(b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2.
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway
	(b) are constructed with an all-weather trafficable surface.
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
(a) do not contribute to the instability of embankments and cuttings	
 (b) provide level transition areas for the safe movement of people and goods to and from the development 	
(c) are designed to integrate with the natural topography of the land.	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.
Fences	and walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.
PO 9.2	DTS/DPF 9.2
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Pr	ivacy (low rise buildings)
PO 10.1	DTS/DPF 10.1
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones.	Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more
	than 125mm (b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
PO 10.2	DTS/DPF 10.2

Downloaded on 11/10/2024 Generated By Policy24 Page 44 of 109

8.1.1

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
	· · · · ·	
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	One of the following is satisfied:	
negribournood type zones.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is	
	located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases	
Site Facilities / Waste Storage (exclude	ding low rise residential development)	
PO 11:1	DTS/DPF 11,1	
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.	
PO 11.2	DTS/DPF 11.2	
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.	
PO 11.3	DTS/DPF 11.3	
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.	
PO 11.4	DTS/DPF11.4	
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.	
PO 11.5	DTS/DPF11,5	
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.	
All Development - N	ledium and High Rise	
External A	ppearance	
PO 12.1	DTS/DPF 12.1	
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.	
PO 12.2	DTS/DPF 12.2	
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.	
PO 12.3	DTS/DPF 12.3	
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.	
PO 12.4	DTS/DPF 12.4	
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.	
PO 12.5	DTS/DPF 12.5	
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:	
	(a) masonry (b) natural stone	

Downloaded on 11/10/2024 Generated By Policy24 Page 45 of 109

Policy24		P&D Code (in	effect) Version	2024.18 10/10/2024
		nished materials that loration.	minimise stainir	ng, discolouring or
PO 12.6	DTS/DPF 12.6			
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	ovide attractive, high Building street frontages incorporate:		te:	
	48.4	uses such as shops o		
	p. 4.111	inent entry areas for i non entry)	multi-storey bui	dings (where it is a
	4.0	able rooms of dwelling		
		of communal public r consistent with the z		
PO 12.7	DTS/DPF 12.7			
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to r	multi-storey buildings	are:	
		ted towards the stree		
		y visible and easily ide ng areas	entifiable from ti	ne street and vehicle
	(c) design	ned to be prominent, re if there are no activ		
	(d) design	ned to provide shelter tional space around t	r, a sense of per	
	(e) locate	d as close as practica	ble to the lift an	
		nimise the need for lo ned to avoid the creat		
		pment.	ion or potential	areas or
PO 12.8	DTS/DPF 12.8			
Building services, plant and mechanical equipment are screened from	None are app	licable.		
the public realm.				
Lands	caping			
PO 13.1	DTS/DPF 13.1			
Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	that accommo	vide a 4m by 4m deep odates a medium to k front property bound	arge tree, excep	t where no building
PO 13.2	DTS/DPF 13.2			
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance	Multi-storey development provides deep soil zones and incorporate trees at not less than the following rates, except in a location or zone where full site coverage is desired.			
of multi-storey buildings.	Site area	Minimum deep	Minimum	Tree / deep
		soil area	dimension	soil zones
	<300 m ²	10 m ²	1.5m	1 small tree / 10 m ²
	300-1500 m ²	2 7% site area	3m	1 medium tree / 30 m ²
	>1500 m ²	7% site area	6m	1 large or medium tree / 60 m ²
	Tree size an	d site area definition	ns	
	Small tree 4-6m mature height and 2-4m canopy spread			
	Medium tree 6-12m mature height and 4-8m canopy spread			anopy spread
	Large tree	12m mature heig	ght and >8m can	opy spread
•	-			

Downloaded on 11/10/2024 Generated By Policy24 Page 46 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	Site area The total area for development site, not average area per dwelling
PO 13.3	DTS/DPF 13.3
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applicable.
PO 13.4	DTS/DPF 13.4
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.	Building elements of 3 or more building levels in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated.
Enviro	nmental
PO 14,1	DTS/DPF 14,1
Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	None are applicable.
PO 14.2	DTS/DPF14.2
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.	None are applicable.
PO 14.3	DTS/DPF14,3
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as:	None are applicable.
 (a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street (b) substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas (c) the placement of buildings and use of setbacks to deflect the wind at ground level (d) avoiding tall shear elevations that create windy conditions at street level. 	
Street level.	
Car	Parking
PO 15.1	DTS/DPF 15,1
Multi-level vehicle parking structures are designed to contribute to active street frontages and complement neighbouring buildings.	(a) provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages (b) incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.
PO 15,2	DTS/DPF 15,2
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.
Overlooking	/Visual Privacy
PO 16.1 Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:	DTS/DPF 16.1 None are applicable.
ourslanded on 44/40/2024	

Downloaded on 11/10/2024 Generated By Policy24 Page 47 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
 (a) appropriate site layout and building orientation (b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight (c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms (d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity. 	
All residenti	al development
	d passive surveillance
PO 17.1 Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	DTS/DPF 17.1 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street.
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	DTS/DPF 17.2 Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook	and Amenity
PO 18.1 Living rooms have an external outlook to provide a high standard of amenity for occupants.	DTS/DPF 18.1 A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.
PO 18.2 Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	DTS/DPF 18.2 None are applicable.
Ancillary I	Development Control of the Control o
PO 19.1 Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or neighbouring properties.	DTS/DPF 19.1 Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser B. for dwellings comprising two or more building levels at the building line fronting the same

Downloaded on 11/10/2024 Generated By Policy24 Page 48 of 109

Policy24			P&D Code (in effect) Version	2024.18 10/10/2024
	(e)		ted on a boundary (not being a bound or secondary street), do not exceed a : a longer wall or structure exists on t and is situated on the same allotme and the proposed wall or structure will b same length of boundary as the exis or structure to the same or lesser e	he adjacent site nt boundary e built along the sting adjacent wall
	(f)	bound or stru	ted on a boundary of the allotment (r ary with a primary street or secondar ctures on the boundary will not exce- of that boundary	ot being a y street), all walls
	(g)	bound an exis	t be located within 3m of any other w ary unless on an adjacent site on that sting wall of a building that would be a oposed wall or structure	boundary there is
	(h)	natura	wall height or post height not exceed I ground level (and not including a gal roof height where no part of the roo	ole end)
	(j)	above if clad	the natural ground level in sheet metal, is pre-colour treated o	
	(k)	retains (ii), wh	s a total area of soft landscaping in accirchever is less:	3.0
		(i)	a total area as determined by the for Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²)	
			<150 150-200	10%
			201-450 >450	20%
		(ii)	the amount of existing soft landscap development occurring.	
	(1)	Produc	tion to ancillary accommodation in the ctive Rural Landscape Zone, or Rural I d within 20m of an existing dwelling.	
PO 19.2	DTS/DP		to an analysis and the second state of	
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements or result in over-development of the site.	Ancillary buildings and structures do not result in:			
	(b)	Parkin	i-site car parking than specified in Tra g Table 1 - General Off-Street Car Par le 2 - Off-Street Car Parking Requiren	king Requirements
PO 19.3	DTS/DP	F 19.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	1	me site a	l/or filtration system is ancillary to a d and is: ed in a solid acoustic structure that is	
		from the allotm or	he nearest habitable room located on ent	an adjoining
	(b)	on an	d at least 12m from the nearest habit adjoining allotment.	
Downloaded on 11/10/2024 Generated	Do Dalie	W. 2.4		Page 49 of 109

Downloaded on 11/10/2024 Generated By Policy24 Page 49 of 109

Policy24		P&D Code (in effect) Version 2024.18 10/10/202			
PO 10.4	DTC/DDE	30.4			
PO 19.4 Buildings and structures that are ancillary to an existing non-residential	DTS/DPF	19.4 sidential ancillary buildings and structures:			
use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of		(a) are ancillary and subordinate to an existing non-residential use			
neighbouring properties.		on the same site			
	(b)	have a floor area not exceeding the following: Allotment size Floor area			
		≤500m2 60m2			
		>500m2 80m2			
	(c)	are not constructed, added to or altered so that any part is situated:			
		 in front of any part of the building line of the main building to which it is ancillary or 			
		(ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)			
	(d)	in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street			
	(e)	if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:			
		 a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary 			
		(ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent			
	(f)	if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary			
	(g)	will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure			
		have a wall height (or post height) not exceeding 3m (and not including a gable end)			
		have a roof height where no part of the roof is more than 5m above the natural ground level			
	(j)	if clad in sheet metal, is pre-colour treated or painted in a non- reflective colour.			
Residential Devel	opment - I	.ow Rise			
External a	ppearanc				
PO 20.1	DTS/DPF	20,1			
Garaging is designed to not detract from the streetscape or	Garage:	s and carports facing a street:			
appearance of a dwelling.	(a)	are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling			
	(b)	are set back at least 5.5m from the boundary of the primary street			
	(c)	have a garage door / opening width not exceeding 7m			
	(d)	have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.			
PO 20.2	DTS/DPF				
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance of common driveway areas.	Each dwelling includes at least 3 of the following design features with the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any oth public road (other than a laneway) or a common driveway:				


Downloaded on 11/10/2024 Generated By Policy24 Page 50 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202		
	 (a) a minimum of 30% of the building wall is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation, with a maximum of 80% of the building elevation in a single material or finish. 		
PO 20.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF 20.3 None are applicable		
	pen Space		
PO 21.1 Dwellings are provided with suitable sized areas of usable private open	DTS/DPF 21.1 Private open space is provided in accordance with Design in Urban		
space to meet the needs of occupants.	Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.		
PO 21.2	DTS/DPF 21.2		
Private open space is positioned to provide convenient access from internal living areas.	Private open space is directly accessible from a habitable room.		
Lands	ccaping		
PO 22:1	DTS/DPF 22.1		
Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection	Residential development incorporates soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b)		
 (a) minimise heat absorption and reflection (b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity 	(a) a total area for the entire development site, including ar common property, as determined by the following table		
(d) enhance the appearance of land and streetscapes.	Site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²) Minimum percentage of site		
	<150 10%		
	150-200		
	>200-450 20%		
	>450 25%		
	(b) at least 30% of any land between the primary street boundary and the primary building line.		
Car parking, access	and manoeuvrability		
PO 23.1	DTS/DPF 23.1		
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):		

Downloaded on 11/10/2024 Generated By Policy24 Page 51 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
	(a) single width car parking spaces:	
	(i) a minimum length of 5.4m per space	
	(ii) a minimum width of 3.0m	
	(iii) a minimum garage door width of 2,4m	
	(b) double width car parking spaces (side by side):	
	(i) a minimum length of 5.4m	
	(ii) a minimum width of 5.4m	
	(iii) minimum garage door width of 2.4m per space.	
	The second secon	
PO 23.2	DTS/DPF 23.2	
Uncovered car parking space are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:	
	(a) a minimum length of 5.4m	
	(b) a minimum width of 2.4m	
	(c) a minimum width between the centre line of the space and any	
	fence, wall or other obstruction of 1.5m.	
PO 23.3	DTS/DPF 23.3	
Driveways and access points are located and designed to facilitate safe	Driveways and access points satisfy (a) or (b):	
access and egress while maximising land available for street tree		
planting, pedestrian movement, domestic waste collection, landscaped	(a) sites with a frontage to a public road of 10m or less, have a	
street frontages and on-street parking.	width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site	
	(b) sites with a frontage to a public road greater than 10m:	
	(i) have a maximum width of 5m measured at the	
	property boundary and are the only access point	
	provided on the site;	
	(ii) have a width between 3.0 metres and 3.2 metres	
	measured at the property boundary and no more than	
	two access points are provided on site, separated by no less than 1m.	
PO 23.4	DTS/DPF 23.4	
Vehicle access is safe, convenient, minimises interruption to the	Vehicle access to designated car parking spaces satisfy (a) or (b):	
operation of public roads and does not interfere with street	verifice access to designated car parking spaces satisfy (a) or (b).	
infrastructure or street trees.	(a) is provided via a lawfully existing or authorised access point or	
	an access point for which consent has been granted as part of	
	an application for the division of land (b) where newly proposed, is set back:	
	(i) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole,	
	infrastructure services pit, or other stormwater or	
	utility infrastructure unless consent is provided from	
	the asset owner	
	(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a	
	lesser distance (iii) 6m or more from the tangent point of an intersection	
	of 2 or more roads	
	 (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing. 	
	dedicating a pedestrial crossing.	
DO 22.5	DTC/DDE 22 E	
PO 23.5 Driveways are designed to enable safe and convenient vehicle	DTS/DPF 23.5	
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:	
and the passion and to arrang parting spaces	(a) the gradient of the driveway does not exceed a grade of 1 in 4	
	and includes transitions to ensure a maximum grade change of	
	12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent	
	vehicles bottoming or scraping	

Downloaded on 11/10/2024 Generated By Policy24 Page 52 of 109



Downloaded on 11/10/2024 Generated By Policy24 Page 53 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202	
	(b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.	
Residential Development - Medium and	High Rise (including serviced apartments)	
Outlook and	Visual Privacy	
PO 26.1 Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space.	DTs/DPF 26.1 Buildings:	
	 (a) provide a habitable room at ground or first level with a window facing toward the street (b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage. 	
PO 26.2 The visual privacy of ground level dwellings within multi-level buildings is protected.	DTS/DPF26.2 The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.	
Private O	pen Space	
PO 27.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	DTS/DPF.27.1 Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space.	
Residential amenity i	n multi-level buildings	
PO 28.1 Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	DTS/DPF 28.1 Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary.	
PO 28.2 Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:	DTS/DPF.28.2 Balconies utilise one or a combination of the following design elements:	
 respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas. 	(a) sun screens (b) pergolas (c) louvres (d) green facades (e) openable walls.	
PO 28.3 Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	DTS/DPF 28.3 Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.	
PO 28.4 Dwellings are provided with sufficient space for storage to meet likely occupant needs.	DTS/DPF.28.4 Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling:	
	(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .	
PO 28.5 Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a reasonable living amenity is provided.	DTS/DPF 28.5 Light wells: (a) are not used as the primary source of outlook for living rooms	

Downloaded on 11/10/2024 Generated By Policy24 Page 54 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms (c) above 18m in height have a minimum horizontal dimension of 6m, or 9m if overlooked by bedrooms.
PO 28.6 Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	DTS/DPF 28.6 None are applicable.
PO 28.7 Dwellings are designed so that internal structural columns correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable.	DTS/DPF 28.7 None are applicable.
Dwelling C	onfiguration
PO 29.1 Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	DTS/DPF 29.1 Buildings containing in excess of 10 dwellings provide at least one of each of the following: (a) studio (where there is no separate bedroom) (b) 1 bedroom dwelling / apartment with a floor area of at least 50m ² (c) 2 bedroom dwelling / apartment with a floor area of at least 65m ² (d) 3+ bedroom dwelling / apartment with a floor area of at least 80m ² , and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom.
PO 29.2 Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	DTS/DPF 29.2 None are applicable.
Comm	on Areas
PO 30.1 The size of lifts, lobbies and corridors is sufficient to accommodate movement of bicycles, strollers, mobility aids and visitor waiting areas.	DTS/DPF 30.1 Common corridor or circulation areas: (a) have a minimum ceiling height of 2.7m (b) provide access to no more than 8 dwellings (c) incorporate a wider section at apartment entries where the corridors exceed 12m in length from a core.
Group Dwellings, Residential Flat B	uildings and Battle axe Development
	enity
PO 31.1 Dwellings are of a suitable size to provide a high standard of amenity for occupants.	DTS/DPF31.1 Dwellings have a minimum internal floor area in accordance with the following table:
	Number of bedrooms Minimum internal floor area
	Studio 35m ²
	1 bedroom 50m ²
	2 bedroom 65m ²
	3+ bedrooms 80m² and any dwelling over 3 bedrooms provides an additional 15m² for every additional bedroom

Downloaded on 11/10/2024 Generated By Policy24 Page 55 of 109

Policy2		P&D Code (in effect) Version 2024.18 10/10/202
PO 31.2		DTE/DEEN 2
	entation and citing of buildings minimises impacts on the	DTS/DPF31.2
	entation and siting of buildings minimises impacts on the y, outlook and privacy of occupants and neighbours.	None are applicable.
PO 31.3		DTS/DPF31.3
Develo	pment maximises the number of dwellings that face public open	None are applicable.
	and public streets and limits dwellings oriented towards ng properties.	
PO 31.4		DTS/DPF31.4
	exe development is appropriately sited and designed to respond existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.
		Open Space
PO 32.1		DTS/DPF:32.1
Private	open space provision may be substituted for communal open	None are applicable.
	which is designed and sited to meet the recreation and amenity of residents.	
PO 32.2		DTS/DPF.32.2
	unal open space is of sufficient size and dimensions to cater for ecreation.	Communal open space incorporates a minimum dimension of 5 metres
PO 32.3		DTS/DPF 32.3
Commi	unal open space is designed and sited to:	None are applicable.
(a)	be conveniently accessed by the dwellings which it services	
(b)	have regard to acoustic, safety, security and wind effects.	
PO 32.4		DTS/DPF 32.4
	unal open space contains landscaping and facilities that are nal, attractive and encourage recreational use.	None are applicable.
PO 32.5		DTS/DPF:32.5
Commu	unal open space is designed and sited to:	None are applicable.
(a)	in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings	
(b)	in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
	Car parking, access.	and manoeuvrability
PO 33.1		DTS/DPF/33.1
	ays and access points are designed and distributed to optimise vision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-stree parking is retained adjacent the subject site in accordance with the following requirements:
		(a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)
		 (b) minimum car park length of 5.4m where a vehicle can enter of exit a space directly
		(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 33.2		DTS/DPF 33.2
to redu	mber of vehicular access points onto public roads is minimised ace interruption of the footpath and positively contribute to safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
		DTS/DPF:33,3
PO 33.3		013/01135.5

Downloaded on 11/10/2024 Generated By Policy24 Page 56 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
	(a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a	
	passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.	
PO 33.4 Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	DTS/DPF33.4 Driveways providing access to more than one dwelling, or a dwelling on battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.	
PO 33.5 Dwellings are adequately separated from common driveways and manoeuvring areas.	DTS/DPF33.5 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.	
Soft lan	dscaping	
	DTS/DPF 34.1	
PO 34.1 Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.	
PO 34.2 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	DTS/DPF.34.2 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).	
Site Facilities /	Waste Storage	
PO 35.1 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	DTS/DPF35.1 None are applicable.	
PO 35.2 Provision is made for suitable external clothes drying facilities.	DTS/DPF35.2 None are applicable.	
PO 35.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point.	DTS/DPF 35.3 None are applicable.	
PO 35.4 Waste and recyclable material storage areas are located away from dwellings.	DTS/DPF35.4 Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	
PO 35.5 Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	DTS/DPF35.5 None are applicable.	
Downloaded on 11/10/2024 Generated	By Policy24 Page 57 of 109	

Downloaded on 11/10/2024 Generated By Policy24 Page 57 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
PO 35.6	DTS/DPF35.6
Services including gas and water meters are conveniently located and	None are applicable.
screened from public view.	
Water sensitiv	e urban design
PO 36.1	DTS/DPF:36.1
Residential development creating a common driveway / access	None are applicable.
includes stormwater management systems that minimise the	
discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system,	
watercourses or other water bodies.	
PO 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access	None are applicable.
includes a stormwater management system designed to mitigate peak	
flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the	
peak flows in downstream systems.	
Supported Accommodation	n and retirement facilities
Siting, Configur	ation and Design
PO 37.1	DTS/DPF 37.1
Supported accommodation and housing for aged persons and people	None are applicable.
with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	
PO 37.2	DTS/DPF:37.2
Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in	None are applicable.
place.	
Movement	and Access
PO 38.1	DTS/DPF 38.1
PO 38.1	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF 38.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF38.1 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and	DTS/DPF38.1 None are applicable. Open Space
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points.	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2 None are applicable.
PO 38.1 Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents. PO 39.3 Communal open space is of sufficient size and dimensions to cater for	DTS/DPF38.1 None are applicable. Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2 None are applicable. DTS/DPF39.3 Communal open space incorporates a minimum dimension of 5
Development is designed to support safe and convenient access and movement for residents by providing: (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability (d) kerb ramps at pedestrian crossing points. Communal PO 39.1 Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. PO 39.2 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents. PO 39.3 Communal open space is of sufficient size and dimensions to cater for group recreation.	Open Space DTS/DPF39.1 None are applicable. DTS/DPF39.2 None are applicable. DTS/DPF39.3 Communal open space incorporates a minimum dimension of 5 metres.

Downloaded on 11/10/2024 Generated By Policy24 Page 58 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(a) be conveniently accessed by the dwellings which it services	
(b) have regard to acoustic, safety, security and wind effects.	
PO 39.5	DTS/DPF:39.5
Communal open space contains landscaping and facilities that are	None are applicable.
functional, attractive and encourage recreational use.	
PO 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise	
overlooking into habitable room windows or onto the useable	
private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by	
habitable rooms to facilitate passive surveillance.	
Site Facilities /	Waste Storage
PO 40.1	DTS/DPF 40.1
Development is designed to provide storage areas for personal items	None are applicable.
and specialised equipment such as small electric powered vehicles,	
including facilities for the recharging of small electric-powered vehicles.	
PO 40.2	DTS/DPF 40.2
Provision is made for suitable mailbox facilities close to the major	None are applicable.
pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	
Tractare of accommodation and mobility of occupants.	
PO 40.3	DTS/DPF 40.3
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 40.4	DTS/DPF 40.4
Provision is made for suitable household waste and recyclable material	None are applicable.
storage facilities conveniently located away, or screened, from view.	
PO 40.5	DTS/DPF40.5
Waste and recyclable material storage areas are located away from	Dedicated waste and recyclable material storage areas are located at
dwellings.	least 3m from any habitable room window.
PO 40.6	DTS/DPF 40.6
Provision is made for on-site waste collection where 10 or more bins	None are applicable.
are to be collected at any one time.	
PO 40.7	DTS/DPF 40.7
Services, including gas and water meters, are conveniently located and	None are applicable.
screened from public view.	
Student Acc	ommodation
PO 41.1	DTS/DPF 41,1
Student accommodation is designed to provide safe, secure, attractive,	Student accommodation provides:
convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient	(a) a range of living options to meet a variety of accommodation
space and amenity for the requirements of student life and promote	needs, such as one-bedroom, two-bedroom and disability
social interaction.	access units (b) common or shared facilities to enable a more efficient use of
	space, including:
	(i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open
	space provided in accordance with Design in Urban
	Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m ³ for every
	(iii) common storage facilities at the rate of 8m ³ for every 2 dwellings or students

Downloaded on 11/10/2024 Generated By Policy24 Page 59 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	 (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students.
PO 41.2	DTS/DPF 41.2
Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	None are applicable.
All non-residen	ial development
Water Sens	itive Design
PO 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering	DTS/DPF-42.1 None are applicable.
stormwater.	
PO 42.2	DTS/DPF 42.2
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	
PO 42.3 Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	DTS/DPF42.3 None are applicable.
Wash-down and Waste	Loading and Unloading
PO 43.1	DTS/DPF 43.1
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are:	None are applicable.
refuse bins in commercial and industrial development or wash-down	
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater	
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of	
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme	
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater	
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	None are applicable. evelopment e and Access
refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis.	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 60 of 109

8.1.1

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024 the primary street can support access by emergency and regular service vehicles (such as waste collection) it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management (d) safety of pedestrians or vehicle movement is maintained any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares. Design and Siting PO 45.1 DTS/DPF 45.1 Decks are designed and sited to: Decks: where ancillary to a dwelling: complement the associated building form minimise impacts on the streetscape through siting behind the are not constructed, added to or altered so that any building line of the principal building (unless on a significant part is situated: allotment or open space) in front of any part of the building line of the minimise cut and fill and overall massing when viewed from dwelling to which it is ancillary adjacent land. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (ii) are set back at least 900mm from side or rear allotment boundaries when attached to the dwelling, has a finished floor level consistent with the finished ground floor level of the where associated with a residential use, retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (A) or (B), whichever is less: a total area is determined by the following Site area (or in the case of residential flat building or percentage of group dwelling(s), site average site area) (m²) <150 10% 150-200 15% >200-450 20% >450 25% the amount of existing soft landscaping prior to the development occurring. (b) where in association with a non-residential use: are set back at least 2 metres from the boundary of an allotment used for residential purposes are set back at least 2 metres from a public road. have a floor area not exceeding 25m2 in all cases, has a finished floor level not exceeding 1 metre above natural ground level at any point. Decks are designed and sited to minimise direct overlooking of Decks with a finished floor level/s 500mm or more above natural

Downloaded on 11/10/2024 Generated By Policy24 Page 61 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing.	ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s.
PO 45.3	DTS/DPF 45.3
Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck.	Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.

Table 1 - Private Open Space

Dwelling Type	Dwelling / Site	Minimum Rate	
	Configuration		
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area: (a) Site area <301m ² : 24m ² located behind the building line. (b) Site area ≥ 301m ² : 60m ² located behind the building line. Minimum directly accessible from a living room: 16m ² / with a minimum dimension 3m.	
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.	
Dwelling in a residential flat building or mixed use building which incorporate above ground level dwellings	Dwellings at ground level:	15m ² / minimum dimension 3m	
	Dwellings above ground level:		
	Studio (no separate bedroom)	4m ² / minimum dimension 1.8m	
	One bedroom dwelling	8m ² / minimum dimension 2.1m	
	Two bedroom dwelling	11 m ² / minimum dimension 2.4m	
	Three + bedroom dwelling	15 m ² / minimum dimension 2.6m	

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the	
	environment, transport networks, surrounding land uses and landscapes.	

Downloaded on 11/10/2024 Generated By Policy24 Page 62 of 109

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting		
PO 1.1	DTS/DPF 1.1	
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable,	
PO 1.2	DTS/DPF 1.2	
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).	
PO 1.3	DTS/DPF 1.3	
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
Water P	Protection	
PO 2:1	DTS/DPF 2:1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to	Commercial forestry plantations:	
minimise the impact of commercial forestry plantations on surface water resources.	(a) do not involve cultivation (excluding spot cultivation) in drainage lines	
	(b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer)	
	(c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole (with no direct connection to an aquifer).	
Fire Management		
PO 3.1	DTS/DPF 3.1	
Commercial forestry plantations incorporate appropriate firebreaks	Commercial forestry plantations provide:	
and fire management design elements.	(a) 7m or more wide external boundary firebreaks for plantations of 40ha or less	
	(b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha	
	(c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.	
	Note: Firebreaks prescribed above (as well as access tracks) may be included within the setback buffer distances prescribed by other policies of the Code.	
PO 3.2	DTS/DPF 3.2	
Commercial forestry plantations incorporate appropriate fire management access tracks.	Commercial forestry plantation fire management access tracks:	
monogeneric access cracks.	(a) are incorporated within all firebreaks (b) are 7m or more wide with a vertical clearance of 4m or more	

Downloaded on 11/10/2024 Generated By Policy24 Page 63 of 109

Policy24	P&D Co	ode (in effect	t) Version 2024.18 10/10/2024
	they are a no through signposted and pro- fighting vehicles	gh access trac vide suitable t	rough access at junctions, or if ck are appropriately turnaround areas for fire- of 40ha or less in area.
Power-line	Clearances		
PO 4.1 Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	, ,	an 6m meet t	rating trees with an expected the clearance requirements
	Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

The Housing Renewal General Development Policies are only applicable to dwellings or residential flat building undertaken by:

- the South Australian Housing Trust either individually or jointly with other persons or bodies or
- (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

Desired Outcome (DO)

Desired Outcome		
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use and Intensity		
PO 1.1	DTS/DPF 1.1	
Residential development provides a range of housing choices.	Development comprises one or more of the following:	
	(a) detached dwellings	
	(b) semi-detached dwellings	
	(c) row dwellings	
	(d) group dwellings	

Downloaded on 11/10/2024 Generated By Policy24 Page 64 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202	
	(e) residential flat buildings.	
PO 1.2	DTS/DPF 1.2	
Medium-density housing options or higher are located in close	None are applicable.	
proximity to public transit, open space and/or activity centres.		
Buildin	g Height	
PO 2.1	DTS/DPF 2.1	
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).	
PO 2.2	DTS/DPF 2.2.	
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.	
Primary St.	reet Setback	
PO 3.1	DTS/DPF3.1	
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.	
Secondary S	street Setback	
PO 4.1	DTS/DPF 4.1	
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.	
Bound	ary Walls	
PO 5.1	DTS/DPF 5.1	
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.	
PO 5.2	DTS/DPF 5.2	
Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.	Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.	
Side Bound	dary Setback	
PO 6,1	DTS/DPF 6.1	
Buildings are set back from side boundaries to provide:	Other than walls located on a side boundary, buildings are set back	

Downloaded on 11/10/2024 Generated By Policy24 Page 65 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
r Onloy24	from side boundaries in accordance with the following:
separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours.	(a) where the wall height does not exceed 3m - at least 900mm (b) for a wall that is not south facing and the wall height exceeds 3m - at least 900mm from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings (c) for a wall that is south facing and the wall height exceeds 3m at least 1.9m from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings.
Rear Bound	Jary Setback
PO 7.1	DTS/DPF 7.1
Buildings are set back from rear boundaries to provide:	Dwellings are set back from the rear boundary:
separation between dwellings in a way that contributes to a suburban character access to natural light and ventilation for neighbours private open space space for landscaping and vegetation.	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.
Buildings ele	vation design
PO 8.1	DTS/DPF 8.1
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 8.2 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	DTS/DPF8.2 Each dwelling with a frontage to a public street:
PO 8.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF8.3 None are applicable.
PO 8.4 Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	DTS/DPF8.4 None are applicable.
PO 8.5	DTS/DPF 8.5

Downloaded on 11/10/2024 Generated By Policy24 Page 66 of 109

8.1.1

Downloaded on 11/10/2024 Generated By Policy24 Page 67 of 109

(a) are permanently obscured to a hei	Version 2024.18 10/10/202
floor level and are fixed or not capathan 200mm (b) have sill heights greater than or eq floor level (c) incorporate screening with a maximal permanently fixed no more than 5 surface and sited adjacent to any page 1.5m above the finished floor.	able of being opened more gual to 1.5m above finished mum of 25% openings, 600mm from the window
PO 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. (a) the longest side of the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public wide in all places faced by the balcony or troad, public road reserve or public road reserve or public wide in all places faced by the balcony or troad, public road reserve or publi	reserve that is at least 15m ony or terrace in upper building levels are ng with a maximum 25% minimum height of: level where the balcony is from the nearest habitable djacent land
Landscaping	
Po 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. Dwelling site area (or in the case of residen building or group dwelling(s), average site and selection at least 30% of land between the rebuilding line.	following table: Itial flat area) (m2) Itial flat percentage of site I 10% I 15% 20% 25%
PO 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. Distripper 12.1 Residential development incorporates per landscaping with a minimum dimension of accordance with (a) and (b): (a) a total area as determined by the final filtration of accordance with (a) and (b): (b) Dwelling site area (or in the case of residen building or group dwelling(s), average site accordance with (a) and (b): (b) at least 30% of land between the residence of land and streetscapes.	following table: Itial flat area) (m2) Itial flat percentage of site I 10% I 15% 20% 25%
PO 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. DTS/DPF12.1 Residential development incorporates pen landscaping with a minimum dimension of accordance with (a) and (b): (a) a total area as determined by the filter of the case of residen building or group dwelling(s), average site accordance with (a) and (b): Dwelling site area (or in the case of residen building or group dwelling(s), average site accordance with (a) and (b): (b) at least 30% of land between the rebuilding line.	following table: Itial flat area) (m2) Itial flat percentage of site I 10% I 15% 20% 25%
PO 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. (b) matines the appearance of land and streetscapes. (a) a total area as determined by the final following site area (or in the case of residen building or group dwelling(s), average site a condition of the condition	following table: Itial flat area) (m2) Itial flat percentage of site I 10% I 5% 20% 25%
PO 12.1 Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. (b) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. (a) a total area as determined by the filter of the capture and use stormwater to: (b) at least 30% of land between the rebuilding line. Water Sensitive Design DTS/DPF 13.1 Residential development is designed to capture and use stormwater to: (a) maximise efficient use of water resources (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	following table: Itial flat Minimum percentage of site 10% 15% 20% 25% Doad boundary and the wing rates per dwelling:

Downloaded on 11/10/2024 Generated By Policy24 Page 68 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/20
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential parking spaces enclosed by fencing, walls or other obstructions with the following internal dimensions (separate from an waste storage area):
	(a) single parking spaces: (i) a minimum length of 5.4m (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.5m (iii) minimum garage door width of 2.4m per space.
PO 14.3	DTS/DPF 14.3
Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and an fence, wall or other obstruction of 1.5m.
PO 14.4 Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.
PO 14.5 Residential flat buildings provide dedicated areas for bicycle parking.	DTS/DPF14.5 Residential flat buildings provide one bicycle parking space per dwelling.
Oversi	nadowing
PO 15.1 Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours	DTS/DPF 15.1 None are applicable.
between 9am and 3pm on 21 June.	faste
between 9am and 3pm on 21 June.	DTS/DPF 16.1
between 9am and 3pm on 21 June. W PO 16.1 Provision is made for the convenient storage of waste bins in a location	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage
between 9am and 3pm on 21 June. WPO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view. PO 16.2 Residential flat buildings provide a dedicated area for the on-site	DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.

Downloaded on 11/10/2024 Generated By Policy24 Page 69 of 109

P&D Code (in effect) Version 2024.18 10/10/202
e Access
DTS/DPF 17.1
None are applicable.
DTS/DPF 17.2
Vehicle access to designated car parking spaces satisfy (a) or (b):
(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land
(b) where newly proposed, is set back:
 (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance
(iii) 6m or more from the tangent point of an intersection of 2 or more roads
(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
DTS/DPF 17.3
Driveways are designed and sited so that:
the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following
diagram: CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110°
OFF THE STREET BOUNDARY
70° 110°
DRIVEWAY
0° STREET BOUNDARY
ROAD

Downloaded on 11/10/2024 Generated By Policy24 Page 70 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(c) if located to provide access from an alley, lane or right of way the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site.
PO 17.4 Driveways and access points are designed and distributed to optimise the provision of on-street parking.	DTS/DPF 17.4 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 17.5 Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	DTS/DPF 17.5 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.
PO 17.6 Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	DTS/DPF 17.6 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn man
PO 17.7 Dwellings are adequately separated from common driveways and manoeuvring areas.	DTS/DPF 17.7 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Sto	rrage
PO 18.1 Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	DTS/DPF 18.1 Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:
	(a) studio: not less than 6m ³ (b) 1 bedroom dwelling / apartment: not less than 8m ³ (c) 2 bedroom dwelling / apartment: not less than 10m ³ (d) 3+ bedroom dwelling / apartment: not less than 12m ³ .
Earth	nworks
PO 19.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	DTS/DPF 19.1 The development does not involve: (a) excavation exceeding a vertical height of 1m
τοροβιαριή.	or (b) filling exceeding a vertical height of 1m or
	(c) a total combined excavation and filling vertical height exceeding 2m.
	is and infrastructure
PO 20.1 Dwellings are provided with appropriate service connections and	DTS/DPF 20.1 The site and building:

Downloaded on 11/10/2024 Generated By Policy24 Page 71 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
infrastructure.	 (a) have the ability to be connected to a permanent potable water supply (b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011 (c) have the ability to be connected to electricity supply (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996.
PO 21.1	DTS/DPF.21.1
Land that is suitable for sensitive land uses to provide a safe environment.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> does not exist (as demonstrated in a <u>site contamination declaration form</u>)
	(d) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	 a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that
	A. <u>site contamination</u> does not exist (or no longer exists) at the land or
	B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or
	C. where <u>remediation</u> is, or remains, necessary for the proposed use (or range of uses), <u>remediation work</u> has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and (ii) no other <u>class 1 activity</u> or <u>class 2 activity</u> has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a <u>site</u> contamination declaration form).

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that

Downloaded on 11/10/2024 Generated By Policy24 Page 72 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes
	and residential amenity.
1	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	General
PO 1.1	DTS/DPF 1.1
Development is located and designed to minimise hazard or	None are applicable.
nuisance to adjacent development and land uses.	
	Visual Amenity
PO 2.1	DTS/DPF 2.1
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by:	None are applicable.
(a) utilising features of the natural landscape to obscure views where practicable	
(b) siting development below ridgelines where practicable	
(c) avoiding visually sensitive and significant landscapes (d) using materials and finishes with low-reflectivity and	
colours that complement the surroundings (e) using existing vegetation to screen buildings	
(f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	
PO 2.2	DTS/DPF 2.2
Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	None are applicable.
PO 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
	Rehabilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
н	azard Management
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	None are applicable.
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are separated as far as practicable from dwellings, tourist accommodation and frequently visited public places	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 73 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
(such as viewing platforms / lookouts) to reduce risks to public	
safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy facilities	None are applicable.
by providing appropriate access tracks, safety equipment and	and a special section of the section
water tanks and establishing cleared areas around substations,	
battery storage and operations compounds.	
Electricity Infrastru	cture and Battery Storage Facilities
PO 5.1	DTS/DPF5.1
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.
(a) siting utilities and services:	
on areas already cleared of native vegetation	
(ii) where there is minimal interference or	
disturbance to existing native vegetation or	
biodiversity	
(b) grouping utility buildings and structures with non-	
residential development, where practicable.	
PO 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new	None are applicable.
development in urban areas and townships installed	
underground, excluding lines having a capacity exceeding or	
equal to 33kV.	
PO 5.3	DTS/DPF 5.3
Battery storage facilities are co-located with substation	None are applicable.
infrastructure where practicable to minimise the development	
footprint and reduce environmental impacts.	
Teleco	ommunication Facilities
PO 6.1	DTS/DPF 6:1
The proliferation of telecommunications facilities in the form of	None are applicable.
towers/monopoles in any one locality is managed, where	None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other	None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on	None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other	None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on	None are applicable. DTS/DPF 6.2
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as	
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and	DTS/DPF 6.2
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as	DTS/DPF 6.2
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	DTS/DPF 6.2 None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles,	DTS/DPF 6.2 None are applicable.
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility within an existing structure that may serve another	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose or all of the following:	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose or all of the following: (b) using existing buildings and landscape features to	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose or all of the following:	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3
towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity. PO 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. PO 6.3 Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods: (a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose or all of the following: (b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby	DTS/DPF 6.2 None are applicable. DTS/DPF 6.3 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 74 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
using materials and finishes that complement the environment screening using landscaping and vegetation, particularly for equipment shelters and huts.	
Rene	wable Energy Facilities
PO 7.1	DTS/DPF 7.1
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.
Renewable	Energy Facilities (Wind Farm)
PO 8.1	DTS/DPF 8.1
Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone
	with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation
PO 8.2	DTS/DPF 8.2
The visual impact of wind turbine generators on natural landscapes is managed by:	None are applicable.
designing wind turbine generators to be uniform in colour, size and shape coordinating blade rotation and direction mounting wind turbine generators on tubular towers as opposed to lattice towers.	
PO 8.3	DTS/DPF 8.3
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applicable.
PO 8.4	DTS/DPF 8.4
Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.
PO 8.5	DTS/DPF 8.5
Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	None are applicable.
Renewable	Energy Facilities (Solar Power)
PO 9.1	DTS/DPF 9.1
Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	None are applicable.
PO 9.2	DTS/DPF 9.2
Ground mounted solar power facilities allow for movement of wildlife by:	None are applicable.
	•

Downloaded on 11/10/2024 Generated By Policy24 Page 75 of 109

Policy24		P&D	Code (in e	ffect) Version 2	2024.18 10/10/202
(a) incorporating wildlife corridors and habitat refuges					
(b) avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.					
PO 9.3	DTS/DPF 9.3				
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:				
	Generation Capacity	Approximate size of array	Setback from adjoining land boundary	areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones ¹
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
	Notes: 1. Does not app facility is located		, ,	osed ground mo	ounted solar power
PO 9.4 Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries o adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.		able.			
Hydropower	/ Pumped Hydropov	ver Facilities			
PO 10.1	DTS/DPF 10.1				
Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	None are applic	able.			
PO 10.2	DTS/DPF 10.2				
Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	None are applicable.				
PO 10.3	DTS/DPF 10.3				
Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.	None are applic	able.			
	Water Supply				
PO 11.1	DTS/DPF 11.1				
wunlendad en 44/30/2024 (C.	unarated By Policy	24			Page 76 of

Downloaded on 11/10/2024 Generated By Policy24 Page 76 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202		
Development is connected to an appropriate water supply to	Development is connected, or will be connected, to a reticulated water		
meet the ongoing requirements of the intended use.	scheme or mains water supply with the capacity to meet the on-going requirements of the development.		
PO 11.2	DTS/DPF 11.2		
Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is:		
	(a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling.		
w	astewater Services		
PO 12.1	DTS/DPF 12.1		
Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate onsite service is provided to meet the ongoing requirements of the intended use in accordance with the following: (a) it is wholly located and contained within the allotment of the development it will service (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from onsite disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm.	Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011.		
PO 12.2 Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	DTS/DPF 12.2 Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.		
т	emporary Facilities		
PO 13.1	DTS/DPF 13.1		
In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary onsite waste storage enclosure to minimise the incidence of wind-blown litter.	A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.		
PO 13.2	DTS/DPF 13.2		
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are	None are applicable.		

Assessment Provisions (AP)

Desired Outcome (DO)

Downloaded on 11/10/2024 Generated By Policy24 Page 77 of 109

Policy24

P&D Code (in effect) Version 2024.18 10/10/202

sensitive receivers	DO 1

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting an	nd Design
PO 1.1	DTS/DPF 1.1
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2.
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.
PO 1.3	DTS/DPF 1.3
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.
PO 1.4	DTS/DPF 1.4
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.
PO 1.5	DTS/DPF 1.5
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.
Wa	oste
PO 2.1	DTS/DPF 2.1
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.
(a) avoid attracting and harbouring vermin (b) avoid polluting water resources	
(c) be located outside 1% AEP flood event areas.	
Soil and Wat	ter Protection
PO 3,1	DTS/DPF 3.1
To avoid environmental harm and adverse effects on water resources,	Intensive animal husbandry operations are set back:
intensive animal husbandry operations are appropriately set back	
from:	(a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher
(a) public water supply reservoirs	stream)
(b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies.	(c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.
PO 3.2	DTS/DPF 3.2
Intensive animal husbandry operations and dairies incorporate	None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 78 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
appropriately designed effluent and run-off facilities that: (a) have sufficient capacity to hold effluent and runoff from the operations on site (b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.	

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Featur
General Land U	se Compatibility
Po 1.1 Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	DTS/DPF 1.1 None are applicable.
Po 1.2 Development adjacent to a site containing a sensitive receiver (or awfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse mpacts.	DTS/DPF 1.2 None are applicable.
Hours of	Operation
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to: (a) the nature of the development (b) measures to mitigate off-site impacts (c) the extent to which the development is desired in the zone (d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	DTS/DPF 2.1 Development operating within the following hours: Class of Development Hours of operation Consulting room 7am to 9pm, Monday to Friday 8am to 5pm, Saturday Office 7am to 9pm, Monday to Friday 8am to 5pm, Saturday Shop, other than any one or combination of the following: 8am to 5pm, Saturday and Sunday

Downloaded on 11/10/2024 Generated By Policy24 Page 79 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone
Oversh	adowing
PO 3.1	DTS/DPF3.1
Overshadowing of habitable room windows of adjacent residential land uses in: a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.
PO 3.2	DTS/DPF 3.2.
Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.
PO 3.3	DTS/DPF 3.3
Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	None are applicable.
PO 3.4	DTS/DPF 3.4
Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	None are applicable.
Activities Generatin	g Noise or Vibration
PO 4.1	DTS/DPF 4.1
Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	Noise that affects sensitive receivers achieves the relevant Environment Protection (Commercial and Industrial Noise) Policy criteria.
PO 4.2	DTS/DPF 4.2
Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including: (a) locating openings of buildings and associated services away	None are applicable.
from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers	

Downloaded on 11/10/2024 Generated By Policy24 Page 80 of 109

Policy2	74	P&D C	ode (in effect) Version 2024.18 10/10/2024
		T AD C	(iii citost) 10131011 2024. 10 10/10/202
(b)	when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers by single slant and equipment within an englaced structure or		
(4)	housing plant and equipment within an enclosed structure or acoustic enclosure		
(d)	providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.		
PO 4.3		DTS/DPF-4.3	
	plant and equipment in the form of pumps and/or filtration	, ,	system ancillary to a dwelling erected on
	is for a swimming pool or spa are positioned and/or housed to use unreasonable noise nuisance to adjacent sensitive receivers	the same site is:	
	fully approved sensitive receivers).	the nearest habitab or	acoustic structure located at least 5m from ole room located on an adjoining allotment
		on an adjoining allo	n from the nearest habitable room located tment.
PO 4.4		DTS/DPF 4.4	
these r	al noise into bedrooms is minimised by separating or shielding rooms from service equipment areas and fixed noise sources d on the same or an adjoining allotment.	Adjacent land is used for re	sidential purposes.
	on the same or an aujoining anotherit.		
PO 4.5	or average associated with licensed promises (such as been	DTS/DPF 4.5	
	or areas associated with licensed premises (such as beer as or dining areas) are designed and/or sited to not cause	None are applicable.	
unreas	conable noise impact on existing adjacent sensitive receivers (or y approved sensitive receivers).		
PO 4.6		DTS/DPF 4.6	
Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or		Development incorporating measures that will achieve	music includes noise attenuation the following noise levels:
	y approved sensitive receiver) or zone primarily intended to modate sensitive receivers.	Assessment location	Music noise level
		Externally at the nearest	Less than 8dB above the level of
		existing or envisaged	background noise (L _{90,15min}) in any
		noise sensitive location	octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)
	Air Ç	Quality	
PO 5.1		DTS/DPF 5.1	
genera prever sensiti	pment with the potential to emit harmful or nuisance- ting air pollution incorporates air pollution control measures to it harm to human health or unreasonably impact the amenity of we receivers (or lawfully approved sensitive receivers) within the and zones primarily intended to accommodate sensitive	None are applicable.	
receive	ers.		
PO 5.2		DTS/DPF 5.2	
restau	pment that includes chimneys or exhaust flues (including cafes, rants and fast food outlets) is designed to minimise nuisance or e health impacts to sensitive receivers (or lawfully approved	None are applicable.	
	ve receivers) by:		
(a)	incorporating appropriate treatment technology before exhaust emissions are released		
(b)	locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.		
	Ligh	t Spill	
PO 6.1		DTS/DPF 6.1	
	ded on 11/10/2024 Generated	<u> </u>	Page 81 of 10

Downloaded on 11/10/2024 Generated By Policy24 Page 81 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
PO 6.2	DTS/DPF 6.2
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Reflec	ctivity / Glare
PO 7.1	DTS/DPF7.1
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and microclimatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.
Electrical I	nterference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably	The building or structure:
diminish or result in the loss of existing communication services due to electrical interference.	(a) is no greater than 10m in height, measured from existing ground level or
	(b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable.
Interface with	Rural Activities
PO 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.2	DTS/DPF 9.2
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.
PO 9.3	DTS/DPF 9.3
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.
PO 9.4	DTS/DPF 9.4
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.
PO 9.5	DTS/DPF 9.5
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the	Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following:
continued operation of these activities.	(a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility
	(b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day

Downloaded on 11/10/2024 Generated By Policy24 Page 82 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.
PO 9.6	DTS/DPF 9.6
Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.
PO 9.7	DTS/DPF 9.7
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.
Interface with Mines and Qua	rries (Rural and Remote Areas)
PO 10.1	DTS/DPF 10.1
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .

Land Division

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Land division:	
	 (a) creates allotments with the appropriate dimensions and shape for their intended use (b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure (c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features (d) facilitates solar access through allotment orientation (e) creates a compact urban form that supports active travel, walkability and the use of public transport avoids areas of high natural hazard risk. 	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All land division	
Allotment configuration	
PO 1.1	DTS/DPF 1.1
Land division creates allotments suitable for their intended use.	Division of land satisfies (a) or (b):

Downloaded on 11/10/2024 Generated By Policy24 Page 83 of 109

Page 446 Council Assessment Panel Agenda - 17 December 2024

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
	(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.
	deemed-to-satisfy dwellings on the proposed anotherits.
PO 1.2 Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	DTS/DPF 1.2 None are applicable.
Design a	nd Layout
PO 2.1 Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls.	DTS/DPF 2.1 None are applicable.
PO 2.2 Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones.	DTS/DPF 2.2 None are applicable.
PO 2.3 Land division maximises the number of allotments that face public open space and public streets.	DTS/DPF 2.3 None are applicable.
PO 2.4 Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	DTS/DPF 2.4 None are applicable.
PO 2.5 Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	DTS/DPF 2.5 None are applicable.
PO 2.6 Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	DTS/DPF 2.6 None are applicable.
PO 2.7 Land division results in legible street patterns connected to the surrounding street network.	DTS/DPF 2.7 None are applicable.
PO 2.8 Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	DTS/DPF 2.8 None are applicable.
Roads a	nd Access
PO 3.1 Land division provides allotments with access to an all-weather public road.	DTS/DPF3.1 None are applicable.
PO 3.2 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	DTS/DPF 3.2 None are applicable.
PO 3.3 Land division does not impede access to publicly owned open space and/or recreation facilities.	DTS/DPF 3.3 None are applicable.
PO 3.4	DTS/DPF3.4
Downloaded on 11/10/2024 Generated	By Policy24 Page 84 of 109

Downloaded on 11/10/2024 Generated By Policy24 Page 84 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
PO 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6	DTS/DPF 3.6
Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7	DTS/DPF 3.7
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8	DTS/DPF 3.8
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.9	DTS/DPF 3.9
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
PO 3.10	DTS/DPF-3.10
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrasi	ructure
PO 4.1	DTS/DPF-4.1
Land division incorporates public utility services within road reserves or dedicated easements.	None are applicable.
PO 4.2	DTS/DPF-4.2
Waste water, sewage and other effluent is capable of being disposed of	Each allotment can be connected to:
from each allotment without risk to public health or the environment.	a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.
PO 4,3	DTS/DPF 4.3
Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.4	DTS/DPF-4.4
Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.
PO 4.5	DTS/DPF 4.5
Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	None are applicable.
PO 4.6	DTS/DPF 4.6
Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape	None are applicable.
Downloaded on 11/10/2024 Generated	Pv Doliny24 Page 85 of 100

Downloaded on 11/10/2024 Generated By Policy24 Page 85 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
feature.	
Minor Land Division	(Under 20 Allotments)
Open	Space
PO 5.1	DTS/DPF5.1
Land division proposing an additional allotment under 1 hectare	None are applicable.
provides or supports the provision of open space.	
Solar Or	ientation
PO 6,1	DTS/DPF 6,1
Land division for residential purposes facilitates solar access through	None are applicable.
allotment orientation.	
Water Sens	sitive Design
PO 7.1	DTS/DPF 7.1
Land division creating a new road or common driveway includes	None are applicable.
stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter	
and other contaminants to the stormwater system, watercourses or	
other water bodies.	
PO 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and	None are applicable.
duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream	
systems.	
Dattle Ave	Development
PO 8.1	DTS/DPF.8.1
Battle-axe development appropriately responds to the existing neighbourhood context.	Allotments are not in the form of a battle-axe arrangement.
PO 8.2	DTS/DPF 8.2.
Battle-axe development designed to allow safe and convenient movement.	The handle of a battle-axe development:
	(a) has a minimum width of 4m
	or (b) where more than 3 allotments are proposed, a minimum width
	of 5.5m.
PO 8.3	DTS/DPF 8.3
Battle-axe allotments and/or common land are of a suitable size and	Battle-axe development allows a B85 passenger vehicle to enter and exit
dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	parking spaces in no more than a three-point turn manoeuvre.
P0 8.4	DTS/DPF 8.4
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	Battle-axe or common driveways satisfy (a) and (b):
management.	(a) are constructed of a minimum of 50% permeable or porous
	material (b) where the driveway is located directly adjacent the side or rear
	boundary of the site, soft landscaping with a minimum
	dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Major Land Divide	on (204 Alletments)
	on (20+ Allotments) Space
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas	None are applicable.
of open space to improve residential amenity and provide urban heat	
amelioration.	
PO 9.2	DTS/DPF 9.2

Downloaded on 11/10/2024 Generated By Policy24 Page 86 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sen:	sitive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.2	DTS/DPF 10.2
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar O	rientation
PO 11.1	DTS/DPF11.1
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and
	navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Navigation	and Safety
PO 1.1	DTS/DPF 1.1
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.
PO 1.2	DTS/DPF 1.2
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.
PO 1.3	DTS/DPF 1.3

Downloaded on 11/10/2024 Generated By Policy24 Page 87 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Navigation and access channels are not impaired by marinas and onwater structures.	None are applicable.
PO 1.4	DTS/DPF 1.4
Commercial shipping lanes are not impaired by marinas and on-water structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.
PO 1.5	DTS/DPF 1.5
Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points.
PO 1.6	DTS/DPF 1.6
Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	None are applicable.
Environmen	tal Protection
Po 2.1 Development is sited and designed to facilitate water circulation and exchange.	DTS/DPF 2.1 None are applicable.

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and
	local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity,
	gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose
	of that open space.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Designated Performance Feature		
Land Use and Intensity		
DTS/DPF 1.1		
None are applicable.		
DTS/DPF 1.2		
None are applicable.		
and Siting		
DTS/DPF 2.1		
None are applicable.		

Downloaded on 11/10/2024 Generated By Policy24 Page 88 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2020
PO 2.2	DTS/DPF 2.2
Open space and recreation facilities incorporate park furniture, shaded	None are applicable.
areas and resting places.	
PO 2.3	DTS/DPF 2.3
Open space and recreation facilities link habitats, wildlife corridors and	None are applicable.
existing open spaces and recreation facilities.	
Pedestrian	s and Cyclists
PO 3.1	DTS/DPF 3.1
Open space incorporates:	None are applicable.
(a) pedestrian and cycle linkages to other open spaces, centres,	
schools and public transport nodes;	
 (b) safe crossing points where pedestrian routes intersect the road network; 	
(c) easily identified access points.	
Usą	bility
PO 4.1	DTS/DPF-4.1
Land allocated for open space is suitable for its intended active and	None are applicable.
passive recreational use taking into consideration its gradient and potential for inundation.	
Safety a	nd Security
PO 5.1	DTS/DPF 5.1
Open space is overlooked by housing, commercial or other	None are applicable.
development to provide casual surveillance where possible.	
PO 5.2	DTS/DPF 5.2
Play equipment is located to maximise opportunities for passive	None are applicable.
surveillance.	
PO 5.3	DTS/DPF 5.3
Landscaping provided in open space and recreation facilities maximises	None are applicable.
opportunities for casual surveillance throughout the park.	
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to	None are applicable.
minimise potential entrapment.	
PO \$.5	DTS/DPF 5.5
Adequate lighting is provided around toilets, telephones, seating, litter	None are applicable.
bins, bicycle storage, car parks and other such facilities.	
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly	None are applicable.
defined, adequately lit routes with observable entries and exits.	
Sid	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and	None are applicable.
recreation facilities to provide clear orientation to major points of	
interest such as the location of public toilets, telephones, safe routes, park activities and the like.	
personal distribution of the same of the s	
Buildings a	nd Structures
PO 7.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed,	DTS/DPF 7.1 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 89 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 7.2	DTS/DPF 7.2
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.
procedure that the imaginity of the site remains open.	
PO 7.3	DTS/DPF 7.3
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.
PO 7.4	DTS/DPF 7.4
Development that abuts or includes a coastal reserve or Crown land	None are applicable.
used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of	
the reserve.	
Lands	caping
PO 8.1	DTS/DPF 8.1
Open space and recreation facilities provide for the planting and retention of large trees and vegetation.	None are applicable.
PO 8.2	DTS/DPF 8.2.
Landscaping in open space and recreation facilities provides shade and windbreaks:	None are applicable.
(a) along cyclist and pedestrian routes;	
(b) around picnic and barbecue areas;	
(c) in car parking areas.	
PO 8.3	DTS/DPF 8.3
Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.	None are applicable.
Tourist Phys	
PO 8.4	DTS/DPF 8.4
Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable.	None are applicable.

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO1	The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to
	a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres: (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings (c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	

Downloaded on 11/10/2024 Generated By Policy24 Page 90 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 1.2	DTS/DPF 1.2
Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities: (a) that support the needs of local residents and workers, particularly in underserviced locations (b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	None are applicable.

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use a	nd Intensity	
PO 1.1	DTS/DPF 1.1	
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.	
Water Quality		
PO 2.1	DTS/DPF 2.1	
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.	
Separation Treatments, Buffers and Landscaping		
PO 3.1	DTS/DPF 3.1	
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.	
PO 3,2	DTS/DPF 3,2	
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 91 of 109

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	 involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form)
	(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	 a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that-
	site contamination does not exist (or no longer exists) at the land
	or
	 the land is suitable for the proposed use or range of uses (without the need for any further remediation)
	or
	C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

Tourism Development

Assessment Provisions (AP)

Downloaded on 11/10/2024 Generated By Policy24 Page 92 of 109

P&D Code (in effect) Version 2024.18 10/10/2024

Desired Outcome (DO)

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor
	economy.
1	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
General		
PO 1,1	DTS/DPF 1.1	
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.	
it supports immersive natural experiences it showcases South Australia's landscapes and produce its events and functions are connected to local food, wine and nature.		
PO 1.2	DTS/DPF 1.2.	
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.	
Caravan and	Tourist Parks	
PO 2.1	DTS/DPF 2.1	
Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.	
PO 2.3	DTS/DPF 2.3	
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.	
PO 2.4	DTS/DPF 2.4	
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.	
PO 2.5	DTS/DPF 2.5	
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.	
PO 2.6	DTS/DPF 2.6	
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.	
Tourist accommodation in areas constituted to	under the National Parks and Wildlife Act 1972	
PO 3.1	DTS/DPF 3.1	
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	None are applicable.	
PO 3.2	DTS/DPF3.2	
Tourist accommodation is sited and designed in a manner that is	None are applicable.	

Downloaded on 11/10/2024 Generated By Policy24 Page 93 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
subservient to the natural environment and where adverse impacts on	
natural features, landscapes, habitats and cultural assets are avoided.	
PO 3.3	DTS/DPF 3.3
Tourist accommodation and recreational facilities, including associated	None are applicable.
access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where	
environmental improvements can be achieved.	
PO 3.4	DTS/DPF 3.4
Tourist accommodation is designed to prevent conversion to private dwellings through:	None are applicable.
(a) comprising a minimum of 10 accommodation units	
(b) clustering separated individual accommodation units	
(c) being of a size unsuitable for a private dwelling	
 ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation 	
units, or are of a size unsuitable for a private dwelling.	

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all
	users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Movement Systems	
PO 1.1	DTS/DPF 1.1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.
PO 1.3	DTS/DPF 1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.
PO 1.4	DTS/DPF 1.4
Development is sited and designed so that loading, unloading and	All vehicle manoeuvring occurs onsite.

Downloaded on 11/10/2024 Generated By Policy24 Page 94 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	
Sigh	tlines
PO 2.1	DTS/DPF 2.1
Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	None are applicable.
PO 2.2	DTS/DPF 2.2
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.
Vehicle	e Access
PO 3.1	DTS/DPF 3.1
Safe and convenient access minimises impact or interruption on the	The access is:
operation of public roads.	provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.
PO 3.2	DTS/DPF3.2
Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF3.3
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.
PO 3.4	DTS/DPF 3.4
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.
PO 3.5	DTS/DPF 3.5
Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 3.6	DTS/DPF 3.6
Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided
Downlanded on 11/10/2024 Generated	Pv Policy 24 Page 95 of 100

Downloaded on 11/10/2024 Generated By Policy24 Page 95 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/202
	(b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided.
PO 3.7 Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	DTS/DPF 3.7 Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.
PO 3.8 Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	DTS/DPF 3.8 None are applicable.
PO 3.9 Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	DTS/DPF 3.9 None are applicable.
Access for Peopl	e with Disabilities
PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	DTS/DPF 4.1 None are applicable.
Vehicle Pa	rking Rates
PO 5.1 Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking	DTS/DPF 5.1 Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development
(b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place.	is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b less the number of spaces offset by contribution to the fund.
Vehicle Pa	rking Areas
PO 6.1 Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.	DTS/DPF 6.1 Movement between vehicle parking areas within the site can occur without the need to use a public road.
PO 6.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.	DTS/DPF 6.2 None are applicable.
PO 6.3 Vehicle parking areas are designed to provide opportunity for	DTS/DPF 6.3 None are applicable.

Downloaded on 11/10/2024 Generated By Policy24 Page 96 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.	
PO 6.4	DTS/DPF 6.4
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.
PO 6.5	DTS/DPF 6.5
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.
PO 6.6	DTS/DPF 6.6
Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	Loading areas and designated parking spaces are wholly located within the site.
PO 6.7	DTS/DPF 6.7
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.
Undercroft and Below Ground	Garaging and Parking of Vehicles
PO 7.1	DTS/DPF7.1
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.	None are applicable.
Internal Roads and Parking Areas in Resid	ential Parks and Caravan and Tourist Parks
PO 8.1	DTS/DPF 8.1
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.
PO 8.2	DTS/DPF 8.2.
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.
Bicycle Parking in	Designated Areas
PO 9.1	DTS/DPF 9.1
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.
PO 9.2	DTS/DPF 9.2
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.
PO 9.3	DTS/DPF 9.3
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	None are applicable.
Corner	Cut-Offs
PO 10.1	DTS/DPF 10.1
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:

Downloaded on 11/10/2024 Generated By Policy24 Page 97 of 109




Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)

Downloaded on 11/10/2024 Generated By Policy24 Page 98 of 109

plicy24 P&D Code (in effect) Version 2024.18 10/10/20	
Where a development comprises more than one development then the overall car parking rate will be taken to be the sum of car parking rates for each development type.	
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
Group Dwelling	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Pasidantial Flat Duilding	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is from the primary street	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings. Dwelling with 1 bedroom (including rooms capable of being used as a
non breaming mere remare occess is non-the primary street	bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being
Semi-Detached Dwelling	used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
- 11	ed Accommodation
Retirement facility	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
	velopment (Other)
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation Workers' accommodation	0.3 spaces per bed. 0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
	ourist
Caravan and tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation other than a caravan and tourist park	1 car parking space per accommodation unit / guest room.
Comme	ercial Uses

Downloaded on 11/10/2024 Generated By Policy24 Page 99 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Auction room/ depot	1 space per 100m2 of building floor area plus an additional 2 spaces.
Automotive collision repair	3 spaces per service bay.
Motor repair station	3 spaces per service bay.
Office	For a call centre, 8 spaces per 100m2 of gross leasable floor area
	In all other cases, 4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
Shop (no commercial kitchen)	space per 100m2 of outdoor area used for display purposes. 5.5 spaces per 100m2 of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
	5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Shop (in the form of a bulky goods outlet) Shop (in the form of a restaurant or involving a commercial kitchen)	2.5 spaces per 100m2 of gross leasable floor area. Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Community (and Civic Uses
Community facility	For a library, 4 spaces per 100m2 of total floor area.
	For a hall/meeting hall, 0.2 spaces per seat.
	In all other cases, 10 spaces per 100m2 of total floor area.
Educational facility	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Place of worship	1 space for every 3 visitor seats.
Child care facility	For a child care centre, 0.25 spaces per child
	In all other cases, 1 per employee plus 0.25 per child (drop off/pick up bays).
	lated Uses
Consulting room	4 spaces per consulting room excluding ancillary facilities.
Hospital	4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
Recreational and	Entertainment Uses
Cinema complex	0.2 spaces per seat.
Concert hall / theatre	0.2 spaces per seat.
Hotel	1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
Doumlanded on 11/10/2024 Congreted	By Policy 24 Page 100 of 100

Downloaded on 11/10/2024 Generated By Policy24 Page 100 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024	
	Industry/Employment Uses	
Fuel depot	1.5 spaces per 100m2 total floor area	
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.	
Industry	1.5 spaces per 100m2 of total floor area.	
Store	0.5 spaces per 100m2 of total floor area.	
Timber yard	1.5 spaces per 100m2 of total floor area	
	1 space per 100m2 of outdoor area used for display purposes.	
Warehouse	0.5 spaces per 100m2 total floor area.	
	Other Uses	
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.	
Radio or Television Station	5 spaces per 100m2 of total building floor area.	

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column.

Class of Development	Car Park	king Rate	Designated Areas
	then the overall car parking rate car parking rates for e	more than one development type, will be taken to be the sum of the ach development type.	
Minimum number of spaces Maximum number of spaces Development generally			
All classes of development	No mínimum.	No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is: 1 space for each dwelling with a total floor area less than 75 square metres 2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres	Capital City Zone City Main Street Zone City Riverbank Zone Adelaide Park Lands Zone Business Neighbourhood Zone (within the City of Adelaide)
		3 spaces for each dwelling with a total floor area greater than 150 square metres. Residential flat building or Residential component of a multistorey building: 1 visitor space for each 6 dwellings.	The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community Facilities Zone
	Non-residentia	al development	
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	5 spaces per 100m2 of gross leasable floor area.	City Living Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	6 spaces per 100m2 of gross leasable floor area.	Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham Strategic Innovation Zone outside the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public

Downloaded on 11/10/2024 Generated By Policy24 Page 101 of 109

Policy24		P&D Code (in e	effect) Version 2024.18 10/10/2024
			transit area
			Suburban Activity Centre Zone when the site is also in a high frequency public transit area
			Suburban Business Zone when the site is also in a high frequency public transit area
			Business Neighbourhood Zone outside of the City of Adelaide when the site is also in a high frequency public transit area
			Suburban Main Street Zone when the site is also in a high frequency public transit area
			Urban Activity Centre Zone
Non-residential development excluding tourist accommodation	3 spaces per 100 square metres of gross leasable floor area	3 spaces per 100 square metres of gross leasable floor area	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
	1.5 spaces per 100 square metres of gross leasable floor area above ground floor level other than for a shop		
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	City Living Zone Urban Activity Centre Zone when the site is also in a high frequency public transit area Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Residential component of a multi-	Residential of Dwelling with no separate bedroom	development None specified.	City Living Zone
storey building	-0.25 spaces per dwelling 1 bedroom dwelling - 0.75 spaces per dwelling		Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham
	2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25		Strategic Innovation Zone outside the City of Burnside, City of Marion
	spaces per dwelling 0.25 spaces per dwelling for visitor		or City of Mitcham when the site is also in a high frequency public transit area
	parking.		Urban Activity Centre Zone when the site is also in a high frequency public transit area
			Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone
Downloaded on 11/10/2024		By Dollov24	Page 102 of 100

Downloaded on 11/10/2024 Generated By Policy24 Page 102 of 109

Policy24		P&D Code (in	effect) Version 2024.18 10/10/2024
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Residential component of a multi- storey building	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling	None specified.	City Living Zone
	1 bedroom dwelling - 0.75 spaces per dwelling		Urban Activity Centre Zone when the site is also in a high frequency public transit area
	2 bedroom dwelling - 1 space per dwelling		Urban Corridor (Boulevard) Zone
	3 or more bedroom dwelling - 1.25 spaces per dwelling		Urban Corridor (Business) Zone
	0.25 spaces per dwelling for visitor parking.		Urban Corridor (Living) Zone
	hwi king.		Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone (except for Bowden, Brompton or Hindmarsh)
Residential flat building	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Row dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)
Semi-detached dwelling	0.75 per dwelling	None specified	Urban Neighbourhood Zone (in Bowden, Brompton or Hindmarsh)

Table 3 - Off-Street Bicycle Parking Requirements

 $The \ bicycle\ parking\ rates\ apply\ within\ designated\ areas\ located\ within\ parts\ of\ the\ State\ identified\ in\ the\ Schedule\ to\ Table\ 3.$

Class of Development	Bicycle Parking Rate	
	Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.	
Consulting room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.	
Educational facility	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.	

Downloaded on 11/10/2024 Generated By Policy24 Page 103 of 109

	P&D Code (in effect) Version 2024.18 10/10/2024
For tertiary education - 1 space per 20 employees plus 1	space per 10 full time students.
1 space per 4 employees plus 1 space per 200m2 of gross leasable floor area for visitors.	
1 per 20 employees, plus 1 per 60 square metres total floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 square metres lounge and beer garden floor area, plus 1 per 60 square metres dining floor area, plus 1 per 40 square metres garning room floor area.	
gaming room floor area. 1 space for every 200m2 of gross leasable floor area plus 2 spaces plus 1 space per 1000m2 of gross leasable floor area for visitors.	
1 space per 20 full time employees plus 1 space per 40 full time children.	
1 per 1500 spectator seats for employees plus 1 per 250	visitor and customers.
Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.	
for residents with a total floor area greater than 150 squ	ents with a total floor area less than 150 square metres, 2 for every dwelling lare metres, plus 1 for every 10 dwellings for visitors, and in all other cases for every 10 dwellings for visitors.
	s 1 space for every 600m2 of gross leasable floor area for customers.
1 space for every 20 employees plus 2 for the first 40 ro	oms and 1 for every additional 40 rooms for visitors.
Parlow Labora	D. Larrest and a fittle district
Designated Area	Relevant part of the State
The bicycle parking rate applies to a designated are relevant part of the State described below	
All zones	City of Adelaide
All zones Business Neighbourhood Zone	
	City of Adelaide
Business Neighbourhood Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone	City of Adelaide
Business Neighbourhood Zone Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone	City of Adelaide
	1 per 20 employees, plus 1 per 60 square metres total fl square metres lounge and beer garden floor area, plus gaming room floor area. 1 space for every 200m2 of gross leasable floor area plu 1 space per 20 full time employees plus 1 space per 40 fl 1 per 1500 spectator seats for employees plus 1 per 250 Within the City of Adelaide 1 for every dwelling for reside for residents with a total floor area greater than 150 squ 1 space for every 4 dwellings for residents plus 1 for every dwelling for reside for residents with a total floor area greater than 150 squ 1 space for every 4 dwellings for residents plus 1 space for every 4 dwellings for every 4 dwellings for eve

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.	

Downloaded on 11/10/2024 Generated By Policy24 Page 104 of 109

P&D Code (in effect) Version 2024.18 10/10/2024

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting		
PO 1.1	DTS/DPF 1.1	
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.	
Soil and Wat	er Protection	
PO 2.1	DTS/DPF 2.1	
Soil, groundwater and surface water are protected from contamination	None are applicable.	
from waste treatment and management facilities through measures such as:		
(a) containing potential groundwater and surface water contaminants within waste operations areas		
(b) diverting clean stormwater away from waste operations areas and potentially contaminated areas		
(c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.		
PO 2.2	DTS/DPF 2.2	
Wastewater lagoons are set back from watercourses to minimise	Wastewater lagoons are set back 50m or more from watercourse	
environmental harm and adverse effects on water resources.	banks.	
PO 2.3	DTS/DPF 2.3	
Wastewater lagoons are designed and sited to:	None are applicable.	
(a) avoid intersecting underground waters;		
(b) avoid inundation by flood waters;		
(c) ensure lagoon contents do not overflow;		
(d) include a liner designed to prevent leakage.		
PO 2.4	DTS/DPF 2.4	
Waste operations areas of landfills and organic waste processing	Waste operations areas are set back 100m or more from watercourse	
facilities are set back from watercourses to minimise adverse impacts	banks.	
on water resources.		
Am	enity	
PO 3.1	DTS/DPF 3.1	
Waste treatment and management facilities are screened, located and	None are applicable.	
designed to minimise adverse visual impacts on amenity.		
PO 3.2	DTS/DPF 3.2	
Access routes to waste treatment and management facilities via	None are applicable.	
residential streets is avoided.		
PO 3.3	DTS/DPF 3.3	
Litter control measures minimise the incidence of windblown litter.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Waste treatment and management facilities are designed to minimise	None are applicable.	
adverse impacts on both the site and surrounding areas from weed and vermin infestation.		
	race	
AC	cess	

Downloaded on 11/10/2024 Generated By Policy24 Page 105 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
PO 4.1	DTS/DPF-4.1
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.
PO 4.2	DTS/DPF 4.2
Suitable access for emergency vehicles is provided to and within waste treatment or management sites.	None are applicable.
Fencing a	nd Security
PO 5.1	DTS/DPF.5.1
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.
Lar	dfill
PO 6.1	DTS/DPF 6.1
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.
PO 6.2	DTS/DPF 6.2
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.
PO 6.3	DTS/DPF 6.3
Landfill facilities are located on land that is not subject to land slip.	None are applicable.
PO 6.4	DTS/DPF 6.4
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Organic Waste Pr	ocessing Facilities
PO 7.1	DTS/DPF7.1
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.
PO 7.2	DTS/DPF7.2
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.
PO 7.3	DTS/DPF 7.3
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.
PO 7.4	DTS/DPF 7.4
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.
PO 7.5	DTS/DPF 7.5
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Major Wastewater	Treatment Facilities
PO 8.1	DTS/DPF 8.1
Major wastewater treatment and disposal systems, including lagoons,	None are applicable.
are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	
PO 8.2	DTS/DPF 8.2

Downloaded on 11/10/2024 Generated By Policy24 Page 106 of 109

Policy24	P&D Code (in effect) Version 2024.18 10/10/2024
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.			

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)


Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1,1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

Part 12 - Concept Plans

Playford

Concept Plan 81 Edinburgh Defence Airfield Lighting Constraints

Downloaded on 11/10/2024 Generated By Policy24 Page 107 of 109



Page 108 of 109 Downloaded on 11/10/2024 Generated By Policy24

LIGHTING CONSTRAINTS

Maximum intensity of light source measured at 3 degrees above the horizontal

8.1.1

Policy24 P&D Code (in effect) Version 2024.18 10/10/2024

No criteria applies to this land use. Please check the definition of the land use for further detail.

Downloaded on 11/10/2024 Generated By Policy24 Page 109 of 109

ITEM 8.2.1

COUNCIL ASSESSMENT PANEL

DATE 17 December 2024

HEADING Council Assessment Panel 2025 Meeting Schedule

AUTHOR Heidi Crossley, Team Leader Business Services, City Development

CITY PLAN LINKS 4.4 We plan effectively to address community needs and identify

new opportunities

SUMMARY This report seeks the Panel's review and decision to adopt the 2025

meeting schedule.

RECOMMENDATION

1. That the Council Assessment Panel 2025 meeting schedule forming Attachment 1 to the agenda report, be adopted.

ATTACHMENTS

This document should be read in conjunction with the following attachments:

1. Proposed CAP Meeting Dates 2025

1. BACKGROUND

- 1.1 The Council Assessment Panel is able to determine its meeting schedule. Clause 2.1 of the general operating procedures states the following:
 - CAP meetings will be scheduled by the CAP on the fourth Tuesday of the month, commencing at 6.30pm or another date as determined by the Presiding Member, subject to there being business to consider.
- 1.2 The proposed 2025 meeting schedule is provided in Attachment 1 for the Panel's adoption. The proposed meeting schedule is in accordance with the above procedure, except where there is conflict with a formal Council meeting or a public holiday and alternative meeting dates are provided for the Panel's consideration for these days. It is also proposed that the first meeting in January be held in the 5th week, to account for business closures over the Christmas/New Year.
- 1.3 The Panel's operating procedures provide that the agenda should be distributed at least three working days before the meeting. As a matter of practice, the Agenda for the meetings is distributed to Panel members earlier, generally so that there are two weekends before the meeting, to provide additional time for members to read the agenda items. In light of the deemed consent provisions under the *Planning, Development and Infrastructure Act 2016*, there may be a need to distribute the agenda closer to the minimum three-day period as provided in the operating procedures. If this shorter timeframe is required, the Assessment Manager will communicate this with members. At this stage, this advice is provided for information only.

2. CONCLUSION / PROPOSAL

2.1 That the Panel reviews and adopts the proposed 2025 meeting schedule provided in Attachment 1.



Council Assessment Panel Proposed 2025 Meeting Schedule

Month	Date	Time	Comments
January	Wednesday 29	6.30pm	Mon P/H Council meeting Tues 28th
February	Tuesday 25	6.30pm	
March	Tuesday 25	6.30pm	
April	Tuesday 29	6.30pm	5 th week of month Committee mtgs 4 th Tues
May	Tuesday 27	6.30pm	
June	Tuesday 24	6.30pm	
July	Tuesday 29	6.30pm	5 th week of month Committee mtgs 4 th Tues
August	Tuesday 26	6.30pm	
September	Tuesday 23	6.30pm	
October	Tuesday 28	6.30pm	
November	Tuesday 25	6.30pm	
December	Tuesday 16	6.30pm	3rd Tues due to Christmas

INFORMATION

ONLY

ITEM 8.2.2

COUNCIL ASSESSMENT PANEL

DATE 17 December 2024

HEADING Status of Current Appeal Matters and Deferred Items

AUTHOR Chris Zafiropoulos, Assessment Manager, City Development

SUMMARY The report provides an update on current appeal matters and

deferred items.

RECOMMENDATION

That the Panel:

1. Receives the information.

ATTACHMENTS

There are no attachments to this report.

1. REPORT

- 1.1 There are four related appeals that have been adjourned at the request of the appellant to await the outcome of the 'Ancillary Accommodation and Student Accommodation Definitions Review Code Amendment.' Details of the appeals are provided below.
- 1.2 The Code Amendment was adopted by the Minister on 18 November 2024. The Code Amendment has amended definition of Ancillary Accommodation:

- a) is located on the **same site** as an existing dwelling and is ancillary to that dwelling; and
- b) can be (but need not be) self-contained; and
- c) contains no more than 2 bedrooms or rooms or areas capable of being used as a bedroom."
- 1.3 This amended definition overcomes all previously arguments to support the refusal of the applications. The 'site' of a dwelling does not need to be a single allotment, it can be part of an allotment and the deletion of 'residence' in b) clarifies that ancillary accommodation that is self-contained is not a dwelling.
- 1.4 The appellant has proposed to resolve *ERD-24-9: N43 Pty Ltd v City of Salisbury* by way of consent orders. Council's Lawyers have recommended consenting to this course of action, given the changes to the definition.
- 1.5 Application ERD-24-9 is an appeal against the refusal of development approval for DA 23023699 by the Council. The appellant has advised that the appeals for the other development applications, two against the Panel and one against the Assessment Manager, will be withdrawn when DA 23023699 is approved.

[&]quot;Means accommodation that:

2. SUMMARY OF INDIVIDUAL APPEAL MATTERS

- Applicant Appeal to Environment, Resources and Development Court, N43 Pty Ltd v City of Salisbury (ERD-24-000009) Development Application 23023699
- 2.1 The applicant submitted a development application with a planning accredited authority for *Two Ancillary Buildings* at Unit 1-2, 30 Shepherdson Road, Parafield Gardens, SA 5107. The application was subsequently lodged with Council for development approval having obtained both planning consent and building consent from accredited professionals.
- 2.2 Council staff received legal advice and wrote to the applicant to advise that Council considers it cannot grant a development approval to the proposed development as it considers the planning consent to have been granted contrary to the *Planning, Development and Infrastructure Act 2016* per *Mundy v City of West Torrens* [2016] SAERDC 30. In particular, the proposal comprises two (2) new group dwellings on each allotment. The planning consent assessment pathway is performance assessed, not deemed-to-satisfy and the planning consent is not considered to have legal effect as it was not assessed or determined by the correct relevant authority.
- 2.3 The development application was refused (and the applicant invited to submit a new planning application for this development, to the correct relevant authority).
- 2.4 As the amended definition amended definition overcomes all previous arguments to support the refusal of the application, the appellant has proposed to resolve this by way of consent orders. This appeal is against the Council.
 - Applicant Appeal to Environment, Resources and Development Court, Tony Maiello (N43 Pty Ltd) v City of Salisbury (ERD-23-000022) Development Application 22031953
- 2.5 The Applicant has appealed against the decision of the Panel to affirm the decision of the Assessment Manager to refuse the development application for the Construction of 'Two (2) Single Storey Group Dwellings in Association with Four (4) Existing Single Storey Group Dwellings, Shared Driveway, Visitor Car Parking and Landscaping' at Unit 1-2, 30 Shepherdson Road, Parafield Gardens, SA 5107. The applicant requested that this matter be adjourned to enable the submission of a revised proposal.
- 2.6 A revised proposal (Development Application 23013692) has been submitted for two ancillary accommodation buildings. Having sought a legal opinion, the applicant was advised that the nature of development has been determined to be 'Two (2) single storey group dwellings in association with four (4) existing single storey group dwellings.' The applicant has been requested to advise if they wish for Council to verify the application as two additional group dwellings.
- 2.7 This appeal will be withdrawn when DA 23023699 is approved.

Page 478 City of Salisbury

- Applicant Appeal to Environment, Resources and Development Court, Tony Maiello (N27 Pty Ltd) v City of Salisbury (ERD-22-000014) Development Application 361/1618/2020/2A
- 2.8 The Applicant appealed against the decision of the Panel to refuse the development application for three two-storey group dwellings at 173-175 Park Terrace, Salisbury. The applicant presented two alternative proposals in response to the decision of the Panel, but the amendments have not addressed the concerns of the Panel.
- 2.9 The applicant requested an adjournment of the current proceedings to lodge a new application and for a decision to be made on this application. The new application has been made under the Planning and Design Code and proposed two dwellings. This application has been refused planning consent by the Assessment Manager and an appeal has also been lodged against this decision. [ERD-22-000180 / DA 22037930].
- 2.10 The appeal against both decisions will be withdrawn when DA 23023699 is approved.